

地区 ..003

作業 .. 2 原図番号 .. M1 45-2

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -46,200.00 測定 年 4 月 26 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,450.00 -46,200.00)	50.05	(21,500.05 -46,200.08)	50.02	(21,550.07 -46,200.10)	49.95
		(21,600.02 -46,200.13)	49.95	(21,600.02 -46,150.18)	50.00	(21,600.05 -46,100.18)	50.01
		(21,600.02 -46,050.17)	50.00	(21,600.02 -46,000.17)	50.02	(21,550.00 -46,000.10)	50.00
		(21,500.00 -46,000.07)	50.00	(21,450.00 -46,000.05)	50.00	(21,449.97 -46,050.05)	50.00
		(21,450.00 -46,100.05)	50.00	(21,450.05 -46,150.05)	49.95		
46	001- 4	(21,449.98 -46,097.25)	5.06	(21,454.77 -46,095.62)	4.11	(21,453.13 -46,091.85)	0.40
		(21,452.93 -46,091.50)	3.14	(21,450.01 -46,092.65)	4.60		
46	773- 1	(1/ 2)					
		(21,450.01 -46,092.65)	3.14	(21,452.93 -46,091.50)	7.01	(21,449.97 -46,085.15)	7.50
47	775- 1	(1/ 2)					
		(21,449.97 -46,085.15)	7.01	(21,452.93 -46,091.50)	0.40	(21,453.13 -46,091.85)	8.62
		(21,461.27 -46,089.02)	2.40	(21,463.54 -46,088.25)	11.38	(21,474.37 -46,084.74)	10.94
		(21,472.14 -46,074.03)	7.68	(21,469.93 -46,066.68)	3.28	(21,467.93 -46,064.08)	2.96
		(21,465.98 -46,061.85)	9.65	(21,457.82 -46,056.69)	5.91	(21,453.12 -46,053.10)	3.73
		(21,450.47 -46,050.48)	0.73	(21,450.03 -46,049.90)	35.25		
47	001- 3						
		(21,450.03 -46,049.90)	0.73	(21,450.47 -46,050.48)	3.73	(21,453.12 -46,053.10)	5.91
		(21,457.82 -46,056.69)	9.65	(21,465.98 -46,061.85)	2.96	(21,467.93 -46,064.08)	3.28
		(21,469.93 -46,066.68)	7.68	(21,472.14 -46,074.03)	10.94	(21,474.37 -46,084.74)	2.18
		(21,476.51 -46,084.34)	11.00	(21,474.09 -46,073.61)	8.18	(21,471.73 -46,065.78)	3.73
		(21,469.51 -46,062.78)	3.36	(21,467.26 -46,060.28)	5.52	(21,462.59 -46,057.34)	4.01
		(21,459.22 -46,055.16)	5.95	(21,454.45 -46,051.61)	3.63	(21,451.85 -46,049.08)	2.36
		(21,450.36 -46,047.25)	2.16	(21,450.13 -46,045.10)	0.26	(21,450.01 -46,044.87)	5.03
42	002- 5						
		(21,450.00 -46,000.05)	1.60	(21,450.00 -46,001.65)	4.07	(21,453.75 -46,000.06)	3.75
48	794	(1/ 3)					
		(21,453.75 -46,000.06)	4.07	(21,450.00 -46,001.65)	43.22	(21,450.01 -46,044.87)	0.26
		(21,450.13 -46,045.10)	7.99	(21,457.91 -46,043.29)	2.54	(21,460.39 -46,042.72)	43.74
		(21,470.15 -46,000.08)	16.40				
48	796- 1	(1/ 2)					
		(21,470.15 -46,000.08)	43.74	(21,460.39 -46,042.72)	19.72	(21,479.44 -46,037.62)	4.32
		(21,482.32 -46,034.40)	3.52	(21,484.98 -46,032.10)	7.34	(21,490.81 -46,027.64)	3.91
		(21,492.86 -46,024.31)	2.65	(21,493.77 -46,021.82)	5.90	(21,493.73 -46,015.92)	5.37
		(21,494.85 -46,010.67)	4.50	(21,493.53 -46,006.37)	5.75	(21,488.92 -46,002.93)	5.44
		(21,484.30 -46,000.05)	14.15				
48	797	(1/ 2)					
		(21,484.30 -46,000.05)	5.44	(21,488.92 -46,002.93)	5.75	(21,493.53 -46,006.37)	1.58
		(21,494.91 -46,007.14)	2.25	(21,497.14 -46,006.86)	0.35	(21,497.49 -46,006.87)	10.16
		(21,505.05 -46,000.08)	20.75				
48	002- 4						
		(21,505.05 -46,000.08)	10.16	(21,497.49 -46,006.87)	0.35	(21,497.14 -46,006.86)	2.06
		(21,495.69 -46,008.32)	2.50	(21,494.85 -46,010.67)	5.37	(21,493.73 -46,015.92)	5.90
		(21,493.77 -46,021.82)	2.65	(21,492.86 -46,024.31)	3.91	(21,490.81 -46,027.64)	7.34
		(21,484.98 -46,032.10)	3.52	(21,482.32 -46,034.40)	4.32	(21,479.44 -46,037.62)	19.72
		(21,460.39 -46,042.72)	2.54	(21,457.91 -46,043.29)	7.99	(21,450.13 -46,045.10)	2.16
		(21,450.36 -46,047.25)	8.96	(21,459.01 -46,044.91)	22.12	(21,480.32 -46,038.97)	9.49
		(21,488.30 -46,033.84)	3.52	(21,491.18 -46,031.81)	4.77	(21,494.03 -46,027.99)	3.21
		(21,495.59 -46,025.19)	3.29	(21,496.69 -46,022.09)	3.47	(21,496.72 -46,018.62)	5.75
		(21,496.28 -46,012.89)	2.92	(21,497.28 -46,010.15)	14.74	(21,508.05 -46,000.09)	3.00
48	790	(1/ 2)					

地区 ..003

作業 .. 2 原図番号 .. M1 45-2

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -46,200.00 測定 年 4 月 26 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(@ 21,508.05 -46,000.09)	14.74	(21,497.28 -46,010.15)	2.92	(21,496.28 -46,012.89)	5.75
		(21,496.72 -46,018.62)	3.47	(21,496.69 -46,022.09)	3.29	(21,495.59 -46,025.19)	3.21
		(21,494.03 -46,027.99)	4.77	(21,491.18 -46,031.81)	3.52	(21,488.30 -46,033.84)	16.84
		(21,492.25 -46,050.21)	5.82	(21,498.07 -46,050.27)	9.89	(21,499.39 -46,060.07)	15.31
		(21,514.59 -46,058.25)	3.88	(21,516.64 -46,054.95)	17.02	(21,527.79 -46,042.09)	3.56
		(21,530.14 -46,039.42)	8.78	(21,535.35 -46,032.35)	11.29	(21,541.59 -46,022.94)	9.33
		(21,547.08 -46,015.40)	5.99	(21,550.73 -46,010.65)	3.58	(21,553.14 -46,008.00)	3.49
		(21,555.28 -46,005.24)	3.97	(21,552.32 -46,002.60)	6.11	(21,546.75 -46,000.09)	38.70
48	002- 3	(@ 21,546.75 -46,000.09)	6.11	(21,552.32 -46,002.60)	3.97	(21,555.28 -46,005.24)	2.90
		(21,555.65 -46,002.36)	4.86	(21,551.35 -46,000.10)	4.60		
48	799- 1	(1/ 2)					
		(@ 21,551.35 -46,000.10)	4.86	(21,555.65 -46,002.36)	2.29	(21,556.05 -46,000.11)	4.70
48	001- 5	(@ 21,556.05 -46,000.11)	2.29	(21,555.65 -46,002.36)	2.90	(21,555.28 -46,005.24)	0.00
		(21,555.28 -46,005.24)	3.49	(21,553.14 -46,008.00)	3.58	(21,550.73 -46,010.65)	5.99
		(21,547.08 -46,015.40)	9.33	(21,541.59 -46,022.94)	11.29	(21,535.35 -46,032.35)	8.78
		(21,530.14 -46,039.42)	3.56	(21,527.79 -46,042.09)	17.02	(21,516.64 -46,054.95)	3.88
		(21,514.59 -46,058.25)	15.31	(21,499.39 -46,060.07)	1.87	(21,499.63 -46,061.92)	13.67
		(21,513.21 -46,060.38)	1.46	(21,514.66 -46,060.21)	2.05	(21,516.66 -46,059.78)	1.66
		(21,517.16 -46,058.20)	2.36	(21,518.32 -46,056.15)	20.52	(21,531.67 -46,040.57)	9.05
		(21,537.10 -46,033.33)	11.35	(21,543.36 -46,023.86)	7.06	(21,547.51 -46,018.15)	1.88
		(21,548.58 -46,016.60)	6.20	(21,552.41 -46,011.73)	7.23	(21,557.56 -46,006.66)	0.95
		(21,557.49 -46,005.71)	3.93	(21,557.90 -46,001.80)	1.68	(21,558.15 -46,000.14)	2.10
48	799- 2	(1/ 2)					
		(21,558.15 -46,000.14)	1.68	(21,557.90 -46,001.80)	2.73	(@ 21,560.05 -46,000.11)	1.90
48	002- 2	(@ 21,560.05 -46,000.11)	2.73	(21,557.90 -46,001.80)	3.93	(21,557.49 -46,005.71)	9.03
		(21,564.95 -46,000.62)	0.97	(21,565.78 -46,000.12)	5.73		
48	001- 6	(@ 21,565.78 -46,000.12)	0.97	(21,564.95 -46,000.62)	9.03	(21,557.49 -46,005.71)	0.95
		(21,557.56 -46,006.66)	9.55	(21,565.27 -46,001.02)	1.77	(21,566.80 -46,000.13)	1.02
47	789	(1/ 2)					
		(@ 21,566.80 -46,000.13)	1.77	(21,565.27 -46,001.02)	9.55	(21,557.56 -46,006.66)	7.23
		(21,552.41 -46,011.73)	6.20	(21,548.58 -46,016.60)	1.88	(21,547.51 -46,018.15)	26.10
		(21,551.98 -46,043.86)	19.02	(21,570.87 -46,046.08)	6.42	(21,572.51 -46,039.87)	41.82
		(21,587.83 -46,000.96)	2.97	(21,584.97 -46,000.15)	18.17		
50	002- 1	(21,600.02 -46,000.17)	15.05	(@ 21,584.97 -46,000.15)	2.97	(21,587.83 -46,000.96)	12.77
		(21,600.09 -46,004.52)	4.35				
47	786	(2/ 2)					
		(21,600.09 -46,004.52)	12.77	(@ 21,587.83 -46,000.96)	41.82	(21,572.51 -46,039.87)	4.74
		(21,576.36 -46,042.64)	3.36	(21,579.21 -46,044.42)	2.71	(21,581.63 -46,045.65)	14.10
		(21,594.42 -46,051.58)	6.19	(21,600.02 -46,054.22)	49.70		
47	784- 3	(2/ 2)					
		(21,600.02 -46,054.22)	6.19	(@ 21,594.42 -46,051.58)	41.01	(21,585.86 -46,091.69)	2.54
		(21,588.40 -46,091.84)	19.96	(21,592.52 -46,072.31)	7.70	(21,600.04 -46,073.95)	19.73
47	785- 2	(2/ 2)					
		(21,600.04 -46,073.95)	7.70	(@ 21,592.52 -46,072.31)	19.96	(21,588.40 -46,091.84)	11.69
		(21,600.06 -46,092.68)	18.73				
47	001- 1	(21,600.06 -46,092.68)	11.69	(21,588.40 -46,091.84)	2.54	(21,585.86 -46,091.69)	13.97

地区 ..003

作業 .. 2 原図番号 .. M1 45-2

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -46,200.00 測定 年 4 月 26 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,571.93 -46,090.68)	10.53	(21,561.42 -46,089.98)	8.65	(21,552.79 -46,089.38)	5.91
		(21,546.90 -46,088.93)	0.52	(21,546.38 -46,088.89)	3.54	(21,542.85 -46,088.64)	10.88
		(21,532.00 -46,087.87)	12.43	(21,519.60 -46,086.95)	1.95	(21,517.65 -46,086.82)	10.11
		(21,507.57 -46,086.09)	7.72	(21,499.87 -46,085.47)	7.45	(21,492.44 -46,084.90)	15.94
		(21,476.51 -46,084.34)	2.18	(21,474.37 -46,084.74)	11.38	(21,463.54 -46,088.25)	2.40
		(21,461.27 -46,089.02)	8.62	(21,453.13 -46,091.85)	4.11	(21,454.77 -46,095.62)	11.87
		(21,466.09 -46,092.05)	8.89	(21,474.44 -46,089.01)	2.18	(21,476.59 -46,088.64)	6.43
		(21,483.02 -46,088.40)	4.98	(21,487.99 -46,088.63)	29.44	(21,517.34 -46,090.98)	25.38
47	000- 1	(21,542.66 -46,092.76)	43.36	(21,585.91 -46,095.90)	14.18	(21,600.05 -46,096.98)	4.30
		(21,600.05 -46,096.98)	14.18	(21,585.91 -46,095.90)	43.36	(21,542.66 -46,092.76)	25.38
		(21,517.34 -46,090.98)	29.44	(21,487.99 -46,088.63)	4.98	(21,483.02 -46,088.40)	6.43
		(21,476.59 -46,088.64)	2.18	(21,474.44 -46,089.01)	8.89	(21,466.09 -46,092.05)	11.87
		(21,454.77 -46,095.62)	5.06	(21,449.98 -46,097.25)	2.80	(21,450.00 -46,100.05)	50.00
		(21,450.05 -46,150.05)	49.95	(21,450.00 -46,200.00)	50.05	(21,500.05 -46,200.08)	50.02
47	784- 2	(21,550.07 -46,200.10)	49.95	(21,600.02 -46,200.13)	49.95	(21,600.02 -46,150.18)	53.20
		(21,585.86 -46,091.69)	41.01	(21,594.42 -46,051.58)	14.10	(21,581.63 -46,045.65)	46.06
47	783- 1	(21,571.93 -46,090.68)	13.97				
		(21,571.93 -46,090.68)	46.06	(21,581.63 -46,045.65)	2.71	(21,579.21 -46,044.42)	3.36
		(21,576.36 -46,042.64)	4.74	(21,572.51 -46,039.87)	6.42	(21,570.87 -46,046.08)	9.94
		(21,568.72 -46,055.78)	8.70	(21,566.85 -46,064.28)	4.30	(21,565.90 -46,068.47)	21.97
47	788	(21,561.42 -46,089.98)	10.53				
		(21,570.87 -46,046.08)	19.02	(21,551.98 -46,043.86)	10.35	(21,549.93 -46,054.01)	18.87
47	787	(21,568.72 -46,055.78)	9.94				
		(21,568.72 -46,055.78)	18.87	(21,549.93 -46,054.01)	8.97	(21,548.16 -46,062.80)	18.75
47	782- 1	(21,566.85 -46,064.28)	8.70				
		(21,566.85 -46,064.28)	18.75	(21,548.16 -46,062.80)	26.38	(21,542.85 -46,088.64)	3.54
		(21,546.38 -46,088.89)	21.98	(21,550.65 -46,067.33)	0.51	(21,551.16 -46,067.39)	14.78
47	782- 4	(21,565.90 -46,068.47)	4.30				
		(21,565.90 -46,068.47)	14.78	(21,551.16 -46,067.39)	21.96	(21,546.90 -46,088.93)	5.91
47	782- 5	(21,552.79 -46,089.38)	8.65	(21,561.42 -46,089.98)	21.97		
		(21,546.38 -46,088.89)	0.52	(21,546.90 -46,088.93)	21.96	(21,551.16 -46,067.39)	0.51
47	782- 2	(21,550.65 -46,067.33)	21.98				
		(21,542.85 -46,088.64)	26.38	(21,548.16 -46,062.80)	8.97	(21,549.93 -46,054.01)	10.35
47	781- 1	(21,551.98 -46,043.86)	10.87	(21,541.25 -46,042.14)	46.66	(21,532.00 -46,087.87)	10.88
		(21,532.00 -46,087.87)	46.66	(21,541.25 -46,042.14)	2.04	(21,539.24 -46,041.78)	7.67
		(21,531.67 -46,040.57)	20.52	(21,518.32 -46,056.15)	2.36	(21,517.16 -46,058.20)	1.66
47	001- 2	(21,516.66 -46,059.78)	8.41	(21,519.27 -46,067.78)	19.17	(21,519.60 -46,086.95)	12.43
		(21,519.60 -46,086.95)	19.17	(21,519.27 -46,067.78)	8.41	(21,516.66 -46,059.78)	2.05
47	780	(21,514.66 -46,060.21)	8.26	(21,517.28 -46,068.04)	18.78	(21,517.65 -46,086.82)	1.95
		(21,517.65 -46,086.82)	18.78	(21,517.28 -46,068.04)	4.59	(21,512.75 -46,068.76)	4.00

地区 ..003

作業 .. 2 原図番号 .. M1 45-2

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -46,200.00 測定 年 4 月 26 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

47	779-	2	(21,508.76 -46,068.54)	17.59	(21,507.57 -46,086.09)	10.11			
			(21,507.57 -46,086.09)	17.59	(21,508.76 -46,068.54)	0.85	(21,508.82 -46,067.69)	9.56	
47	779-	1	(@ 21,499.28 -46,067.07)	18.41	(21,499.87 -46,085.47)	7.72			
			(21,499.87 -46,085.47)	18.41	(21,499.28 -46,067.07)	6.34	(@ 21,492.95 -46,066.66)	18.25	
47	778		(21,492.44 -46,084.90)	7.45					
			(21,492.44 -46,084.90)	18.25	(21,492.95 -46,066.66)	6.34	(21,499.28 -46,067.07)	9.56	
			(21,508.82 -46,067.69)	0.85	(21,508.76 -46,068.54)	4.00	(21,512.75 -46,068.76)	8.39	
			(21,513.21 -46,060.38)	13.67	(21,499.63 -46,061.92)	1.87	(21,499.39 -46,060.07)	9.89	
			(21,498.07 -46,050.27)	5.82	(21,492.25 -46,050.21)	16.84	(@ 21,488.30 -46,033.84)	9.49	
			(21,480.32 -46,038.97)	22.12	(21,459.01 -46,044.91)	8.96	(21,450.36 -46,047.25)	2.36	
			(21,451.85 -46,049.08)	3.63	(21,454.45 -46,051.61)	5.95	(21,459.22 -46,055.16)	4.01	
			(21,462.59 -46,057.34)	5.52	(21,467.26 -46,060.28)	3.36	(21,469.51 -46,062.78)	3.73	
			(21,471.73 -46,065.78)	8.18	(21,474.09 -46,073.61)	11.00	(21,476.51 -46,084.34)	15.94	
47	781-	2	(21,517.28 -46,068.04)	8.26	(@ 21,514.66 -46,060.21)	1.46	(21,513.21 -46,060.38)	8.39	
			(21,512.75 -46,068.76)	4.59					
47	781-	6	(21,531.67 -46,040.57)	7.67	(21,539.24 -46,041.78)	7.31	(21,541.37 -46,034.79)	4.51	
			(@ 21,537.10 -46,033.33)	9.05					
47	782-	3	(21,537.10 -46,033.33)	4.51	(21,541.37 -46,034.79)	7.31	(21,539.24 -46,041.78)	2.04	
			(21,541.25 -46,042.14)	10.87	(21,551.98 -46,043.86)	26.10	(@ 21,547.51 -46,018.15)	7.06	
			(21,543.36 -46,023.86)	11.35					
48	796-	2	(21,494.85 -46,010.67)	2.50	(21,495.69 -46,008.32)	2.06	(21,497.14 -46,006.86)	2.25	
			(21,494.91 -46,007.14)	1.58	(@ 21,493.53 -46,006.37)	4.50			