

地区 ..003

作業 .. 3 原図番号 .. M1 45-4

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -46,200.00 測定 年 4 月 26 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,300.00 -46,200.00)	50.00	(21,350.00 -46,200.04)	50.03	(21,400.03 -46,200.03)	50.00
		(21,450.03 -46,200.09)	50.00	(21,450.04 -46,150.09)	50.00	(21,450.00 -46,100.09)	50.00
		(21,450.00 -46,050.09)	50.00	(21,449.98 -46,000.09)	50.00	(21,399.98 -46,000.07)	50.01
		(21,349.97 -46,000.06)	49.97	(21,300.00 -46,000.02)	49.98	(21,300.01 -46,050.00)	50.00
		(21,300.00 -46,100.00)	50.00	(21,299.99 -46,150.00)	50.00		
46	000- 1	(21,299.99 -46,150.00)	50.00	(21,300.00 -46,200.00)	50.00	(21,350.00 -46,200.04)	50.03
		(21,400.03 -46,200.03)	50.00	(21,450.03 -46,200.09)	50.00	(21,450.04 -46,150.09)	50.00
		(21,450.00 -46,100.09)	3.00	(21,450.00 -46,097.09)	6.85	(21,443.45 -46,099.10)	35.12
		(21,410.39 -46,110.94)	48.83	(21,364.57 -46,127.83)	27.31	(21,338.83 -46,136.95)	20.41
		(21,319.37 -46,143.10)	17.79	(21,302.17 -46,147.65)	2.26	(21,299.99 -46,148.25)	1.75
46	001- 3	(21,299.99 -46,148.25)	2.26	(21,302.17 -46,147.65)	17.79	(21,319.37 -46,143.10)	20.41
		(21,338.83 -46,136.95)	27.31	(21,364.57 -46,127.83)	48.83	(21,410.39 -46,110.94)	35.12
		(21,443.45 -46,099.10)	6.85	(21,450.00 -46,097.09)	4.50	(21,450.01 -46,092.59)	8.37
		(21,442.21 -46,095.63)	33.57	(21,410.57 -46,106.86)	15.72	(21,395.88 -46,112.47)	19.51
		(21,377.48 -46,118.96)	19.41	(21,359.25 -46,125.62)	14.73	(21,345.36 -46,130.51)	14.08
		(21,331.96 -46,134.84)	14.09	(21,318.52 -46,139.07)	18.10	(21,301.10 -46,143.99)	1.15
		(21,299.99 -46,144.30)	3.95				
46	763- 2	(1/ 3)					
		(21,299.99 -46,144.30)	1.15	(21,301.10 -46,143.99)	3.40	(21,300.25 -46,140.70)	1.60
		(21,300.00 -46,139.12)	5.18				
46	764- 6	(1/ 2)					
		(21,300.00 -46,139.12)	1.60	(21,300.25 -46,140.70)	3.40	(21,301.10 -46,143.99)	18.10
		(21,318.52 -46,139.07)	15.84	(21,313.15 -46,124.17)	4.73	(21,308.87 -46,126.19)	3.12
		(21,306.17 -46,127.76)	3.29	(21,303.41 -46,129.55)	1.98	(21,301.96 -46,130.90)	1.46
		(21,301.04 -46,132.04)	0.38	(21,301.26 -46,132.35)	0.94	(21,300.73 -46,133.13)	2.06
		(21,300.13 -46,135.10)	0.66	(21,300.01 -46,135.75)	3.37		
46	763- 2	(2/ 3)					
		(21,300.01 -46,135.75)	0.66	(21,300.13 -46,135.10)	2.06	(21,300.73 -46,133.13)	0.94
		(21,301.26 -46,132.35)	0.38	(21,301.04 -46,132.04)	1.30	(21,300.01 -46,131.25)	4.50
46	765	(1/ 2)					
		(21,300.01 -46,131.25)	1.30	(21,301.04 -46,132.04)	1.46	(21,301.96 -46,130.90)	1.98
		(21,303.41 -46,129.55)	3.29	(21,306.17 -46,127.76)	3.12	(21,308.87 -46,126.19)	4.73
		(21,313.15 -46,124.17)	14.44	(21,326.49 -46,118.63)	6.66	(21,332.78 -46,116.44)	17.17
		(21,327.28 -46,100.18)	4.92	(21,322.65 -46,101.83)	7.43	(21,315.88 -46,104.88)	11.34
		(21,306.31 -46,110.96)	4.70	(21,302.53 -46,113.75)	3.50	(21,299.98 -46,116.15)	15.10
46	760	(1/ 2)					
		(21,299.98 -46,116.15)	3.50	(21,302.53 -46,113.75)	4.70	(21,306.31 -46,110.96)	11.34
		(21,315.88 -46,104.88)	3.64	(21,314.90 -46,101.37)	7.15	(21,315.78 -46,094.27)	3.74
		(21,316.81 -46,090.67)	5.52	(21,318.44 -46,085.40)	7.78	(21,318.59 -46,077.62)	4.26
		(21,314.33 -46,077.82)	13.72	(21,300.63 -46,077.08)	6.72	(21,301.80 -46,083.70)	8.01
		(21,302.16 -46,091.70)	5.73	(21,301.95 -46,097.43)	3.23	(21,301.35 -46,100.60)	3.35
		(21,300.00 -46,103.67)	12.48				
45	002- 7						
		(21,300.00 -46,103.67)	3.35	(21,301.35 -46,100.60)	3.23	(21,301.95 -46,097.43)	5.73
		(21,302.16 -46,091.70)	8.01	(21,301.80 -46,083.70)	6.72	(21,300.63 -46,077.08)	13.72
		(21,314.33 -46,077.82)	4.26	(21,318.59 -46,077.62)	6.11	(21,324.46 -46,075.93)	6.96
		(21,331.38 -46,075.14)	6.27	(21,337.65 -46,075.23)	4.79	(21,336.50 -46,070.58)	6.79
		(21,329.71 -46,070.34)	12.31	(21,317.49 -46,071.82)	1.45	(21,316.06 -46,072.07)	16.09
		(21,299.98 -46,072.75)	30.92				

基準点..X 21,300.00..Y -46,200.00 測定 年 4 月 26 日

45	759	(1 / 2) (21,299.98 -46,072.75)	16.09	(21,316.06 -46,072.07)	1.45	(21,317.49 -46,071.82)	12.31
		(21,329.71 -46,070.34)	6.79	(21,336.50 -46,070.58)	11.04	(21,334.67 -46,059.69)	7.02
		(21,327.65 -46,059.93)	5.67	(21,321.98 -46,059.78)	4.95	(21,317.05 -46,059.32)	8.03
45	757	(1 / 2) (21,299.95 -46,057.40)	9.18	(21,309.09 -46,058.28)	24.12	(21,309.58 -46,034.16)	8.32
		(21,301.48 -46,036.05)	1.53	(21,299.95 -46,036.15)	21.25		
45	753	(1 / 4) (21,300.00 -46,000.02)	36.13	(21,299.95 -46,036.15)	1.53	(21,301.48 -46,036.05)	8.32
		(21,309.58 -46,034.16)	8.93	(21,317.36 -46,029.77)	3.63	(21,320.79 -46,028.58)	6.60
		(21,327.34 -46,027.78)	4.66	(21,331.99 -46,028.10)	3.26	(21,332.54 -46,024.89)	3.76
		(21,332.22 -46,021.14)	5.67	(21,331.23 -46,015.56)	8.21	(21,329.46 -46,007.54)	3.37
		(21,327.67 -46,004.68)	4.34	(21,325.10 -46,001.18)	2.86	(21,322.48 -46,000.03)	22.48
45	002- 6	(21,322.48 -46,000.03)	2.86	(21,325.10 -46,001.18)	4.34	(21,327.67 -46,004.68)	3.37
44	002- 5	(21,329.46 -46,007.54)	3.60	(21,329.37 -46,003.94)	4.79	(21,326.60 -46,000.03)	4.12
		(21,329.46 -46,007.54)	3.59	(21,333.04 -46,007.29)	5.39	(21,338.22 -46,005.80)	8.62
		(21,346.17 -46,002.46)	5.09	(21,351.12 -46,001.26)	1.96	(21,353.07 -46,001.47)	1.38
		(21,354.22 -46,002.24)	7.04	(21,356.06 -46,009.04)	6.26	(21,358.21 -46,014.92)	3.64
		(21,358.88 -46,018.50)	3.25	(21,358.42 -46,021.72)	3.31	(21,357.34 -46,024.85)	2.37
		(21,355.89 -46,026.72)	3.87	(21,353.16 -46,029.47)	1.66	(21,352.59 -46,031.03)	12.81
		(21,347.60 -46,042.83)	2.50	(21,346.62 -46,045.13)	4.05	(21,344.46 -46,048.56)	14.82
		(21,334.67 -46,059.69)	11.04	(21,336.50 -46,070.58)	1.65	(21,338.15 -46,070.60)	11.29
		(21,336.35 -46,059.45)	1.73	(21,337.15 -46,057.92)	11.15	(21,344.71 -46,049.73)	3.55
		(21,346.87 -46,046.91)	4.07	(21,348.72 -46,043.29)	12.70	(21,353.54 -46,031.54)	0.55
		(21,353.89 -46,031.12)	4.62	(21,357.07 -46,027.77)	3.16	(21,358.67 -46,025.05)	3.34
		(21,359.77 -46,021.90)	3.51	(21,360.00 -46,018.40)	4.06	(21,359.53 -46,014.37)	3.36
		(21,358.35 -46,011.22)	3.11	(21,357.11 -46,008.37)	7.52	(21,355.32 -46,001.07)	1.12
		(21,354.82 -46,000.07)	6.00	(21,348.82 -46,000.06)	3.22	(21,345.77 -46,001.08)	8.63
		(21,337.87 -46,004.55)	5.28	(21,332.79 -46,005.99)	1.67	(21,331.17 -46,005.59)	2.44
44	748	(1 / 2) (21,326.60 -46,000.03)	4.79	(21,329.37 -46,003.94)	2.44	(21,331.17 -46,005.59)	1.67
		(21,332.79 -46,005.99)	5.28	(21,337.87 -46,004.55)	8.63	(21,345.77 -46,001.08)	3.22
44	747	(1 / 2) (21,348.82 -46,000.06)	22.22				
		(21,354.82 -46,000.07)	1.12	(21,355.32 -46,001.07)	7.52	(21,357.11 -46,008.37)	3.11
44	001- 4	(21,358.35 -46,011.22)	61.88	(21,419.52 -46,001.85)	2.17	(21,418.23 -46,000.10)	63.41
		(21,418.23 -46,000.10)	2.17	(21,419.52 -46,001.85)	8.77	(21,423.98 -46,009.40)	9.79
		(21,429.55 -46,017.45)	2.85	(21,430.91 -46,014.94)	8.08	(21,426.63 -46,008.09)	0.59
42	720- 2	(1 / 2) (21,426.09 -46,008.33)	9.10	(21,421.37 -46,000.55)	0.57	(21,421.02 -46,000.10)	2.79
	</						

地区 ..003

作業 .. 3 原図番号 .. M1 45-4

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -46,200.00

測定 年 4 月 26 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,430.91 -46,014.94)	4.73	(21,434.22 -46,018.32)	1.62	(21,434.48 -46,016.72)	2.89
		(21,435.68 -46,014.09)	3.53	(21,437.51 -46,011.07)	5.74	(21,441.59 -46,007.03)	7.44
		(21,447.62 -46,002.68)	2.51	(21,449.95 -46,001.74)	1.65	(21,449.98 -46,000.09)	6.65
48	794	(3/ 3)					
		(21,449.95 -46,001.74)	2.51	(21,447.62 -46,002.68)	7.44	(21,441.59 -46,007.03)	5.74
		(21,437.51 -46,011.07)	3.53	(21,435.68 -46,014.09)	2.89	(21,434.48 -46,016.72)	1.62
47	001-	1	20.00	(21,434.22 -46,018.32)	11.17	(21,450.07 -46,045.14)	43.40
		(21,450.07 -46,045.14)	2.83	(21,447.53 -46,046.38)	1.71	(21,448.22 -46,047.94)	2.79
		(21,450.00 -46,050.09)	4.95				
47	775-	1		(2/ 2)			
		(21,450.00 -46,050.09)	2.79	(21,448.22 -46,047.94)	4.06	(21,445.04 -46,050.46)	6.49
		(21,442.55 -46,056.45)	8.16	(21,440.44 -46,064.33)	7.63	(21,440.74 -46,071.95)	7.55
		(21,442.53 -46,079.28)	5.36	(21,447.77 -46,080.43)	5.33	(21,449.97 -46,085.29)	35.20
46	773-	1		(2/ 2)			
		(21,449.97 -46,085.29)	5.33	(21,447.77 -46,080.43)	5.36	(21,442.53 -46,079.28)	1.85
		(21,440.74 -46,078.81)	1.96	(21,438.80 -46,078.50)	1.66	(21,437.15 -46,078.65)	6.13
		(21,431.10 -46,079.61)	17.20	(21,414.34 -46,083.46)	28.39	(21,386.68 -46,089.86)	24.41
		(21,395.88 -46,112.47)	15.72	(21,410.57 -46,106.86)	33.57	(21,442.21 -46,095.63)	8.37
		(21,450.01 -46,092.59)	7.30				
46	769						
		(21,425.84 -46,030.28)	20.54	(21,409.32 -46,042.49)	4.73	(21,409.04 -46,047.21)	5.33
		(21,408.11 -46,052.46)	6.51	(21,408.72 -46,058.94)	39.08	(21,444.87 -46,044.10)	7.69
		(21,441.00 -46,037.45)	16.76	(21,431.55 -46,023.61)	8.78		
46	002-	2					
		(21,431.55 -46,023.61)	16.76	(21,441.00 -46,037.45)	7.69	(21,444.87 -46,044.10)	3.41
		(21,446.57 -46,047.06)	3.67	(21,443.81 -46,049.48)	6.96	(21,441.01 -46,055.85)	2.58
		(21,440.40 -46,058.36)	6.04	(21,438.84 -46,064.20)	8.01	(21,439.21 -46,072.20)	6.78
		(21,440.74 -46,078.81)	1.85	(21,442.53 -46,079.28)	7.55	(21,440.74 -46,071.95)	7.63
		(21,440.44 -46,064.33)	8.16	(21,442.55 -46,056.45)	6.49	(21,445.04 -46,050.46)	4.06
		(21,448.22 -46,047.94)	1.71	(21,447.53 -46,046.38)	11.34	(21,442.08 -46,036.43)	18.30
		(21,432.25 -46,021.00)	2.70				
46	001-	2					
		(21,432.25 -46,021.00)	18.30	(21,442.08 -46,036.43)	11.34	(21,447.53 -46,046.38)	2.83
		(21,450.07 -46,045.14)	11.17	(21,444.73 -46,035.33)	20.00	(21,434.22 -46,018.32)	3.33
46	768						
		(21,403.07 -46,043.38)	6.67	(21,396.64 -46,045.17)	11.17	(21,386.56 -46,049.98)	25.84
		(21,362.70 -46,059.90)	5.09	(21,358.66 -46,062.99)	5.57	(21,361.74 -46,067.63)	5.24
		(21,365.64 -46,071.13)	6.58	(21,370.31 -46,075.76)	3.88	(21,373.88 -46,074.24)	4.99
		(21,378.16 -46,071.67)	4.05	(21,381.19 -46,068.98)	4.63	(21,385.04 -46,066.41)	8.40
		(21,392.57 -46,062.69)	9.26	(21,401.08 -46,059.05)	5.78	(21,406.70 -46,057.68)	6.15
		(21,406.61 -46,051.53)	4.62	(21,407.07 -46,046.93)	3.70	(21,407.04 -46,043.23)	3.97
46	002-	3					
		(21,407.04 -46,043.23)	3.70	(21,407.07 -46,046.93)	4.62	(21,406.61 -46,051.53)	6.15
		(21,406.70 -46,057.68)	5.78	(21,401.08 -46,059.05)	9.26	(21,392.57 -46,062.69)	8.40
		(21,385.04 -46,066.41)	4.63	(21,381.19 -46,068.98)	4.05	(21,378.16 -46,071.67)	4.99
		(21,373.88 -46,074.24)	3.88	(21,370.31 -46,075.76)	6.58	(21,365.64 -46,071.13)	5.24
		(21,361.74 -46,067.63)	5.57	(21,358.66 -46,062.99)	2.60	(21,356.69 -46,064.69)	6.52
		(21,360.41 -46,070.05)	2.97	(21,362.89 -46,071.68)	9.08	(21,369.35 -46,078.06)	2.08
		(21,371.43 -46,078.14)	10.39	(21,380.50 -46,073.07)	5.38	(21,384.19 -46,069.16)	7.04
		(21,390.34 -46,065.74)	11.31	(21,400.62 -46,061.03)	8.36	(21,408.70 -46,058.89)	6.46
		(21,408.11 -46,052.46)	5.33	(21,409.04 -46,047.21)	4.73	(21,409.32 -46,042.49)	2.40

地区 ..003

作業 .. 3 原図番号 .. M1 45-4

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -46,200.00 測定 年 4 月 26 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

46	767	(21,371.43 -46,078.14)	2.08	(21,369.35 -46,078.06)	9.08	(21,362.89 -46,071.68)	2.97
		(21,360.41 -46,070.05)	6.52	(21,356.69 -46,064.69)	4.79	(21,353.04 -46,067.79)	4.20
		(21,350.51 -46,071.14)	4.37	(21,346.61 -46,073.11)	5.13	(21,341.78 -46,074.83)	4.15
		(21,337.65 -46,075.23)	6.27	(21,331.38 -46,075.14)	6.96	(21,324.46 -46,075.93)	6.11
		(21,318.59 -46,077.62)	7.78	(21,318.44 -46,085.40)	5.52	(21,316.81 -46,090.67)	3.74
		(21,315.78 -46,094.27)	7.15	(21,314.90 -46,101.37)	3.64	(21,315.88 -46,104.88)	7.43
		(21,322.65 -46,101.83)	4.92	(21,327.28 -46,100.18)	50.87	(21,375.19 -46,083.09)	6.22
46	766	(21,375.19 -46,083.09)	50.87	(21,327.28 -46,100.18)	17.17	(21,332.78 -46,116.44)	7.27
		(21,339.65 -46,114.05)	14.59	(21,353.57 -46,109.68)	19.55	(21,371.85 -46,102.74)	3.55
		(21,375.31 -46,101.93)	5.96	(21,381.12 -46,100.60)	3.85	(21,381.64 -46,096.79)	15.14
46	773- 3	(21,381.78 -46,096.00)	0.80	(21,381.64 -46,096.79)	3.85	(21,381.12 -46,100.60)	5.96
		(21,375.31 -46,101.93)	8.91	(21,374.62 -46,110.81)	8.64	(21,377.48 -46,118.96)	19.51
		(21,395.88 -46,112.47)	24.41	(21,386.68 -46,089.86)	7.86		
46	774	(21,414.34 -46,083.46)	17.20	(21,431.10 -46,079.61)	6.13	(21,437.15 -46,078.65)	1.66
		(21,438.80 -46,078.50)	1.96	(21,440.74 -46,078.81)	6.78	(21,439.21 -46,072.20)	8.01
		(21,438.84 -46,064.20)	6.04	(21,440.40 -46,058.36)	31.01	(21,410.19 -46,065.37)	18.56
46	770	(21,410.19 -46,065.37)	31.01	(21,440.40 -46,058.36)	2.58	(21,441.01 -46,055.85)	6.96
		(21,443.81 -46,049.48)	3.67	(21,446.57 -46,047.06)	3.41	(21,444.87 -46,044.10)	39.08
		(21,408.72 -46,058.94)	6.60				
46	771	(21,408.72 -46,058.94)	8.37	(21,400.62 -46,061.03)	11.31	(21,390.34 -46,065.74)	7.04
		(21,384.19 -46,069.16)	5.38	(21,380.50 -46,073.07)	2.06	(21,380.58 -46,075.13)	2.39
		(21,380.88 -46,077.50)	2.94	(21,381.67 -46,080.33)	2.84	(21,382.92 -46,082.88)	3.83
		(21,384.72 -46,086.26)	4.10	(21,386.68 -46,089.86)	28.39	(21,414.34 -46,083.46)	18.56
		(21,410.19 -46,065.37)	6.60				
46	772	(21,386.68 -46,089.86)	4.10	(21,384.72 -46,086.26)	3.83	(21,382.92 -46,082.88)	2.84
		(21,381.67 -46,080.33)	2.94	(21,380.88 -46,077.50)	2.39	(21,380.58 -46,075.13)	2.06
		(21,380.50 -46,073.07)	10.39	(21,371.43 -46,078.14)	6.22	(21,375.19 -46,083.09)	15.14
		(21,381.64 -46,096.79)	0.80	(21,381.78 -46,096.00)	7.86		
46	764- 2	(21,375.31 -46,101.93)	3.55	(21,371.85 -46,102.74)	8.53	(21,374.62 -46,110.81)	8.91
46	764- 1	(21,377.48 -46,118.96)	8.64	(21,374.62 -46,110.81)	8.53	(21,371.85 -46,102.74)	19.55
		(21,353.57 -46,109.68)	16.92	(21,359.25 -46,125.62)	19.41		
46	764- 3	(21,359.25 -46,125.62)	16.92	(21,353.57 -46,109.68)	14.59	(21,339.65 -46,114.05)	17.42
		(21,345.36 -46,130.51)	14.73				
46	764- 4	(21,345.36 -46,130.51)	17.42	(21,339.65 -46,114.05)	7.27	(21,332.78 -46,116.44)	6.66
		(21,326.49 -46,118.63)	17.11	(21,331.96 -46,134.84)	14.08		
46	764- 5	(21,331.96 -46,134.84)	17.11	(21,326.49 -46,118.63)	14.44	(21,313.15 -46,124.17)	15.84
		(21,318.52 -46,139.07)	14.09				
45	756- 1	(21,327.34 -46,027.78)	6.60	(21,320.79 -46,028.58)	3.63	(21,317.36 -46,029.77)	8.93
		(21,309.58 -46,034.16)	24.12	(21,309.09 -46,058.28)	8.03	(21,317.05 -46,059.32)	4.95

地区 ..003

作業 .. 3

原図番号 .. M1 45-4

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -46,200.00

測定 年 4 月 26 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,321.98 -46,059.78)	5.67	(21,327.65 -46,059.93)	7.02	(21,334.67 -46,059.69)	14.82
		(21,344.46 -46,048.56)	4.05	(21,346.62 -46,045.13)	2.50	(21,347.60 -46,042.83)	12.81
45	755	(21,352.59 -46,031.03)	7.05	(21,345.59 -46,030.18)	13.76	(21,331.99 -46,028.10)	4.66
		(21,331.99 -46,028.10)	13.76	(21,345.59 -46,030.18)	7.05	(21,352.59 -46,031.03)	1.66
		(21,353.16 -46,029.47)	3.87	(21,355.89 -46,026.72)	2.37	(21,357.34 -46,024.85)	3.31
		(21,358.42 -46,021.72)	3.25	(21,358.88 -46,018.50)	3.64	(21,358.21 -46,014.92)	6.26
		(21,356.06 -46,009.04)	7.04	(21,354.22 -46,002.24)	1.38	(21,353.07 -46,001.47)	1.96
		(21,351.12 -46,001.26)	5.09	(21,346.17 -46,002.46)	8.62	(21,338.22 -46,005.80)	5.39
		(21,333.04 -46,007.29)	3.59	(21,329.46 -46,007.54)	8.21	(21,331.23 -46,015.56)	5.67
		(21,332.22 -46,021.14)	3.76	(21,332.54 -46,024.89)	3.26		
44	744	(21,353.89 -46,031.12)	0.55	(21,353.54 -46,031.54)	12.70	(21,348.72 -46,043.29)	4.07
		(21,346.87 -46,046.91)	3.55	(21,344.71 -46,049.73)	11.15	(21,337.15 -46,057.92)	1.73
		(21,336.35 -46,059.45)	11.29	(21,338.15 -46,070.60)	2.39	(21,340.54 -46,070.73)	3.30
		(21,343.59 -46,069.48)	4.44	(21,347.24 -46,066.96)	13.17	(21,357.58 -46,058.80)	4.15
		(21,361.03 -46,056.50)	0.96	(21,361.89 -46,056.08)	22.31	(21,358.98 -46,033.96)	5.83
44	743- 1	(21,358.98 -46,033.96)	22.31	(21,361.89 -46,056.08)	3.70	(21,365.18 -46,054.38)	13.74
		(21,377.99 -46,049.40)	8.89	(21,386.12 -46,045.81)	8.63	(21,393.90 -46,042.07)	5.52
		(21,399.17 -46,040.42)	9.43	(21,408.40 -46,038.49)	2.44	(21,410.50 -46,037.24)	6.05
		(21,415.33 -46,033.59)	9.97	(21,422.37 -46,026.53)	8.60	(21,427.73 -46,019.81)	2.98
		(21,429.55 -46,017.45)	9.79	(21,423.98 -46,009.40)	2.56	(21,422.01 -46,011.03)	8.80
		(21,415.98 -46,017.44)	5.65	(21,411.85 -46,021.29)	3.76	(21,408.82 -46,023.51)	1.86
		(21,407.22 -46,024.46)	1.61	(21,405.67 -46,024.88)	2.25	(21,403.57 -46,025.68)	4.92
		(21,398.77 -46,026.77)	9.20	(21,389.69 -46,028.26)	3.20	(21,386.59 -46,029.06)	4.95
		(21,381.94 -46,030.75)	8.34	(21,374.38 -46,034.27)	4.22	(21,370.60 -46,036.14)	1.71
		(21,368.98 -46,036.69)	1.56	(21,367.43 -46,036.53)	1.92	(21,365.53 -46,036.26)	3.13
		(21,362.53 -46,035.38)	3.82				
44	742	(21,362.53 -46,035.38)	3.13	(21,365.53 -46,036.26)	1.92	(21,367.43 -46,036.53)	1.56
		(21,368.98 -46,036.69)	1.71	(21,370.60 -46,036.14)	4.22	(21,374.38 -46,034.27)	8.34
		(21,381.94 -46,030.75)	4.95	(21,386.59 -46,029.06)	3.20	(21,389.69 -46,028.26)	9.20
		(21,398.77 -46,026.77)	4.92	(21,403.57 -46,025.68)	2.25	(21,405.67 -46,024.88)	1.61
		(21,407.22 -46,024.46)	1.86	(21,408.82 -46,023.51)	3.76	(21,411.85 -46,021.29)	5.65
		(21,415.98 -46,017.44)	8.80	(21,422.01 -46,011.03)	2.56	(21,423.98 -46,009.40)	8.77
		(21,419.52 -46,001.85)	61.88	(21,358.35 -46,011.22)	3.36	(21,359.53 -46,014.37)	4.06
		(21,360.00 -46,018.40)	3.51	(21,359.77 -46,021.90)	3.34	(21,358.67 -46,025.05)	3.16
		(21,357.07 -46,027.77)	4.62	(21,353.89 -46,031.12)	5.83	(21,358.98 -46,033.96)	3.82
44	743- 2						
		(21,430.91 -46,014.94)	6.24	(21,433.96 -46,009.50)	7.46	(21,426.63 -46,008.09)	8.08
44	002- 4	(21,430.91 -46,014.94)	2.85	(21,429.55 -46,017.45)	2.98	(21,427.73 -46,019.81)	8.60
		(21,422.37 -46,026.53)	9.97	(21,415.33 -46,033.59)	6.05	(21,410.50 -46,037.24)	2.44
		(21,408.40 -46,038.49)	9.43	(21,399.17 -46,040.42)	5.52	(21,393.90 -46,042.07)	8.63
		(21,386.12 -46,045.81)	8.89	(21,377.99 -46,049.40)	13.74	(21,365.18 -46,054.38)	3.70
		(21,361.89 -46,056.08)	0.96	(21,361.03 -46,056.50)	4.15	(21,357.58 -46,058.80)	13.17
		(21,347.24 -46,066.96)	4.44	(21,343.59 -46,069.48)	3.30	(21,340.54 -46,070.73)	2.39
		(21,338.15 -46,070.60)	1.65	(21,336.50 -46,070.58)	4.79	(21,337.65 -46,075.23)	4.15
		(21,341.78 -46,074.83)	5.13	(21,346.61 -46,073.11)	4.37	(21,350.51 -46,071.14)	4.20
		(21,353.04 -46,067.79)	4.79	(21,356.69 -46,064.69)	2.60	(21,358.66 -46,062.99)	5.09
		(21,362.70 -46,059.90)	25.84	(21,386.56 -46,049.98)	11.17	(21,396.64 -46,045.17)	6.67

地区 ..003 作業 .. 3 原図番号 .. M1 45-4 縮尺 ..1/ 500 基準点 ..X 21,300.00..Y -46,200.00 測定 年 4 月 26 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

(21,403.07	-46,043.38)	3.97	(21,407.04	-46,043.23)	2.40	(21,409.32	-46,042.49)	20.54
(21,425.84	-46,030.28)	8.78	(21,431.55	-46,023.61)	2.70	(21,432.25	-46,021.00)	3.33
(21,434.22	-46,018.32)	4.73						