

地区 ..003

作業 .. 4 原図番号 .. M1 55-2

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -46,200.00 測定 年 4 月 26 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,150.00 -46,200.00)	49.97	(21,199.97 -46,200.04)	50.00	(21,249.97 -46,200.14)	50.00
		(21,299.97 -46,200.21)	50.00	(21,299.99 -46,150.21)	50.00	(21,300.01 -46,100.21)	50.00
		(21,300.03 -46,050.21)	50.00	(21,300.05 -46,000.21)	50.00	(21,250.05 -46,000.14)	50.00
		(21,200.05 -46,000.12)	50.05	(21,150.00 -46,000.05)	49.95	(21,150.03 -46,050.00)	50.00
		(21,149.96 -46,100.00)	50.00	(21,149.99 -46,150.00)	50.00		
35	000- 1	(21,150.00 -46,200.00)	49.97	(21,199.97 -46,200.04)	50.00	(21,249.97 -46,200.14)	50.00
		(21,299.97 -46,200.21)	51.75	(21,300.02 -46,148.46)	10.50	(21,289.87 -46,151.15)	22.42
		(21,268.28 -46,157.19)	6.71	(21,261.72 -46,158.62)	6.03	(21,263.99 -46,153.03)	15.76
		(21,248.46 -46,155.70)	0.88	(21,248.07 -46,156.49)	18.54	(21,229.96 -46,160.48)	8.88
		(21,221.34 -46,162.63)	2.32	(21,219.05 -46,163.03)	5.12	(21,214.03 -46,164.02)	1.11
		(21,213.29 -46,164.85)	5.68	(21,208.14 -46,167.25)	14.06	(21,194.40 -46,170.22)	4.07
		(21,190.47 -46,171.27)	12.61	(21,178.43 -46,175.01)	14.03	(21,165.00 -46,179.07)	8.36
		(21,157.05 -46,181.65)	7.40	(21,149.98 -46,183.85)	16.15		
35	585- 16	(1/ 2)					
		(21,149.98 -46,183.85)	7.40	(21,157.05 -46,181.65)	2.98	(21,158.26 -46,178.93)	27.10
		(21,150.29 -46,153.03)	0.35	(21,149.99 -46,152.85)	31.00		
35	585- 15	(1/ 2)					
		(21,149.99 -46,152.85)	0.35	(21,150.29 -46,153.03)	27.10	(21,158.26 -46,178.93)	2.98
		(21,157.05 -46,181.65)	8.36	(21,165.00 -46,179.07)	3.03	(21,162.38 -46,177.55)	18.50
		(21,157.04 -46,159.84)	14.44	(21,152.75 -46,146.05)	9.22	(21,150.00 -46,137.25)	15.60
35	585- 1	(1/ 2)					
		(21,150.00 -46,137.25)	9.22	(21,152.75 -46,146.05)	14.44	(21,157.04 -46,159.84)	16.12
		(21,172.43 -46,155.06)	5.82	(21,170.69 -46,149.51)	0.95	(21,169.79 -46,149.81)	43.13
		(21,156.94 -46,108.64)	8.47	(21,149.96 -46,103.85)	33.40		
34	002- 10						
		(21,149.96 -46,103.85)	8.47	(21,156.94 -46,108.64)	1.78	(21,158.41 -46,109.65)	11.95
		(21,167.28 -46,117.66)	9.09	(21,175.95 -46,120.38)	0.80	(21,176.75 -46,120.46)	8.35
		(21,184.83 -46,122.56)	9.01	(21,193.15 -46,126.02)	5.08	(21,197.99 -46,127.57)	7.49
		(21,195.98 -46,120.35)	2.28	(21,193.88 -46,121.24)	24.54	(21,170.43 -46,114.01)	3.82
		(21,167.01 -46,112.31)	4.67	(21,163.66 -46,109.06)	4.03	(21,161.78 -46,105.49)	0.83
		(21,161.41 -46,104.75)	13.17	(21,149.96 -46,098.25)	5.60		
34	574	(1/ 2)					
		(21,149.96 -46,098.25)	13.17	(21,161.41 -46,104.75)	0.83	(21,161.78 -46,105.49)	3.20
		(21,161.26 -46,102.33)	3.85	(21,160.86 -46,098.50)	4.97	(21,160.76 -46,093.53)	7.00
		(21,161.24 -46,086.55)	7.30	(21,161.47 -46,079.25)	1.30	(21,161.57 -46,077.95)	1.50
		(21,160.50 -46,076.90)	3.75	(21,156.77 -46,077.25)	3.60	(21,153.20 -46,077.75)	3.20
		(21,150.00 -46,077.85)	20.40				
34	572- 1	(1/ 2)					
		(21,150.00 -46,077.85)	3.20	(21,153.20 -46,077.75)	3.60	(21,156.77 -46,077.25)	3.75
		(21,160.50 -46,076.90)	1.50	(21,161.57 -46,077.95)	0.86	(21,162.27 -46,077.45)	3.33
		(21,165.57 -46,077.01)	4.45	(21,170.02 -46,076.86)	7.65	(21,177.65 -46,077.36)	3.00
		(21,180.60 -46,077.89)	3.78	(21,184.37 -46,078.13)	2.85	(21,186.29 -46,076.03)	2.47
		(21,185.82 -46,073.61)	2.97	(21,185.50 -46,070.66)	3.65	(21,185.52 -46,067.01)	9.36
		(21,185.83 -46,057.66)	35.93	(21,149.98 -46,060.10)	17.75		
34	571- 1	(1/ 2)					
		(21,149.98 -46,060.10)	35.93	(21,185.83 -46,057.66)	24.03	(21,186.24 -46,033.63)	9.21
		(21,177.16 -46,035.16)	27.20	(21,149.99 -46,036.42)	23.68		
34	002- 11						
		(21,149.99 -46,036.42)	27.20	(21,177.16 -46,035.16)	9.21	(21,186.24 -46,033.63)	2.02
		(21,186.25 -46,031.61)	9.42	(21,176.96 -46,033.16)	26.96	(21,150.04 -46,034.60)	1.82

地区..003

作業.. 4 原図番号.. M1 55-2

縮尺..1/ 500

基準点..X 21,150.00..Y -46,200.00 測定 年 4 月 26 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

34	570-	1	(1/ 2)										
			(21,150.04	-46,034.60)	26.96	(21,176.96	-46,033.16)	9.42	(21,186.25	-46,031.61)	10.69		
			(21,186.58	-46,020.93)	19.67	(21,166.92	-46,020.23)	16.89	(21,150.04	-46,019.55)	15.05		
34	569-	1	(1/ 3)										
			(21,150.04	-46,019.55)	16.89	(21,166.92	-46,020.23)	19.67	(21,186.58	-46,020.93)	11.67		
			(21,186.80	-46,009.26)	3.81	(21,186.50	-46,005.46)	2.72	(21,186.15	-46,002.76)	7.24		
			(21,178.92	-46,003.14)	5.57	(21,173.35	-46,003.23)	23.38	(21,150.02	-46,001.70)	17.85		
34	568-	1	(1/ 4)										
			(21,150.05	-46,000.00)	1.70	(21,150.02	-46,001.70)	23.38	(21,173.35	-46,003.23)	5.57		
			(21,178.92	-46,003.14)	7.24	(21,186.15	-46,002.76)	2.75	(21,185.65	-46,000.06)	35.60		
34	001-	2											
			(21,185.65	-46,000.06)	2.75	(21,186.15	-46,002.76)	2.72	(21,186.50	-46,005.46)	3.81		
			(21,186.80	-46,009.26)	11.67	(21,186.58	-46,020.93)	10.69	(21,186.25	-46,031.61)	2.02		
			(21,186.24	-46,033.63)	24.03	(21,185.83	-46,057.66)	9.36	(21,185.52	-46,067.01)	3.65		
			(21,185.50	-46,070.66)	2.97	(21,185.82	-46,073.61)	2.47	(21,186.29	-46,076.03)	0.89		
			(21,186.92	-46,076.66)	2.58	(21,185.17	-46,078.56)	6.11	(21,185.77	-46,084.64)	9.07		
			(21,187.26	-46,093.59)	5.30	(21,188.81	-46,098.66)	2.94	(21,189.69	-46,101.46)	3.23		
			(21,191.56	-46,104.09)	5.56	(21,195.71	-46,107.79)	11.67	(21,199.66	-46,118.77)	11.34		
			(21,203.55	-46,129.42)	17.99	(21,209.85	-46,146.27)	3.15	(21,210.82	-46,149.27)	5.96		
			(21,212.39	-46,155.02)	6.17	(21,213.91	-46,161.00)	0.88	(21,213.54	-46,161.80)	2.27		
			(21,214.03	-46,164.02)	5.12	(21,219.05	-46,163.03)	3.66	(21,218.23	-46,159.46)	7.62		
			(21,216.37	-46,152.07)	6.80	(21,214.12	-46,145.65)	12.69	(21,209.65	-46,133.77)	0.34		
			(21,209.95	-46,133.61)	12.73	(21,205.28	-46,121.77)	18.80	(21,199.24	-46,103.97)	11.35		
			(21,195.92	-46,093.12)	10.28	(21,193.14	-46,083.22)	7.74	(21,191.67	-46,075.62)	3.44		
			(21,191.02	-46,072.24)	3.29	(21,190.70	-46,068.97)	60.00	(21,192.25	-46,008.99)	2.97		
			(21,192.32	-46,006.02)	4.19	(21,191.90	-46,001.85)	1.81	(21,191.55	-46,000.07)	5.90		
37	623-	2	(1/ 2)										
			(21,191.55	-46,000.07)	1.81	(21,191.90	-46,001.85)	3.03	(21,194.87	-46,001.24)	4.33		
			(21,199.05	-46,000.12)	7.50								
37	623-	3	(1/ 2)										
			(21,199.05	-46,000.12)	4.33	(21,194.87	-46,001.24)	3.03	(21,191.90	-46,001.85)	4.19		
			(21,192.32	-46,006.02)	2.97	(21,192.25	-46,008.99)	9.13	(21,200.00	-46,004.17)	4.23		
			(21,201.05	-46,000.07)	2.00								
37	002-	12											
			(21,201.05	-46,000.07)	4.23	(21,200.00	-46,004.17)	9.13	(21,192.25	-46,008.99)	1.35		
			(21,192.95	-46,010.15)	9.51	(21,201.02	-46,005.12)	5.67	(21,203.65	-46,000.10)	2.60		
36	620		(1/ 2)										
			(21,203.65	-46,000.10)	5.67	(21,201.02	-46,005.12)	9.51	(21,192.95	-46,010.15)	2.55		
			(21,192.86	-46,012.70)	10.26	(21,201.50	-46,007.17)	22.30	(21,223.60	-46,004.18)	1.96		
			(21,224.25	-46,006.03)	20.61	(21,244.00	-46,000.14)	40.35					
36	612		(1/ 2)										
			(21,244.00	-46,000.14)	20.61	(21,224.25	-46,006.03)	11.26	(21,228.12	-46,016.60)	3.40		
			(21,229.57	-46,019.68)	6.07	(21,232.24	-46,025.13)	9.83	(21,237.09	-46,033.68)	24.21		
			(21,247.13	-46,055.71)	22.99	(21,266.73	-46,043.69)	3.15	(21,265.11	-46,040.99)	8.55		
			(21,267.16	-46,032.69)	4.90	(21,267.74	-46,027.82)	8.19	(21,266.74	-46,019.69)	0.90		
			(21,266.76	-46,018.79)	2.15	(21,264.99	-46,017.57)	8.28	(21,260.45	-46,010.64)	4.37		
			(21,257.97	-46,007.04)	2.83	(21,255.95	-46,005.06)	4.26	(21,252.65	-46,002.36)	3.81		
			(21,249.55	-46,000.14)	5.55								
36	611		(1/ 2)										
			(21,249.55	-46,000.14)	3.81	(21,252.65	-46,002.36)	4.26	(21,255.95	-46,005.06)	2.83		
			(21,257.97	-46,007.04)	4.37	(21,260.45	-46,010.64)	8.28	(21,264.99	-46,017.57)	2.15		
			(21,266.76	-46,018.79)	3.67	(21,266.84	-46,015.12)	5.07	(21,265.65	-46,010.19)	6.35		

地区 ..003

作業 .. 4 原図番号 .. M1 55-2

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -46,200.00 測定 年 4 月 26 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

36	002-	3	(21,263.87 -46,004.09)	3.80	(21,262.27 -46,000.64)	0.65	(21,261.85 -46,000.14)	12.30
		(@	21,261.85 -46,000.14)	0.65	(21,262.27 -46,000.64)	3.80	(21,263.87 -46,004.09)	6.35
		(	21,265.65 -46,010.19)	5.07	(21,266.84 -46,015.12)	3.67	(21,266.76 -46,018.79)	0.90
		(	21,266.74 -46,019.69)	8.19	(21,267.74 -46,027.82)	4.90	(21,267.16 -46,032.69)	8.55
		(	21,265.11 -46,040.99)	3.15	(21,266.73 -46,043.69)	8.67	(21,275.10 -46,041.41)	2.18
		(	21,274.80 -46,039.25)	7.46	(21,267.46 -46,040.59)	7.76	(21,269.16 -46,033.02)	5.10
		(	21,269.66 -46,027.94)	10.75	(21,268.67 -46,017.24)	7.48	(21,267.40 -46,009.87)	8.16
45	752	(	21,265.30 -46,001.98)	1.25	(21,264.68 -46,000.89)	0.75	(21,264.40 -46,000.19)	2.55
		(1/ 2)						
45	002-	2	(21,264.40 -46,000.19)	0.75	(21,264.68 -46,000.89)	1.65	(@ 21,266.15 -46,000.14)	1.75
		(@	21,266.15 -46,000.14)	1.65	(21,264.68 -46,000.89)	1.25	(21,265.30 -46,001.98)	3.77
		(	21,268.60 -46,000.16)	2.45				
45	753	(3/ 4)						
		(	21,300.05 -46,000.21)	22.25	(@ 21,277.80 -46,000.20)	2.19	(21,279.32 -46,001.77)	3.40
		(	21,281.17 -46,004.62)	4.38	(21,282.30 -46,008.85)	3.78	(21,282.55 -46,012.62)	10.68
		(	21,282.24 -46,023.30)	13.54	(21,283.24 -46,036.80)	8.56	(21,291.79 -46,037.13)	8.29
		(	21,300.04 -46,036.36)	36.15				
45	757	(2/ 2)						
		(@	21,300.04 -46,036.36)	8.29	(21,291.79 -46,037.13)	8.56	(21,283.24 -46,036.80)	15.76
		(	21,283.91 -46,052.55)	3.90	(21,285.63 -46,056.05)	14.49	(21,300.03 -46,057.66)	21.30
45	759	(2/ 2)						
		(	21,300.03 -46,057.66)	14.49	(@ 21,285.63 -46,056.05)	20.36	(21,297.55 -46,072.56)	1.07
		(	21,298.52 -46,073.01)	1.50	(21,300.02 -46,072.91)	15.25		
45	002-	1						
		(	21,300.02 -46,072.91)	1.50	(21,298.52 -46,073.01)	1.07	(21,297.55 -46,072.56)	20.36
		(	21,285.63 -46,056.05)	3.90	(21,283.91 -46,052.55)	15.76	(21,283.24 -46,036.80)	13.54
		(	21,282.24 -46,023.30)	10.68	(21,282.55 -46,012.62)	3.78	(21,282.30 -46,008.85)	4.38
		(	21,281.17 -46,004.62)	3.40	(21,279.32 -46,001.77)	2.19	(21,277.80 -46,000.20)	9.20
		(@	21,268.60 -46,000.16)	3.35	(21,270.52 -46,002.90)	9.10	(21,273.50 -46,011.50)	8.82
		(	21,274.47 -46,020.27)	18.98	(21,274.80 -46,039.25)	2.18	(21,275.10 -46,041.41)	13.15
		(	21,277.03 -46,054.42)	5.91	(21,279.53 -46,059.77)	17.43	(21,290.02 -46,073.69)	3.26
		(	21,291.97 -46,076.30)	1.62	(21,292.62 -46,077.78)	6.52	(21,293.84 -46,084.18)	7.57
		(	21,294.04 -46,091.75)	6.80	(21,293.94 -46,098.55)	1.30	(21,293.41 -46,099.74)	2.23
		(	21,292.56 -46,101.80)	6.40	(21,289.46 -46,107.40)	8.06	(21,285.56 -46,114.45)	4.81
		(	21,281.88 -46,117.55)	6.94	(21,275.98 -46,121.20)	5.53	(21,272.45 -46,125.46)	5.27
		(	21,272.49 -46,130.73)	5.43	(21,277.79 -46,131.90)	4.98	(21,280.95 -46,128.05)	6.01
		(	21,285.83 -46,124.55)	3.88	(21,288.60 -46,121.83)	4.17	(21,291.18 -46,118.55)	15.94
		(	21,299.51 -46,104.96)	1.25	(21,300.01 -46,103.81)	30.90		
46	760	(2/ 2)						
		(@	21,300.01 -46,103.81)	1.25	(21,299.51 -46,104.96)	15.94	(21,291.18 -46,118.55)	4.17
		(	21,288.60 -46,121.83)	3.88	(21,285.83 -46,124.55)	6.01	(21,280.95 -46,128.05)	4.98
		(	21,277.79 -46,131.90)	18.26	(21,296.02 -46,130.94)	3.23	(21,299.25 -46,130.86)	8.07
		(	21,297.10 -46,123.08)	3.15	(21,297.56 -46,119.96)	3.17	(21,299.18 -46,117.23)	1.17
		(	21,300.01 -46,116.41)	12.60				
46	765	(2/ 2)						
		(@	21,300.01 -46,116.41)	1.17	(21,299.18 -46,117.23)	3.17	(21,297.56 -46,119.96)	3.15
		(	21,297.10 -46,123.08)	8.07	(21,299.25 -46,130.86)	0.94	(21,300.00 -46,131.43)	15.02
46	764-	6	(2/ 2)					
		(@	21,300.00 -46,135.86)	1.80	(21,299.90 -46,137.66)	1.31	(21,300.05 -46,138.96)	3.10
46	763-	2	(3/ 3)					

地区 ..003 作業 .. 4 原図番号 .. M1 55-2 縮尺 ..1/ 500 基準点 ..X 21,150.00..Y -46,200.00 測定 年 4 月 26 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,300.05 -46,138.96)	1.31	(21,299.90 -46,137.66)	1.80	(21,300.00 -46,135.86)	4.43
		(21,300.00 -46,131.43)	0.94	(21,299.25 -46,130.86)	3.23	(21,296.02 -46,130.94)	6.91
		(21,295.80 -46,137.85)	7.49	(21,297.03 -46,145.24)	3.11	(21,300.05 -46,144.48)	5.52
46	001- 1	(21,300.05 -46,144.48)	3.11	(21,297.03 -46,145.24)	28.03	(21,269.88 -46,152.19)	5.25
		(21,268.28 -46,157.19)	22.42	(21,289.87 -46,151.15)	10.50	(21,300.02 -46,148.46)	3.98
46	761	(21,297.03 -46,145.24)	7.49	(21,295.80 -46,137.85)	6.91	(21,296.02 -46,130.94)	18.26
		(21,277.79 -46,131.90)	4.91	(21,275.05 -46,135.97)	4.59	(21,273.52 -46,140.30)	12.43
		(21,269.88 -46,152.19)	28.03				
46	002- 5	(21,261.72 -46,158.62)	6.71	(21,268.28 -46,157.19)	5.25	(21,269.88 -46,152.19)	12.43
		(21,273.52 -46,140.30)	4.59	(21,275.05 -46,135.97)	4.91	(21,277.79 -46,131.90)	5.43
		(21,272.49 -46,130.73)	8.39	(21,268.70 -46,138.22)	7.76	(21,266.60 -46,145.69)	4.85
✓ 46	762	(21,264.79 -46,150.19)	2.95	(21,263.99 -46,153.03)	6.03		
		(21,263.99 -46,153.03)	2.95	(21,264.79 -46,150.19)	4.85	(21,266.60 -46,145.69)	7.76
		(21,268.70 -46,138.22)	8.39	(21,272.49 -46,130.73)	3.79	(21,268.70 -46,130.82)	3.55
		(21,265.20 -46,131.44)	4.10	(21,261.67 -46,133.52)	9.95	(21,255.72 -46,141.49)	15.96
		(21,248.46 -46,155.70)	15.76				
36	601- 1	(21,217.57 -46,130.04)	2.59	(21,219.83 -46,128.78)	3.79	(21,223.00 -46,126.70)	1.68
		(21,224.30 -46,125.63)	10.39	(21,231.22 -46,133.38)	9.63	(21,240.70 -46,135.07)	11.03
		(21,251.56 -46,137.00)	9.84	(21,258.55 -46,130.07)	5.22	(21,263.03 -46,127.39)	6.40
		(21,269.25 -46,125.87)	3.23	(21,272.45 -46,125.46)	5.53	(21,275.98 -46,121.20)	6.94
		(21,281.88 -46,117.55)	4.81	(21,285.56 -46,114.45)	8.06	(21,289.46 -46,107.40)	6.40
		(21,292.56 -46,101.80)	2.23	(21,293.41 -46,099.74)	8.74	(21,284.71 -46,100.55)	8.89
		(21,275.86 -46,101.35)	26.15	(21,273.02 -46,075.35)	17.08	(21,290.02 -46,073.69)	17.43
		(21,279.53 -46,059.77)	5.91	(21,277.03 -46,054.42)	13.15	(21,275.10 -46,041.41)	8.67
		(21,266.73 -46,043.69)	22.99	(21,247.13 -46,055.71)	25.42	(21,256.12 -46,079.49)	25.53
		(21,234.33 -46,092.80)	29.16	(21,209.46 -46,108.02)	23.47		
36	606	(21,209.46 -46,108.02)	29.16	(21,234.33 -46,092.80)	32.60	(21,239.13 -46,060.56)	9.36
		(21,247.13 -46,055.71)	24.21	(21,237.09 -46,033.68)	9.83	(21,232.24 -46,025.13)	6.07
		(21,229.57 -46,019.68)	3.40	(21,228.12 -46,016.60)	11.26	(21,224.25 -46,006.03)	1.96
		(21,223.60 -46,004.18)	22.30	(21,201.50 -46,007.17)	10.26	(21,192.86 -46,012.70)	57.29
		(21,191.47 -46,069.97)	2.78	(21,191.70 -46,072.74)	3.34	(21,192.32 -46,076.02)	7.15
		(21,193.77 -46,083.02)	10.07	(21,196.49 -46,092.72)	11.52	(21,199.91 -46,103.72)	8.82
		(21,202.76 -46,112.07)	7.83				
36	599- 2	(21,202.76 -46,112.07)	9.82	(21,205.90 -46,121.37)	12.81	(21,210.52 -46,133.32)	6.07
		(21,216.10 -46,130.92)	1.71	(21,217.57 -46,130.04)	23.47	(21,209.46 -46,108.02)	7.83
36	601- 2	(21,275.86 -46,101.35)	8.89	(21,284.71 -46,100.55)	8.74	(21,293.41 -46,099.74)	1.30
		(21,293.94 -46,098.55)	6.80	(21,294.04 -46,091.75)	7.57	(21,293.84 -46,084.18)	6.52
		(21,292.62 -46,077.78)	1.62	(21,291.97 -46,076.30)	3.26	(21,290.02 -46,073.69)	17.08
		(21,273.02 -46,075.35)	26.15				
36	610	(21,274.80 -46,039.25)	18.98	(21,274.47 -46,020.27)	8.82	(21,273.50 -46,011.50)	9.10
		(21,270.52 -46,002.90)	3.35	(21,268.60 -46,000.16)	3.77	(21,265.30 -46,001.98)	8.16
		(21,267.40 -46,009.87)	7.48	(21,268.67 -46,017.24)	10.75	(21,269.66 -46,027.94)	5.10
		(21,269.16 -46,033.02)	7.76	(21,267.46 -46,040.59)	7.46		

地区 ..003 作業 .. 4 原図番号 .. M1 55-2 縮尺 ..1/ 500 基準点 ..X 21,150.00..Y -46,200.00 測定 年 4 月 26 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

36	607-	3	(21,256.12 -46,079.49)	25.42	(@ 21,247.13 -46,055.71)	9.36	(21,239.13 -46,060.56)	32.60
			(21,234.33 -46,092.80)	25.53				
36	599-	1	(21,231.22 -46,133.38)	10.39	(@ 21,224.30 -46,125.63)	1.68	(21,223.00 -46,126.70)	3.79
			(21,219.83 -46,128.78)	2.59	(21,217.57 -46,130.04)	1.71	(21,216.10 -46,130.92)	6.07
			(21,210.52 -46,133.32)	0.64	(21,209.95 -46,133.61)	0.34	(21,209.65 -46,133.77)	12.69
			(21,214.12 -46,145.65)	6.80	(21,216.37 -46,152.07)	7.62	(21,218.23 -46,159.46)	9.88
			(21,227.92 -46,157.53)	5.02	(21,232.69 -46,155.98)	3.28	(21,235.46 -46,154.22)	19.85
			(21,240.70 -46,135.07)	9.63				
36	600		(@ 21,240.70 -46,135.07)	19.85	(21,235.46 -46,154.22)	4.27	(21,239.72 -46,153.93)	4.43
			(21,243.99 -46,152.74)	3.36	(21,245.92 -46,149.99)	5.54	(21,248.35 -46,145.01)	8.63
			(21,251.56 -46,137.00)	11.03				
36	002-	4	(21,219.05 -46,163.03)	2.32	(21,221.34 -46,162.63)	8.88	(21,229.96 -46,160.48)	18.54
			(21,248.07 -46,156.49)	0.88	(21,248.46 -46,155.70)	15.96	(21,255.72 -46,141.49)	9.95
			(21,261.67 -46,133.52)	4.10	(21,265.20 -46,131.44)	3.55	(21,268.70 -46,130.82)	3.79
			(21,272.49 -46,130.73)	5.27	(@ 21,272.45 -46,125.46)	3.23	(21,269.25 -46,125.87)	6.40
			(21,263.03 -46,127.39)	5.22	(21,258.55 -46,130.07)	9.84	(21,251.56 -46,137.00)	8.63
			(21,248.35 -46,145.01)	5.54	(21,245.92 -46,149.99)	3.36	(21,243.99 -46,152.74)	4.43
			(21,239.72 -46,153.93)	4.27	(21,235.46 -46,154.22)	3.28	(21,232.69 -46,155.98)	5.02
			(21,227.92 -46,157.53)	9.88	(21,218.23 -46,159.46)	3.66		
34	002-	9	(21,210.52 -46,133.32)	12.81	(21,205.90 -46,121.37)	9.82	(21,202.76 -46,112.07)	8.82
			(21,199.91 -46,103.72)	11.52	(21,196.49 -46,092.72)	10.07	(21,193.77 -46,083.02)	7.15
			(21,192.32 -46,076.02)	3.34	(21,191.70 -46,072.74)	2.78	(21,191.47 -46,069.97)	57.29
			(21,192.86 -46,012.70)	2.55	(21,192.95 -46,010.15)	1.35	(@ 21,192.25 -46,008.99)	60.00
			(21,190.70 -46,068.97)	3.29	(21,191.02 -46,072.24)	3.44	(21,191.67 -46,075.62)	7.74
			(21,193.14 -46,083.22)	10.28	(21,195.92 -46,093.12)	11.35	(21,199.24 -46,103.97)	18.80
			(21,205.28 -46,121.77)	12.73	(21,209.95 -46,133.61)	0.64		
34	002-	8	(21,199.66 -46,118.77)	11.67	(21,195.71 -46,107.79)	5.56	(21,191.56 -46,104.09)	3.23
			(21,189.69 -46,101.46)	2.94	(21,188.81 -46,098.66)	5.30	(21,187.26 -46,093.59)	9.07
			(21,185.77 -46,084.64)	6.11	(21,185.17 -46,078.56)	2.58	(21,186.92 -46,076.66)	0.89
			(@ 21,186.29 -46,076.03)	2.85	(21,184.37 -46,078.13)	6.64	(21,184.72 -46,084.76)	9.12
			(21,186.21 -46,093.76)	5.19	(21,187.61 -46,098.76)	3.33	(21,188.76 -46,101.89)	3.47
			(21,190.61 -46,104.82)	5.73	(21,194.83 -46,108.69)	2.56	(21,195.71 -46,111.09)	4.61
			(21,196.48 -46,115.64)	4.74	(21,195.98 -46,120.35)	4.00		
34	573		(21,195.98 -46,120.35)	4.74	(21,196.48 -46,115.64)	4.61	(21,195.71 -46,111.09)	2.56
			(21,194.83 -46,108.69)	5.73	(21,190.61 -46,104.82)	3.47	(21,188.76 -46,101.89)	3.33
			(21,187.61 -46,098.76)	5.19	(21,186.21 -46,093.76)	9.12	(21,184.72 -46,084.76)	6.64
			(21,184.37 -46,078.13)	3.78	(21,180.60 -46,077.89)	3.00	(21,177.65 -46,077.36)	7.65
			(@ 21,170.02 -46,076.86)	4.45	(21,165.57 -46,077.01)	3.33	(21,162.27 -46,077.45)	0.86
			(21,161.57 -46,077.95)	1.30	(21,161.47 -46,079.25)	7.30	(21,161.24 -46,086.55)	7.00
			(21,160.76 -46,093.53)	4.97	(21,160.86 -46,098.50)	3.85	(21,161.26 -46,102.33)	3.20
			(21,161.78 -46,105.49)	4.03	(21,163.66 -46,109.06)	4.67	(21,167.01 -46,112.31)	3.82
			(21,170.43 -46,114.01)	24.54	(21,193.88 -46,121.24)	2.28		
34	002-	7	(21,195.98 -46,120.35)	7.49	(21,197.99 -46,127.57)	14.31	(21,202.70 -46,141.08)	11.63
			(21,206.64 -46,152.02)	7.92	(21,208.69 -46,159.67)	1.56	(21,208.99 -46,161.20)	1.47

地区..003

作業.. 4 原図番号.. M1 55-2

縮尺..1/ 500

基準点..X 21,150.00..Y -46,200.00

測定 年 4 月 26 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,208.99 -46,162.67)	5.22	(21,214.03 -46,164.02)	2.27	(21,213.54 -46,161.80)	0.88
		(21,213.91 -46,161.00)	6.17	(21,212.39 -46,155.02)	5.96	(21,210.82 -46,149.27)	3.15
35	585- 9	(21,209.85 -46,146.27)	17.99	(21,203.55 -46,129.42)	11.34	(21,199.66 -46,118.77)	4.00
		(21,197.99 -46,127.57)	5.08	(21,193.15 -46,126.02)	9.01	(21,184.83 -46,122.56)	8.35
		(21,176.75 -46,120.46)	19.52	(21,182.53 -46,139.10)	3.77	(21,185.45 -46,141.49)	5.04
35	002- 6	(21,186.93 -46,146.31)	16.61	(21,202.70 -46,141.08)	14.31		
		(21,194.40 -46,170.22)	14.06	(21,208.14 -46,167.25)	5.68	(21,213.29 -46,164.85)	1.11
		(21,214.03 -46,164.02)	5.22	(21,208.99 -46,162.67)	1.71	(21,208.01 -46,164.07)	14.84
35	585- 7	(21,193.74 -46,168.15)	2.17				
		(21,193.74 -46,168.15)	14.84	(21,208.01 -46,164.07)	1.71	(21,208.99 -46,162.67)	1.47
		(21,208.99 -46,161.20)	1.56	(21,208.69 -46,159.67)	7.92	(21,206.64 -46,152.02)	11.63
35	585- 6	(21,202.70 -46,141.08)	16.61	(21,186.93 -46,146.31)	22.88		
		(21,182.53 -46,145.96)	13.16	(21,186.49 -46,158.51)	13.37	(21,190.47 -46,171.27)	4.07
		(21,194.40 -46,170.22)	2.17	(21,193.74 -46,168.15)	22.88	(21,186.93 -46,146.31)	5.04
35	585- 10	(21,185.45 -46,141.49)	3.77	(21,182.53 -46,139.10)	3.78	(21,181.60 -46,142.76)	3.33
		(21,181.60 -46,142.76)	3.78	(21,182.53 -46,139.10)	19.52	(21,176.75 -46,120.46)	0.80
		(21,175.95 -46,120.38)	9.09	(21,167.28 -46,117.66)	11.95	(21,158.41 -46,109.65)	1.78
		(21,156.94 -46,108.64)	43.13	(21,169.79 -46,149.81)	0.95	(21,170.69 -46,149.51)	12.36
35	585- 14	(21,182.53 -46,145.96)	3.33				
		(21,182.53 -46,145.96)	12.36	(21,170.69 -46,149.51)	5.82	(21,172.43 -46,155.06)	7.52
		(21,174.59 -46,162.26)	12.48	(21,186.49 -46,158.51)	13.16		
35	585- 8						
		(21,186.49 -46,158.51)	12.48	(21,174.59 -46,162.26)	13.32	(21,178.43 -46,175.01)	12.61
		(21,190.47 -46,171.27)	13.37				
35	585- 12						
		(21,178.43 -46,175.01)	13.32	(21,174.59 -46,162.26)	7.52	(21,172.43 -46,155.06)	16.12
		(21,157.04 -46,159.84)	18.50	(21,162.38 -46,177.55)	3.03	(21,165.00 -46,179.07)	14.03