

地区 ..003

作業 .. 6 原図番号 .. M1 55-4

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -46,200.00 測定 年 4 月 26 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,000.00 -46,200.00)	50.03	(21,050.03 -46,200.04)	49.97	(21,100.00 -46,200.12)	50.00
		(21,150.00 -46,200.16)	50.00	(21,149.99 -46,150.16)	50.00	(21,149.98 -46,100.16)	50.00
		(21,150.01 -46,050.16)	49.97	(21,150.05 -46,000.19)	50.00	(21,100.05 -46,000.12)	50.05
		(21,050.00 -46,000.04)	50.00	(21,000.00 -46,000.05)	49.98	(20,999.96 -46,050.03)	49.97
		(20,999.97 -46,100.00)	50.00	(20,999.99 -46,150.00)	50.00		
28	000- 2	(20,999.99 -46,150.00)	50.00	(21,000.00 -46,200.00)	50.03	(21,050.03 -46,200.04)	44.50
		(21,094.53 -46,200.08)	52.69	(21,102.64 -46,148.02)	3.85	(21,103.14 -46,144.20)	3.22
		(21,103.66 -46,141.02)	3.86	(21,103.93 -46,137.17)	1.71	(21,103.26 -46,135.60)	2.72
		(21,101.25 -46,133.77)	16.09	(21,085.18 -46,134.48)	6.12	(21,079.63 -46,131.90)	13.70
		(21,066.23 -46,129.03)	4.52	(21,061.76 -46,128.38)	3.24	(21,058.73 -46,127.24)	1.38
		(21,058.05 -46,126.04)	3.52	(21,054.53 -46,126.11)	2.29	(21,055.08 -46,123.89)	10.02
		(21,054.38 -46,113.89)	10.05	(21,055.08 -46,103.86)	10.23	(21,053.97 -46,093.69)	22.56
		(21,054.79 -46,071.14)	19.38	(21,054.69 -46,051.76)	7.58	(21,054.41 -46,044.19)	4.05
		(21,053.76 -46,040.19)	6.29	(21,053.46 -46,033.91)	7.73	(21,052.12 -46,026.30)	10.31
		(21,041.88 -46,027.49)	4.85	(21,037.04 -46,027.19)	10.07	(21,027.01 -46,028.14)	7.94
		(21,019.11 -46,028.90)	10.27	(21,008.86 -46,029.55)	9.21	(20,999.98 -46,032.00)	18.03
		(20,999.96 -46,050.03)	49.97	(20,999.97 -46,100.00)	50.00		
28	462- 1	(1/ 2)					
		(20,999.98 -46,032.00)	9.21	(21,008.86 -46,029.55)	17.23	(21,007.45 -46,012.38)	5.09
		(21,002.40 -46,013.01)	2.42	(21,000.00 -46,013.30)	18.70		
28	462- 6	(1/ 2)					
		(21,000.00 -46,013.30)	2.42	(21,002.40 -46,013.01)	4.06	(21,001.74 -46,009.00)	1.75
		(21,000.00 -46,009.20)	4.10				
28	461- 1	(1/ 4)					
		(21,000.00 -46,000.05)	9.15	(21,000.00 -46,009.20)	1.75	(21,001.74 -46,009.00)	17.07
		(21,018.68 -46,006.87)	0.52	(21,018.68 -46,006.35)	0.86	(21,019.54 -46,006.35)	6.43
		(21,018.25 -46,000.05)	18.25				
28	463	(1/ 2)					
		(21,018.25 -46,000.05)	6.43	(21,019.54 -46,006.35)	8.69	(21,028.22 -46,005.84)	6.64
		(21,034.85 -46,005.54)	10.01	(21,044.85 -46,005.04)	5.59	(21,047.45 -46,000.09)	29.20
33	002- 4						
		(21,047.45 -46,000.09)	5.59	(21,044.85 -46,005.04)	0.72	(21,045.57 -46,005.02)	3.59
		(21,048.04 -46,007.62)	2.04	(21,050.04 -46,007.20)	6.69	(21,054.70 -46,002.40)	2.36
		(21,054.85 -46,000.04)	7.40				
33	557	(1/ 2)					
		(21,054.85 -46,000.04)	2.36	(21,054.70 -46,002.40)	4.25	(21,058.18 -46,004.84)	3.25
		(21,061.09 -46,006.28)	6.26	(21,061.95 -46,000.08)	7.10		
33	001- 1						
		(21,061.95 -46,000.08)	6.26	(21,061.09 -46,006.28)	1.05	(21,062.04 -46,006.72)	6.71
		(21,063.00 -46,000.08)	1.05				
34	559	(1/ 2)					
		(21,063.00 -46,000.08)	6.71	(21,062.04 -46,006.72)	8.10	(21,069.32 -46,010.28)	9.38
		(21,078.35 -46,007.76)	6.17	(21,084.30 -46,006.13)	8.71	(21,092.60 -46,003.50)	13.00
		(21,105.15 -46,000.12)	42.15				
34	577	(1/ 2)					
		(21,105.15 -46,000.12)	13.00	(21,092.60 -46,003.50)	8.71	(21,084.30 -46,006.13)	6.17
		(21,078.35 -46,007.76)	9.38	(21,069.32 -46,010.28)	10.85	(21,075.90 -46,018.91)	7.72
		(21,080.26 -46,025.28)	12.08	(21,091.98 -46,022.35)	9.92	(21,101.73 -46,020.52)	9.83
		(21,111.50 -46,019.47)	9.07	(21,120.53 -46,018.67)	2.47	(21,123.00 -46,018.52)	10.39
		(21,122.63 -46,008.14)	5.66	(21,122.98 -46,002.49)	2.38	(21,123.50 -46,000.17)	18.35

地区 ..003

作業 .. 6 原図番号 .. M1 55-4

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -46,200.00 測定 年 4 月 26 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

34	568-	3	(1/ 2)										
		(a	21,126.63	-46,000.17)	0.60	(	21,127.20	-46,000.37)	3.27	(	21,130.40	-46,001.04)	2.08
		(	21,132.48	-46,001.17)	2.32	(	21,134.80	-46,001.03)	0.92	(	21,134.48	-46,000.17)	7.85
34	568-	1	(3/ 4)										
		(	21,150.05	-46,000.19)	15.57	(a	21,134.48	-46,000.17)	0.92	(	21,134.80	-46,001.03)	2.38
		(	21,137.18	-46,000.97)	12.89	(	21,150.05	-46,001.76)	1.57				
34	569-	1	(2/ 3)										
		(	21,150.05	-46,001.76)	12.89	(	21,137.18	-46,000.97)	2.38	(	21,134.80	-46,001.03)	2.32
		(	21,132.48	-46,001.17)	2.08	(	21,130.40	-46,001.04)	3.27	(	21,127.20	-46,000.37)	0.60
		(	21,126.63	-46,000.17)	3.13	(a	21,123.50	-46,000.17)	2.38	(	21,122.98	-46,002.49)	5.66
		(	21,122.63	-46,008.14)	10.39	(	21,123.00	-46,018.52)	1.71	(	21,124.70	-46,018.67)	0.66
		(	21,125.35	-46,018.57)	24.67	(	21,150.00	-46,019.66)	17.90				
34	570-	1	(2/ 2)										
		(	21,150.00	-46,019.66)	24.67	(a	21,125.35	-46,018.57)	0.66	(	21,124.70	-46,018.67)	8.32
		(	21,124.98	-46,026.99)	9.04	(	21,125.34	-46,036.02)	24.70	(	21,150.01	-46,034.71)	15.05
34	002-	1											
		(a	21,150.01	-46,034.71)	24.70	(	21,125.34	-46,036.02)	27.87	(	21,097.56	-46,038.28)	6.08
		(	21,091.54	-46,039.11)	3.27	(	21,094.06	-46,041.20)	3.57	(	21,097.51	-46,040.28)	40.18
		(	21,137.56	-46,037.10)	12.46	(	21,150.01	-46,036.51)	1.80				
34	571-	1	(2/ 2)										
		(a	21,150.01	-46,036.51)	12.46	(	21,137.56	-46,037.10)	23.91	(	21,138.20	-46,061.00)	11.85
		(	21,150.02	-46,060.21)	23.70								
34	572-	1	(2/ 2)										
		(a	21,150.02	-46,060.21)	11.85	(	21,138.20	-46,061.00)	4.97	(	21,138.22	-46,065.97)	4.52
		(	21,138.04	-46,070.49)	6.46	(	21,137.77	-46,076.94)	0.71	(	21,138.47	-46,077.07)	10.71
		(	21,149.14	-46,078.01)	0.88	(	21,150.02	-46,078.01)	17.80				
34	574		(2/ 2)										
		(	21,150.02	-46,078.01)	0.88	(	21,149.14	-46,078.01)	10.71	(a	21,138.47	-46,077.07)	4.56
		(	21,137.75	-46,081.57)	4.92	(	21,136.75	-46,086.39)	3.85	(	21,135.47	-46,090.02)	11.78
		(	21,145.65	-46,095.94)	5.04	(	21,150.02	-46,098.46)	20.45				
34	002-	2											
		(	21,150.02	-46,098.46)	5.04	(	21,145.65	-46,095.94)	11.78	(	21,135.47	-46,090.02)	7.87
		(	21,127.82	-46,088.19)	3.70	(	21,124.60	-46,086.37)	11.94	(	21,116.12	-46,077.97)	2.99
		(	21,113.92	-46,075.95)	4.12	(	21,110.12	-46,074.37)	4.40	(	21,108.29	-46,070.37)	6.91
		(	21,104.87	-46,064.37)	25.57	(	21,094.06	-46,041.20)	3.27	(	21,091.54	-46,039.11)	17.85
		(	21,080.26	-46,025.28)	7.72	(	21,075.90	-46,018.91)	10.85	(	21,069.32	-46,010.28)	8.10
		(	21,062.04	-46,006.72)	1.05	(	21,061.09	-46,006.28)	3.25	(	21,058.18	-46,004.84)	4.25
		(a	21,054.70	-46,002.40)	6.69	(	21,050.04	-46,007.20)	6.43	(	21,055.93	-46,009.79)	7.63
		(	21,062.50	-46,013.66)	4.83	(	21,066.05	-46,016.93)	15.06	(	21,076.31	-46,027.96)	17.68
		(	21,087.90	-46,041.31)	3.08	(	21,089.91	-46,043.65)	31.13	(	21,103.72	-46,071.55)	6.41
		(	21,106.52	-46,077.32)	4.78	(	21,110.57	-46,079.85)	6.01	(	21,115.45	-46,083.35)	15.02
		(	21,126.32	-46,093.72)	3.01	(	21,128.97	-46,095.14)	1.35	(	21,130.29	-46,095.42)	6.46
		(	21,136.66	-46,096.52)	0.70	(	21,137.34	-46,096.67)	0.72	(	21,138.05	-46,096.79)	6.49
		(	21,143.77	-46,099.86)	7.47	(	21,149.98	-46,104.01)	5.55				
35	585-	1	(2/ 2)										
		(	21,149.98	-46,104.01)	7.47	(	21,143.77	-46,099.86)	6.49	(	21,138.05	-46,096.79)	0.72
		(a	21,137.34	-46,096.67)	24.47	(	21,144.68	-46,120.01)	2.76	(	21,147.11	-46,121.31)	5.13
		(	21,148.63	-46,126.21)	2.73	(	21,147.33	-46,128.61)	9.11	(	21,150.03	-46,137.31)	33.30
35	585-	15	(2/ 2)										
		(	21,150.03	-46,137.31)	9.11	(	21,147.33	-46,128.61)	2.73	(	21,148.63	-46,126.21)	5.13
		(	21,147.11	-46,121.31)	2.76	(	21,144.68	-46,120.01)	24.47	(	21,137.34	-46,096.67)	0.70
		(a	21,136.66	-46,096.52)	24.84	(	21,144.18	-46,120.19)	3.79	(	21,140.58	-46,121.36)	2.88

地区..003 作業.. 6 原図番号.. M1 55-4 縮尺..1/ 500 基準点..X 21,000.00..Y -46,200.00 測定 年 4 月 26 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,139.21 -46,123.89)	5.02	(21,140.63 -46,128.71)	2.80	(21,143.16 -46,129.91)	16.33
		(21,148.04 -46,145.49)	2.88	(21,146.64 -46,148.01)	3.00	(21,143.74 -46,148.79)	2.06
		(21,144.34 -46,150.76)	1.96	(21,144.99 -46,152.61)	2.98	(21,147.86 -46,151.79)	2.41
		(21,149.99 -46,152.91)	15.60				
35	585- 16	(21,149.99 -46,152.91)	2.41	(21,147.86 -46,151.79)	2.98	(21,144.99 -46,152.61)	1.96
		(21,144.34 -46,150.76)	10.68	(21,134.14 -46,153.92)	31.43	(21,143.00 -46,184.08)	2.01
		(21,143.55 -46,186.01)	6.75	(21,150.00 -46,184.01)	31.10		
35	000- 1	(21,150.00 -46,184.01)	6.75	(21,143.55 -46,186.01)	42.21	(21,103.22 -46,198.45)	2.41
		(21,100.93 -46,199.19)	3.04	(21,098.03 -46,200.10)	51.97	(21,150.00 -46,200.16)	16.15
35	585- 2	(21,143.55 -46,186.01)	2.01	(21,143.00 -46,184.08)	40.70	(21,104.12 -46,196.10)	3.15
		(21,101.75 -46,194.02)	5.23	(21,100.93 -46,199.19)	2.41	(21,103.22 -46,198.45)	42.21
35	585- 4	(21,098.03 -46,200.10)	3.04	(21,100.93 -46,199.19)	5.23	(21,101.75 -46,194.02)	59.22
		(21,111.08 -46,135.54)	4.76	(21,106.53 -46,136.94)	2.71	(21,106.56 -46,139.65)	4.11
		(21,105.96 -46,143.72)	6.03	(21,104.89 -46,149.65)	51.13	(21,096.75 -46,200.13)	1.28
35	001- 2	(21,096.75 -46,200.13)	51.13	(21,104.89 -46,149.65)	6.03	(21,105.96 -46,143.72)	4.11
		(21,106.56 -46,139.65)	2.71	(21,106.53 -46,136.94)	2.27	(21,105.61 -46,134.87)	2.03
		(21,104.38 -46,133.25)	1.98	(21,102.83 -46,132.02)	2.73	(21,101.03 -46,129.97)	2.33
		(21,099.91 -46,127.93)	2.80	(21,098.88 -46,125.33)	3.84	(21,098.23 -46,121.55)	3.85
		(21,098.20 -46,117.70)	27.28	(21,100.35 -46,090.50)	0.91	(21,100.52 -46,089.61)	2.42
		(21,098.12 -46,089.93)	32.76	(21,096.13 -46,122.63)	3.41	(21,096.98 -46,125.93)	3.15
		(21,098.03 -46,128.90)	2.69	(21,099.28 -46,131.28)	3.18	(21,101.25 -46,133.77)	2.72
		(21,103.26 -46,135.60)	1.71	(21,103.93 -46,137.17)	3.86	(21,103.66 -46,141.02)	3.22
		(21,103.14 -46,144.20)	3.85	(21,102.64 -46,148.02)	52.69	(21,094.53 -46,200.08)	2.22
35	585- 17	(21,127.28 -46,130.67)	24.24	(21,134.14 -46,153.92)	10.68	(21,144.34 -46,150.76)	2.06
		(21,143.74 -46,148.79)	3.00	(21,146.64 -46,148.01)	2.88	(21,148.04 -46,145.49)	16.33
		(21,143.16 -46,129.91)	2.80	(21,140.63 -46,128.71)	5.02	(21,139.21 -46,123.89)	2.88
		(21,140.58 -46,121.36)	3.79	(21,144.18 -46,120.19)	24.84	(21,136.66 -46,096.52)	6.46
		(21,130.29 -46,095.42)	35.38				
35	585- 19	(21,130.29 -46,095.42)	35.71	(21,126.40 -46,130.92)	0.91	(21,127.28 -46,130.67)	35.38
35	585- 5	(21,126.40 -46,130.92)	35.71	(21,130.29 -46,095.42)	1.35	(21,128.97 -46,095.14)	3.01
		(21,126.32 -46,093.72)	15.02	(21,115.45 -46,083.35)	6.01	(21,110.57 -46,079.85)	4.78
		(21,106.52 -46,077.32)	13.68	(21,100.52 -46,089.61)	0.91	(21,100.35 -46,090.50)	27.28
		(21,098.20 -46,117.70)	3.85	(21,098.23 -46,121.55)	3.84	(21,098.88 -46,125.33)	2.80
		(21,099.91 -46,127.93)	2.33	(21,101.03 -46,129.97)	2.73	(21,102.83 -46,132.02)	1.98
		(21,104.38 -46,133.25)	2.03	(21,105.61 -46,134.87)	2.27	(21,106.53 -46,136.94)	4.76
		(21,111.08 -46,135.54)	16.00				
35	585- 3	(21,111.08 -46,135.54)	59.22	(21,101.75 -46,194.02)	3.15	(21,104.12 -46,196.10)	40.70
		(21,143.00 -46,184.08)	31.43	(21,134.14 -46,153.92)	24.24	(21,127.28 -46,130.67)	0.91
		(21,126.40 -46,130.92)	16.00				
35	588	(21,079.72 -46,124.68)	1.29	(21,078.58 -46,125.28)	9.53	(21,069.31 -46,127.48)	2.80
		(21,066.51 -46,127.38)	1.67	(21,066.23 -46,129.03)	13.70	(21,079.63 -46,131.90)	7.22
35	589						

地区 ..003

作業 .. 6 原図番号 .. M1 55-4

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -46,200.00 測定 年 4 月 26 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,079.63 -46,131.90)	6.12	(21,085.18 -46,134.48)	16.09	(21,101.25 -46,133.77)	3.18
		(21,099.28 -46,131.28)	2.69	(21,098.03 -46,128.90)	3.15	(21,096.98 -46,125.93)	3.41
		(@ 21,096.13 -46,122.63)	6.10	(21,090.03 -46,122.78)	4.93	(21,085.11 -46,123.03)	4.42
		(21,080.83 -46,124.13)	1.24	(21,079.72 -46,124.68)	7.22		
35	002- 3	(21,058.05 -46,126.04)	1.52	(21,057.36 -46,124.69)	5.07	(21,056.53 -46,119.69)	5.63
		(21,056.65 -46,114.06)	4.72	(21,057.16 -46,109.37)	15.97	(21,056.60 -46,093.41)	41.97
		(21,056.56 -46,051.44)	1.53	(21,056.54 -46,049.91)	9.08	(21,056.19 -46,040.84)	9.49
		(21,055.76 -46,031.36)	7.66	(21,053.51 -46,024.04)	7.27	(21,050.88 -46,017.26)	10.05
		(21,048.04 -46,007.62)	3.59	(@ 21,045.57 -46,005.02)	13.32	(21,049.00 -46,017.89)	8.97
		(21,052.12 -46,026.30)	7.73	(21,053.46 -46,033.91)	6.29	(21,053.76 -46,040.19)	4.05
		(21,054.41 -46,044.19)	7.58	(21,054.69 -46,051.76)	19.38	(21,054.79 -46,071.14)	22.56
		(21,053.97 -46,093.69)	10.23	(21,055.08 -46,103.86)	10.05	(21,054.38 -46,113.89)	10.02
		(21,055.08 -46,123.89)	2.29	(21,054.53 -46,126.11)	3.52		
35	586	(21,073.66 -46,092.93)	4.32	(21,071.70 -46,096.78)	4.05	(21,069.58 -46,100.23)	6.91
		(21,065.03 -46,105.43)	2.47	(21,063.03 -46,106.88)	3.37	(21,060.18 -46,108.68)	3.10
		(21,057.16 -46,109.37)	4.72	(21,056.65 -46,114.06)	5.63	(21,056.53 -46,119.69)	5.07
		(21,057.36 -46,124.69)	1.52	(21,058.05 -46,126.04)	1.38	(21,058.73 -46,127.24)	3.24
		(21,061.76 -46,128.38)	4.52	(21,066.23 -46,129.03)	1.67	(21,066.51 -46,127.38)	2.80
		(21,069.31 -46,127.48)	9.53	(21,078.58 -46,125.28)	1.29	(21,079.72 -46,124.68)	1.24
		(21,080.83 -46,124.13)	4.42	(21,085.11 -46,123.03)	4.93	(21,090.03 -46,122.78)	6.10
		(21,096.13 -46,122.63)	32.76	(@ 21,098.12 -46,089.93)	24.64		
35	584	(21,098.12 -46,089.93)	2.42	(21,100.52 -46,089.61)	13.68	(21,106.52 -46,077.32)	6.41
		(21,103.72 -46,071.55)	31.13	(21,089.91 -46,043.65)	3.08	(@ 21,087.90 -46,041.31)	7.34
		(21,081.86 -46,045.48)	5.43	(21,077.19 -46,048.26)	4.37	(21,073.26 -46,050.18)	3.91
		(21,069.56 -46,051.43)	3.41	(21,066.16 -46,051.73)	7.65	(21,058.51 -46,051.50)	44.11
		(21,073.66 -46,092.93)	24.64				
35	583	(21,073.66 -46,092.93)	44.11	(21,058.51 -46,051.50)	1.95	(@ 21,056.56 -46,051.44)	41.97
		(21,056.60 -46,093.41)	15.97	(21,057.16 -46,109.37)	3.10	(21,060.18 -46,108.68)	3.37
		(21,063.03 -46,106.88)	2.47	(21,065.03 -46,105.43)	6.91	(21,069.58 -46,100.23)	4.05
		(21,071.70 -46,096.78)	4.32				
35	578	(21,076.31 -46,027.96)	15.06	(21,066.05 -46,016.93)	4.83	(21,062.50 -46,013.66)	7.63
		(21,055.93 -46,009.79)	6.43	(@ 21,050.04 -46,007.20)	2.04	(21,048.04 -46,007.62)	10.05
		(21,050.88 -46,017.26)	7.27	(21,053.51 -46,024.04)	7.66	(21,055.76 -46,031.36)	9.49
		(21,056.19 -46,040.84)	9.08	(21,056.54 -46,049.91)	1.53	(21,056.56 -46,051.44)	1.95
		(21,058.51 -46,051.50)	7.65	(21,066.16 -46,051.73)	3.41	(21,069.56 -46,051.43)	3.91
		(21,073.26 -46,050.18)	4.37	(21,077.19 -46,048.26)	5.43	(21,081.86 -46,045.48)	7.34
		(21,087.90 -46,041.31)	17.68				
34	575	(21,104.87 -46,064.37)	6.91	(21,108.29 -46,070.37)	4.40	(21,110.12 -46,074.37)	4.12
		(21,113.92 -46,075.95)	2.99	(21,116.12 -46,077.97)	11.94	(21,124.60 -46,086.37)	3.70
		(21,127.82 -46,088.19)	7.87	(21,135.47 -46,090.02)	3.85	(21,136.75 -46,086.39)	4.92
		(21,137.75 -46,081.57)	4.56	(21,138.47 -46,077.07)	0.71	(21,137.77 -46,076.94)	6.46
		(21,138.04 -46,070.49)	4.52	(21,138.22 -46,065.97)	4.97	(21,138.20 -46,061.00)	23.91
		(@ 21,137.56 -46,037.10)	40.18	(21,097.51 -46,040.28)	3.58	(21,094.06 -46,041.23)	25.54
34	576	(21,091.54 -46,039.11)	6.08	(21,097.56 -46,038.28)	27.87	(21,125.34 -46,036.02)	9.04
		(21,124.98 -46,026.99)	8.32	(21,124.70 -46,018.67)	1.71	(@ 21,123.00 -46,018.52)	2.47

地区 ..003

作業 .. 6 原図番号 .. M1 55-4

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -46,200.00 測定 年 4 月 26 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,120.53 -46,018.67)	9.07	(21,111.50 -46,019.47)	9.83	(21,101.73 -46,020.52)	9.92
		(21,091.98 -46,022.35)	12.08	(21,080.26 -46,025.28)	17.85		
28	462- 9	(21,037.04 -46,027.19)	4.85	(21,041.88 -46,027.49)	10.31	(21,052.12 -46,026.30)	8.97
		(21,049.00 -46,017.89)	13.32	(21,045.57 -46,005.02)	0.72	(21,044.85 -46,005.04)	10.01
		(21,034.85 -46,005.54)	21.76				
28	462- 8	(21,034.85 -46,005.54)	6.64	(21,028.22 -46,005.84)	4.21	(21,028.53 -46,010.04)	3.01
		(21,025.53 -46,010.29)	2.96	(21,023.53 -46,012.47)	14.06	(21,024.81 -46,026.47)	2.76
		(21,027.01 -46,028.14)	10.07	(21,037.04 -46,027.19)	21.76		
28	462- 2	(21,027.01 -46,028.14)	2.76	(21,024.81 -46,026.47)	14.06	(21,023.53 -46,012.47)	2.96
		(21,025.53 -46,010.29)	3.01	(21,028.53 -46,010.04)	4.21	(21,028.22 -46,005.84)	8.69
		(21,019.54 -46,006.35)	0.86	(21,018.68 -46,006.35)	0.52	(21,018.68 -46,006.87)	17.07
		(21,001.74 -46,009.00)	4.06	(21,002.40 -46,013.01)	5.09	(21,007.45 -46,012.38)	9.89
		(21,017.25 -46,011.05)	2.83	(21,019.50 -46,012.77)	14.08	(21,020.76 -46,026.79)	2.68
		(21,019.11 -46,028.90)	7.94				
28	462- 10	(21,019.11 -46,028.90)	2.68	(21,020.76 -46,026.79)	14.08	(21,019.50 -46,012.77)	2.83
		(21,017.25 -46,011.05)	9.89	(21,007.45 -46,012.38)	17.23	(21,008.86 -46,029.55)	10.27