

地区..003 作業.. 9 原図番号.. N1 21-4 縮尺..1/ 500 基準点..X 21,900.00..Y -45,800.00 測定 年 4 月 27 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,900.00 -45,800.00)	50.08	(21,950.08 -45,800.04)	49.92	(22,000.00 -45,800.05)	50.00
		(22,050.00 -45,800.11)	50.00	(22,049.96 -45,750.11)	50.00	(22,049.98 -45,700.11)	50.00
		(22,049.99 -45,650.11)	50.00	(22,050.03 -45,600.11)	49.98	(22,000.05 -45,600.10)	50.05
		(21,950.00 -45,600.04)	50.00	(21,900.00 -45,600.02)	50.00	(21,899.99 -45,650.02)	49.95
		(21,899.98 -45,699.97)	50.00	(21,900.01 -45,749.97)	50.03		
54	002- 8	(21,950.20 -45,800.04)	0.31	(21,950.38 -45,799.79)	2.69	(21,952.57 -45,798.23)	2.91
		(21,951.22 -45,795.65)	5.56	(21,947.80 -45,800.03)	2.40		
54	887- 1	(21,900.00 -45,800.00)	47.80	(21,947.80 -45,800.03)	5.56	(21,951.22 -45,795.65)	2.92
		(21,949.37 -45,793.39)	3.88	(21,945.69 -45,792.15)	5.50	(21,940.19 -45,791.97)	9.12
		(21,931.12 -45,792.95)	4.70	(21,926.44 -45,792.56)	7.38	(21,919.55 -45,789.92)	11.45
		(21,908.23 -45,788.17)	8.34	(21,900.03 -45,786.63)	13.37		
54	002- 7	(21,900.03 -45,786.63)	8.34	(21,908.23 -45,788.17)	11.45	(21,919.55 -45,789.92)	7.38
		(21,926.44 -45,792.56)	4.70	(21,931.12 -45,792.95)	9.12	(21,940.19 -45,791.97)	5.50
		(21,945.69 -45,792.15)	3.88	(21,949.37 -45,793.39)	2.92	(21,951.22 -45,795.65)	7.27
		(21,956.32 -45,790.47)	2.07	(21,954.27 -45,790.17)	8.29	(21,946.88 -45,786.42)	2.09
		(21,944.93 -45,785.68)	4.06	(21,941.05 -45,786.89)	6.32	(21,934.75 -45,787.43)	11.22
		(21,923.55 -45,786.83)	16.65	(21,907.14 -45,784.01)	7.27	(21,899.99 -45,782.72)	3.91
54	887- 2	(21,899.99 -45,782.72)	7.27	(21,907.14 -45,784.01)	4.45	(21,908.06 -45,779.66)	8.22
		(21,899.95 -45,778.32)	4.40				
57	918	(21,899.95 -45,778.32)	8.22	(21,908.06 -45,779.66)	12.75	(21,910.77 -45,767.20)	10.76
		(21,900.02 -45,766.87)	11.45				
57	919	(21,900.02 -45,766.87)	10.76	(21,910.77 -45,767.20)	33.68	(21,918.05 -45,734.32)	0.79
		(21,917.30 -45,734.06)	6.40	(21,918.71 -45,727.82)	8.29	(21,910.43 -45,727.50)	10.43
		(21,900.01 -45,727.12)	39.75				
57	925	(21,900.01 -45,727.12)	10.43	(21,910.43 -45,727.50)	32.07	(21,910.49 -45,695.43)	2.10
		(21,908.74 -45,694.27)	2.36	(21,906.69 -45,693.11)	7.02	(21,900.00 -45,690.97)	36.15
57	001- 3	(21,900.00 -45,690.97)	7.02	(21,906.69 -45,693.11)	2.36	(21,908.74 -45,694.27)	2.10
		(21,910.49 -45,695.43)	1.99	(21,911.93 -45,696.80)	2.73	(21,913.60 -45,698.96)	10.58
		(21,918.86 -45,708.14)	1.03	(21,919.77 -45,708.62)	1.05	(21,920.60 -45,709.27)	1.79
		(21,922.38 -45,709.48)	2.97	(21,925.23 -45,708.63)	32.09	(21,956.14 -45,700.00)	2.42
		(21,958.34 -45,701.02)	4.45	(21,957.28 -45,696.70)	1.99	(21,955.58 -45,697.73)	32.28
		(21,924.54 -45,706.58)	2.81	(21,921.76 -45,707.02)	1.50	(21,920.41 -45,706.37)	9.39
		(21,915.65 -45,698.28)	4.53	(21,912.93 -45,694.66)	2.86	(21,910.62 -45,692.97)	2.95
		(21,908.04 -45,691.54)	8.41	(21,900.05 -45,688.92)	2.05		
57	935	(21,900.05 -45,688.92)	8.41	(21,908.04 -45,691.54)	2.95	(21,910.62 -45,692.97)	2.86
		(21,912.93 -45,694.66)	5.16	(21,915.20 -45,690.03)	5.30	(21,916.76 -45,684.96)	6.49
		(21,918.00 -45,678.59)	6.13	(21,918.64 -45,672.49)	7.80	(21,918.78 -45,664.69)	6.22
		(21,918.54 -45,658.47)	6.02	(21,918.08 -45,652.47)	3.69	(21,917.77 -45,648.79)	2.24
		(21,917.80 -45,646.55)	2.04	(21,916.12 -45,645.39)	2.68	(21,913.63 -45,644.41)	4.48
		(21,909.20 -45,643.75)	9.26	(21,899.95 -45,643.37)	45.55		
66	001- 2	(21,899.95 -45,643.37)	9.26	(21,909.20 -45,643.75)	4.48	(21,913.63 -45,644.41)	2.68

地区..003 作業.. 9 原図番号.. N1 21-4 縮尺..1/ 500 基準点..X 21,900.00..Y -45,800.00 測定 年 4 月 27 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,916.12 -45,645.39)	2.04	(21,917.80 -45,646.55)	9.25	(21,925.78 -45,651.23)	16.05
		(21,941.02 -45,656.27)	5.34	(21,944.74 -45,660.10)	2.69	(21,946.66 -45,661.98)	1.36
		(21,947.86 -45,662.63)	1.55	(21,948.41 -45,664.08)	0.91	(21,949.32 -45,664.02)	0.73
		(21,949.33 -45,663.29)	1.58	(21,948.56 -45,661.91)	1.45	(21,947.31 -45,661.18)	2.58
		(21,945.44 -45,659.40)	5.62	(21,941.53 -45,655.37)	16.21	(21,926.14 -45,650.28)	9.02
		(21,918.35 -45,645.74)	2.21	(21,916.55 -45,644.46)	2.79	(21,913.95 -45,643.46)	4.48
		(21,909.53 -45,642.70)	9.54	(21,900.00 -45,642.37)	1.00		
66	002- 3						
		(21,900.00 -45,642.37)	9.54	(21,909.53 -45,642.70)	4.48	(21,913.95 -45,643.46)	2.79
		(21,916.55 -45,644.46)	2.21	(21,918.35 -45,645.74)	9.02	(21,926.14 -45,650.28)	16.21
		(21,941.53 -45,655.37)	5.62	(21,945.44 -45,659.40)	2.58	(21,947.31 -45,661.18)	1.45
		(21,948.56 -45,661.91)	1.58	(21,949.33 -45,663.29)	0.73	(21,949.32 -45,664.02)	2.53
		(21,951.85 -45,663.94)	2.28	(21,951.90 -45,661.66)	4.36	(21,948.77 -45,658.63)	2.30
		(21,947.02 -45,657.13)	2.51	(21,945.68 -45,655.01)	4.73	(21,942.33 -45,651.67)	3.03
		(21,939.34 -45,651.16)	8.13	(21,931.72 -45,648.32)	10.50	(21,922.27 -45,643.74)	10.35
		(21,912.31 -45,640.93)	9.61	(21,902.71 -45,640.53)	2.77	(21,899.96 -45,640.22)	2.15
66	1079	(1/ 2)					
		(21,899.96 -45,640.22)	2.77	(21,902.71 -45,640.53)	9.61	(21,912.31 -45,640.93)	10.35
		(21,922.27 -45,643.74)	2.78	(21,922.41 -45,640.96)	6.08	(21,922.52 -45,634.88)	0.90
		(21,922.64 -45,633.99)	9.03	(21,923.24 -45,624.98)	1.10	(21,923.47 -45,623.90)	1.47
		(21,924.00 -45,622.53)	0.83	(21,924.60 -45,621.95)	1.76	(21,926.18 -45,621.18)	4.15
		(21,930.33 -45,621.14)	1.73	(21,932.03 -45,620.82)	1.96	(21,933.81 -45,620.00)	1.53
		(21,934.73 -45,618.78)	2.00	(21,935.31 -45,616.87)	2.25	(21,933.06 -45,616.78)	33.06
		(21,900.01 -45,616.02)	24.20				
66	1077	(1/ 4)					
		(21,900.00 -45,600.02)	16.00	(21,900.01 -45,616.02)	33.06	(21,933.06 -45,616.78)	16.76
		(21,933.65 -45,600.03)	33.65				
66	1083	(1/ 2)					
		(21,933.65 -45,600.03)	16.76	(21,933.06 -45,616.78)	2.25	(21,935.31 -45,616.87)	0.50
		(21,935.81 -45,616.88)	6.65	(21,937.23 -45,610.38)	0.97	(21,937.65 -45,609.51)	0.78
		(21,938.23 -45,608.99)	0.95	(21,939.18 -45,608.96)	4.98	(21,944.01 -45,610.19)	10.29
		(21,945.90 -45,600.08)	12.25				
66	1082	(1/ 2)					
		(21,945.90 -45,600.08)	10.29	(21,944.01 -45,610.19)	6.56	(21,950.37 -45,611.79)	5.75
		(21,950.59 -45,606.04)	6.23	(21,952.25 -45,600.04)	6.35		
66	002- 2						
		(21,952.25 -45,600.04)	6.23	(21,950.59 -45,606.04)	5.75	(21,950.37 -45,611.79)	13.31
		(21,950.99 -45,625.09)	1.55	(21,952.44 -45,624.54)	9.27	(21,952.37 -45,615.27)	7.23
		(21,952.48 -45,608.04)	3.81	(21,953.14 -45,604.29)	3.42	(21,954.25 -45,601.05)	1.03
		(21,954.50 -45,600.05)	2.25				
66	001- 1						
		(21,954.50 -45,600.05)	1.03	(21,954.25 -45,601.05)	3.42	(21,953.14 -45,604.29)	3.81
		(21,952.48 -45,608.04)	7.23	(21,952.37 -45,615.27)	9.27	(21,952.44 -45,624.54)	0.00
		(21,952.44 -45,624.54)	1.55	(21,950.99 -45,625.09)	3.24	(21,949.94 -45,628.16)	3.68
		(21,949.35 -45,631.79)	3.60	(21,949.40 -45,635.39)	5.24	(21,950.36 -45,640.54)	3.14
		(21,952.05 -45,643.19)	3.11	(21,952.35 -45,646.29)	5.90	(21,952.51 -45,652.19)	4.89
		(21,952.27 -45,657.07)	4.60	(21,951.90 -45,661.66)	2.28	(21,951.85 -45,663.94)	1.91
		(21,953.76 -45,663.91)	6.05	(21,954.44 -45,657.90)	5.74	(21,954.68 -45,652.17)	6.07
		(21,954.50 -45,646.10)	3.16	(21,954.23 -45,642.95)	4.16	(21,953.35 -45,638.88)	2.84
		(21,951.69 -45,636.57)	3.14	(21,951.40 -45,633.44)	4.52	(21,951.84 -45,628.94)	2.79
		(21,954.60 -45,628.50)	13.41	(21,954.17 -45,615.10)	5.38	(21,954.25 -45,609.72)	2.70
		(21,954.31 -45,607.02)	2.21	(21,954.94 -45,604.90)	2.79	(21,956.57 -45,602.63)	1.84

地区..003

作業.. 9 原図番号.. N1 21-4

縮尺..1/ 500

基準点..X 21,900.00..Y -45,800.00 測定 年 4 月 27 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

68	1117	(21,957.95 -45,601.42)	1.85	(21,959.20 -45,600.06)	4.70				
		(1/ 2)							
		(@ 21,959.20 -45,600.06)	1.85	(21,957.95 -45,601.42)	1.40	(21,959.32 -45,601.13)	3.69		
		(21,962.85 -45,600.07)	3.65						
68	1114	(1/ 2)							
		(@ 21,962.85 -45,600.07)	3.69	(21,959.32 -45,601.13)	1.40	(21,957.95 -45,601.42)	1.84		
		(21,956.57 -45,602.63)	2.79	(21,954.94 -45,604.90)	2.21	(21,954.31 -45,607.02)	2.70		
		(21,954.25 -45,609.72)	5.38	(21,954.17 -45,615.10)	13.41	(21,954.60 -45,628.50)	3.27		
		(21,954.70 -45,631.77)	5.66	(21,960.33 -45,632.31)	3.69	(21,964.00 -45,631.94)	9.59		
		(21,973.16 -45,629.11)	7.28	(21,979.64 -45,625.80)	8.31	(21,986.64 -45,621.33)	7.54		
		(21,994.04 -45,619.89)	13.20	(21,994.04 -45,606.69)	38.15	(22,032.09 -45,609.47)	4.45		
		(22,033.84 -45,605.38)	2.71	(22,034.62 -45,602.78)	2.67	(22,034.98 -45,600.13)	72.13		
68	1115	(@ 21,994.04 -45,606.69)	13.20	(21,994.04 -45,619.89)	7.27	(22,001.25 -45,620.80)	4.40		
		(22,005.45 -45,622.11)	7.30	(22,012.42 -45,624.28)	5.99	(22,018.34 -45,625.17)	5.95		
		(22,024.29 -45,625.09)	1.07	(22,024.05 -45,624.05)	1.25	(22,024.97 -45,623.21)	4.79		
		(22,027.36 -45,619.06)	4.39	(22,029.44 -45,615.19)	6.30	(22,032.09 -45,609.47)	38.15		
56	000- 2	(@ 22,050.03 -45,600.11)	15.05	(22,034.98 -45,600.13)	2.67	(22,034.62 -45,602.78)	2.71		
		(22,033.84 -45,605.38)	4.45	(22,032.09 -45,609.47)	6.30	(22,029.44 -45,615.19)	4.39		
		(22,027.36 -45,619.06)	4.79	(22,024.97 -45,623.21)	1.25	(22,024.05 -45,624.05)	1.07		
		(22,024.29 -45,625.09)	9.69	(22,026.32 -45,634.56)	8.22	(22,028.58 -45,642.46)	3.01		
		(22,029.52 -45,645.32)	3.88	(22,031.09 -45,648.87)	4.60	(22,032.91 -45,653.10)	14.46		
		(22,039.75 -45,665.84)	4.28	(22,042.14 -45,669.39)	4.55	(22,045.21 -45,672.75)	4.07		
		(22,048.53 -45,675.11)	1.75	(22,050.03 -45,676.01)	75.90				
56	907	(2/ 2)							
		(22,050.03 -45,676.01)	1.75	(22,048.53 -45,675.11)	4.07	(22,045.21 -45,672.75)	4.55		
		(22,042.14 -45,669.39)	4.28	(@ 22,039.75 -45,665.84)	7.43	(22,033.29 -45,669.52)	1.32		
		(22,032.24 -45,670.32)	1.63	(22,031.09 -45,671.47)	2.96	(22,029.68 -45,674.07)	3.91		
		(22,028.13 -45,677.66)	2.58	(22,026.92 -45,679.94)	2.77	(22,024.92 -45,681.86)	2.13		
		(22,023.14 -45,683.03)	1.86	(22,021.41 -45,683.70)	1.96	(22,019.59 -45,684.42)	6.28		
		(22,013.48 -45,685.88)	13.50	(22,000.15 -45,688.02)	4.55	(22,001.09 -45,692.47)	8.13		
		(22,002.86 -45,700.41)	4.35	(22,003.81 -45,704.66)	1.05	(22,004.79 -45,705.04)	5.67		
		(22,010.46 -45,704.97)	2.63	(22,013.09 -45,704.93)	4.25	(22,017.34 -45,704.84)	3.67		
		(22,021.01 -45,704.95)	5.69	(22,026.67 -45,704.36)	2.81	(22,029.44 -45,703.87)	11.36		
		(22,040.40 -45,700.89)	9.93	(22,049.98 -45,698.26)	22.25				
56	905	(2/ 2)							
		(@ 22,049.98 -45,698.26)	9.93	(22,040.40 -45,700.89)	11.36	(22,029.44 -45,703.87)	2.81		
		(22,026.67 -45,704.36)	5.69	(22,021.01 -45,704.95)	3.67	(22,017.34 -45,704.84)	4.25		
		(22,013.09 -45,704.93)	2.63	(22,010.46 -45,704.97)	27.52	(22,015.47 -45,732.03)	4.93		
		(22,020.28 -45,730.97)	10.71	(22,030.31 -45,727.22)	1.87	(22,032.13 -45,726.81)	7.08		
		(22,039.12 -45,725.69)	4.64	(22,043.62 -45,724.55)	6.77	(22,050.03 -45,722.36)	24.10		
56	906	(2/ 2)							
		(@ 22,050.03 -45,722.36)	6.77	(22,043.62 -45,724.55)	4.64	(22,039.12 -45,725.69)	7.08		
		(22,032.13 -45,726.81)	15.82	(22,035.67 -45,742.23)	4.30	(22,039.68 -45,740.69)	5.78		
		(22,044.99 -45,738.40)	5.15	(22,050.04 -45,737.41)	15.05				
56	002- 10	(@ 22,050.04 -45,737.41)	5.15	(22,044.99 -45,738.40)	5.78	(22,039.68 -45,740.69)	4.30		
		(22,035.67 -45,742.23)	10.01	(22,027.59 -45,748.14)	8.51	(22,021.28 -45,753.85)	4.42		
		(22,017.60 -45,756.29)	13.11	(22,005.07 -45,760.13)	2.10	(22,004.04 -45,761.96)	6.72		
		(22,004.12 -45,768.68)	9.43	(22,004.46 -45,778.10)	2.52	(22,005.48 -45,780.40)	4.17		
		(22,003.71 -45,784.18)	1.81	(22,002.18 -45,785.14)	5.39	(22,002.62 -45,790.51)	3.79		

地区..003 作業.. 9 原図番号.. N1 21-4 縮尺..1/ 500 基準点..X 21,900.00..Y -45,800.00 測定 年 4 月 27 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(22,006.00 -45,788.79)	3.27	(22,007.98 -45,786.19)	3.51	(22,008.79 -45,782.77)	14.95
		(22,008.57 -45,767.82)	3.12	(22,009.23 -45,764.77)	2.99	(22,011.21 -45,762.53)	8.10
		(22,018.89 -45,759.94)	6.23	(22,024.05 -45,756.45)	10.39	(22,031.96 -45,749.72)	4.18
		(22,035.39 -45,747.33)	9.57	(22,043.93 -45,743.02)	6.35	(22,050.03 -45,741.26)	3.85
56	902	(2 / 2)					
		(22,050.03 -45,741.26)	6.35	(22,043.93 -45,743.02)	9.57	(22,035.39 -45,747.33)	4.18
		(22,031.96 -45,749.72)	10.39	(22,024.05 -45,756.45)	6.23	(22,018.89 -45,759.94)	8.10
		(22,011.21 -45,762.53)	2.99	(22,009.23 -45,764.77)	3.12	(22,008.57 -45,767.82)	14.95
		(22,008.79 -45,782.77)	3.51	(22,007.98 -45,786.19)	3.27	(22,006.00 -45,788.79)	3.79
		(22,002.62 -45,790.51)	9.42	(22,010.81 -45,795.17)	11.54	(22,020.33 -45,788.65)	35.50
		(22,049.97 -45,769.11)	27.85				
56	000- 1						
		(22,049.97 -45,769.11)	35.50	(22,020.33 -45,788.65)	11.54	(22,010.81 -45,795.17)	9.42
		(22,002.62 -45,790.51)	2.74	(22,000.12 -45,789.40)	3.04	(21,997.15 -45,788.74)	3.35
		(21,993.80 -45,788.89)	23.07	(21,970.99 -45,792.36)	19.33	(21,952.57 -45,798.23)	2.69
		(21,950.38 -45,799.79)	0.39	(21,950.08 -45,800.04)	49.92	(22,000.00 -45,800.05)	50.00
		(22,050.00 -45,800.11)	31.00				
56	901- 2						
		(22,003.71 -45,784.18)	4.17	(22,005.48 -45,780.40)	4.46	(22,001.34 -45,782.05)	1.55
		(22,000.01 -45,782.85)	3.15	(22,002.18 -45,785.14)	1.81		
56	002- 9						
		(22,002.18 -45,785.14)	3.15	(22,000.01 -45,782.85)	1.55	(22,001.34 -45,782.05)	4.46
		(22,005.48 -45,780.40)	2.52	(22,004.46 -45,778.10)	1.13	(22,003.95 -45,779.11)	5.67
		(21,998.69 -45,781.22)	9.13	(21,989.59 -45,781.98)	9.40	(21,980.56 -45,784.58)	12.42
		(21,968.18 -45,785.53)	4.88	(21,963.54 -45,787.03)	1.87	(21,962.03 -45,788.13)	1.80
		(21,960.33 -45,788.71)	4.38	(21,956.32 -45,790.47)	7.27	(21,951.22 -45,795.65)	2.91
		(21,952.57 -45,798.23)	19.33	(21,970.99 -45,792.36)	23.07	(21,993.80 -45,788.89)	3.35
		(21,997.15 -45,788.74)	3.04	(22,000.12 -45,789.40)	2.74	(22,002.62 -45,790.51)	5.39
56	904						
		(22,003.70 -45,760.16)	1.37	(22,005.07 -45,760.13)	13.11	(22,017.60 -45,756.29)	4.42
		(22,021.28 -45,753.85)	8.51	(22,027.59 -45,748.14)	10.01	(22,035.67 -45,742.23)	15.82
		(22,032.13 -45,726.81)	1.87	(22,030.31 -45,727.22)	10.71	(22,020.28 -45,730.97)	4.93
		(22,015.47 -45,732.03)	16.56	(21,999.30 -45,735.60)	24.95		
56	915						
		(22,003.70 -45,760.16)	24.95	(21,999.30 -45,735.60)	35.68	(21,964.31 -45,742.60)	6.34
		(21,963.39 -45,748.87)	5.11	(21,963.13 -45,753.97)	7.25	(21,963.64 -45,761.20)	40.07
56	901- 1						
		(21,963.64 -45,761.20)	10.52	(21,962.61 -45,771.67)	5.26	(21,962.35 -45,776.92)	4.65
		(21,962.44 -45,781.57)	3.29	(21,962.96 -45,784.82)	2.28	(21,963.54 -45,787.03)	4.88
		(21,968.18 -45,785.53)	12.42	(21,980.56 -45,784.58)	9.40	(21,989.59 -45,781.98)	9.13
		(21,998.69 -45,781.22)	5.67	(22,003.95 -45,779.11)	1.13	(22,004.46 -45,778.10)	9.43
		(22,004.12 -45,768.68)	6.72	(22,004.04 -45,761.96)	2.10	(22,005.07 -45,760.13)	1.37
		(22,003.70 -45,760.16)	40.07				
56	909- 2						
		(21,997.19 -45,673.14)	15.17	(22,000.15 -45,688.02)	13.50	(22,013.48 -45,685.88)	6.28
		(22,019.59 -45,684.42)	1.96	(22,021.41 -45,683.70)	1.86	(22,023.14 -45,683.03)	2.13
		(22,024.92 -45,681.86)	2.77	(22,026.92 -45,679.94)	2.58	(22,028.13 -45,677.66)	3.91
		(22,029.68 -45,674.07)	2.96	(22,031.09 -45,671.47)	1.63	(22,032.24 -45,670.32)	1.32
		(22,033.29 -45,669.52)	7.43	(22,039.75 -45,665.84)	14.46	(22,032.91 -45,653.10)	4.60
		(22,031.09 -45,648.87)	37.84	(21,994.09 -45,656.79)	16.64		
56	909- 1						
		(21,994.09 -45,656.79)	37.84	(22,031.09 -45,648.87)	3.88	(22,029.52 -45,645.32)	3.01

地区 ..003

作業 .. 9

原図番号 .. N1 21-4

縮尺 ..1/ 500

基準点 ..X 21,900.00..Y -45,800.00

測定 年 4 月 27 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(22,028.58 -45,642.46)	8.22	(22,026.32 -45,634.56)	9.69	(22,024.29 -45,625.09)	5.95
		(22,018.34 -45,625.17)	5.99	(22,012.42 -45,624.28)	7.30	(22,005.45 -45,622.11)	4.40
		(22,001.25 -45,620.80)	7.27	(@ 21,994.04 -45,619.89)	7.54	(21,986.64 -45,621.33)	2.10
		(21,987.45 -45,623.27)	34.17				
56	910	(21,994.09 -45,656.79)	34.17	(@ 21,987.45 -45,623.27)	11.74	(21,977.73 -45,629.85)	6.17
		(21,972.13 -45,632.44)	5.11	(21,967.20 -45,633.80)	7.84	(21,959.45 -45,634.98)	3.50
		(21,956.07 -45,635.90)	4.03	(21,953.35 -45,638.88)	4.16	(21,954.23 -45,642.95)	3.16
		(21,954.50 -45,646.10)	6.07	(21,954.68 -45,652.17)	5.74	(21,954.44 -45,657.90)	6.05
		(21,953.76 -45,663.91)	2.69	(21,953.90 -45,666.60)	10.62	(21,955.44 -45,677.11)	14.71
		(21,970.10 -45,675.96)	23.44	(21,993.43 -45,673.73)	3.81	(21,997.19 -45,673.14)	16.64
56	912	(@ 21,997.19 -45,673.14)	3.81	(21,993.43 -45,673.73)	23.44	(21,970.10 -45,675.96)	14.71
		(21,955.44 -45,677.11)	28.01	(21,961.75 -45,704.40)	41.11	(22,001.09 -45,692.47)	4.55
		(22,000.15 -45,688.02)	15.17				
56	913	(22,002.86 -45,700.41)	8.13	(@ 22,001.09 -45,692.47)	41.11	(21,961.75 -45,704.40)	10.19
		(21,964.09 -45,714.32)	1.97	(21,964.55 -45,716.24)	10.22	(21,974.64 -45,714.59)	2.80
		(21,977.37 -45,713.95)	4.08	(21,981.27 -45,712.76)	6.71	(21,987.43 -45,710.10)	5.89
		(21,992.73 -45,707.53)	5.26	(21,997.49 -45,705.29)	2.68	(22,000.02 -45,704.42)	1.61
		(22,001.62 -45,704.25)	1.52	(22,003.14 -45,704.36)	0.73	(22,003.81 -45,704.66)	4.35
		(22,002.86 -45,700.41)	0.00				
56	914	(22,010.46 -45,704.97)	5.67	(22,004.79 -45,705.04)	1.78	(22,003.14 -45,704.36)	1.52
		(@ 22,001.62 -45,704.25)	1.61	(22,000.02 -45,704.42)	2.68	(21,997.49 -45,705.29)	5.26
		(21,992.73 -45,707.53)	5.89	(21,987.43 -45,710.10)	6.71	(21,981.27 -45,712.76)	4.08
		(21,977.37 -45,713.95)	2.80	(21,974.64 -45,714.59)	10.22	(21,964.55 -45,716.24)	4.95
		(21,965.63 -45,721.07)	4.01	(21,965.87 -45,725.07)	4.23	(21,966.06 -45,729.30)	3.62
		(21,965.98 -45,732.92)	5.00	(21,965.17 -45,737.85)	4.83	(21,964.31 -45,742.60)	35.68
		(21,999.30 -45,735.60)	16.56	(22,015.47 -45,732.03)	27.52		
68	002- 1	(@ 21,986.64 -45,621.33)	8.31	(21,979.64 -45,625.80)	7.28	(21,973.16 -45,629.11)	9.59
		(21,964.00 -45,631.94)	3.69	(21,960.33 -45,632.31)	5.66	(21,954.70 -45,631.77)	3.27
		(21,954.60 -45,628.50)	2.79	(21,951.84 -45,628.94)	4.52	(21,951.40 -45,633.44)	3.14
		(21,951.69 -45,636.57)	2.84	(21,953.35 -45,638.88)	4.03	(21,956.07 -45,635.90)	3.50
		(21,959.45 -45,634.98)	7.84	(21,967.20 -45,633.80)	5.11	(21,972.13 -45,632.44)	6.17
		(21,977.73 -45,629.85)	11.74	(21,987.45 -45,623.27)	2.10		
66	1081- 1	(@ 21,922.64 -45,633.99)	0.90	(21,922.52 -45,634.88)	6.08	(21,922.41 -45,640.96)	6.76
		(21,929.16 -45,641.39)	6.97	(21,929.62 -45,634.44)	6.99		
66	1081- 3	(21,929.62 -45,634.44)	8.94	(21,930.19 -45,625.52)	6.97	(@ 21,923.24 -45,624.98)	9.03
		(21,922.64 -45,633.99)	6.99				
66	1081- 2	(21,949.40 -45,635.39)	3.60	(21,949.35 -45,631.79)	3.68	(21,949.94 -45,628.16)	3.24
		(21,950.99 -45,625.09)	13.31	(21,950.37 -45,611.79)	6.56	(21,944.01 -45,610.19)	4.98
		(@ 21,939.18 -45,608.96)	0.95	(21,938.23 -45,608.99)	0.78	(21,937.65 -45,609.51)	0.97
		(21,937.23 -45,610.38)	6.65	(21,935.81 -45,616.88)	0.50	(21,935.31 -45,616.87)	2.00
		(21,934.73 -45,618.78)	1.53	(21,933.81 -45,620.00)	1.96	(21,932.03 -45,620.82)	1.73
		(21,930.33 -45,621.14)	4.15	(21,926.18 -45,621.18)	1.76	(21,924.60 -45,621.95)	0.83
		(21,924.00 -45,622.53)	1.47	(21,923.47 -45,623.90)	1.10	(21,923.24 -45,624.98)	6.97
		(21,930.19 -45,625.52)	8.94	(21,929.62 -45,634.44)	6.97	(21,929.16 -45,641.39)	6.76

地区 ..003

作業 .. 9

原図番号 .. N1 21-4

縮尺 ..1/ 500

基準点 ..X 21,900.00..Y -45,800.00

測定 年 4 月 27 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,922.41 -45,640.96)	2.78	(21,922.27 -45,643.74)	10.50	(21,931.72 -45,648.32)	8.13
		(21,939.34 -45,651.16)	3.03	(21,942.33 -45,651.67)	4.01	(21,943.99 -45,648.02)	9.82
		(21,950.36 -45,640.54)	5.24				
66	002- 4	(21,950.36 -45,640.54)	9.82	(21,943.99 -45,648.02)	4.01	(21,942.33 -45,651.67)	4.73
		(21,945.68 -45,655.01)	5.48	(21,945.71 -45,649.53)	8.97	(21,952.05 -45,643.19)	3.14
66	1080	(21,952.05 -45,643.19)	8.97	(21,945.71 -45,649.53)	5.48	(21,945.68 -45,655.01)	2.51
		(21,947.02 -45,657.13)	2.30	(21,948.77 -45,658.63)	4.36	(21,951.90 -45,661.66)	4.60
		(21,952.27 -45,657.07)	4.89	(21,952.51 -45,652.19)	5.90	(21,952.35 -45,646.29)	3.11
57	934	(21,952.66 -45,683.21)	7.21	(21,950.93 -45,676.21)	11.08	(21,949.23 -45,665.26)	1.24
		(21,949.32 -45,664.02)	0.91	(21,948.41 -45,664.08)	1.55	(21,947.86 -45,662.63)	1.36
		(21,946.66 -45,661.98)	2.69	(21,944.74 -45,660.10)	5.34	(21,941.02 -45,656.27)	16.05
		(21,925.78 -45,651.23)	9.25	(21,917.80 -45,646.55)	2.24	(21,917.77 -45,648.79)	3.69
		(21,918.08 -45,652.47)	6.02	(21,918.54 -45,658.47)	6.22	(21,918.78 -45,664.69)	7.80
		(21,918.64 -45,672.49)	6.13	(21,918.00 -45,678.59)	6.49	(21,916.76 -45,684.96)	5.30
		(21,915.20 -45,690.03)	5.16	(21,912.93 -45,694.66)	41.35		
57	932	(21,912.93 -45,694.66)	4.53	(21,915.65 -45,698.28)	9.39	(21,920.41 -45,706.37)	1.50
		(21,921.76 -45,707.02)	2.81	(21,924.54 -45,706.58)	32.28	(21,955.58 -45,697.73)	12.31
		(21,953.26 -45,685.64)	2.50	(21,952.66 -45,683.21)	41.35		
57	002- 5	(21,957.28 -45,696.70)	19.50	(21,953.58 -45,677.55)	11.19	(21,951.85 -45,666.49)	2.55
		(21,951.85 -45,663.94)	2.53	(21,949.32 -45,664.02)	1.24	(21,949.23 -45,665.26)	11.08
		(21,950.93 -45,676.21)	7.21	(21,952.66 -45,683.21)	2.50	(21,953.26 -45,685.64)	12.31
		(21,955.58 -45,697.73)	1.99				
57	002- 6	(21,956.14 -45,700.00)	11.78	(21,959.01 -45,711.42)	1.13	(21,959.30 -45,712.51)	6.44
		(21,961.06 -45,718.71)	5.22	(21,961.72 -45,723.89)	8.20	(21,961.75 -45,732.09)	17.07
		(21,958.97 -45,748.93)	3.68	(21,958.86 -45,752.61)	4.86	(21,959.65 -45,757.41)	4.70
		(21,960.04 -45,762.09)	16.13	(21,958.78 -45,778.17)	5.82	(21,959.16 -45,783.98)	4.87
		(21,960.33 -45,788.71)	1.80	(21,962.03 -45,788.13)	2.20	(21,961.53 -45,785.99)	3.76
		(21,960.76 -45,782.31)	4.93	(21,960.50 -45,777.39)	7.18	(21,961.17 -45,770.24)	3.79
		(21,961.48 -45,766.46)	5.16	(21,961.81 -45,761.31)	7.58	(21,961.18 -45,753.76)	5.24
		(21,961.67 -45,748.54)	10.75	(21,963.34 -45,737.92)	5.29	(21,964.00 -45,732.67)	7.35
		(21,964.02 -45,725.32)	3.94	(21,963.73 -45,721.39)	4.80	(21,962.74 -45,716.69)	16.28
		(21,958.34 -45,701.02)	2.42				
57	931	(21,959.01 -45,711.42)	11.78	(21,956.14 -45,700.00)	32.09	(21,925.23 -45,708.63)	2.97
		(21,922.38 -45,709.48)	1.79	(21,920.60 -45,709.27)	1.05	(21,919.77 -45,708.62)	2.50
		(21,919.73 -45,711.12)	2.62	(21,919.79 -45,713.74)	4.91	(21,919.46 -45,718.64)	4.04
		(21,919.32 -45,722.68)	41.26				
57	926- 1	(21,918.71 -45,727.82)	4.42	(21,919.30 -45,723.44)	0.76	(21,919.32 -45,722.68)	4.04
		(21,919.46 -45,718.64)	4.91	(21,919.79 -45,713.74)	2.62	(21,919.73 -45,711.12)	2.50
		(21,919.77 -45,708.62)	1.03	(21,918.86 -45,708.14)	10.58	(21,913.60 -45,698.96)	2.73
		(21,911.93 -45,696.80)	1.99	(21,910.49 -45,695.43)	32.07	(21,910.43 -45,727.50)	8.29
57	916	(21,958.86 -45,752.61)	3.68	(21,958.97 -45,748.93)	17.07	(21,961.75 -45,732.09)	8.20
		(21,961.72 -45,723.89)	5.22	(21,961.06 -45,718.71)	6.44	(21,959.30 -45,712.51)	1.13
		(21,959.01 -45,711.42)	41.26	(21,919.32 -45,722.68)	0.76	(21,919.30 -45,723.44)	4.42

地区 ..003

作業 .. 9

原図番号 .. N1 21-4

縮尺 ..1/ 500

基準点 ..X 21,900.00..Y -45,800.00

測定 年 4 月 27 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

57	917	(21,918.71 -45,727.82)	6.40	(21,917.30 -45,734.06)	0.79	(21,918.05 -45,734.32)	44.72
		(21,918.05 -45,734.32)	33.68	(21,910.77 -45,767.20)	12.75	(21,908.06 -45,779.66)	4.45
		(21,907.14 -45,784.01)	16.65	(21,923.55 -45,786.83)	11.22	(21,934.75 -45,787.43)	6.32
		(21,941.05 -45,786.89)	4.06	(21,944.93 -45,785.68)	2.09	(21,946.88 -45,786.42)	8.64
		(21,952.15 -45,779.57)	3.04	(21,954.90 -45,778.27)	3.88	(21,958.78 -45,778.17)	16.13
57	001- 4	(21,960.04 -45,762.09)	4.70	(21,959.65 -45,757.41)	4.86	(21,958.86 -45,752.61)	44.72
		(21,963.54 -45,787.03)	2.28	(21,962.96 -45,784.82)	3.29	(21,962.44 -45,781.57)	4.65
		(21,962.35 -45,776.92)	5.26	(21,962.61 -45,771.67)	10.52	(21,963.64 -45,761.20)	7.25
		(21,963.13 -45,753.97)	5.11	(21,963.39 -45,748.87)	6.34	(21,964.31 -45,742.60)	4.83
		(21,965.17 -45,737.85)	5.00	(21,965.98 -45,732.92)	3.62	(21,966.06 -45,729.30)	4.23
		(21,965.87 -45,725.07)	4.01	(21,965.63 -45,721.07)	4.95	(21,964.55 -45,716.24)	1.97
		(21,964.09 -45,714.32)	10.19	(21,961.75 -45,704.40)	28.01	(21,955.44 -45,677.11)	10.62
		(21,953.90 -45,666.60)	2.69	(21,953.76 -45,663.91)	1.91	(21,951.85 -45,663.94)	2.55
		(21,951.85 -45,666.49)	11.19	(21,953.58 -45,677.55)	19.50	(21,957.28 -45,696.70)	4.45
		(21,958.34 -45,701.02)	16.28	(21,962.74 -45,716.69)	4.80	(21,963.73 -45,721.39)	3.94
		(21,964.02 -45,725.32)	7.35	(21,964.00 -45,732.67)	5.29	(21,963.34 -45,737.92)	10.75
		(21,961.67 -45,748.54)	5.24	(21,961.18 -45,753.76)	7.58	(21,961.81 -45,761.31)	5.16
		(21,961.48 -45,766.46)	3.79	(21,961.17 -45,770.24)	7.18	(21,960.50 -45,777.39)	4.93
56	900	(21,960.76 -45,782.31)	3.76	(21,961.53 -45,785.99)	2.20	(21,962.03 -45,788.13)	1.87
		(21,960.33 -45,788.71)	4.87	(21,959.16 -45,783.98)	5.82	(21,958.78 -45,778.17)	3.88
		(21,954.90 -45,778.27)	3.04	(21,952.15 -45,779.57)	8.64	(21,946.88 -45,786.42)	8.29
		(21,954.27 -45,790.17)	2.07	(21,956.32 -45,790.47)	4.38		