

地区 ..003 作業 .. 12 原図番号 .. N1 22-3 縮尺 ..1/ 500 基準点 ..X 21,900.00..Y -45,600.00 測定 年 4 月 27 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|    |         |                          |       |                          |       |                          |       |
|----|---------|--------------------------|-------|--------------------------|-------|--------------------------|-------|
|    |         | ( 21,900.00 -45,600.00 ) | 50.00 | ( 21,950.00 -45,600.06 ) | 50.00 | ( 22,000.00 -45,600.14 ) | 50.02 |
|    |         | ( 22,050.02 -45,600.14 ) | 50.02 | ( 22,049.98 -45,550.12 ) | 49.95 | ( 22,050.01 -45,500.17 ) | 50.05 |
|    |         | ( 22,049.99 -45,450.12 ) | 49.98 | ( 22,050.03 -45,400.14 ) | 50.01 | ( 22,000.02 -45,400.14 ) | 49.99 |
|    |         | ( 21,950.03 -45,400.06 ) | 50.03 | ( 21,900.00 -45,400.02 ) | 50.00 | ( 21,899.99 -45,450.02 ) | 49.95 |
|    |         | ( 21,899.96 -45,499.97 ) | 50.05 | ( 21,900.03 -45,550.02 ) | 49.98 |                          |       |
| 66 | 1077    | ( 2/ 4 )                 |       |                          |       |                          |       |
|    |         | ( 21,900.00 -45,600.00 ) | 33.67 | ( 21,933.67 -45,600.03 ) | 13.69 | ( 21,934.17 -45,586.35 ) | 34.21 |
|    |         | ( 21,899.97 -45,585.52 ) | 14.48 |                          |       |                          |       |
| 66 | 1076- 2 | ( 1/ 2 )                 |       |                          |       |                          |       |
|    |         | ( 21,899.97 -45,585.52 ) | 34.21 | ( 21,934.17 -45,586.35 ) | 14.14 | ( 21,948.27 -45,587.44 ) | 7.80  |
|    |         | ( 21,956.00 -45,588.47 ) | 11.45 | ( 21,959.76 -45,577.65 ) | 5.95  | ( 21,961.13 -45,571.86 ) | 22.76 |
|    |         | ( 21,938.37 -45,571.54 ) | 38.38 | ( 21,900.00 -45,570.87 ) | 14.65 |                          |       |
| 66 | 1076- 1 | ( 1/ 2 )                 |       |                          |       |                          |       |
|    |         | ( 21,900.00 -45,570.87 ) | 38.38 | ( 21,938.37 -45,571.54 ) | 22.76 | ( 21,961.13 -45,571.86 ) | 6.71  |
|    |         | ( 21,962.66 -45,565.33 ) | 3.08  | ( 21,962.23 -45,562.28 ) | 2.58  | ( 21,960.39 -45,560.47 ) | 6.29  |
|    |         | ( 21,954.37 -45,558.66 ) | 9.26  | ( 21,945.17 -45,557.60 ) | 14.45 | ( 21,930.72 -45,557.57 ) | 14.36 |
|    |         | ( 21,916.40 -45,556.50 ) | 16.52 | ( 21,899.97 -45,554.82 ) | 16.05 |                          |       |
| 66 | 002- 6  |                          |       |                          |       |                          |       |
|    |         | ( 21,899.97 -45,554.82 ) | 16.52 | ( 21,916.40 -45,556.50 ) | 14.36 | ( 21,930.72 -45,557.57 ) | 14.45 |
|    |         | ( 21,945.17 -45,557.60 ) | 9.26  | ( 21,954.37 -45,558.66 ) | 6.29  | ( 21,960.39 -45,560.47 ) | 2.58  |
|    |         | ( 21,962.23 -45,562.28 ) | 3.71  | ( 21,961.09 -45,558.75 ) | 6.77  | ( 21,954.62 -45,556.76 ) | 9.36  |
|    |         | ( 21,945.30 -45,555.87 ) | 14.68 | ( 21,930.62 -45,555.92 ) | 7.08  | ( 21,923.55 -45,555.49 ) | 7.12  |
|    |         | ( 21,916.45 -45,554.90 ) | 16.56 | ( 21,899.98 -45,553.22 ) | 1.60  |                          |       |
| 67 | 1093    | ( 1/ 2 )                 |       |                          |       |                          |       |
|    |         | ( 21,899.98 -45,553.22 ) | 16.56 | ( 21,916.45 -45,554.90 ) | 7.12  | ( 21,923.55 -45,555.49 ) | 7.08  |
|    |         | ( 21,930.62 -45,555.92 ) | 14.68 | ( 21,945.30 -45,555.87 ) | 9.36  | ( 21,954.62 -45,556.76 ) | 6.77  |
|    |         | ( 21,961.09 -45,558.75 ) | 3.75  | ( 21,961.97 -45,555.10 ) | 9.71  | ( 21,965.24 -45,545.96 ) | 15.12 |
|    |         | ( 21,969.01 -45,531.32 ) | 5.59  | ( 21,963.87 -45,529.13 ) | 1.23  | ( 21,962.64 -45,529.03 ) | 2.12  |
|    |         | ( 21,960.52 -45,528.97 ) | 3.55  | ( 21,956.99 -45,528.57 ) | 5.14  | ( 21,951.92 -45,527.71 ) | 7.38  |
|    |         | ( 21,944.72 -45,526.10 ) | 8.70  | ( 21,936.22 -45,524.23 ) | 11.26 | ( 21,925.23 -45,521.79 ) | 25.62 |
|    |         | ( 21,900.10 -45,516.80 ) | 1.08  | ( 21,899.98 -45,517.87 ) | 35.35 |                          |       |
| 67 | 1094    | ( 1/ 2 )                 |       |                          |       |                          |       |
|    |         | ( 21,899.98 -45,517.87 ) | 1.08  | ( 21,900.10 -45,516.80 ) | 0.00  | ( 21,900.10 -45,516.80 ) | 1.08  |
| 67 | 1092    | ( 1/ 2 )                 |       |                          |       |                          |       |
|    |         | ( 21,900.10 -45,516.80 ) | 0.00  | ( 21,900.10 -45,516.80 ) | 25.62 | ( 21,925.23 -45,521.79 ) | 11.26 |
|    |         | ( 21,936.22 -45,524.23 ) | 8.70  | ( 21,944.72 -45,526.10 ) | 7.38  | ( 21,951.92 -45,527.71 ) | 5.14  |
|    |         | ( 21,956.99 -45,528.57 ) | 3.55  | ( 21,960.52 -45,528.97 ) | 2.12  | ( 21,962.64 -45,529.03 ) | 1.23  |
|    |         | ( 21,963.87 -45,529.13 ) | 8.36  | ( 21,966.95 -45,521.36 ) | 2.41  | ( 21,967.68 -45,519.06 ) | 6.33  |
|    |         | ( 21,967.57 -45,512.73 ) | 2.70  | ( 21,966.75 -45,510.16 ) | 5.58  | ( 21,964.73 -45,504.96 ) | 2.48  |
|    |         | ( 21,963.88 -45,502.63 ) | 4.27  | ( 21,962.70 -45,498.53 ) | 26.86 | ( 21,936.15 -45,494.48 ) | 35.98 |
|    |         | ( 21,900.57 -45,489.13 ) | 1.75  | ( 21,900.33 -45,490.86 ) | 3.57  | ( 21,900.02 -45,494.42 ) | 22.38 |
| 67 | 1108    | ( 1/ 2 )                 |       |                          |       |                          |       |
|    |         | ( 21,900.02 -45,494.42 ) | 3.57  | ( 21,900.33 -45,490.86 ) | 0.40  | ( 21,899.98 -45,490.67 ) | 3.75  |
| 67 | 002- 3  |                          |       |                          |       |                          |       |
|    |         | ( 21,899.98 -45,490.67 ) | 0.40  | ( 21,900.33 -45,490.86 ) | 1.75  | ( 21,900.57 -45,489.13 ) | 0.64  |
|    |         | ( 21,899.98 -45,488.87 ) | 1.80  |                          |       |                          |       |
| 67 | 1091    | ( 1/ 2 )                 |       |                          |       |                          |       |
|    |         | ( 21,899.98 -45,488.87 ) | 0.64  | ( 21,900.57 -45,489.13 ) | 35.98 | ( 21,936.15 -45,494.48 ) | 26.86 |
|    |         | ( 21,962.70 -45,498.53 ) | 45.68 | ( 21,958.89 -45,453.01 ) | 4.01  | ( 21,956.19 -45,450.04 ) | 26.14 |
|    |         | ( 21,930.06 -45,450.57 ) | 4.53  | ( 21,925.59 -45,451.32 ) | 27.63 | ( 21,899.97 -45,461.67 ) | 27.20 |
| 67 | 1110- 1 | ( 1/ 2 )                 |       |                          |       |                          |       |

地区..003 作業.. 12 原図番号.. N1 22-3 縮尺..1/ 500 基準点..X 21,900.00..Y -45,600.00 測定 年 4 月 27 日

字 地番及び座標 (X ; Y) &amp; 座標間距離 (m)

|    |         |                          |        |                          |       |                          |       |
|----|---------|--------------------------|--------|--------------------------|-------|--------------------------|-------|
|    |         | ( 21,899.97 -45,461.67 ) | 27.63  | ( 21,925.59 -45,451.32 ) | 4.53  | ( 21,930.06 -45,450.57 ) | 7.01  |
|    |         | ( 21,928.64 -45,443.71 ) | 13.27  | ( 21,924.62 -45,431.06 ) | 23.84 | ( 21,902.21 -45,439.18 ) | 2.44  |
|    |         | ( 21,899.96 -45,440.12 ) | 21.55  |                          |       |                          |       |
| 70 | 001- 2  | ( 21,899.96 -45,440.12 ) | 2.44   | ( 21,902.21 -45,439.18 ) | 23.84 | ( 21,924.62 -45,431.06 ) | 29.84 |
|    |         | ( 21,952.84 -45,421.36 ) | 18.50  | ( 21,970.45 -45,415.70 ) | 2.21  | ( 21,972.45 -45,416.64 ) | 5.11  |
|    |         | ( 21,970.32 -45,412.00 ) | 1.84   | ( 21,969.62 -45,413.70 ) | 18.03 | ( 21,952.44 -45,419.16 ) | 49.25 |
|    |         | ( 21,905.97 -45,435.47 ) | 5.04   | ( 21,901.21 -45,437.13 ) | 1.36  | ( 21,899.96 -45,437.67 ) | 2.45  |
| 70 | 1129- 1 | ( 1/ 2 )                 |        |                          |       |                          |       |
|    |         | ( 21,899.96 -45,437.67 ) | 1.36   | ( 21,901.21 -45,437.13 ) | 5.04  | ( 21,905.97 -45,435.47 ) | 15.50 |
|    |         | ( 21,899.99 -45,421.17 ) | 16.50  |                          |       |                          |       |
| 70 | 1128- 1 | ( 1/ 4 )                 |        |                          |       |                          |       |
|    |         | ( 21,900.00 -45,400.02 ) | 21.15  | ( 21,899.99 -45,421.17 ) | 15.50 | ( 21,905.97 -45,435.47 ) | 49.25 |
|    |         | ( 21,952.44 -45,419.16 ) | 18.03  | ( 21,969.62 -45,413.70 ) | 14.61 | ( 21,964.32 -45,400.08 ) | 64.32 |
| 70 | 002- 1  | ( 21,964.32 -45,400.08 ) | 14.61  | ( 21,969.62 -45,413.70 ) | 1.84  | ( 21,970.32 -45,412.00 ) | 12.87 |
|    |         | ( 21,965.47 -45,400.08 ) | 1.15   |                          |       |                          |       |
| 70 | 001- 1  | ( 21,965.47 -45,400.08 ) | 12.87  | ( 21,970.32 -45,412.00 ) | 5.11  | ( 21,972.45 -45,416.64 ) | 2.90  |
|    |         | ( 21,975.35 -45,416.60 ) | 18.10  | ( 21,967.92 -45,400.09 ) | 2.45  |                          |       |
| 70 | 000- 3  | ( 21,967.92 -45,400.09 ) | 18.10  | ( 21,975.35 -45,416.60 ) | 57.57 | ( 22,030.52 -45,400.14 ) | 62.60 |
| 69 | 1121    | ( 3/ 4 )                 |        |                          |       |                          |       |
|    |         | ( 22,030.52 -45,400.14 ) | 57.57  | ( 21,975.35 -45,416.60 ) | 12.18 | ( 21,980.28 -45,427.74 ) | 73.30 |
|    |         | ( 22,050.02 -45,405.17 ) | 5.03   | ( 22,050.03 -45,400.14 ) | 19.51 |                          |       |
| 69 | 1120    | ( 3/ 3 )                 |        |                          |       |                          |       |
|    |         | ( 22,050.02 -45,405.17 ) | 73.30  | ( 21,980.28 -45,427.74 ) | 11.24 | ( 21,984.50 -45,438.16 ) | 68.57 |
|    |         | ( 22,050.00 -45,417.87 ) | 12.70  |                          |       |                          |       |
| 69 | 000- 2  | ( 22,050.00 -45,417.87 ) | 68.57  | ( 21,984.50 -45,438.16 ) | 30.90 | ( 21,994.40 -45,467.43 ) | 57.53 |
|    |         | ( 22,049.99 -45,452.62 ) | 34.75  |                          |       |                          |       |
| 69 | 1119- 2 | ( 2/ 2 )                 |        |                          |       |                          |       |
|    |         | ( 22,049.99 -45,452.62 ) | 57.53  | ( 21,994.40 -45,467.43 ) | 12.40 | ( 21,998.50 -45,479.13 ) | 5.13  |
|    |         | ( 22,000.00 -45,484.04 ) | 51.31  | ( 22,050.01 -45,472.57 ) | 19.95 |                          |       |
| 69 | 1119- 1 | ( 2/ 2 )                 |        |                          |       |                          |       |
|    |         | ( 22,050.01 -45,472.57 ) | 51.31  | ( 22,000.00 -45,484.04 ) | 20.27 | ( 22,006.59 -45,503.21 ) | 44.74 |
|    |         | ( 22,050.02 -45,492.47 ) | 19.90  |                          |       |                          |       |
| 69 | 000- 1  | ( 22,050.02 -45,492.47 ) | 44.74  | ( 22,006.59 -45,503.21 ) | 0.65  | ( 22,006.81 -45,503.82 ) | 12.44 |
|    |         | ( 22,010.39 -45,515.73 ) | 5.23   | ( 22,011.41 -45,520.86 ) | 25.21 | ( 22,019.24 -45,544.82 ) | 6.25  |
|    |         | ( 22,021.63 -45,550.60 ) | 14.91  | ( 22,027.19 -45,564.43 ) | 4.41  | ( 22,028.29 -45,568.70 ) | 15.86 |
|    |         | ( 22,033.80 -45,583.57 ) | 7.97   | ( 22,035.11 -45,591.43 ) | 1.70  | ( 22,035.26 -45,593.12 ) | 1.35  |
|    |         | ( 22,035.31 -45,594.47 ) | 4.87   | ( 22,035.10 -45,599.34 ) | 0.78  | ( 22,035.02 -45,600.12 ) | 15.00 |
|    |         | ( 22,050.02 -45,600.14 ) | 107.67 |                          |       |                          |       |
| 68 | 1114    | ( 2/ 2 )                 |        |                          |       |                          |       |
|    |         | ( 22,035.02 -45,600.12 ) | 0.78   | ( 22,035.10 -45,599.34 ) | 4.87  | ( 22,035.31 -45,594.47 ) | 1.35  |
|    |         | ( 22,035.26 -45,593.12 ) | 1.70   | ( 22,035.11 -45,591.43 ) | 1.90  | ( 22,033.24 -45,591.77 ) | 13.17 |
|    |         | ( 22,020.21 -45,593.67 ) | 9.69   | ( 22,010.71 -45,595.60 ) | 8.48  | ( 22,002.31 -45,596.74 ) | 5.13  |
|    |         | ( 21,997.20 -45,597.16 ) | 5.35   | ( 21,991.85 -45,597.02 ) | 8.15  | ( 21,983.70 -45,597.01 ) | 7.88  |
|    |         | ( 21,975.83 -45,597.40 ) | 5.83   | ( 21,970.05 -45,598.16 ) | 4.68  | ( 21,965.50 -45,599.26 ) | 2.92  |
|    |         | ( 21,962.70 -45,600.08 ) | 72.32  |                          |       |                          |       |
| 68 | 1117    | ( 2/ 2 )                 |        |                          |       |                          |       |

地区..003 作業.. 12 原図番号.. N1 22-3 縮尺..1/ 500 基準点..X 21,900.00..Y -45,600.00 測定 年 4 月 27 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|    |         |                          |       |                          |       |                          |       |
|----|---------|--------------------------|-------|--------------------------|-------|--------------------------|-------|
|    |         | ( 21,962.70 -45,600.08 ) | 2.92  | ( 21,965.50 -45,599.26 ) | 4.68  | ( 21,970.05 -45,598.16 ) | 5.83  |
|    |         | ( 21,975.83 -45,597.40 ) | 7.88  | ( 21,983.70 -45,597.01 ) | 8.15  | ( 21,991.85 -45,597.02 ) | 5.35  |
|    |         | ( 21,997.20 -45,597.16 ) | 5.13  | ( 22,002.31 -45,596.74 ) | 8.48  | ( 22,010.71 -45,595.60 ) | 9.69  |
|    |         | ( 22,020.21 -45,593.67 ) | 13.17 | ( 22,033.24 -45,591.77 ) | 1.90  | ( 22,035.11 -45,591.43 ) | 7.97  |
|    |         | ( 22,033.80 -45,583.57 ) | 15.86 | ( 22,028.29 -45,568.70 ) | 1.59  | ( 22,027.43 -45,567.36 ) | 0.91  |
|    |         | ( 22,026.60 -45,566.98 ) | 37.00 | ( 21,989.62 -45,565.72 ) | 2.58  | ( 21,988.20 -45,567.87 ) | 4.72  |
|    |         | ( 21,985.60 -45,571.81 ) | 8.11  | ( 21,980.89 -45,578.41 ) | 8.72  | ( 21,974.95 -45,584.80 ) | 13.76 |
|    |         | ( 21,964.83 -45,594.13 ) | 5.42  | ( 21,960.95 -45,597.92 ) | 2.77  | ( 21,959.20 -45,600.07 ) | 3.50  |
| 66 | 001- 4  | ( 21,959.20 -45,600.07 ) | 2.77  | ( 21,960.95 -45,597.92 ) | 5.42  | ( 21,964.83 -45,594.13 ) | 13.76 |
|    |         | ( 21,974.95 -45,584.80 ) | 8.72  | ( 21,980.89 -45,578.41 ) | 8.11  | ( 21,985.60 -45,571.81 ) | 4.72  |
|    |         | ( 21,988.20 -45,567.87 ) | 2.58  | ( 21,989.62 -45,565.72 ) | 3.21  | ( 21,991.35 -45,563.02 ) | 2.00  |
|    |         | ( 21,989.36 -45,562.82 ) | 5.02  | ( 21,986.65 -45,567.04 ) | 4.66  | ( 21,984.05 -45,570.91 ) | 8.01  |
|    |         | ( 21,979.36 -45,577.40 ) | 8.21  | ( 21,973.75 -45,583.39 ) | 14.07 | ( 21,963.41 -45,592.93 ) | 5.35  |
|    |         | ( 21,959.66 -45,596.74 ) | 2.23  | ( 21,957.53 -45,597.39 ) | 1.96  | ( 21,956.16 -45,595.99 ) | 2.34  |
|    |         | ( 21,955.13 -45,598.09 ) | 2.05  | ( 21,954.55 -45,600.06 ) | 4.65  |                          |       |
| 66 | 002- 5  | ( 21,954.55 -45,600.06 ) | 2.05  | ( 21,955.13 -45,598.09 ) | 2.34  | ( 21,956.16 -45,595.99 ) | 1.96  |
|    |         | ( 21,957.53 -45,597.39 ) | 2.23  | ( 21,959.66 -45,596.74 ) | 2.57  | ( 21,958.46 -45,594.47 ) | 2.69  |
|    |         | ( 21,958.26 -45,591.79 ) | 3.47  | ( 21,958.69 -45,588.35 ) | 20.70 | ( 21,964.15 -45,568.38 ) | 4.96  |
|    |         | ( 21,964.51 -45,563.43 ) | 3.50  | ( 21,963.66 -45,560.03 ) | 2.87  | ( 21,961.09 -45,558.75 ) | 3.71  |
|    |         | ( 21,962.23 -45,562.28 ) | 3.08  | ( 21,962.66 -45,565.33 ) | 6.71  | ( 21,961.13 -45,571.86 ) | 5.95  |
|    |         | ( 21,959.76 -45,577.65 ) | 11.45 | ( 21,956.00 -45,588.47 ) | 3.28  | ( 21,954.66 -45,591.46 ) | 8.92  |
|    |         | ( 21,952.30 -45,600.06 ) | 2.25  |                          |       |                          |       |
| 66 | 1082    | ( 21,952.30 -45,600.06 ) | 8.92  | ( 21,954.66 -45,591.46 ) | 3.28  | ( 21,956.00 -45,588.47 ) | 7.80  |
|    |         | ( 21,948.27 -45,587.44 ) | 12.82 | ( 21,945.95 -45,600.05 ) | 6.35  |                          |       |
| 66 | 1083    | ( 21,945.95 -45,600.05 ) | 12.82 | ( 21,948.27 -45,587.44 ) | 14.14 | ( 21,934.17 -45,586.35 ) | 13.69 |
|    |         | ( 21,933.67 -45,600.03 ) | 12.28 |                          |       |                          |       |
| 66 | 1085    | ( 21,963.66 -45,560.03 ) | 3.50  | ( 21,964.51 -45,563.43 ) | 4.96  | ( 21,964.15 -45,568.38 ) | 20.70 |
|    |         | ( 21,958.69 -45,588.35 ) | 3.47  | ( 21,958.26 -45,591.79 ) | 2.69  | ( 21,958.46 -45,594.47 ) | 2.57  |
|    |         | ( 21,959.66 -45,596.74 ) | 5.35  | ( 21,963.41 -45,592.93 ) | 14.07 | ( 21,973.75 -45,583.39 ) | 8.21  |
|    |         | ( 21,979.36 -45,577.40 ) | 8.01  | ( 21,984.05 -45,570.91 ) | 4.66  | ( 21,986.65 -45,567.04 ) | 5.02  |
|    |         | ( 21,989.36 -45,562.82 ) | 25.85 |                          |       |                          |       |
| 68 | 1118- 2 | ( 21,991.35 -45,563.02 ) | 3.21  | ( 21,989.62 -45,565.72 ) | 37.00 | ( 22,026.60 -45,566.98 ) | 0.91  |
|    |         | ( 22,027.43 -45,567.36 ) | 1.59  | ( 22,028.29 -45,568.70 ) | 4.41  | ( 22,027.19 -45,564.43 ) | 4.84  |
|    |         | ( 22,022.38 -45,564.97 ) | 27.54 | ( 21,994.86 -45,564.03 ) | 4.33  | ( 21,993.32 -45,559.98 ) | 3.62  |
| 68 | 1118- 1 | ( 21,993.32 -45,559.98 ) | 4.33  | ( 21,994.86 -45,564.03 ) | 27.54 | ( 22,022.38 -45,564.97 ) | 4.84  |
|    |         | ( 22,027.19 -45,564.43 ) | 14.91 | ( 22,021.63 -45,550.60 ) | 6.25  | ( 22,019.24 -45,544.82 ) | 25.21 |
|    |         | ( 22,011.41 -45,520.86 ) | 3.21  | ( 22,011.62 -45,524.06 ) | 2.65  | ( 22,011.52 -45,526.71 ) | 2.78  |
|    |         | ( 22,010.94 -45,529.43 ) | 3.58  | ( 22,009.73 -45,532.80 ) | 6.85  | ( 22,006.92 -45,539.05 ) | 3.93  |
|    |         | ( 22,004.94 -45,542.45 ) | 11.67 | ( 21,998.43 -45,552.13 ) | 9.37  |                          |       |
| 67 | 001- 3  | ( 21,991.35 -45,563.02 ) | 3.62  | ( 21,993.32 -45,559.98 ) | 9.37  | ( 21,998.43 -45,552.13 ) | 11.67 |
|    |         | ( 22,004.94 -45,542.45 ) | 3.93  | ( 22,006.92 -45,539.05 ) | 6.85  | ( 22,009.73 -45,532.80 ) | 3.58  |
|    |         | ( 22,010.94 -45,529.43 ) | 2.78  | ( 22,011.52 -45,526.71 ) | 2.65  | ( 22,011.62 -45,524.06 ) | 3.21  |
|    |         | ( 22,011.41 -45,520.86 ) | 5.23  | ( 22,010.39 -45,515.73 ) | 12.44 | ( 22,006.81 -45,503.82 ) | 0.65  |
|    |         | ( 22,006.59 -45,503.21 ) | 20.27 | ( 22,000.00 -45,484.04 ) | 5.13  | ( 21,998.50 -45,479.13 ) | 12.40 |

地区 ..003 作業 .. 12 原図番号 .. N1 22-3 縮尺 ..1/ 500 基準点 ..X 21,900.00..Y -45,600.00 測定 年 4 月 27 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|    |         |               |              |       |               |              |       |               |              |       |
|----|---------|---------------|--------------|-------|---------------|--------------|-------|---------------|--------------|-------|
|    |         | ( 21,994.40   | -45,467.43 ) | 30.90 | ( 21,984.50   | -45,438.16 ) | 11.24 | ( 21,980.28   | -45,427.74 ) | 12.18 |
|    |         | ( @ 21,975.35 | -45,416.60 ) | 2.90  | ( 21,972.45   | -45,416.64 ) | 13.16 | ( 21,978.08   | -45,428.53 ) | 10.72 |
|    |         | ( 21,982.36   | -45,438.36 ) | 14.77 | ( 21,987.04   | -45,452.37 ) | 28.13 | ( 21,996.30   | -45,478.93 ) | 5.88  |
|    |         | ( 21,998.24   | -45,484.48 ) | 21.32 | ( 22,004.49   | -45,504.86 ) | 12.02 | ( 22,008.01   | -45,516.35 ) | 5.25  |
|    |         | ( 22,009.13   | -45,521.48 ) | 2.56  | ( 22,009.35   | -45,524.03 ) | 4.92  | ( 22,008.62   | -45,528.90 ) | 3.36  |
|    |         | ( 22,007.46   | -45,532.05 ) | 6.54  | ( 22,004.85   | -45,538.05 ) | 3.89  | ( 22,003.00   | -45,541.47 ) | 10.08 |
| 67 | 002- 4  | ( 21,997.67   | -45,550.03 ) | 1.46  | ( 21,996.88   | -45,551.26 ) | 13.79 | ( 21,989.36   | -45,562.82 ) | 2.00  |
|    |         | ( 21,963.66   | -45,560.03 ) | 4.50  | ( 21,963.55   | -45,555.53 ) | 9.69  | ( 21,966.42   | -45,546.28 ) | 15.16 |
|    |         | ( 21,970.01   | -45,531.55 ) | 1.03  | ( @ 21,969.01 | -45,531.32 ) | 15.12 | ( 21,965.24   | -45,545.96 ) | 9.71  |
|    |         | ( 21,961.97   | -45,555.10 ) | 3.75  | ( 21,961.09   | -45,558.75 ) | 2.87  |               |              |       |
| 67 | 1087    | ( @ 21,966.42 | -45,546.28 ) | 9.69  | ( 21,963.55   | -45,555.53 ) | 4.50  | ( 21,963.66   | -45,560.03 ) | 25.85 |
|    |         | ( 21,989.36   | -45,562.82 ) | 13.79 | ( 21,996.88   | -45,551.26 ) | 1.46  | ( 21,997.67   | -45,550.03 ) | 13.34 |
|    |         | ( 21,984.48   | -45,548.01 ) | 18.14 |               |              |       |               |              |       |
| 67 | 1089    | ( 21,997.67   | -45,550.03 ) | 10.08 | ( 22,003.00   | -45,541.47 ) | 3.89  | ( 22,004.85   | -45,538.05 ) | 6.54  |
|    |         | ( 22,007.46   | -45,532.05 ) | 3.36  | ( 22,008.62   | -45,528.90 ) | 4.92  | ( 22,009.35   | -45,524.03 ) | 2.56  |
|    |         | ( 22,009.13   | -45,521.48 ) | 5.25  | ( 22,008.01   | -45,516.35 ) | 12.02 | ( @ 22,004.49 | -45,504.86 ) | 12.98 |
|    |         | ( 21,991.80   | -45,507.57 ) | 7.11  | ( 21,990.91   | -45,514.62 ) | 16.69 | ( 21,987.81   | -45,531.02 ) | 17.31 |
|    |         | ( 21,984.48   | -45,548.01 ) | 13.34 |               |              |       |               |              |       |
| 67 | 1088    | ( 21,984.48   | -45,548.01 ) | 17.31 | ( 21,987.81   | -45,531.02 ) | 16.69 | ( 21,990.91   | -45,514.62 ) | 7.11  |
|    |         | ( @ 21,991.80 | -45,507.57 ) | 11.56 | ( 21,980.50   | -45,510.01 ) | 5.62  | ( 21,980.59   | -45,515.63 ) | 2.51  |
|    |         | ( 21,980.38   | -45,518.13 ) | 2.59  | ( 21,979.78   | -45,520.65 ) | 3.72  | ( 21,978.62   | -45,524.18 ) | 4.35  |
|    |         | ( 21,977.04   | -45,528.23 ) | 5.70  | ( 21,974.33   | -45,533.25 ) | 0.62  | ( 21,973.81   | -45,533.59 ) | 4.31  |
|    |         | ( 21,970.01   | -45,531.55 ) | 15.16 | ( 21,966.42   | -45,546.28 ) | 18.14 |               |              |       |
| 67 | 1090    | ( 21,967.51   | -45,452.78 ) | 8.62  | ( 21,958.89   | -45,453.01 ) | 45.68 | ( 21,962.70   | -45,498.53 ) | 4.27  |
|    |         | ( 21,963.88   | -45,502.63 ) | 2.48  | ( 21,964.73   | -45,504.96 ) | 5.58  | ( 21,966.75   | -45,510.16 ) | 2.70  |
|    |         | ( 21,967.57   | -45,512.73 ) | 6.33  | ( 21,967.68   | -45,519.06 ) | 2.41  | ( 21,966.95   | -45,521.36 ) | 8.36  |
|    |         | ( 21,963.87   | -45,529.13 ) | 5.59  | ( 21,969.01   | -45,531.32 ) | 1.03  | ( 21,970.01   | -45,531.55 ) | 4.31  |
|    |         | ( 21,973.81   | -45,533.59 ) | 0.62  | ( 21,974.33   | -45,533.25 ) | 5.70  | ( 21,977.04   | -45,528.23 ) | 4.35  |
|    |         | ( 21,978.62   | -45,524.18 ) | 3.72  | ( 21,979.78   | -45,520.65 ) | 2.59  | ( 21,980.38   | -45,518.13 ) | 2.51  |
|    |         | ( 21,980.59   | -45,515.63 ) | 5.62  | ( 21,980.50   | -45,510.01 ) | 0.69  | ( 21,980.48   | -45,509.32 ) | 38.09 |
|    |         | ( 21,977.71   | -45,471.33 ) | 19.43 | ( @ 21,972.99 | -45,452.48 ) | 5.49  |               |              |       |
| 67 | 1112    | ( 21,972.99   | -45,452.48 ) | 19.43 | ( 21,977.71   | -45,471.33 ) | 38.09 | ( 21,980.48   | -45,509.32 ) | 23.74 |
|    |         | ( 22,003.71   | -45,504.44 ) | 26.07 | ( 21,995.62   | -45,479.66 ) | 28.87 | ( 21,985.99   | -45,452.44 ) | 1.97  |
|    |         | ( @ 21,985.49 | -45,450.53 ) | 0.45  | ( 21,985.04   | -45,450.56 ) | 12.20 |               |              |       |
| 67 | 1111    | ( 21,985.04   | -45,450.56 ) | 0.45  | ( 21,985.49   | -45,450.53 ) | 12.77 | ( @ 21,981.30 | -45,438.47 ) | 6.34  |
|    |         | ( 21,975.04   | -45,439.50 ) | 6.50  | ( 21,968.56   | -45,440.04 ) | 10.48 | ( 21,958.09   | -45,440.37 ) | 3.20  |
|    |         | ( 21,954.91   | -45,440.74 ) | 4.31  | ( 21,950.63   | -45,441.26 ) | 14.25 | ( 21,936.46   | -45,442.78 ) | 7.88  |
|    |         | ( 21,928.64   | -45,443.71 ) | 7.01  | ( 21,930.06   | -45,450.57 ) | 26.14 | ( 21,956.19   | -45,450.04 ) | 4.01  |
|    |         | ( 21,958.89   | -45,453.01 ) | 8.62  | ( 21,967.51   | -45,452.78 ) | 5.49  | ( 21,972.99   | -45,452.48 ) | 12.20 |
| 67 | 1113- 1 | ( @ 21,952.84 | -45,421.36 ) | 29.84 | ( 21,924.62   | -45,431.06 ) | 13.27 | ( 21,928.64   | -45,443.71 ) | 7.88  |
|    |         | ( 21,936.46   | -45,442.78 ) | 14.25 | ( 21,950.63   | -45,441.26 ) | 4.31  | ( 21,954.91   | -45,440.74 ) | 3.20  |
|    |         | ( 21,958.09   | -45,440.37 ) | 19.72 |               |              |       |               |              |       |
| 67 | 1113- 2 | ( 21,958.09   | -45,440.37 ) | 10.48 | ( 21,968.56   | -45,440.04 ) | 6.50  | ( 21,975.04   | -45,439.50 ) | 6.34  |

地区..003

作業.. 12 原図番号.. N1 22-3

縮尺..1/ 500

基準点..X 21,900.00..Y -45,600.00 測定 年 4 月 27 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|    |      |   |                            |       |                            |       |                          |       |
|----|------|---|----------------------------|-------|----------------------------|-------|--------------------------|-------|
| 67 | 002- | 2 | ( 21,981.30 -45,438.47 )   | 25.22 | ( @ 21,970.45 -45,415.70 ) | 18.50 | ( 21,952.84 -45,421.36 ) | 19.72 |
|    |      |   | ( @ 21,970.45 -45,415.70 ) | 25.22 | ( 21,981.30 -45,438.47 )   | 12.77 | ( 21,985.49 -45,450.53 ) | 1.97  |
|    |      |   | ( 21,985.99 -45,452.44 )   | 28.87 | ( 21,995.62 -45,479.66 )   | 26.07 | ( 22,003.71 -45,504.44 ) | 23.74 |
|    |      |   | ( 21,980.48 -45,509.32 )   | 0.69  | ( 21,980.50 -45,510.01 )   | 11.56 | ( 21,991.80 -45,507.57 ) | 12.98 |
|    |      |   | ( 22,004.49 -45,504.86 )   | 21.32 | ( 21,998.24 -45,484.48 )   | 5.88  | ( 21,996.30 -45,478.93 ) | 28.13 |
|    |      |   | ( 21,987.04 -45,452.37 )   | 14.77 | ( 21,982.36 -45,438.36 )   | 10.72 | ( 21,978.08 -45,428.53 ) | 13.16 |
|    |      |   | ( 21,972.45 -45,416.64 )   | 2.21  |                            |       |                          |       |