

地区 ..003

作業 .. 17 原図番号 .. N1 24-3

縮尺 ..1/ 500

基準点 ..X 21,900.00..Y -44,800.00 測定 年 5 月 1 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,900.00 -44,800.00)	49.97	(21,949.97 -44,800.06)	50.00	(21,999.97 -44,800.11)	50.08
		(22,050.05 -44,800.17)	50.00	(22,049.98 -44,750.17)	49.95	(22,050.04 -44,700.22)	50.05
		(22,050.04 -44,650.17)	50.03	(22,050.05 -44,600.14)	50.00	(22,000.05 -44,600.11)	50.00
		(21,950.05 -44,600.06)	50.05	(21,900.00 -44,600.00)	50.05	(21,899.99 -44,650.05)	50.00
		(21,899.94 -44,700.05)	49.95	(21,899.98 -44,750.00)	50.00		
98	85	(2/ 4)					
		(21,900.00 -44,800.00)	24.20	(21,924.20 -44,800.03)	6.03	(21,924.53 -44,794.01)	2.21
		(21,924.41 -44,791.80)	2.51	(21,923.74 -44,789.38)	3.13	(21,922.64 -44,786.45)	3.45
		(21,920.69 -44,783.60)	3.22	(21,918.52 -44,781.22)	3.98	(21,915.35 -44,778.82)	10.49
		(21,906.25 -44,773.61)	2.11	(21,906.44 -44,771.51)	3.77	(21,902.68 -44,771.28)	3.20
		(21,899.96 -44,769.60)	30.40				
98	86- 1	(1/ 2)					
		(21,899.96 -44,769.60)	3.20	(21,902.68 -44,771.28)	3.77	(21,906.44 -44,771.51)	3.28
		(21,909.71 -44,771.74)	39.01	(21,948.68 -44,773.55)	1.25	(21,949.63 -44,772.73)	10.19
		(21,948.93 -44,762.56)	6.47	(21,942.49 -44,763.17)	6.65	(21,935.87 -44,763.84)	6.39
		(21,929.49 -44,764.18)	6.42	(21,923.07 -44,763.98)	5.49	(21,917.62 -44,763.32)	5.11
		(21,912.62 -44,762.26)	6.67	(21,906.32 -44,760.08)	6.82	(21,899.97 -44,757.60)	12.00
98	81	(1/ 2)					
		(21,899.97 -44,757.60)	6.82	(21,906.32 -44,760.08)	6.67	(21,912.62 -44,762.26)	5.11
		(21,917.62 -44,763.32)	5.49	(21,923.07 -44,763.98)	6.42	(21,929.49 -44,764.18)	6.39
		(21,935.87 -44,763.84)	6.65	(21,942.49 -44,763.17)	6.47	(21,948.93 -44,762.56)	0.87
		(21,949.80 -44,762.54)	2.47	(21,952.27 -44,762.43)	2.80	(21,954.89 -44,761.44)	1.47
		(21,955.97 -44,760.44)	2.67	(21,957.21 -44,758.08)	25.45	(21,951.90 -44,733.19)	2.16
		(21,950.00 -44,734.21)	6.32	(21,943.92 -44,735.92)	5.39	(21,938.60 -44,736.77)	7.33
		(21,931.27 -44,736.94)	8.05	(21,923.27 -44,736.08)	10.64	(21,912.90 -44,733.71)	6.46
		(21,906.48 -44,733.01)	5.52	(21,901.00 -44,733.65)	1.14	(21,899.95 -44,734.10)	23.50
98	002- 5						
		(21,899.95 -44,734.10)	1.14	(21,901.00 -44,733.65)	5.52	(21,906.48 -44,733.01)	6.46
		(21,912.90 -44,733.71)	10.64	(21,923.27 -44,736.08)	8.05	(21,931.27 -44,736.94)	7.33
		(21,938.60 -44,736.77)	5.39	(21,943.92 -44,735.92)	6.32	(21,950.00 -44,734.21)	2.16
		(21,951.90 -44,733.19)	1.18	(21,952.95 -44,732.66)	17.85	(21,970.06 -44,727.56)	0.73
		(21,970.71 -44,727.23)	16.43	(21,986.46 -44,722.55)	4.43	(21,990.46 -44,720.65)	3.00
		(21,992.69 -44,718.65)	2.30	(21,993.48 -44,716.49)	2.35	(21,991.64 -44,717.95)	2.81
		(21,989.32 -44,719.53)	4.84	(21,984.99 -44,721.70)	11.21	(21,974.11 -44,724.38)	23.10
		(21,952.05 -44,731.23)	10.99	(21,941.50 -44,734.32)	4.57	(21,936.97 -44,734.94)	4.52
		(21,932.45 -44,734.94)	4.56	(21,927.92 -44,734.41)	3.89	(21,924.12 -44,733.58)	3.51
		(21,920.87 -44,732.26)	2.05	(21,918.93 -44,732.92)	8.94	(21,910.25 -44,730.76)	5.43
		(21,904.83 -44,730.36)	4.87	(21,900.00 -44,730.95)	3.15		
97	66	(1/ 2)					
		(21,900.00 -44,730.95)	4.87	(21,904.83 -44,730.36)	5.43	(21,910.25 -44,730.76)	8.94
		(21,918.93 -44,732.92)	2.05	(21,920.87 -44,732.26)	5.76	(21,915.53 -44,730.09)	4.03
		(21,911.68 -44,728.91)	4.91	(21,906.81 -44,728.28)	3.79	(21,903.03 -44,728.00)	2.67
		(21,900.36 -44,728.00)	0.36	(21,900.01 -44,728.10)	2.85		
97	001- 4						
		(21,900.01 -44,728.10)	0.36	(21,900.36 -44,728.00)	2.67	(21,903.03 -44,728.00)	3.79
		(21,906.81 -44,728.28)	4.91	(21,911.68 -44,728.91)	4.03	(21,915.53 -44,730.09)	5.76
		(21,920.87 -44,732.26)	3.51	(21,924.12 -44,733.58)	3.89	(21,927.92 -44,734.41)	4.56
		(21,932.45 -44,734.94)	4.52	(21,936.97 -44,734.94)	4.57	(21,941.50 -44,734.32)	10.99
		(21,952.05 -44,731.23)	23.10	(21,974.11 -44,724.38)	11.21	(21,984.99 -44,721.70)	4.84
		(21,989.32 -44,719.53)	2.81	(21,991.64 -44,717.95)	2.35	(21,993.48 -44,716.49)	9.65
		(22,000.93 -44,710.36)	3.21	(22,003.41 -44,708.32)	15.99	(22,017.07 -44,700.00)	2.49

地区 ..003

作業 .. 17

原図番号 .. N1 24-3

縮尺 ..1/ 500

基準点 ..X 21,900.00..Y -44,800.00

測定 年 5 月 1 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(22,018.94 -44,698.35)	2.72	(@ 22,018.67 -44,695.64)	19.92	(22,001.96 -44,706.49)	3.68
		(21,999.28 -44,709.01)	9.77	(21,991.54 -44,714.97)	7.87	(21,984.95 -44,719.28)	1.42
		(21,983.69 -44,719.94)	10.36	(21,973.59 -44,722.26)	24.29	(21,950.40 -44,729.48)	10.22
		(21,940.55 -44,732.20)	3.89	(21,936.70 -44,732.74)	3.65	(21,933.05 -44,732.79)	4.40
		(21,928.68 -44,732.28)	3.26	(21,925.50 -44,731.58)	4.04	(21,921.65 -44,730.37)	4.28
		(21,917.81 -44,728.47)	3.34	(21,914.66 -44,727.37)	3.22	(21,911.53 -44,726.61)	6.24
		(21,905.33 -44,725.93)	3.87	(21,901.46 -44,725.88)	1.46	(21,900.01 -44,726.05)	2.05
97	59- 2	(21,917.76 -44,728.52)	2.82	(21,917.76 -44,725.70)	3.10	(@ 21,914.66 -44,725.62)	1.75
		(21,914.66 -44,727.37)	3.31				
97	59- 1	(1/ 2)					
		(21,900.01 -44,726.05)	1.46	(21,901.46 -44,725.88)	3.87	(21,905.33 -44,725.93)	6.24
		(21,911.53 -44,726.61)	3.22	(21,914.66 -44,727.37)	1.75	(21,914.66 -44,725.62)	3.10
		(21,917.76 -44,725.70)	10.02	(@ 21,917.80 -44,715.68)	10.52	(21,907.29 -44,716.21)	4.21
		(21,903.09 -44,716.45)	3.11	(21,900.02 -44,716.97)	9.08		
97	43	(1/ 2)					
		(21,900.02 -44,716.97)	3.11	(21,903.09 -44,716.45)	4.21	(21,907.29 -44,716.21)	10.52
		(21,917.80 -44,715.68)	22.36	(21,940.12 -44,714.40)	28.51	(21,934.64 -44,686.42)	10.79
		(21,931.81 -44,676.01)	7.42	(21,929.65 -44,668.91)	1.27	(21,930.80 -44,668.38)	8.12
		(21,928.08 -44,660.73)	2.83	(21,925.38 -44,661.58)	24.11	(@ 21,917.01 -44,638.97)	17.89
		(21,900.00 -44,644.50)	72.47				
97	33	(1/ 2)					
		(21,900.00 -44,644.50)	17.89	(21,917.01 -44,638.97)	2.95	(21,919.79 -44,637.97)	16.09
		(21,935.18 -44,633.29)	7.94	(21,930.64 -44,626.78)	8.40	(21,925.93 -44,619.83)	10.01
		(21,920.24 -44,611.60)	5.49	(@ 21,918.04 -44,606.57)	19.59	(21,900.03 -44,614.27)	30.23
97	32	(1/ 4)					
		(@ 21,900.00 -44,600.00)	14.27	(21,900.03 -44,614.27)	19.59	(21,918.04 -44,606.57)	6.74
		(21,916.45 -44,600.02)	16.45				
97	002- 6						
		(@ 21,916.45 -44,600.02)	6.74	(21,918.04 -44,606.57)	5.49	(21,920.24 -44,611.60)	10.01
		(21,925.93 -44,619.83)	8.40	(21,930.64 -44,626.78)	7.94	(21,935.18 -44,633.29)	2.81
		(21,936.41 -44,635.82)	13.10	(21,940.70 -44,648.20)	11.95	(21,944.88 -44,659.40)	3.19
		(21,946.73 -44,662.00)	12.62	(21,953.07 -44,672.91)	11.95	(21,959.36 -44,683.07)	2.78
		(21,961.14 -44,685.20)	17.52	(21,974.37 -44,696.68)	7.41	(21,979.59 -44,701.94)	1.76
		(21,980.83 -44,703.19)	1.50	(21,981.95 -44,704.19)	3.68	(21,985.06 -44,706.15)	5.46
		(21,990.40 -44,707.28)	0.83	(21,991.21 -44,707.12)	2.83	(21,994.03 -44,706.86)	4.73
		(21,998.63 -44,707.96)	3.45	(22,000.90 -44,705.36)	3.10	(21,998.00 -44,704.26)	2.55
		(21,995.63 -44,703.33)	1.15	(21,994.48 -44,703.41)	3.18	(21,991.31 -44,703.60)	4.53
		(21,986.81 -44,703.07)	4.28	(21,983.19 -44,700.79)	27.38	(21,963.16 -44,682.12)	8.94
		(21,958.67 -44,674.39)	14.46	(21,950.96 -44,662.16)	5.08	(21,949.16 -44,657.41)	4.03
		(21,949.64 -44,653.41)	12.04	(21,944.33 -44,642.60)	6.30	(21,941.76 -44,636.85)	3.22
		(21,940.46 -44,633.90)	7.59	(21,936.48 -44,627.44)	8.13	(21,931.78 -44,620.81)	10.38
		(21,926.01 -44,612.18)	5.52	(21,923.64 -44,607.20)	4.91	(21,922.83 -44,602.36)	2.40
		(21,922.30 -44,600.02)	5.85				
97	28	(1/ 2)					
		(@ 21,922.30 -44,600.02)	2.40	(21,922.83 -44,602.36)	4.91	(21,927.15 -44,600.03)	4.85
97	31	(1/ 2)					
		(@ 21,927.15 -44,600.03)	4.91	(21,922.83 -44,602.36)	4.91	(21,923.64 -44,607.20)	5.52
		(21,926.01 -44,612.18)	10.38	(21,931.78 -44,620.81)	8.13	(21,936.48 -44,627.44)	31.15
		(21,963.19 -44,611.41)	2.87	(21,962.19 -44,608.72)	9.57	(21,958.15 -44,600.04)	31.00
97	002- 7						
		(@ 21,958.15 -44,600.04)	9.57	(21,962.19 -44,608.72)	2.87	(21,963.19 -44,611.41)	7.58

地区 ..003

作業 .. 17

原図番号 .. N1 24-3

縮尺 ..1/ 500

基準点 ..X 21,900.00..Y -44,800.00

測定 年 5 月 1 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,965.53 -44,618.62)	14.22	(21,971.91 -44,631.33)	7.86	(21,975.96 -44,638.07)	11.48
		(21,982.15 -44,647.74)	10.53	(21,987.19 -44,656.98)	1.88	(21,988.06 -44,658.65)	11.87
		(21,995.67 -44,667.76)	3.29	(21,997.75 -44,670.31)	7.69	(22,002.36 -44,676.47)	4.57
		(22,005.36 -44,679.92)	5.86	(22,011.06 -44,681.30)	5.23	(22,014.68 -44,685.08)	3.12
		(22,016.05 -44,687.88)	3.77	(22,016.62 -44,691.61)	4.69	(22,015.79 -44,696.23)	14.83
		(22,003.36 -44,704.32)	2.67	(22,000.90 -44,705.36)	3.45	(21,998.63 -44,707.96)	8.80
		(21,991.81 -44,713.52)	0.26	(21,991.60 -44,713.68)	1.29	(21,991.54 -44,714.97)	9.77
		(21,999.28 -44,709.01)	3.68	(22,001.96 -44,706.49)	19.92	(22,018.67 -44,695.64)	6.19
		(22,019.02 -44,689.46)	4.11	(22,019.07 -44,685.35)	7.85	(22,013.69 -44,679.63)	9.46
		(22,005.99 -44,674.14)	14.80	(21,996.68 -44,662.63)	8.43	(21,991.61 -44,655.90)	16.75
		(21,982.90 -44,641.59)	18.89	(21,973.37 -44,625.28)	13.61	(21,968.07 -44,612.74)	13.88
		(21,962.40 -44,600.07)	4.25				
97	001-	5					
		(21,962.40 -44,600.07)	13.88	(21,968.07 -44,612.74)	2.77	(21,970.81 -44,612.35)	9.25
		(21,979.79 -44,610.14)	1.07	(21,980.86 -44,610.09)	7.65	(21,985.08 -44,616.47)	8.16
		(21,989.62 -44,623.25)	16.08	(21,999.16 -44,636.19)	17.29	(22,008.37 -44,650.82)	15.57
		(22,016.28 -44,664.23)	4.06	(22,017.77 -44,668.01)	4.05	(22,018.57 -44,671.98)	4.82
		(22,019.01 -44,676.78)	8.57	(22,019.07 -44,685.35)	4.11	(22,019.02 -44,689.46)	6.19
		(22,018.67 -44,695.64)	2.85	(22,020.46 -44,693.42)	16.76	(22,019.64 -44,676.68)	5.23
		(22,019.37 -44,671.46)	3.54	(22,018.70 -44,667.98)	10.90	(22,013.93 -44,658.18)	9.06
		(22,009.09 -44,650.52)	23.28	(21,996.59 -44,630.88)	18.35	(21,985.56 -44,616.22)	9.61
		(21,981.24 -44,607.64)	12.14	(21,969.46 -44,610.58)	1.11	(21,968.46 -44,610.10)	10.98
		(21,964.00 -44,600.07)	1.60				
97	30-	1 (1/ 2)					
		(21,964.00 -44,600.07)	10.98	(21,968.46 -44,610.10)	1.11	(21,969.46 -44,610.58)	12.14
		(21,981.24 -44,607.64)	1.95	(21,980.69 -44,605.77)	5.91	(21,979.05 -44,600.09)	15.05
97	000-	2					
		(21,979.05 -44,600.09)	5.91	(21,980.69 -44,605.77)	1.95	(21,981.24 -44,607.64)	9.61
		(21,985.56 -44,616.22)	18.35	(21,996.59 -44,630.88)	23.28	(22,009.09 -44,650.52)	9.06
		(22,013.93 -44,658.18)	10.90	(22,018.70 -44,667.98)	3.54	(22,019.37 -44,671.46)	5.23
		(22,019.64 -44,676.68)	16.76	(22,020.46 -44,693.42)	3.34	(22,023.37 -44,691.79)	2.34
		(22,025.60 -44,691.09)	3.82	(22,029.42 -44,690.90)	6.70	(22,036.07 -44,691.68)	12.23
		(22,048.07 -44,694.02)	1.96	(22,050.02 -44,694.22)	44.05	(22,050.04 -44,650.17)	50.03
		(22,050.05 -44,600.14)	71.00				
98	001-	1					
		(22,050.02 -44,694.22)	1.96	(22,048.07 -44,694.02)	12.23	(22,036.07 -44,691.68)	6.70
		(22,029.42 -44,690.90)	3.82	(22,025.60 -44,691.09)	2.34	(22,023.37 -44,691.79)	3.34
		(22,020.46 -44,693.42)	2.83	(22,021.21 -44,696.15)	1.69	(22,021.87 -44,694.59)	2.64
		(22,023.85 -44,692.84)	2.22	(22,025.90 -44,691.99)	0.35	(22,026.25 -44,691.99)	3.27
		(22,029.52 -44,692.05)	6.49	(22,035.97 -44,692.80)	12.28	(22,048.02 -44,695.19)	2.03
		(22,050.04 -44,695.37)	1.15				
98	72-	1 (2/ 2)					
		(22,050.04 -44,695.37)	2.03	(22,048.02 -44,695.19)	12.28	(22,035.97 -44,692.80)	6.49
		(22,029.52 -44,692.05)	3.27	(22,026.25 -44,691.99)	8.61	(22,028.34 -44,700.34)	9.82
		(22,029.83 -44,710.05)	10.60	(22,030.83 -44,720.60)	19.24	(22,050.02 -44,719.22)	23.85
98	75-	3 (2/ 2)					
		(22,050.02 -44,719.22)	19.24	(22,030.83 -44,720.60)	4.66	(22,026.20 -44,721.13)	7.70
		(22,027.44 -44,728.73)	22.60	(22,050.01 -44,727.52)	8.30		
98	75-	1 (2/ 2)					
		(22,050.01 -44,727.52)	22.60	(22,027.44 -44,728.73)	9.16	(22,028.40 -44,737.84)	21.71
		(22,050.05 -44,736.27)	8.75				
98	94-	1 (2/ 2)					

地区..003

作業..17 原図番号..N1 24-3

縮尺..1/ 500

基準点..X 21,900.00..Y -44,800.00 測定 年 5 月 1 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(@ 22,050.05 -44,736.27)	21.71	(22,028.40 -44,737.84)	3.58	(22,028.99 -44,741.37)	5.18
		(22,030.74 -44,746.25)	25.84	(22,041.13 -44,769.91)	2.65	(22,041.86 -44,772.46)	2.17
		(22,042.15 -44,774.61)	3.00	(22,041.79 -44,777.59)	4.35	(22,045.97 -44,778.81)	4.52
98	002- 1	(22,050.00 -44,776.77)	40.50				
		(@ 22,050.00 -44,776.77)	4.52	(22,045.97 -44,778.81)	4.35	(22,041.79 -44,777.59)	2.11
		(22,040.68 -44,779.39)	1.56	(22,042.10 -44,780.03)	4.52	(22,046.39 -44,781.46)	4.15
98	95	(22,050.00 -44,779.42)	2.65				
		(2/ 2)					
98	96	(@ 22,050.00 -44,779.42)	4.15	(22,046.39 -44,781.46)	3.78	(22,049.99 -44,782.62)	3.20
		(2/ 2)					
		(22,049.99 -44,782.62)	3.78	(@ 22,046.39 -44,781.46)	1.70	(22,045.69 -44,783.01)	4.56
98	001- 2	(22,050.04 -44,784.39)	1.77				
		(22,045.69 -44,783.01)	1.70	(22,046.39 -44,781.46)	4.52	(22,042.10 -44,780.03)	1.56
98	000- 1	(@ 22,040.68 -44,779.39)	1.87	(22,039.41 -44,780.76)	6.67		
		(22,050.05 -44,800.17)	15.78	(22,050.04 -44,784.39)	4.56	(22,045.69 -44,783.01)	6.67
		(@ 22,039.41 -44,780.76)	2.36	(22,037.20 -44,781.60)	2.65	(22,035.29 -44,783.43)	2.70
		(22,034.39 -44,785.98)	1.62	(22,034.11 -44,787.58)	2.22	(22,034.16 -44,789.80)	2.01
98	001- 3	(22,034.38 -44,791.80)	8.38	(22,035.12 -44,800.15)	14.93		
		(22,035.12 -44,800.15)	8.38	(22,034.38 -44,791.80)	2.01	(22,034.16 -44,789.80)	2.22
		(22,034.11 -44,787.58)	1.62	(22,034.39 -44,785.98)	2.70	(22,035.29 -44,783.43)	2.65
		(22,037.20 -44,781.60)	2.36	(22,039.41 -44,780.76)	1.87	(22,040.68 -44,779.39)	2.11
		(22,041.79 -44,777.59)	3.00	(22,042.15 -44,774.61)	2.17	(22,041.86 -44,772.46)	2.65
		(22,041.13 -44,769.91)	25.84	(22,030.74 -44,746.25)	5.18	(22,028.99 -44,741.37)	3.58
		(22,028.40 -44,737.84)	9.16	(22,027.44 -44,728.73)	7.70	(22,026.20 -44,721.13)	7.64
		(22,024.97 -44,713.59)	17.84	(22,021.21 -44,696.15)	2.83	(@ 22,020.46 -44,693.42)	2.85
		(22,018.67 -44,695.64)	2.72	(22,018.94 -44,698.35)	1.20	(22,019.24 -44,699.51)	15.31
		(22,022.97 -44,714.36)	6.99	(22,024.19 -44,721.24)	7.47	(22,025.23 -44,728.64)	9.56
		(22,026.29 -44,738.14)	5.40	(22,027.44 -44,743.42)	3.82	(22,028.73 -44,747.02)	25.35
		(22,038.93 -44,770.23)	3.68	(22,039.90 -44,773.78)	2.64	(22,039.70 -44,776.41)	2.13
		(22,038.42 -44,778.11)	1.61	(22,037.22 -44,779.18)	3.59	(22,034.17 -44,781.08)	2.40
		(22,032.56 -44,782.86)	3.47	(22,031.84 -44,786.25)	3.00	(22,031.79 -44,789.25)	3.75
		(22,031.96 -44,793.00)	7.15	(22,032.82 -44,800.10)	2.30		
98	002- 3	(22,032.82 -44,800.10)	7.15	(22,031.96 -44,793.00)	3.75	(22,031.79 -44,789.25)	3.00
		(22,031.84 -44,786.25)	3.47	(22,032.56 -44,782.86)	3.97	(@ 22,032.36 -44,778.90)	3.98
		(22,029.35 -44,781.50)	11.76	(22,021.21 -44,789.99)	1.92	(22,019.34 -44,790.41)	5.82
		(22,013.65 -44,789.21)	5.95	(22,007.76 -44,790.05)	5.50	(22,002.75 -44,792.33)	9.12
		(21,993.78 -44,793.96)	5.03	(21,988.78 -44,793.45)	1.88	(21,988.33 -44,795.28)	5.21
		(21,993.51 -44,795.79)	1.86	(21,995.33 -44,796.18)	15.69	(22,010.51 -44,792.22)	2.38
		(22,012.88 -44,792.00)	8.90	(22,021.78 -44,792.19)	5.18	(22,026.14 -44,789.39)	11.11
98	98	(22,028.92 -44,800.15)	3.90				
		(2/ 2)					
		(22,028.92 -44,800.15)	11.11	(@ 22,026.14 -44,789.39)	5.18	(22,021.78 -44,792.19)	8.90
		(22,012.88 -44,792.00)	2.38	(22,010.51 -44,792.22)	15.69	(21,995.33 -44,796.18)	1.86
98	99	(21,993.51 -44,795.79)	3.54	(21,992.38 -44,799.15)	1.02	(21,992.17 -44,800.15)	36.75
		(2/ 2)					
		(21,992.17 -44,800.15)	1.02	(21,992.38 -44,799.15)	3.54	(21,993.51 -44,795.79)	5.21
		(@ 21,988.33 -44,795.28)	4.84	(21,987.87 -44,800.10)	4.30		

地区 ..003

作業 .. 17 原図番号 .. N1 24-3

縮尺 ..1/ 500

基準点 ..X 21,900.00..Y -44,800.00 測定 年 5 月 1 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

98	002-	4	(21,987.87 -44,800.10)	4.84	(21,988.33 -44,795.28)	1.88	(21,988.78 -44,793.45)	7.48
			(21,991.12 -44,786.35)	5.61	(21,992.20 -44,780.85)	5.84	(21,992.63 -44,775.03)	7.08
			(21,992.74 -44,767.95)	5.87	(21,993.47 -44,762.13)	7.99	(21,996.93 -44,754.93)	0.45
			(21,997.18 -44,754.56)	6.48	(22,000.58 -44,749.04)	5.16	(22,002.59 -44,744.29)	8.92
			(22,003.92 -44,735.47)	7.72	(22,006.28 -44,728.12)	7.88	(22,009.19 -44,720.80)	3.80
			(22,009.17 -44,717.00)	5.46	(22,007.05 -44,711.97)	5.15	(22,003.41 -44,708.32)	3.21
			(22,000.93 -44,710.36)	6.75	(22,004.72 -44,715.94)	2.85	(22,005.07 -44,718.77)	3.29
			(22,004.54 -44,722.02)	6.77	(22,001.26 -44,727.94)	5.35	(22,000.08 -44,733.16)	7.95
			(21,999.19 -44,741.06)	4.38	(21,997.66 -44,745.16)	10.29	(21,993.06 -44,754.37)	13.71
			(21,988.49 -44,767.30)	7.42	(21,988.58 -44,774.72)	11.39	(21,987.44 -44,786.05)	6.02
			(21,984.81 -44,791.47)	0.74	(21,984.70 -44,792.20)	3.04	(21,984.33 -44,795.22)	0.74
			(21,984.33 -44,795.96)	4.08	(21,984.28 -44,800.04)	3.59		
98	100		(21,984.28 -44,800.04)	4.08	(21,984.33 -44,795.96)	7.84	(21,977.67 -44,800.09)	6.61
98	88-	3	(21,977.67 -44,800.09)	7.84	(21,984.33 -44,795.96)	0.74	(21,984.33 -44,795.22)	3.04
			(21,984.70 -44,792.20)	32.33	(21,952.38 -44,791.61)	5.20	(21,952.55 -44,796.81)	17.33
			(21,969.57 -44,800.08)	8.10				
98	89-	1	(21,969.57 -44,800.08)	17.33	(21,952.55 -44,796.81)	2.41	(21,952.61 -44,799.22)	4.44
			(21,956.97 -44,800.06)	12.60				
98	101		(21,956.97 -44,800.06)	4.44	(21,952.61 -44,799.22)	0.75	(21,951.88 -44,799.06)	0.79
			(21,951.10 -44,798.91)	0.96	(21,951.00 -44,797.96)	26.76	(21,924.53 -44,794.01)	6.03
			(21,924.20 -44,800.03)	32.77				
98	88-	2	(21,950.86 -44,766.31)	1.73	(21,951.96 -44,764.98)	6.33	(21,957.67 -44,762.24)	1.18
			(21,958.27 -44,761.22)	1.62	(21,958.50 -44,759.62)	1.82	(21,958.57 -44,757.80)	1.39
			(21,957.21 -44,758.08)	2.67	(21,955.97 -44,760.44)	1.47	(21,954.89 -44,761.44)	2.80
			(21,952.27 -44,762.43)	2.47	(21,949.80 -44,762.54)	3.82	(21,949.96 -44,766.36)	0.90
98	86-	3	(21,949.96 -44,766.36)	3.82	(21,949.80 -44,762.54)	0.87	(21,948.93 -44,762.56)	10.19
			(21,949.63 -44,772.73)	0.73	(21,950.36 -44,772.71)	6.36		
98	86-	4	(21,950.36 -44,772.71)	0.73	(21,949.63 -44,772.73)	2.63	(21,949.72 -44,775.36)	0.78
			(21,950.50 -44,775.37)	2.66				
98	86-	2	(21,949.72 -44,775.36)	2.63	(21,949.63 -44,772.73)	1.25	(21,948.68 -44,773.55)	39.01
			(21,909.71 -44,771.74)	3.28	(21,906.44 -44,771.51)	2.11	(21,906.25 -44,773.61)	3.20
			(21,909.45 -44,773.76)	40.30				
98	87-	1	(21,909.45 -44,773.76)	3.20	(21,906.25 -44,773.61)	10.49	(21,915.35 -44,778.82)	3.98
			(21,918.52 -44,781.22)	3.22	(21,920.69 -44,783.60)	3.45	(21,922.64 -44,786.45)	3.13
			(21,923.74 -44,789.38)	2.51	(21,924.41 -44,791.80)	2.21	(21,924.53 -44,794.01)	26.76
			(21,951.00 -44,797.96)	22.64	(21,949.72 -44,775.36)	40.30		
98	87-	2	(21,950.50 -44,775.37)	0.78	(21,949.72 -44,775.36)	22.64	(21,951.00 -44,797.96)	0.81
			(21,951.81 -44,797.91)	1.25	(21,951.71 -44,796.66)	5.08	(21,951.42 -44,791.59)	16.25
98	102		(21,951.00 -44,797.96)	0.96	(21,951.10 -44,798.91)	0.79	(21,951.88 -44,799.06)	1.15
			(21,951.81 -44,797.91)	0.81				

地区 ..003

作業 .. 17

原図番号 .. N1 24-3

縮尺 ..1/ 500

基準点 ..X 21,900.00..Y -44,800.00

測定 年 5 月 1 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

98	88- 4	(21,950.86 -44,766.31)	0.90	(21,949.96 -44,766.36)	6.36	(21,950.36 -44,772.71)	2.66
		(21,950.50 -44,775.37)	16.25	(21,951.42 -44,791.59)	0.96	(21,952.38 -44,791.61)	25.35
98	88- 5	(21,952.38 -44,791.61)	0.96	(21,951.42 -44,791.59)	5.08	(21,951.71 -44,796.66)	0.85
		(21,952.55 -44,796.81)	5.20				
98	89- 2	(21,952.55 -44,796.81)	0.85	(21,951.71 -44,796.66)	1.25	(21,951.81 -44,797.91)	1.15
		(21,951.88 -44,799.06)	0.75	(21,952.61 -44,799.22)	2.41		
98	79	(21,985.05 -44,754.45)	3.68	(21,988.73 -44,754.30)	4.33	(21,993.06 -44,754.37)	10.29
		(21,997.66 -44,745.16)	4.38	(21,999.19 -44,741.06)	7.95	(22,000.08 -44,733.16)	5.35
		(22,001.26 -44,727.94)	6.77	(22,004.54 -44,722.02)	3.29	(22,005.07 -44,718.77)	2.85
		(22,004.72 -44,715.94)	6.75	(22,000.93 -44,710.36)	9.65	(21,993.48 -44,716.49)	2.30
		(21,992.69 -44,718.65)	3.00	(21,990.46 -44,720.65)	4.43	(21,986.46 -44,722.55)	16.43
		(21,970.71 -44,727.23)	0.73	(21,970.06 -44,727.56)	28.35	(21,977.23 -44,754.99)	7.84
98	80	(21,977.23 -44,754.99)	28.35	(21,970.06 -44,727.56)	17.85	(21,952.95 -44,732.66)	1.18
		(21,951.90 -44,733.19)	25.45	(21,957.21 -44,758.08)	1.39	(21,958.57 -44,757.80)	18.87
98	88- 1	(21,958.57 -44,757.80)	1.82	(21,958.50 -44,759.62)	1.62	(21,958.27 -44,761.22)	1.18
		(21,957.67 -44,762.24)	6.33	(21,951.96 -44,764.98)	1.73	(21,950.86 -44,766.31)	25.35
		(21,952.38 -44,791.61)	32.33	(21,984.70 -44,792.20)	0.74	(21,984.81 -44,791.47)	6.02
		(21,987.44 -44,786.05)	11.39	(21,988.58 -44,774.72)	7.42	(21,988.49 -44,767.30)	13.71
		(21,993.06 -44,754.37)	4.33	(21,988.73 -44,754.30)	3.68	(21,985.05 -44,754.45)	7.84
		(21,977.23 -44,754.99)	18.87				
98	90	(21,997.18 -44,754.56)	0.45	(21,996.93 -44,754.93)	7.99	(21,993.47 -44,762.13)	5.87
		(21,992.74 -44,767.95)	7.08	(21,992.63 -44,775.03)	5.84	(21,992.20 -44,780.85)	5.61
		(21,991.12 -44,786.35)	7.48	(21,988.78 -44,793.45)	5.03	(21,993.78 -44,793.96)	9.12
		(22,002.75 -44,792.33)	1.36	(22,002.66 -44,790.97)	4.56	(21,998.11 -44,790.71)	1.36
		(21,996.84 -44,790.23)	2.85	(21,996.89 -44,787.38)	7.26	(21,997.87 -44,780.19)	10.48
		(21,999.51 -44,769.84)	14.18	(21,999.27 -44,755.66)	2.36		
98	71	(21,999.27 -44,755.66)	1.17	(21,999.88 -44,754.66)	3.93	(22,003.28 -44,752.69)	3.64
		(22,006.60 -44,751.19)	1.98	(22,008.48 -44,750.57)	2.91	(22,011.38 -44,750.38)	5.25
		(22,016.63 -44,750.48)	7.09	(22,023.72 -44,750.45)	3.54	(22,027.23 -44,749.98)	8.12
		(22,024.99 -44,742.17)	16.96	(22,022.53 -44,725.39)	25.97	(22,017.07 -44,700.00)	15.99
		(22,003.41 -44,708.32)	5.15	(22,007.05 -44,711.97)	5.46	(22,009.17 -44,717.00)	3.80
		(22,009.19 -44,720.80)	7.88	(22,006.28 -44,728.12)	7.72	(22,003.92 -44,735.47)	8.92
		(22,002.59 -44,744.29)	5.16	(22,000.58 -44,749.04)	6.48	(21,997.18 -44,754.56)	2.36
98	72- 2	(22,030.83 -44,720.60)	10.60	(22,029.83 -44,710.05)	9.82	(22,028.34 -44,700.34)	8.61
		(22,026.25 -44,691.99)	0.35	(22,025.90 -44,691.99)	2.22	(22,023.85 -44,692.84)	2.64
		(22,021.87 -44,694.59)	1.69	(22,021.21 -44,696.15)	17.84	(22,024.97 -44,713.59)	7.64
		(22,026.20 -44,721.13)	4.66				
98	002- 2	(22,017.07 -44,700.00)	25.97	(22,022.53 -44,725.39)	16.96	(22,024.99 -44,742.17)	8.12
		(22,027.23 -44,749.98)	17.58	(22,034.69 -44,765.90)	6.86	(22,037.21 -44,772.28)	3.19
		(22,037.80 -44,775.41)	3.21	(22,035.45 -44,777.60)	3.35	(22,032.36 -44,778.90)	3.97
		(22,032.56 -44,782.86)	2.40	(22,034.17 -44,781.08)	3.59	(22,037.22 -44,779.18)	1.61
		(22,038.42 -44,778.11)	2.13	(22,039.70 -44,776.41)	2.64	(22,039.90 -44,773.78)	3.68

地区 ..003

作業 .. 17

原図番号 .. N1 24-3

縮尺 ..1/ 500

基準点 ..X 21,900.00..Y -44,800.00

測定 年 5 月 1 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(22,038.93 -44,770.23)	25.35	(22,028.73 -44,747.02)	3.82	(22,027.44 -44,743.42)	5.40
		(22,026.29 -44,738.14)	9.56	(22,025.23 -44,728.64)	7.47	(22,024.19 -44,721.24)	6.99
98	93	(22,022.97 -44,714.36)	15.31	(22,019.24 -44,699.51)	1.20	(22,018.94 -44,698.35)	2.49
		(22,026.86 -44,764.84)	1.53	(22,028.34 -44,765.24)	1.48	(22,029.61 -44,766.00)	1.77
		(22,030.96 -44,767.15)	1.86	(22,032.06 -44,768.65)	2.54	(22,033.23 -44,770.90)	1.52
		(22,033.46 -44,772.40)	3.14	(22,033.10 -44,775.52)	3.46	(22,032.36 -44,778.90)	3.35
		(22,035.45 -44,777.60)	3.21	(22,037.80 -44,775.41)	3.19	(22,037.21 -44,772.28)	6.86
		(22,034.69 -44,765.90)	17.58	(22,027.23 -44,749.98)	3.54	(22,023.72 -44,750.45)	8.19
		(22,025.27 -44,758.49)	1.84	(22,025.42 -44,760.32)	4.58	(22,025.71 -44,764.89)	1.15
98	91	(22,025.71 -44,764.89)	4.58	(22,025.42 -44,760.32)	1.84	(22,025.27 -44,758.49)	8.19
		(22,023.72 -44,750.45)	7.09	(22,016.63 -44,750.48)	5.25	(22,011.38 -44,750.38)	2.91
		(22,008.48 -44,750.57)	1.98	(22,006.60 -44,751.19)	3.64	(22,003.28 -44,752.69)	3.93
		(21,999.88 -44,754.66)	1.17	(21,999.27 -44,755.66)	14.18	(21,999.51 -44,769.84)	10.48
		(21,997.87 -44,780.19)	7.26	(21,996.89 -44,787.38)	2.85	(21,996.84 -44,790.23)	1.36
		(21,998.11 -44,790.71)	4.56	(22,002.66 -44,790.97)	1.36	(22,002.75 -44,792.33)	5.50
		(22,007.76 -44,790.05)	5.95	(22,013.65 -44,789.21)	8.81	(22,014.87 -44,780.48)	8.76
		(22,016.78 -44,771.93)	3.95	(22,017.84 -44,768.13)	1.34	(22,018.64 -44,767.06)	0.90
		(22,019.31 -44,766.46)	1.68	(22,020.94 -44,766.04)	3.09	(22,023.96 -44,765.39)	1.82
98	92	(22,023.96 -44,765.39)	3.09	(22,020.94 -44,766.04)	1.68	(22,019.31 -44,766.46)	0.90
		(22,018.64 -44,767.06)	1.34	(22,017.84 -44,768.13)	3.95	(22,016.78 -44,771.93)	8.76
		(22,014.87 -44,780.48)	8.81	(22,013.65 -44,789.21)	5.82	(22,019.34 -44,790.41)	1.92
		(22,021.21 -44,789.99)	11.76	(22,029.35 -44,781.50)	3.98	(22,032.36 -44,778.90)	3.46
		(22,033.10 -44,775.52)	3.14	(22,033.46 -44,772.40)	1.52	(22,033.23 -44,770.90)	2.54
		(22,032.06 -44,768.65)	1.86	(22,030.96 -44,767.15)	1.77	(22,029.61 -44,766.00)	1.48
		(22,028.34 -44,765.24)	1.53	(22,026.86 -44,764.84)	1.15	(22,025.71 -44,764.89)	1.82
97	48- 1	(22,019.01 -44,676.78)	4.82	(22,018.57 -44,671.98)	4.05	(22,017.77 -44,668.01)	4.06
		(22,016.28 -44,664.23)	15.57	(22,008.37 -44,650.82)	17.29	(21,999.16 -44,636.19)	16.08
		(21,989.62 -44,623.25)	8.16	(21,985.08 -44,616.47)	7.65	(21,980.86 -44,610.09)	1.07
		(21,979.79 -44,610.14)	9.25	(21,970.81 -44,612.35)	2.77	(21,968.07 -44,612.74)	13.61
		(21,973.37 -44,625.28)	18.89	(21,982.90 -44,641.59)	16.75	(21,991.61 -44,655.90)	8.43
		(21,996.68 -44,662.63)	14.80	(22,005.99 -44,674.14)	9.46	(22,013.69 -44,679.63)	7.85
		(22,019.07 -44,685.35)	8.57				
97	49- 2	(21,949.64 -44,653.41)	11.24	(21,955.88 -44,662.76)	0.86	(21,956.10 -44,663.59)	9.53
		(21,961.94 -44,671.12)	28.94	(21,987.19 -44,656.98)	10.53	(21,982.15 -44,647.74)	11.48
		(21,975.96 -44,638.07)	30.46				
97	47	(21,975.96 -44,638.07)	7.86	(21,971.91 -44,631.33)	14.22	(21,965.53 -44,618.62)	7.58
		(21,963.19 -44,611.41)	31.15	(21,936.48 -44,627.44)	7.59	(21,940.46 -44,633.90)	3.22
		(21,941.76 -44,636.85)	6.30	(21,944.33 -44,642.60)	12.04	(21,949.64 -44,653.41)	30.46
97	50- 1	(21,949.64 -44,653.41)	4.03	(21,949.16 -44,657.41)	5.08	(21,950.96 -44,662.16)	14.46
		(21,958.67 -44,674.39)	8.94	(21,963.16 -44,682.12)	27.38	(21,983.19 -44,700.79)	4.28
		(21,986.81 -44,703.07)	4.53	(21,991.31 -44,703.60)	3.18	(21,994.48 -44,703.41)	16.16
		(21,983.30 -44,691.74)	2.66	(21,981.61 -44,689.69)	3.14	(21,979.30 -44,687.56)	3.36
		(21,977.33 -44,684.84)	2.88	(21,975.63 -44,682.51)	4.34	(21,972.44 -44,679.56)	6.51
		(21,966.91 -44,676.13)	3.79	(21,964.07 -44,673.62)	3.28	(21,961.94 -44,671.12)	9.53
		(21,956.10 -44,663.59)	0.86	(21,955.88 -44,662.76)	11.24		

地区 ..003 作業 .. 17 原図番号 .. N1 24-3 縮尺 ..1/ 500 基準点 ..X 21,900.00..Y -44,800.00 測定 年 5 月 1 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

97	49- 1	(21,961.94 -44,671.12)	3.28	(21,964.07 -44,673.62)	3.79	(21,966.91 -44,676.13)	6.51
		(21,972.44 -44,679.56)	4.34	(21,975.63 -44,682.51)	2.88	(21,977.33 -44,684.84)	3.36
		(21,979.30 -44,687.56)	3.14	(21,981.61 -44,689.69)	2.31	(21,983.67 -44,690.74)	1.14
		(21,984.76 -44,690.41)	2.56	(21,987.27 -44,689.92)	7.51	(21,994.40 -44,687.56)	2.65
		(21,997.05 -44,687.56)	3.16	(21,999.73 -44,685.89)	2.94	(22,002.16 -44,684.24)	5.38
		(22,005.36 -44,679.92)	4.57	(22,002.36 -44,676.47)	7.69	(21,997.75 -44,670.31)	3.29
		(21,995.67 -44,667.76)	11.87	(21,988.06 -44,658.65)	1.88	(21,987.19 -44,656.98)	28.94
97	50- 2	(21,984.76 -44,690.41)	1.14	(21,983.67 -44,690.74)	2.31	(21,981.61 -44,689.69)	2.66
		(21,983.30 -44,691.74)	16.16	(21,994.48 -44,703.41)	1.15	(21,995.63 -44,703.33)	2.55
		(21,998.00 -44,704.26)	19.16				
97	69	(21,998.00 -44,704.26)	3.10	(22,000.90 -44,705.36)	2.67	(22,003.36 -44,704.32)	14.83
		(22,015.79 -44,696.23)	4.69	(22,016.62 -44,691.61)	3.77	(22,016.05 -44,687.88)	3.12
		(22,014.68 -44,685.08)	5.23	(22,011.06 -44,681.30)	5.86	(22,005.36 -44,679.92)	5.38
		(22,002.16 -44,684.24)	2.94	(21,999.73 -44,685.89)	3.16	(21,997.05 -44,687.56)	2.65
		(21,994.40 -44,687.56)	7.51	(21,987.27 -44,689.92)	2.56	(21,984.76 -44,690.41)	19.16
98	70	(21,991.81 -44,713.52)	8.80	(21,998.63 -44,707.96)	4.73	(21,994.03 -44,706.86)	2.83
		(21,991.21 -44,707.12)	6.43				
97	68	(21,991.21 -44,707.12)	0.83	(21,990.40 -44,707.28)	5.46	(21,985.06 -44,706.15)	3.68
		(21,981.95 -44,704.19)	2.63	(21,979.52 -44,705.19)	15.10	(21,984.95 -44,719.28)	7.87
		(21,991.54 -44,714.97)	1.29	(21,991.60 -44,713.68)	0.26	(21,991.81 -44,713.52)	6.43
97	53	(21,981.95 -44,704.19)	1.50	(21,980.83 -44,703.19)	1.76	(21,979.59 -44,701.94)	13.33
		(21,966.80 -44,705.68)	2.94	(21,967.38 -44,708.56)	12.60	(21,979.52 -44,705.19)	2.63
97	67	(21,979.52 -44,705.19)	12.60	(21,967.38 -44,708.56)	6.92	(21,960.73 -44,710.47)	2.97
		(21,957.83 -44,711.11)	6.95	(21,951.05 -44,712.66)	4.74	(21,946.40 -44,713.58)	4.23
		(21,942.21 -44,714.15)	2.10	(21,940.12 -44,714.40)	22.36	(21,917.80 -44,715.68)	10.02
		(21,917.76 -44,725.70)	2.82	(21,917.76 -44,728.52)	4.31	(21,921.65 -44,730.37)	4.04
		(21,925.50 -44,731.58)	3.26	(21,928.68 -44,732.28)	4.40	(21,933.05 -44,732.79)	3.65
		(21,936.70 -44,732.74)	3.89	(21,940.55 -44,732.20)	10.22	(21,950.40 -44,729.48)	24.29
		(21,973.59 -44,722.26)	10.36	(21,983.69 -44,719.94)	1.42	(21,984.95 -44,719.28)	15.10
97	56	(21,966.80 -44,705.68)	6.65	(21,960.45 -44,707.64)	5.96	(21,954.70 -44,709.21)	5.35
		(21,949.43 -44,710.11)	2.95	(21,946.55 -44,710.75)	4.86	(21,941.80 -44,711.77)	2.42
		(21,942.21 -44,714.15)	4.23	(21,946.40 -44,713.58)	4.74	(21,951.05 -44,712.66)	6.95
		(21,957.83 -44,711.11)	2.97	(21,960.73 -44,710.47)	6.92	(21,967.38 -44,708.56)	2.94
97	52	(21,940.12 -44,714.40)	2.10	(21,942.21 -44,714.15)	2.42	(21,941.80 -44,711.77)	4.86
		(21,946.55 -44,710.75)	2.95	(21,949.43 -44,710.11)	5.35	(21,954.70 -44,709.21)	5.96
		(21,960.45 -44,707.64)	6.65	(21,966.80 -44,705.68)	13.33	(21,979.59 -44,701.94)	7.41
		(21,974.37 -44,696.68)	17.52	(21,961.14 -44,685.20)	22.63	(21,939.95 -44,693.14)	7.84
		(21,937.40 -44,685.73)	2.84	(21,934.64 -44,686.42)	28.51		
97	45- 2	(21,934.64 -44,686.42)	2.84	(21,937.40 -44,685.73)	18.56	(21,930.80 -44,668.38)	1.27
		(21,929.65 -44,668.91)	7.42	(21,931.81 -44,676.01)	10.79		
97	51	(21,930.80 -44,668.38)	18.56	(21,937.40 -44,685.73)	7.84	(21,939.95 -44,693.14)	22.63

地区 ..003 作業 .. 17 原図番号 .. N1 24-3 縮尺 ..1/ 500 基準点 ..X 21,900.00..Y -44,800.00 測定 年 5 月 1 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

97	46	(21,961.14 -44,685.20)	2.78	(21,959.36 -44,683.07)	11.95	(21,953.07 -44,672.91)	12.62
		(@ 21,946.73 -44,662.00)	17.16				
97	44	(21,946.73 -44,662.00)	3.19	(21,944.88 -44,659.40)	11.95	(21,940.70 -44,648.20)	13.10
		(21,936.41 -44,635.82)	2.81	(@ 21,935.18 -44,633.29)	16.09	(21,919.79 -44,637.97)	24.22
		(21,928.08 -44,660.73)	8.12	(21,930.80 -44,668.38)	17.16		
		(21,928.08 -44,660.73)	24.22	(@ 21,919.79 -44,637.97)	2.95	(21,917.01 -44,638.97)	24.11
		(21,925.38 -44,661.58)	2.83				