

地区 ..003

作業 .. 18 原図番号 .. N1 24-4

縮尺 ..1/ 500

基準点 ..X 21,900.00..Y -44,600.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,900.00 -44,600.00)	50.00	(21,950.00 -44,600.08)	50.00	(22,000.00 -44,600.10)	50.00
		(22,050.00 -44,600.13)	50.00	(22,050.03 -44,550.13)	50.01	(22,050.00 -44,500.12)	50.00
		(22,050.03 -44,450.12)	50.00	(22,050.00 -44,400.12)	50.00	(22,000.00 -44,400.10)	50.00
		(21,950.00 -44,400.07)	50.00	(21,900.00 -44,400.05)	50.00	(21,899.97 -44,450.05)	49.95
		(21,900.00 -44,500.00)	50.05	(21,899.97 -44,550.05)	49.95		
97	32	(2 / 4)					
		(21,901.20 -44,600.20)	16.42	(21,917.62 -44,600.14)	9.46	(21,915.32 -44,590.96)	4.57
		(21,916.77 -44,586.63)	16.60	(21,901.17 -44,592.30)	7.90		
97	27	(1 / 2)					
		(21,901.17 -44,592.30)	16.60	(21,916.77 -44,586.63)	1.46	(21,917.34 -44,585.29)	6.00
		(21,917.38 -44,579.29)	5.55	(21,916.67 -44,573.79)	10.84	(21,913.41 -44,563.45)	1.92
		(21,911.49 -44,563.48)	4.87	(21,906.69 -44,564.29)	5.28	(21,901.71 -44,566.05)	0.81
		(21,900.98 -44,566.40)	25.90				
97	001-	4					
		(21,900.98 -44,566.40)	0.81	(21,901.71 -44,566.05)	5.28	(21,906.69 -44,564.29)	4.87
		(21,911.49 -44,563.48)	1.92	(21,913.41 -44,563.45)	2.79	(21,911.21 -44,561.73)	2.25
		(21,908.97 -44,561.95)	2.71	(21,906.32 -44,562.54)	5.68	(21,900.99 -44,564.50)	1.90
97	22-	1	(1 / 2)				
		(21,900.99 -44,564.50)	5.68	(21,906.32 -44,562.54)	2.71	(21,908.97 -44,561.95)	2.25
		(21,911.21 -44,561.73)	12.28	(21,905.32 -44,550.96)	7.24	(21,900.94 -44,545.20)	19.30
97	002-	2					
		(21,900.94 -44,545.20)	7.24	(21,905.32 -44,550.96)	12.28	(21,911.21 -44,561.73)	2.79
		(21,913.41 -44,563.45)	10.84	(21,916.67 -44,573.79)	5.55	(21,917.38 -44,579.29)	6.00
		(21,917.34 -44,585.29)	1.46	(21,916.77 -44,586.63)	4.57	(21,915.32 -44,590.96)	9.46
		(21,917.62 -44,600.14)	5.88	(21,923.50 -44,600.11)	10.18	(21,921.27 -44,590.18)	7.36
		(21,920.97 -44,582.83)	7.65	(21,920.39 -44,575.20)	9.08	(21,918.08 -44,566.42)	3.78
		(21,916.09 -44,563.21)	2.51	(21,914.90 -44,561.00)	13.33	(21,908.31 -44,549.41)	6.74
		(21,904.64 -44,543.76)	6.77	(21,900.85 -44,538.15)	7.05		
97	18-	1	(1 / 2)				
		(21,900.85 -44,538.15)	6.77	(21,904.64 -44,543.76)	29.22	(21,931.80 -44,532.99)	5.89
		(21,930.58 -44,527.23)	13.16	(21,926.66 -44,514.67)	12.17	(21,924.49 -44,502.69)	8.96
		(21,923.27 -44,493.81)	24.31	(21,900.64 -44,502.70)	35.45		
97	15-	1	(1 / 2)				
		(21,900.64 -44,502.70)	24.31	(21,923.27 -44,493.81)	9.36	(21,921.69 -44,484.58)	9.29
		(21,919.51 -44,475.55)	12.58	(21,918.67 -44,463.00)	7.78	(21,916.25 -44,455.61)	16.80
		(21,900.50 -44,461.45)	41.25				
97	13-	1	(1 / 2)				
		(21,900.50 -44,461.45)	16.80	(21,916.25 -44,455.61)	14.39	(21,910.59 -44,442.38)	6.12
		(21,908.81 -44,436.52)	8.82	(21,908.06 -44,427.73)	7.96	(21,900.33 -44,429.65)	31.80
96	8-	5	(1 / 2)				
		(21,900.33 -44,429.65)	7.96	(21,908.06 -44,427.73)	2.52	(21,907.59 -44,425.25)	7.50
		(21,900.33 -44,427.15)	2.50				
96	8-	2	(1 / 4)				
		(21,900.33 -44,427.15)	7.50	(21,907.59 -44,425.25)	25.63	(21,902.15 -44,400.20)	1.95
		(21,900.20 -44,400.20)	26.95				
96	002-	3					
		(21,902.15 -44,400.20)	25.63	(21,907.59 -44,425.25)	2.52	(21,908.06 -44,427.73)	3.42
		(21,911.45 -44,427.25)	10.10	(21,909.13 -44,417.42)	10.18	(21,907.51 -44,407.37)	7.29
		(21,906.35 -44,400.17)	4.20				
96	10	(1 / 3)					
		(21,906.35 -44,400.17)	7.29	(21,907.51 -44,407.37)	10.18	(21,909.13 -44,417.42)	10.10

地区 ..003

作業 .. 18

原図番号 .. N1 24-4

縮尺 ..1/ 500

基準点 ..X 21,900.00..Y -44,600.00

測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,911.45 -44,427.25)	17.94	(21,928.97 -44,423.37)	23.44	(21,923.56 -44,400.56)	0.47
		(@ 21,923.42 -44,400.11)	17.07				
96	001- 6	(@ 21,924.32 -44,400.41)	0.77	(21,923.56 -44,400.56)	23.44	(21,928.97 -44,423.37)	0.99
		(21,929.94 -44,423.17)	23.44				
97	001- 5	(@ 21,929.94 -44,423.17)	0.99	(21,928.97 -44,423.37)	24.53	(21,935.22 -44,447.09)	21.69
		(21,940.43 -44,468.15)	3.23	(21,940.90 -44,471.35)	0.78	(21,940.52 -44,472.03)	14.20
		(21,927.13 -44,476.77)	2.02	(21,925.31 -44,477.64)	1.01	(21,924.50 -44,478.25)	28.69
		(21,928.93 -44,506.60)	5.31	(21,929.62 -44,511.87)	6.18	(21,930.41 -44,518.00)	8.82
		(21,933.01 -44,526.43)	10.80	(21,935.16 -44,537.01)	7.75	(21,937.36 -44,544.44)	7.46
		(21,940.72 -44,551.10)	1.23	(21,941.82 -44,550.56)	7.41	(21,938.44 -44,543.97)	3.12
		(21,937.57 -44,540.97)	3.51	(21,936.61 -44,537.59)	0.84	(21,936.36 -44,536.79)	10.91
		(21,934.21 -44,526.09)	8.97	(21,931.71 -44,517.48)	5.80	(21,930.97 -44,511.73)	5.49
		(21,930.33 -44,506.28)	27.51	(21,925.55 -44,479.19)	1.12	(21,926.05 -44,478.19)	1.56
		(21,927.41 -44,477.42)	14.59	(21,941.22 -44,472.72)	1.14	(21,942.10 -44,472.00)	4.18
		(21,941.38 -44,467.88)	25.44	(21,935.07 -44,443.24)	20.72		
97	19	(21,918.98 -44,453.61)	8.70	(21,922.27 -44,461.66)	14.03	(21,923.81 -44,475.61)	2.73
		(21,924.50 -44,478.25)	1.01	(21,925.31 -44,477.64)	2.02	(21,927.13 -44,476.77)	14.20
		(21,940.52 -44,472.03)	0.78	(21,940.90 -44,471.35)	3.23	(21,940.43 -44,468.15)	21.69
		(@ 21,935.22 -44,447.09)	17.50				
97	14	(21,935.22 -44,447.09)	24.53	(@ 21,928.97 -44,423.37)	17.94	(21,911.45 -44,427.25)	13.46
		(21,913.92 -44,440.48)	14.07	(21,918.98 -44,453.61)	17.50		
97	29- 1	(21,931.71 -44,517.48)	8.97	(21,934.21 -44,526.09)	10.91	(21,936.36 -44,536.79)	0.84
		(21,936.61 -44,537.59)	1.03	(21,937.61 -44,537.34)	3.50	(21,938.60 -44,540.70)	1.06
		(21,937.57 -44,540.97)	3.12	(21,938.44 -44,543.97)	7.41	(21,941.82 -44,550.56)	18.73
		(21,959.11 -44,543.35)	41.44	(@ 21,947.84 -44,503.47)	1.17	(21,947.24 -44,504.47)	4.79
		(21,943.83 -44,507.83)	3.19	(21,940.88 -44,509.05)	4.44	(21,936.60 -44,510.24)	5.82
		(21,930.97 -44,511.73)	5.80				
97	20	(21,930.97 -44,511.73)	5.82	(21,936.60 -44,510.24)	4.44	(21,940.88 -44,509.05)	3.19
		(21,943.83 -44,507.83)	4.79	(21,947.24 -44,504.47)	1.17	(21,947.84 -44,503.47)	2.17
		(21,947.55 -44,501.32)	16.57	(21,943.89 -44,485.16)	12.72	(@ 21,941.22 -44,472.72)	14.59
		(21,927.41 -44,477.42)	1.56	(21,926.05 -44,478.19)	1.12	(21,925.55 -44,479.19)	27.51
		(21,930.33 -44,506.28)	5.49				
97	18- 2	(21,932.85 -44,538.18)	5.30	(@ 21,931.80 -44,532.99)	29.22	(21,904.64 -44,543.76)	6.74
		(21,908.31 -44,549.41)	26.99				
97	21	(21,908.31 -44,549.41)	13.33	(21,914.90 -44,561.00)	3.93	(21,918.60 -44,559.67)	3.58
		(21,922.00 -44,558.55)	2.28	(21,924.16 -44,557.81)	15.47	(21,938.58 -44,552.21)	5.81
		(21,935.88 -44,547.06)	9.38	(@ 21,932.85 -44,538.18)	26.99		
97	001- 3	(@ 21,938.58 -44,552.21)	15.47	(21,924.16 -44,557.81)	2.28	(21,922.00 -44,558.55)	3.58
		(21,918.60 -44,559.67)	3.93	(21,914.90 -44,561.00)	2.51	(21,916.09 -44,563.21)	5.87
		(21,921.67 -44,561.38)	2.72	(21,924.25 -44,560.51)	2.56	(21,926.65 -44,559.62)	13.90
		(21,939.58 -44,554.51)	2.51				
97	001- 2	(21,943.71 -44,551.84)	12.95	(21,955.57 -44,546.64)	0.89	(21,955.24 -44,545.81)	4.55

地区 ..003

作業 .. 18

原図番号 .. N1 24-4

縮尺 ..1/ 500

基準点 ..X 21,900.00..Y -44,600.00

測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

97	000-	1	(21,959.42 -44,544.02)	0.74	(@ 21,959.11 -44,543.35)	18.73	(21,941.82 -44,550.56)	2.28
			(22,001.20 -44,599.75)	50.00	(22,051.20 -44,599.58)	49.95	(22,050.93 -44,549.63)	50.05
			(22,050.70 -44,499.58)	49.95	(22,050.48 -44,449.63)	50.06	(@ 22,050.20 -44,399.57)	49.95
			(22,000.25 -44,399.80)	50.05	(21,950.20 -44,399.97)	26.78	(21,923.42 -44,400.11)	0.47
			(21,923.56 -44,400.56)	0.77	(21,924.32 -44,400.41)	33.55	(21,932.37 -44,432.98)	10.61
			(21,935.07 -44,443.24)	25.44	(21,941.38 -44,467.88)	4.18	(21,942.10 -44,472.00)	1.14
			(21,941.22 -44,472.72)	12.72	(21,943.89 -44,485.16)	16.57	(21,947.55 -44,501.32)	2.17
			(21,947.84 -44,503.47)	41.44	(21,959.11 -44,543.35)	0.74	(21,959.42 -44,544.02)	4.55
			(21,955.24 -44,545.81)	0.89	(21,955.57 -44,546.64)	51.51	(21,978.09 -44,592.97)	7.22
			(21,980.10 -44,599.90)	21.10				
97	30-	1	(21,980.10 -44,599.90)	7.22	(21,978.09 -44,592.97)	51.51	(@ 21,955.57 -44,546.64)	12.95
			(21,943.71 -44,551.84)	52.63	(21,965.15 -44,599.91)	14.95		
97	001-	1	(21,965.15 -44,599.91)	52.63	(21,943.71 -44,551.84)	2.28	(@ 21,941.82 -44,550.56)	1.23
			(21,940.72 -44,551.10)	2.05	(21,942.02 -44,552.68)	51.91	(21,963.55 -44,599.91)	1.60
97	002-	1	(21,963.55 -44,599.91)	51.91	(21,942.02 -44,552.68)	2.05	(21,940.72 -44,551.10)	7.46
			(21,937.36 -44,544.44)	7.75	(21,935.16 -44,537.01)	10.80	(21,933.01 -44,526.43)	8.82
			(21,930.41 -44,518.00)	6.18	(21,929.62 -44,511.87)	5.31	(21,928.93 -44,506.60)	28.69
			(21,924.50 -44,478.25)	2.73	(21,923.81 -44,475.61)	14.03	(21,922.27 -44,461.66)	8.70
			(21,918.98 -44,453.61)	14.07	(21,913.92 -44,440.48)	13.46	(@ 21,911.45 -44,427.25)	3.42
			(21,908.06 -44,427.73)	8.82	(21,908.81 -44,436.52)	6.12	(21,910.59 -44,442.38)	14.39
			(21,916.25 -44,455.61)	7.78	(21,918.67 -44,463.00)	12.58	(21,919.51 -44,475.55)	9.29
			(21,921.69 -44,484.58)	9.36	(21,923.27 -44,493.81)	8.96	(21,924.49 -44,502.69)	12.17
			(21,926.66 -44,514.67)	13.16	(21,930.58 -44,527.23)	5.89	(21,931.80 -44,532.99)	5.30
			(21,932.85 -44,538.18)	9.38	(21,935.88 -44,547.06)	5.81	(21,938.58 -44,552.21)	2.51
			(21,939.58 -44,554.51)	33.93	(21,952.64 -44,585.83)	15.57	(21,959.30 -44,599.90)	4.25
97	31	(2/ 2)	(21,959.30 -44,599.90)	15.57	(@ 21,952.64 -44,585.83)	17.16	(21,937.91 -44,594.64)	11.17
			(21,928.15 -44,600.07)	31.15				
97	28	(2/ 2)	(21,928.15 -44,600.07)	11.17	(21,937.91 -44,594.64)	17.16	(21,952.64 -44,585.83)	33.93
			(@ 21,939.58 -44,554.51)	13.90	(21,926.65 -44,559.62)	2.56	(21,924.25 -44,560.51)	2.72
			(21,921.67 -44,561.38)	5.87	(21,916.09 -44,563.21)	3.78	(21,918.08 -44,566.42)	9.08
			(21,920.39 -44,575.20)	7.65	(21,920.97 -44,582.83)	7.36	(21,921.27 -44,590.18)	10.18
			(21,923.50 -44,600.11)	4.65				
97	29-	2	(21,937.60 -44,540.99)	1.04	(21,938.60 -44,540.70)	3.50	(@ 21,937.61 -44,537.34)	1.03
			(21,936.61 -44,537.59)	3.54				