

地区 ..003

作業 .. 20

原図番号 .. N1 31-1

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -46,000.00

測定

年 4 月 27 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,750.00 -46,000.00)	49.95	(21,799.95 -46,000.01)	50.02	(21,849.97 -46,000.09)	49.98
		(21,899.95 -46,000.12)	49.95	(21,899.96 -45,950.17)	50.05	(21,899.96 -45,900.12)	49.95
		(21,899.97 -45,850.17)	50.00	(21,900.02 -45,800.17)	50.00	(21,850.02 -45,800.11)	49.99
		(21,800.03 -45,800.01)	50.03	(21,750.00 -45,800.00)	50.00	(21,749.97 -45,850.00)	50.00
		(21,749.96 -45,900.00)	49.97	(21,749.98 -45,949.97)	50.03		
53	000- 1	(21,749.96 -45,900.00)	49.97	(21,749.98 -45,949.97)	50.03	(21,750.00 -46,000.00)	49.95
		(21,799.95 -46,000.01)	50.02	(21,849.97 -46,000.09)	50.03	(21,900.00 -46,000.17)	50.00
		(21,899.96 -45,950.17)	18.95	(21,899.98 -45,931.22)	3.93	(21,896.09 -45,931.77)	7.32
		(21,889.46 -45,934.87)	2.37	(21,887.12 -45,935.27)	2.49	(21,886.47 -45,937.67)	3.04
		(21,883.52 -45,938.42)	3.98	(21,879.78 -45,939.77)	4.40	(21,875.38 -45,939.82)	4.74
		(21,870.73 -45,938.92)	28.45	(21,842.31 -45,940.14)	0.66	(21,842.02 -45,939.55)	4.46
		(21,840.18 -45,935.49)	30.70	(21,819.99 -45,912.36)	4.74	(21,816.61 -45,909.03)	1.22
		(21,815.61 -45,908.33)	4.75	(21,811.01 -45,909.51)	6.51	(21,809.19 -45,903.26)	3.83
		(21,808.34 -45,899.53)	3.33	(21,808.04 -45,896.21)	7.00	(21,807.96 -45,889.21)	1.84
		(21,808.03 -45,887.37)	2.01	(21,808.54 -45,885.43)	3.95	(21,809.61 -45,881.63)	3.53
		(21,810.87 -45,878.33)	4.24	(21,812.72 -45,874.52)	2.10	(21,814.28 -45,873.12)	8.43
		(21,819.69 -45,866.66)	0.38	(21,819.87 -45,866.32)	3.02	(21,817.42 -45,864.56)	3.12
		(21,815.07 -45,862.51)	5.17	(21,811.49 -45,858.78)	21.76	(21,798.02 -45,841.69)	11.07
		(21,788.77 -45,847.78)	9.09	(21,780.57 -45,851.70)	4.39	(21,779.58 -45,847.42)	15.61
		(21,764.14 -45,849.75)	5.24	(21,759.02 -45,850.85)	5.62	(21,754.09 -45,853.55)	4.50
		(21,749.97 -45,855.35)	44.65				
53	001- 4	(21,749.97 -45,855.35)	4.50	(21,754.09 -45,853.55)	5.62	(21,759.02 -45,850.85)	5.24
		(21,764.14 -45,849.75)	15.61	(21,779.58 -45,847.42)	1.15	(21,779.52 -45,846.27)	26.72
		(21,777.92 -45,819.60)	16.08	(21,776.90 -45,803.55)	1.48	(21,777.94 -45,802.50)	4.12
		(21,774.31 -45,800.55)	3.34	(21,774.87 -45,803.84)	16.96	(21,776.11 -45,820.75)	25.22
		(21,777.47 -45,845.93)	18.99	(21,758.69 -45,848.75)	0.21	(21,758.50 -45,848.85)	5.81
		(21,753.47 -45,851.75)	3.87	(21,749.97 -45,853.40)	1.95		
53	863	(1/ 2)					
		(21,749.97 -45,853.40)	3.87	(21,753.47 -45,851.75)	5.81	(21,758.50 -45,848.85)	20.07
		(21,750.07 -45,830.64)	0.21	(21,749.97 -45,830.45)	22.95		
53	865- 1	(1/ 2)					
		(21,749.97 -45,830.45)	0.21	(21,750.07 -45,830.64)	9.82	(21,759.32 -45,827.35)	4.25
		(21,763.32 -45,825.90)	13.79	(21,776.11 -45,820.75)	16.96	(21,774.87 -45,803.84)	23.02
		(21,755.41 -45,816.14)	6.42	(21,749.97 -45,819.55)	10.90		
53	862	(1/ 2)					
		(21,749.97 -45,819.55)	6.42	(21,755.41 -45,816.14)	12.68	(21,751.59 -45,804.05)	1.79
		(21,750.02 -45,804.90)	14.65				
53	861- 3	(1/ 4)					
		(21,750.02 -45,804.90)	1.79	(21,751.59 -45,804.05)	4.26	(21,750.28 -45,800.00)	0.28
		(21,750.00 -45,800.00)	4.90				
53	866- 3	(1/ 3)					
		(21,750.28 -45,800.00)	4.26	(21,751.59 -45,804.05)	12.68	(21,755.41 -45,816.14)	23.02
		(21,774.87 -45,803.84)	3.34	(21,774.31 -45,800.55)	0.64	(21,773.98 -45,800.00)	23.70
53	001- 3						
		(21,773.98 -45,800.00)	0.64	(21,774.31 -45,800.55)	4.12	(21,777.94 -45,802.50)	23.48
		(21,796.59 -45,816.76)	20.37	(21,812.86 -45,829.01)	7.51	(21,817.97 -45,823.51)	16.52
		(21,804.74 -45,813.61)	7.94	(21,798.49 -45,808.71)	9.74	(21,790.64 -45,802.94)	4.66
		(21,787.03 -45,800.00)	13.05				
53	872- 7	(1/ 2)					

地区 ..003

作業 .. 20

原図番号 .. N1 31-1

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -46,000.00

測定 年 4 月 27 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

53	872-	(@ 21,787.03 6 (1/ 2)	-45,800.00)	4.66	(21,790.64	-45,802.94)	2.98	(21,790.08	-45,800.01)	3.05
		(@ 21,790.08 (21,801.20	-45,800.01) -45,808.31)	2.98 10.21	(21,790.64 (21,807.22	-45,802.94) -45,800.06)	9.74 17.14	(21,798.49	-45,808.71)	2.74
53	872-	5 (1/ 2)								
		(@ 21,807.22 (21,804.74	-45,800.06) -45,813.61)	10.21 2.63	(21,801.20 (21,804.32	-45,808.31) -45,811.01)	2.74 13.44	(21,798.49 (21,812.12	-45,808.71) -45,800.06)	7.94 4.90
53	873-	5 (1/ 2)								
		(@ 21,812.12 (21,816.95	-45,800.06) -45,809.71)	13.44 3.18	(21,804.32 (21,818.35	-45,811.01) -45,812.56)	2.63 6.62	(21,804.74 (21,822.24	-45,813.61) -45,817.92)	12.82 2.88
		(21,823.57 (21,832.96	-45,815.36) -45,800.46)	3.72 2.82	(21,825.32 (21,830.17	-45,812.08) -45,800.06)	11.22 18.05	(21,830.92	-45,802.36)	2.79
53	873-	2 (1/ 2)								
		(@ 21,830.17	-45,800.06)	2.82	(21,832.96	-45,800.46)	0.50	(21,833.32	-45,800.11)	3.15
54	002-	1								
		(21,833.32	-45,800.11)	0.50	(21,832.96	-45,800.46)	2.79	(21,830.92	-45,802.36)	11.22
		(21,825.32	-45,812.08)	3.72	(21,823.57	-45,815.36)	2.88	(21,822.24	-45,817.92)	7.03
		(21,817.97	-45,823.51)	3.04	(21,820.42	-45,825.31)	10.16	(21,827.07	-45,817.63)	6.64
		(21,829.97	-45,811.66)	6.63	(21,832.94	-45,805.73)	3.20	(21,834.77	-45,803.11)	4.44
		(@ 21,838.02	-45,800.09)	4.70						
54	874-	1 (1/ 2)								
		(@ 21,838.02	-45,800.09)	4.44	(21,834.77	-45,803.11)	3.20	(21,832.94	-45,805.73)	18.95
		(21,848.05	-45,817.16)	23.78	(21,835.26	-45,837.21)	20.82	(21,851.87	-45,849.76)	7.13
		(21,854.02	-45,842.96)	5.91	(21,855.57	-45,837.26)	3.25	(21,856.47	-45,834.14)	3.87
		(21,857.50	-45,830.41)	4.54	(21,858.72	-45,826.04)	8.88	(21,861.87	-45,817.74)	7.71
		(21,864.75	-45,810.59)	5.27	(21,867.17	-45,805.91)	3.31	(21,869.22	-45,803.31)	1.92
		(21,870.70	-45,802.09)	2.22	(21,872.82	-45,801.42)	1.44	(21,874.26	-45,801.43)	1.31
		(21,874.27	-45,800.12)	36.25						
54	002-	2								
		(@ 21,874.27	-45,800.12)	1.31	(21,874.26	-45,801.43)	5.54	(21,873.67	-45,806.94)	21.93
		(21,868.97	-45,828.36)	0.52	(21,869.24	-45,828.80)	2.40	(21,870.61	-45,830.77)	0.76
		(21,871.05	-45,831.39)	14.71	(21,885.39	-45,834.65)	15.01	(21,900.02	-45,837.99)	1.40
		(21,900.00	-45,836.59)	29.36	(21,871.32	-45,830.29)	1.79	(21,870.47	-45,828.72)	10.10
		(21,873.60	-45,819.12)	12.28	(21,876.07	-45,807.09)	7.02	(21,876.87	-45,800.12)	2.60
54	887-	1 (3/ 4)								
		(@ 21,876.87	-45,800.12)	7.02	(21,876.07	-45,807.09)	12.28	(21,873.60	-45,819.12)	10.10
		(21,870.47	-45,828.72)	1.79	(21,871.32	-45,830.29)	29.36	(21,900.00	-45,836.59)	36.42
		(21,900.02	-45,800.17)	23.15						
54	886-	1 (2/ 2)								
		(21,900.02	-45,837.99)	15.01	(@ 21,885.39	-45,834.65)	35.07	(21,876.23	-45,868.50)	20.32
		(21,892.28	-45,880.97)	17.03	(21,895.07	-45,864.17)	0.33	(21,894.77	-45,864.04)	20.50
		(21,898.52	-45,843.89)	5.55	(21,900.00	-45,838.54)	0.55			
54	893	(2/ 2)								
		(@ 21,899.99	-45,846.57)	1.36	(21,899.59	-45,847.87)	5.14	(21,898.74	-45,852.94)	7.91
		(21,898.09	-45,860.82)	1.91	(21,898.97	-45,862.52)	1.16	(21,900.02	-45,863.02)	16.45
54	002-	3								
		(21,900.02	-45,863.02)	1.16	(21,898.97	-45,862.52)	1.91	(21,898.09	-45,860.82)	7.91
		(21,898.74	-45,852.94)	5.14	(21,899.59	-45,847.87)	1.36	(21,899.99	-45,846.57)	8.03
		(@ 21,900.00	-45,838.54)	5.55	(21,898.52	-45,843.89)	20.50	(21,894.77	-45,864.04)	0.33
		(21,895.07	-45,864.17)	5.07	(21,900.02	-45,865.27)	2.25			
54	894-	1 (2/ 2)								
		(21,900.02	-45,865.27)	5.07	(@ 21,895.07	-45,864.17)	17.03	(21,892.28	-45,880.97)	9.75

地区 ..003

作業 .. 20

原図番号 .. N1 31-1

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -46,000.00

測定 年 4 月 27 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

54	894-1	(21,900.01 -45,886.92)	21.65								
		(21,900.01 -45,886.92)	9.75	(21,892.28 -45,880.97)	20.32	(21,876.23 -45,868.50)	16.96				
		(21,862.83 -45,858.11)	2.06	(21,861.30 -45,856.73)	11.73	(21,851.87 -45,849.76)	20.82				
		(21,835.26 -45,837.21)	19.02	(21,820.42 -45,825.31)	3.04	(21,817.97 -45,823.51)	7.51				
		(21,812.86 -45,829.01)	4.58	(21,816.62 -45,831.62)	12.82	(21,826.69 -45,839.56)	48.92				
54	894-3	(21,865.38 -45,869.50)	32.34	(21,891.16 -45,889.02)	11.19	(21,900.01 -45,895.87)	8.95				
		(21,900.01 -45,895.87)	11.19	(21,891.16 -45,889.02)	8.73	(21,889.64 -45,897.62)	11.08				
		(21,887.63 -45,908.52)	8.52	(21,895.91 -45,910.52)	0.70	(21,896.16 -45,909.87)	4.05				
54	895	(21,900.01 -45,911.12)	15.25								
		(21,900.01 -45,911.12)	4.05	(21,896.16 -45,909.87)	0.70	(21,895.91 -45,910.52)	4.63				
		(21,894.89 -45,915.04)	16.77	(21,896.09 -45,931.77)	3.93	(21,899.98 -45,931.22)	20.10				
54	885-1	(21,872.00 -45,906.77)	6.76	(21,878.76 -45,907.02)	9.00	(21,887.63 -45,908.52)	11.08				
		(21,889.64 -45,897.62)	8.73	(21,891.16 -45,889.02)	32.34	(21,865.38 -45,869.50)	14.72				
		(21,856.25 -45,881.05)	3.98	(21,858.79 -45,884.11)	3.16	(21,860.51 -45,886.76)	5.18				
54	884-3	(21,862.89 -45,891.36)	5.06	(21,865.39 -45,895.76)	7.22	(21,869.41 -45,901.76)	5.64				
		(21,869.41 -45,901.76)	7.22	(21,865.39 -45,895.76)	5.06	(21,862.89 -45,891.36)	5.18				
		(21,860.51 -45,886.76)	3.16	(21,858.79 -45,884.11)	3.98	(21,856.25 -45,881.05)	7.04				
		(21,851.23 -45,876.11)	15.66	(21,840.13 -45,887.16)	7.71	(21,845.59 -45,892.61)	2.54				
		(21,847.56 -45,891.01)	6.62	(21,851.56 -45,896.29)	11.75	(21,843.56 -45,904.90)	3.28				
		(21,845.86 -45,907.24)	16.57	(21,857.16 -45,919.36)	3.40	(21,859.68 -45,921.64)	3.98				
		(21,862.68 -45,924.26)	4.62	(21,866.31 -45,927.11)	2.53	(21,868.36 -45,928.59)	2.42				
		(21,870.51 -45,929.69)	0.59	(21,870.92 -45,929.27)	16.60	(21,872.74 -45,912.77)	3.55				
		(21,872.74 -45,909.22)	1.24	(21,872.44 -45,908.02)	1.33	(21,872.00 -45,906.77)	5.64				
54	883-1	(21,872.00 -45,906.77)	1.33	(21,872.44 -45,908.02)	1.24	(21,872.74 -45,909.22)	3.55				
		(21,872.74 -45,912.77)	16.60	(21,870.92 -45,929.27)	4.73	(21,875.16 -45,931.37)	6.43				
		(21,881.11 -45,933.82)	6.18	(21,887.12 -45,935.27)	2.37	(21,889.46 -45,934.87)	7.32				
		(21,896.09 -45,931.77)	16.77	(21,894.89 -45,915.04)	4.63	(21,895.91 -45,910.52)	8.52				
		(21,887.63 -45,908.52)	9.00	(21,878.76 -45,907.02)	6.76						
54	001-2	(21,887.12 -45,935.27)	6.18	(21,881.11 -45,933.82)	6.43	(21,875.16 -45,931.37)	4.73				
		(21,870.92 -45,929.27)	0.59	(21,870.51 -45,929.69)	2.42	(21,868.36 -45,928.59)	2.53				
		(21,866.31 -45,927.11)	4.62	(21,862.68 -45,924.26)	3.98	(21,859.68 -45,921.64)	3.40				
		(21,857.16 -45,919.36)	16.57	(21,845.86 -45,907.24)	3.28	(21,843.56 -45,904.90)	14.97				
		(21,832.78 -45,894.51)	18.20	(21,820.41 -45,881.16)	10.11	(21,814.28 -45,873.12)	2.10				
		(21,812.72 -45,874.52)	9.92	(21,818.84 -45,882.33)	18.20	(21,831.21 -45,895.68)	38.42				
		(21,858.46 -45,922.76)	1.76	(21,859.83 -45,923.86)	6.75	(21,865.23 -45,927.91)	5.83				
		(21,870.03 -45,931.22)	4.34	(21,873.91 -45,933.17)	4.94	(21,878.36 -45,935.32)	8.44				
		(21,886.47 -45,937.67)	2.49								
54	002-5	(21,886.47 -45,937.67)	8.44	(21,878.36 -45,935.32)	4.94	(21,873.91 -45,933.17)	4.34				
		(21,870.03 -45,931.22)	5.83	(21,865.23 -45,927.91)	6.75	(21,859.83 -45,923.86)	1.76				
		(21,858.46 -45,922.76)	38.42	(21,831.21 -45,895.68)	6.97	(21,826.09 -45,900.41)	0.92				
		(21,825.21 -45,900.68)	21.73	(21,808.03 -45,887.37)	1.84	(21,807.96 -45,889.21)	22.08				
		(21,824.65 -45,903.67)	1.61	(21,826.26 -45,903.58)	7.39	(21,831.49 -45,898.36)	7.95				
		(21,837.11 -45,903.98)	16.27	(21,848.69 -45,915.41)	9.24	(21,855.11 -45,922.05)	14.75				
		(21,866.71 -45,931.16)	6.36	(21,872.28 -45,934.24)	5.16	(21,876.86 -45,936.62)	4.64				

地区 ..003 作業 .. 20 原図番号 .. N1 31-1 縮尺 ..1/ 500 基準点 ..X 21,750.00..Y -46,000.00 測定 年 4 月 27 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

54	881-	2	(21,881.31 -45,937.92)	2.27	(21,883.52 -45,938.42)	3.04			
			(21,842.02 -45,939.55)	0.66	(21,842.31 -45,940.14)	28.45	(21,870.73 -45,938.92)	4.74	
			(21,875.38 -45,939.82)	4.40	(21,879.78 -45,939.77)	3.98	(21,883.52 -45,938.42)	2.27	
			(21,881.31 -45,937.92)	4.64	(21,876.86 -45,936.62)	5.16	(21,872.28 -45,934.24)	6.36	
			(21,866.71 -45,931.16)	14.75	(21,855.11 -45,922.05)	8.91	(21,849.76 -45,929.18)	12.94	
54	882-	2	(21,849.76 -45,929.18)	8.91	(21,855.11 -45,922.05)	9.24	(21,848.69 -45,915.41)	16.27	
			(21,837.11 -45,903.98)	8.61	(21,830.91 -45,909.95)	26.93			
54	882-	1	(21,830.91 -45,909.95)	8.61	(21,837.11 -45,903.98)	7.95	(21,831.49 -45,898.36)	7.39	
			(21,826.26 -45,903.58)	1.61	(21,824.65 -45,903.67)	8.87			
54	880		(21,825.21 -45,900.68)	0.92	(21,826.09 -45,900.41)	6.97	(21,831.21 -45,895.68)	18.20	
			(21,818.84 -45,882.33)	9.92	(21,812.72 -45,874.52)	4.24	(21,810.87 -45,878.33)	3.53	
			(21,809.61 -45,881.63)	3.95	(21,808.54 -45,885.43)	2.01	(21,808.03 -45,887.37)	21.73	
54	881-	1	(21,830.91 -45,909.95)	8.87	(21,824.65 -45,903.67)	22.08	(21,807.96 -45,889.21)	7.00	
			(21,808.04 -45,896.21)	3.33	(21,808.34 -45,899.53)	3.83	(21,809.19 -45,903.26)	6.51	
			(21,811.01 -45,909.51)	4.75	(21,815.61 -45,908.33)	1.22	(21,816.61 -45,909.03)	4.74	
			(21,819.99 -45,912.36)	30.70	(21,840.18 -45,935.49)	4.46	(21,842.02 -45,939.55)	12.94	
			(21,849.76 -45,929.18)	26.93					
54	884-	1	(21,832.78 -45,894.51)	14.97	(21,843.56 -45,904.90)	11.75	(21,851.56 -45,896.29)	6.62	
			(21,847.56 -45,891.01)	2.54	(21,845.59 -45,892.61)	7.71	(21,840.13 -45,887.16)	10.39	
54	879		(21,840.13 -45,887.16)	15.66	(21,851.23 -45,876.11)	0.83	(21,850.62 -45,875.54)	1.94	
			(21,848.94 -45,874.56)	3.62	(21,845.72 -45,872.91)	1.75	(21,844.09 -45,872.26)	4.54	
			(21,839.77 -45,870.86)	4.10	(21,835.82 -45,869.76)	4.63	(21,831.34 -45,868.61)	11.59	
			(21,820.07 -45,865.92)	0.45	(21,819.87 -45,866.32)	0.38	(21,819.69 -45,866.66)	8.43	
			(21,814.28 -45,873.12)	10.11	(21,820.41 -45,881.16)	18.20	(21,832.78 -45,894.51)	10.39	
54	002-	4	(21,799.07 -45,840.86)	1.34	(21,798.02 -45,841.69)	21.76	(21,811.49 -45,858.78)	5.17	
			(21,815.07 -45,862.51)	3.12	(21,817.42 -45,864.56)	3.02	(21,819.87 -45,866.32)	0.45	
			(21,820.07 -45,865.92)	0.53	(21,820.22 -45,865.41)	2.74	(21,817.87 -45,864.01)	3.03	
			(21,815.64 -45,861.96)	4.70	(21,812.62 -45,858.36)	22.13			
54	876-	3	(21,812.62 -45,858.36)	4.70	(21,815.64 -45,861.96)	3.03	(21,817.87 -45,864.01)	2.74	
			(21,820.22 -45,865.41)	0.53	(21,820.07 -45,865.92)	11.59	(21,831.34 -45,868.61)	4.63	
			(21,835.82 -45,869.76)	4.10	(21,839.77 -45,870.86)	4.54	(21,844.09 -45,872.26)	1.75	
			(21,845.72 -45,872.91)	3.62	(21,848.94 -45,874.56)	1.94	(21,850.62 -45,875.54)	0.83	
			(21,851.23 -45,876.11)	7.04	(21,856.25 -45,881.05)	14.72	(21,865.38 -45,869.50)	48.92	
			(21,826.69 -45,839.56)	23.48					
53	865-	2	(21,777.94 -45,802.50)	1.48	(21,776.90 -45,803.55)	16.08	(21,777.92 -45,819.60)	6.59	
			(21,784.00 -45,817.05)	6.25	(21,789.95 -45,815.15)	1.93	(21,791.87 -45,815.31)	4.94	
			(21,796.59 -45,816.76)	23.48					
53	864-	3	(21,796.59 -45,816.76)	4.94	(21,791.87 -45,815.31)	1.93	(21,789.95 -45,815.15)	6.25	
			(21,784.00 -45,817.05)	6.59	(21,777.92 -45,819.60)	26.72	(21,779.52 -45,846.27)	10.57	
			(21,789.34 -45,842.35)	7.85	(21,796.17 -45,838.48)	14.81	(21,809.47 -45,831.96)	4.49	
			(21,812.86 -45,829.01)	20.37					

地区 ..003

作業 .. 20

原図番号 .. N1 31-1

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -46,000.00 測定 年 4 月 27 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

54	002- 6	(a 21,812.86 -45,829.01)	4.49	(21,809.47 -45,831.96)	14.81	(21,796.17 -45,838.48)	7.85
	B(21,789.34 -45,842.35)	10.57	C(21,779.52 -45,846.27)	1.15	D(21,779.58 -45,847.42)	4.39	
	E(21,780.57 -45,851.70)	9.09	F(21,788.77 -45,847.78)	11.07	G(21,798.02 -45,841.69)	1.34	
	(21,799.07 -45,840.86)	13.57	(21,811.62 -45,835.71)	2.32	(21,813.60 -45,834.51)	4.18	
	(21,816.62 -45,831.62)	4.58					
54	875- 3	(a 21,816.62 -45,831.62)	4.18	(21,813.60 -45,834.51)	2.32	(21,811.62 -45,835.71)	13.57
	(21,799.07 -45,840.86)	22.13	(21,812.62 -45,858.36)	23.48	(21,826.69 -45,839.56)	12.82	
54	885- 3	(21,876.23 -45,868.50)	35.07	(21,885.39 -45,834.65)	14.71	(21,871.05 -45,831.39)	0.76
	(a 21,870.61 -45,830.77)	28.43	(21,862.83 -45,858.11)	16.96			
54	885- 6	(21,862.83 -45,858.11)	28.43	(21,870.61 -45,830.77)	2.40	(a 21,869.24 -45,828.80)	29.04
	(21,861.30 -45,856.73)	2.06					
54	878- 1	(21,861.30 -45,856.73)	29.04	(21,869.24 -45,828.80)	0.52	(21,868.97 -45,828.36)	21.93
	(21,873.67 -45,806.94)	5.54	(21,874.26 -45,801.43)	1.44	(a 21,872.82 -45,801.42)	2.22	
	(21,870.70 -45,802.09)	1.92	(21,869.22 -45,803.31)	3.31	(21,867.17 -45,805.91)	5.27	
	(21,864.75 -45,810.59)	7.71	(21,861.87 -45,817.74)	8.88	(21,858.72 -45,826.04)	4.54	
	(21,857.50 -45,830.41)	3.87	(21,856.47 -45,834.14)	3.25	(21,855.57 -45,837.26)	5.91	
	(21,854.02 -45,842.96)	7.13	(21,851.87 -45,849.76)	11.73			
54	874- 2	(21,835.26 -45,837.21)	23.78	(21,848.05 -45,817.16)	18.95	(a 21,832.94 -45,805.73)	6.63
	(21,829.97 -45,811.66)	6.64	(21,827.07 -45,817.63)	10.16	(21,820.42 -45,825.31)	19.02	
53	864- 1	(21,817.97 -45,823.51)	7.03	(21,822.24 -45,817.92)	6.62	(21,818.35 -45,812.56)	3.18
	(a 21,816.95 -45,809.71)	12.82	(21,804.74 -45,813.61)	16.52			
53	864- 6	(a 21,776.11 -45,820.75)	13.79	(21,763.32 -45,825.90)	4.25	(21,759.32 -45,827.35)	9.82
	(21,750.07 -45,830.64)	20.07	(21,758.50 -45,848.85)	0.21	(21,758.69 -45,848.75)	18.99	
	(21,777.47 -45,845.93)	25.22					