

地区 ..003 作業 .. 21 原図番号 .. N1 31-2 縮尺 ..1/ 500 基準点 ..X 21,750.00..Y -45,800.00 測定 年 4 月 28 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,750.00 -45,800.00)	50.00	(21,800.00 -45,799.99)	50.10	(21,850.10 -45,800.03)	49.92
		(21,900.02 -45,800.11)	50.00	(21,900.04 -45,750.11)	49.95	(21,900.02 -45,700.16)	50.00
		(21,900.01 -45,650.16)	50.02	(21,900.05 -45,600.14)	50.00	(21,850.05 -45,600.07)	49.95
		(21,800.10 -45,600.04)	50.10	(21,750.00 -45,600.00)	50.00	(21,750.01 -45,650.00)	49.95
		(21,750.03 -45,699.95)	50.05	(21,749.99 -45,750.00)	50.00		
53	861-	3 (2/ 4)					
		(21,750.00 -45,800.00)	0.27	(21,750.27 -45,800.00)	0.69	(21,750.05 -45,799.35)	0.65
53	866-	3 (2/ 3)					
		(21,750.05 -45,799.35)	0.69	(21,750.27 -45,800.00)	23.70	(21,773.97 -45,800.02)	1.73
		(21,773.03 -45,798.57)	28.87	(21,750.04 -45,781.10)	18.25		
53	001-	5					
		(21,750.04 -45,781.10)	28.87	(21,773.03 -45,798.57)	1.73	(21,773.97 -45,800.02)	13.20
		(21,787.17 -45,800.03)	3.50	(21,784.40 -45,797.89)	9.78	(21,776.62 -45,791.97)	10.72
		(21,768.31 -45,785.20)	22.96	(21,750.07 -45,771.25)	9.85		
53	866-	1 (1/ 2)					
		(21,750.07 -45,771.25)	22.96	(21,768.31 -45,785.20)	3.00	(21,769.29 -45,782.36)	32.40
		(21,766.75 -45,750.06)	12.11	(21,754.77 -45,751.82)	2.57	(21,752.24 -45,752.25)	2.29
		(21,749.99 -45,752.70)	18.55				
53	860-	6 (1/ 2)					
		(21,749.99 -45,752.70)	2.29	(21,752.24 -45,752.25)	2.57	(21,754.77 -45,751.82)	38.47
		(21,754.90 -45,713.35)	4.83	(21,750.07 -45,713.15)	39.55		
53	859	(1/ 2)					
		(21,750.07 -45,713.15)	4.83	(21,754.90 -45,713.35)	13.29	(21,768.18 -45,713.96)	25.89
		(21,769.28 -45,688.09)	14.78	(21,770.33 -45,673.35)	20.30	(21,750.05 -45,672.40)	40.75
59	950-	1 (1/ 2)					
		(21,750.05 -45,672.40)	20.30	(21,770.33 -45,673.35)	8.85	(21,771.04 -45,664.53)	0.96
		(21,771.13 -45,663.57)	25.95	(21,772.91 -45,637.68)	22.86	(21,750.07 -45,636.65)	35.75
59	950-	2 (1/ 2)					
		(21,750.07 -45,636.65)	22.86	(21,772.91 -45,637.68)	1.07	(21,773.42 -45,636.74)	24.48
		(21,775.26 -45,612.33)	3.67	(21,773.14 -45,609.34)	5.87	(21,768.50 -45,605.75)	18.54
		(21,750.07 -45,607.75)	28.90				
65	1040	(1/ 4)					
		(21,750.00 -45,600.00)	3.15	(21,750.02 -45,603.15)	1.49	(21,751.51 -45,603.04)	3.08
		(21,752.00 -45,600.00)	2.00				
65	1041-	1 (1/ 3)					
		(21,752.00 -45,600.00)	3.08	(21,751.51 -45,603.04)	13.16	(21,764.60 -45,601.66)	1.71
		(21,765.05 -45,600.01)	13.05				
65	001-	9					
		(21,765.05 -45,600.01)	1.71	(21,764.60 -45,601.66)	13.16	(21,751.51 -45,603.04)	1.49
		(21,750.02 -45,603.15)	4.60	(21,750.07 -45,607.75)	18.54	(21,768.50 -45,605.75)	3.70
		(21,770.40 -45,602.58)	2.54	(21,770.25 -45,600.04)	5.20		
66	002-	4					
		(21,770.25 -45,600.04)	2.54	(21,770.40 -45,602.58)	18.10	(21,785.09 -45,613.15)	3.14
		(21,787.89 -45,614.58)	21.51	(21,804.40 -45,628.37)	3.89	(21,806.73 -45,631.49)	8.87
		(21,810.17 -45,639.67)	5.78	(21,811.47 -45,645.30)	2.53	(21,811.86 -45,647.80)	3.47
		(21,812.44 -45,651.22)	5.45	(21,813.16 -45,656.62)	4.74	(21,813.84 -45,661.31)	0.69
		(21,814.53 -45,661.25)	10.42	(21,813.29 -45,650.90)	3.10	(21,812.71 -45,647.85)	2.64
		(21,812.24 -45,645.25)	1.05	(21,812.04 -45,644.22)	4.94	(21,810.75 -45,639.45)	9.06
		(21,807.25 -45,631.09)	3.98	(21,804.85 -45,627.92)	21.71	(21,788.16 -45,614.03)	2.94
		(21,785.58 -45,612.63)	0.39	(21,785.28 -45,612.38)	17.54	(21,771.05 -45,602.12)	2.10
		(21,770.95 -45,600.02)	0.70				

地区 ..003

作業 .. 21

原図番号 .. N1 31-2

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -45,800.00

測定 年 4 月 28 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

66	1066-	1	(1/ 2)										
		(@	21,770.95	-45,600.02)	2.10	(	21,771.05	-45,602.12)	17.54	(	21,785.28	-45,612.38)	14.83
		(	21,798.62	-45,605.89)	12.11	(	21,809.46	-45,600.49)	0.48	(	21,809.30	-45,600.04)	38.35
66	1067-	2	(1/ 2)										
		(@	21,809.30	-45,600.04)	0.48	(	21,809.46	-45,600.49)	1.20	(	21,809.94	-45,601.59)	1.51
		(	21,810.20	-45,600.10)	0.90								
66	1067-	1	(1/ 2)										
		(	21,810.20	-45,600.10)	1.51	(	21,809.94	-45,601.59)	3.74	(@	21,813.35	-45,600.05)	3.15
66	1066-	3											
		(@	21,809.46	-45,600.49)	12.11	(	21,798.62	-45,605.89)	14.83	(	21,785.28	-45,612.38)	0.39
		(	21,785.58	-45,612.63)	26.74	(	21,809.94	-45,601.59)	1.20				
66	012-	1	(1/ 2)										
		(@	21,813.35	-45,600.05)	3.74	(	21,809.94	-45,601.59)	26.74	(	21,785.58	-45,612.63)	2.94
		(	21,788.16	-45,614.03)	21.71	(	21,804.85	-45,627.92)	3.98	(	21,807.25	-45,631.09)	9.06
		(	21,810.75	-45,639.45)	4.94	(	21,812.04	-45,644.22)	1.05	(	21,812.24	-45,645.25)	2.64
		(	21,812.71	-45,647.85)	3.10	(	21,813.29	-45,650.90)	10.42	(	21,814.53	-45,661.25)	0.69
		(	21,813.84	-45,661.31)	4.34	(	21,814.90	-45,665.52)	1.89	(	21,815.39	-45,667.35)	8.46
		(	21,823.13	-45,663.93)	5.45	(	21,828.38	-45,662.48)	5.32	(	21,833.40	-45,660.71)	4.75
		(	21,838.03	-45,659.67)	3.38	(	21,841.38	-45,659.24)	1.90	(	21,843.28	-45,659.29)	6.22
		(	21,848.87	-45,662.02)	8.35	(	21,853.66	-45,655.18)	0.91	(	21,854.18	-45,654.43)	13.91
		(	21,861.47	-45,642.58)	4.30	(	21,863.05	-45,638.58)	4.46	(	21,863.30	-45,634.13)	0.69
		(	21,862.70	-45,633.78)	14.47	(	21,853.58	-45,622.55)	4.66	(	21,850.69	-45,618.90)	15.95
		(	21,843.25	-45,604.79)	5.32	(	21,840.80	-45,600.07)	27.45				
66	002-	3											
		(@	21,840.80	-45,600.07)	5.32	(	21,843.25	-45,604.79)	15.95	(	21,850.69	-45,618.90)	4.66
		(	21,853.58	-45,622.55)	14.47	(	21,862.70	-45,633.78)	0.69	(	21,863.30	-45,634.13)	1.57
		(	21,863.79	-45,632.64)	1.57	(	21,862.33	-45,632.06)	12.78	(	21,854.41	-45,622.03)	4.50
		(	21,851.56	-45,618.55)	15.98	(	21,844.10	-45,604.42)	4.87	(	21,841.90	-45,600.07)	1.10
66	001-	2											
		(@	21,841.90	-45,600.07)	4.87	(	21,844.10	-45,604.42)	15.98	(	21,851.56	-45,618.55)	4.50
		(	21,854.41	-45,622.03)	12.78	(	21,862.33	-45,632.06)	1.57	(	21,863.79	-45,632.64)	1.00
		(	21,864.13	-45,631.70)	0.28	(	21,863.85	-45,631.69)	0.91	(	21,863.00	-45,631.36)	12.75
		(	21,855.11	-45,621.35)	4.50	(	21,852.19	-45,617.93)	9.51	(	21,847.76	-45,609.52)	6.19
		(	21,844.92	-45,604.02)	4.44	(	21,842.90	-45,600.07)	1.00				
66	1074		(1/ 2)										
		(@	21,842.90	-45,600.07)	4.44	(	21,844.92	-45,604.02)	6.19	(	21,847.76	-45,609.52)	17.66
		(	21,863.71	-45,601.95)	1.92	(	21,863.27	-45,600.08)	20.37				
66	1077		(3/ 4)										
		(	21,900.05	-45,600.14)	34.33	(@	21,865.72	-45,600.14)	7.74	(	21,867.32	-45,607.71)	8.60
		(	21,870.94	-45,615.51)	29.11	(	21,900.04	-45,616.16)	16.02				
66	1079		(2/ 2)										
		(	21,900.04	-45,616.16)	29.11	(@	21,870.94	-45,615.51)	19.28	(	21,879.33	-45,632.87)	3.60
		(	21,881.55	-45,635.70)	3.02	(	21,883.95	-45,637.53)	3.53	(	21,887.30	-45,638.63)	7.11
		(	21,894.32	-45,639.76)	5.78	(	21,900.07	-45,640.36)	24.20				
66	002-	1											
		(	21,900.07	-45,640.36)	5.78	(	21,894.32	-45,639.76)	7.11	(	21,887.30	-45,638.63)	3.53
		(	21,883.95	-45,637.53)	3.02	(	21,881.55	-45,635.70)	3.60	(	21,879.33	-45,632.87)	19.28
		(	21,870.94	-45,615.51)	8.60	(	21,867.32	-45,607.71)	7.74	(	21,865.72	-45,600.14)	2.45
		(@	21,863.27	-45,600.08)	1.92	(	21,863.71	-45,601.95)	6.60	(	21,865.04	-45,608.41)	3.07
		(	21,865.94	-45,611.34)	9.48	(	21,868.88	-45,620.35)	5.29	(	21,871.62	-45,624.88)	2.04
		(	21,873.43	-45,625.82)	4.23	(	21,874.88	-45,629.79)	8.01	(	21,876.57	-45,637.62)	0.57
		(	21,876.95	-45,638.05)	4.53	(	21,881.22	-45,639.55)	3.19	(	21,884.27	-45,640.48)	11.74

地区 ..003

作業 .. 21

原図番号 .. N1 31-2

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -45,800.00

測定 年 4 月 28 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

66	001-	1	(21,895.87 -45,642.31)	4.15	(21,900.02 -45,642.46)	2.10			
			(21,900.02 -45,642.46)	4.15	(21,895.87 -45,642.31)	11.74	(21,884.27 -45,640.48)	3.19	
			(21,881.22 -45,639.55)	4.53	(21,876.95 -45,638.05)	0.57	(21,876.57 -45,637.62)	8.01	
			(21,874.88 -45,629.79)	4.23	(21,873.43 -45,625.82)	2.04	(21,871.62 -45,624.88)	3.44	
			(21,869.78 -45,627.79)	3.71	(21,868.23 -45,631.16)	2.72	(21,867.19 -45,633.67)	0.61	
			(21,867.74 -45,633.94)	0.41	(21,868.12 -45,634.09)	2.32	(21,868.98 -45,631.94)	4.24	
			(21,870.75 -45,628.09)	2.21	(21,871.96 -45,626.24)	0.70	(21,872.58 -45,626.57)	3.80	
			(21,873.88 -45,630.14)	8.25	(21,875.67 -45,638.19)	1.16	(21,876.55 -45,638.94)	4.61	
			(21,880.87 -45,640.55)	3.26	(21,883.99 -45,641.48)	11.93	(21,895.79 -45,643.26)	4.29	
			(21,900.07 -45,643.51)	1.05					
57	935	(2/ 2)							
			(21,900.07 -45,643.51)	4.29	(21,895.79 -45,643.26)	11.93	(21,883.99 -45,641.48)	3.26	
			(21,880.87 -45,640.55)	4.61	(21,876.55 -45,638.94)	1.16	(21,875.67 -45,638.19)	14.00	
			(21,875.71 -45,652.19)	28.60	(21,876.09 -45,680.79)	3.78	(21,879.84 -45,681.30)	3.17	
			(21,882.86 -45,682.25)	8.50	(21,890.61 -45,685.73)	5.96	(21,896.21 -45,687.76)	3.97	
			(21,899.98 -45,689.01)	45.50					
57	001-	3							
			(21,899.98 -45,689.01)	3.97	(21,896.21 -45,687.76)	5.96	(21,890.61 -45,685.73)	8.50	
			(21,882.86 -45,682.25)	3.17	(21,879.84 -45,681.30)	3.78	(21,876.09 -45,680.79)	12.00	
			(21,864.14 -45,681.89)	2.80	(21,861.34 -45,681.93)	2.18	(21,859.21 -45,681.48)	1.58	
			(21,857.76 -45,680.86)	1.24	(21,856.76 -45,680.13)	1.26	(21,856.04 -45,679.10)	1.54	
			(21,855.34 -45,677.73)	6.33	(21,854.52 -45,671.45)	3.18	(21,855.52 -45,668.43)	5.43	
			(21,858.88 -45,664.16)	2.79	(21,859.80 -45,661.53)	2.58	(21,859.23 -45,659.01)	3.65	
			(21,856.81 -45,656.28)	1.45	(21,855.99 -45,657.48)	3.17	(21,857.80 -45,660.08)	1.49	
			(21,858.15 -45,661.53)	1.83	(21,857.60 -45,663.28)	5.30	(21,854.30 -45,667.43)	3.60	
			(21,851.55 -45,669.76)	3.34	(21,852.56 -45,672.94)	7.93	(21,853.87 -45,680.76)	2.76	
			(21,856.24 -45,682.18)	4.38	(21,860.34 -45,683.73)	2.94	(21,863.26 -45,684.08)	2.93	
			(21,866.19 -45,683.99)	9.48	(21,875.61 -45,682.94)	2.14	(21,877.75 -45,683.05)	0.87	
			(21,878.61 -45,682.95)	4.03	(21,882.44 -45,684.20)	6.26	(21,888.13 -45,686.80)	9.15	
			(21,896.68 -45,690.06)	3.53	(21,900.03 -45,691.16)	2.15			
57	925	(2/ 2)							
			(21,900.03 -45,691.16)	3.53	(21,896.68 -45,690.06)	9.15	(21,888.13 -45,686.80)	6.26	
			(21,882.44 -45,684.20)	4.03	(21,878.61 -45,682.95)	0.87	(21,877.75 -45,683.05)	14.43	
			(21,878.70 -45,697.45)	3.11	(21,878.90 -45,700.55)	3.90	(21,879.00 -45,704.45)	4.20	
			(21,878.82 -45,708.65)	4.88	(21,878.51 -45,713.52)	4.65	(21,878.06 -45,718.15)	8.49	
			(21,877.21 -45,726.60)	22.80	(21,900.00 -45,727.26)	36.10			
57	919	(2/ 2)							
			(21,900.00 -45,727.26)	22.80	(21,877.21 -45,726.60)	16.30	(21,860.91 -45,726.43)	40.42	
			(21,867.34 -45,766.34)	32.69	(21,900.02 -45,767.06)	39.80			
57	918	(2/ 2)							
			(21,900.02 -45,767.06)	32.69	(21,867.34 -45,766.34)	7.07	(21,868.24 -45,773.35)	32.24	
			(21,900.07 -45,778.46)	11.40					
54	887-	2 (2/ 2)							
			(21,900.07 -45,778.46)	32.24	(21,868.24 -45,773.35)	4.03	(21,868.82 -45,777.34)	4.26	
			(21,873.02 -45,778.04)	27.46	(21,900.04 -45,782.94)	4.48			
54	887-	1 (4/ 4)							
			(21,900.02 -45,800.11)	13.37	(21,900.03 -45,786.74)	26.97	(21,873.51 -45,781.84)	1.27	
			(21,872.84 -45,782.92)	6.87	(21,875.06 -45,789.42)	5.99	(21,876.80 -45,795.15)	4.40	
			(21,876.98 -45,799.55)	0.55	(21,876.95 -45,800.10)	23.07			
54	002-	7							
			(21,876.95 -45,800.10)	0.55	(21,876.98 -45,799.55)	4.40	(21,876.80 -45,795.15)	5.99	

地区..003

作業.. 21 原図番号.. N1 31-2

縮尺..1/ 500

基準点..X 21,750.00..Y -45,800.00 測定

年 4 月 28 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

53	871-	(21,875.06 -45,789.42)	6.87	(21,872.84 -45,782.92)	1.27	(21,873.51 -45,781.84)	4.42
		(@ 21,869.15 -45,781.09)	6.46	(21,871.28 -45,787.19)	8.65	(21,873.70 -45,795.49)	4.00
54	874- 1	(21,874.33 -45,799.44)	0.65	(21,874.35 -45,800.09)	2.60	(21,873.70 -45,795.49)	4.00
		((2/ 2)					
		(21,874.35 -45,800.09)	0.65	(21,874.33 -45,799.44)	4.00	(21,873.70 -45,795.49)	8.65
		(21,871.28 -45,787.19)	6.46	(@ 21,869.15 -45,781.09)	13.54	(21,856.04 -45,784.48)	5.86
53	871-	(21,850.34 -45,785.85)	2.92	(21,848.28 -45,787.92)	4.98	(21,845.68 -45,792.17)	4.36
		(21,842.85 -45,795.49)	6.60	(21,838.10 -45,800.07)	36.25	(21,845.68 -45,792.17)	4.36
54	002- 8	(21,838.10 -45,800.07)	6.60	(21,842.85 -45,795.49)	4.36	(21,845.68 -45,792.17)	4.98
		(21,848.28 -45,787.92)	2.92	(21,850.34 -45,785.85)	5.86	(21,856.04 -45,784.48)	13.54
		(21,869.15 -45,781.09)	4.42	(21,873.51 -45,781.84)	26.97	(21,900.03 -45,786.74)	3.80
		(21,900.04 -45,782.94)	27.46	(21,873.02 -45,778.04)	4.26	(@ 21,868.82 -45,777.34)	19.11
		(21,850.14 -45,781.35)	5.14	(21,845.76 -45,784.04)	3.00	(21,844.91 -45,786.92)	8.23
53	873- 2	(21,839.95 -45,793.49)	9.38	(21,833.25 -45,800.06)	4.85	(21,844.91 -45,786.92)	3.00
		((2/ 2)					
		(21,833.25 -45,800.06)	9.38	(21,839.95 -45,793.49)	8.23	(21,844.91 -45,786.92)	7.00
		(21,845.76 -45,784.04)	3.16	(21,842.66 -45,784.67)	4.97	(21,837.76 -45,785.52)	4.84
		(21,830.86 -45,784.34)	6.25	(@ 21,824.66 -45,783.52)	13.28	(21,820.25 -45,796.05)	3.15
53	873- 5	(21,815.44 -45,795.50)	2.85	(21,815.55 -45,798.35)	14.65	(21,830.10 -45,800.06)	0.36
		((2/ 2)					
		(21,830.10 -45,800.06)	14.65	(@ 21,815.55 -45,798.35)	3.49	(21,812.35 -45,799.75)	2.85
53	872- 5	(21,812.15 -45,800.05)	17.95		0.89	(21,810.10 -45,796.15)	4.79
		((2/ 2)					
		(21,812.15 -45,800.05)	0.36	(21,812.35 -45,799.75)	3.49	(21,815.55 -45,798.35)	2.85
		(21,815.44 -45,795.50)	4.86	(@ 21,810.58 -45,795.40)	0.89	(21,810.10 -45,796.15)	4.79
53	872- 6	(21,807.30 -45,800.04)	4.85				
		((2/ 2)					
		(21,807.30 -45,800.04)	4.79	(21,810.10 -45,796.15)	7.69	(21,802.45 -45,795.39)	8.26
53	872- 7	(@ 21,795.96 -45,790.28)	11.29	(21,790.19 -45,799.99)	0.00	(21,790.19 -45,799.99)	17.11
		((2/ 2)					
		(21,790.19 -45,799.99)	0.00	(21,790.19 -45,799.99)	11.29	(21,795.96 -45,790.28)	2.30
		(21,794.08 -45,788.96)	4.62	(21,790.31 -45,791.63)	6.66	(21,786.95 -45,797.38)	2.60
53	872- 9	(21,784.40 -45,797.89)	3.50	(21,787.17 -45,800.03)	3.02	(21,815.44 -45,795.50)	4.84
		((2/ 2)					
		(21,810.10 -45,796.15)	0.89	(21,810.58 -45,795.40)	4.86	(21,817.54 -45,782.75)	8.42
		(21,820.25 -45,796.05)	13.28	(21,824.66 -45,783.52)	7.16	(21,817.54 -45,782.75)	8.42
53	872- 8	(@ 21,809.13 -45,782.28)	14.71	(21,802.45 -45,795.39)	7.69	(21,806.91 -45,781.64)	14.77
		((2/ 2)					
		(21,802.45 -45,795.39)	14.71	(21,809.13 -45,782.28)	2.31	(@ 21,806.91 -45,781.64)	14.77
53	871- 5	(21,794.08 -45,788.96)	2.30	(21,795.96 -45,790.28)	8.26	(21,804.17 -45,779.12)	5.23
		((2/ 2)					
		(21,794.08 -45,788.96)	14.77	(21,806.91 -45,781.64)	3.72	(21,802.57 -45,768.14)	7.30
53	871- 6	(@ 21,803.13 -45,773.99)	11.15	(21,792.12 -45,775.78)	13.32	(21,791.55 -45,760.63)	2.50
		((2/ 2)					
		(21,792.12 -45,775.78)	11.15	(21,803.13 -45,773.99)	5.88	(21,802.57 -45,768.14)	7.30
		(21,803.08 -45,760.86)	2.00	(@ 21,802.75 -45,758.89)	11.33	(21,791.55 -45,760.63)	2.50
53	871- 7	(21,790.28 -45,762.78)	4.69	(21,790.96 -45,767.42)	8.44	(21,801.19 -45,749.79)	5.95
		((2/ 2)					
		(21,787.42 -45,761.08)	3.33	(21,790.28 -45,762.78)	2.50	(21,791.55 -45,760.63)	11.33
		(21,802.75 -45,758.89)	3.70	(21,802.56 -45,755.19)	5.57	(21,801.19 -45,749.79)	5.95
		(@ 21,798.49 -45,744.49)	13.72	(21,784.91 -45,746.43)	14.86	(21,798.02 -45,749.79)	5.95

地区 ..003

作業 .. 21

原図番号 .. N1 31-2

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -45,800.00

測定 年 4 月 28 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,875.06 -45,789.42)	6.87	(21,872.84 -45,782.92)	1.27	(21,873.51 -45,781.84)	4.42
		(@ 21,869.15 -45,781.09)	6.46	(21,871.28 -45,787.19)	8.65	(21,873.70 -45,795.49)	4.00
		(21,874.33 -45,799.44)	0.65	(21,874.35 -45,800.09)	2.60		
54	874- 1	(21,874.35 -45,800.09)	0.65	(21,874.33 -45,799.44)	4.00	(21,873.70 -45,795.49)	8.65
		(21,871.28 -45,787.19)	6.46	(@ 21,869.15 -45,781.09)	13.54	(21,856.04 -45,784.48)	5.86
		(21,850.34 -45,785.85)	2.92	(21,848.28 -45,787.92)	4.98	(21,845.68 -45,792.17)	4.36
		(21,842.85 -45,795.49)	6.60	(21,838.10 -45,800.07)	36.25		
54	002- 8	(21,838.10 -45,800.07)	6.60	(21,842.85 -45,795.49)	4.36	(21,845.68 -45,792.17)	4.98
		(21,848.28 -45,787.92)	2.92	(21,850.34 -45,785.85)	5.86	(21,856.04 -45,784.48)	13.54
		(21,869.15 -45,781.09)	4.42	(21,873.51 -45,781.84)	26.97	(21,900.03 -45,786.74)	3.80
		(21,900.04 -45,782.94)	27.46	(21,873.02 -45,778.04)	4.26	(@ 21,868.82 -45,777.34)	19.11
		(21,850.14 -45,781.35)	5.14	(21,845.76 -45,784.04)	3.00	(21,844.91 -45,786.92)	8.23
		(21,839.95 -45,793.49)	9.38	(21,833.25 -45,800.06)	4.85		
53	873- 2	(21,833.25 -45,800.06)	9.38	(21,839.95 -45,793.49)	8.23	(21,844.91 -45,786.92)	3.00
		(21,845.76 -45,784.04)	3.16	(21,842.66 -45,784.67)	4.97	(21,837.76 -45,785.52)	7.00
		(21,830.86 -45,784.34)	6.25	(@ 21,824.66 -45,783.52)	13.28	(21,820.25 -45,796.05)	4.84
		(21,815.44 -45,795.50)	2.85	(21,815.55 -45,798.35)	14.65	(21,830.10 -45,800.06)	3.15
53	873- 5	(21,830.10 -45,800.06)	14.65	(@ 21,815.55 -45,798.35)	3.49	(21,812.35 -45,799.75)	0.36
		(21,812.15 -45,800.05)	17.95				
53	872- 5	(21,812.15 -45,800.05)	0.36	(21,812.35 -45,799.75)	3.49	(21,815.55 -45,798.35)	2.85
		(21,815.44 -45,795.50)	4.86	(@ 21,810.58 -45,795.40)	0.89	(21,810.10 -45,796.15)	4.79
		(21,807.30 -45,800.04)	4.85				
53	872- 6	(21,807.30 -45,800.04)	4.79	(21,810.10 -45,796.15)	7.69	(21,802.45 -45,795.39)	8.26
		(@ 21,795.96 -45,790.28)	11.29	(21,790.19 -45,799.99)	0.00	(21,790.19 -45,799.99)	17.11
53	872- 7	(21,790.19 -45,799.99)	0.00	(21,790.19 -45,799.99)	11.29	(21,795.96 -45,790.28)	2.30
		(@ 21,794.08 -45,788.96)	4.62	(21,790.31 -45,791.63)	6.66	(21,786.95 -45,797.38)	2.60
		(21,784.40 -45,797.89)	3.50	(21,787.17 -45,800.03)	3.02		
53	872- 9	(21,810.10 -45,796.15)	0.89	(21,810.58 -45,795.40)	4.86	(21,815.44 -45,795.50)	4.84
		(21,820.25 -45,796.05)	13.28	(21,824.66 -45,783.52)	7.16	(21,817.54 -45,782.75)	8.42
		(@ 21,809.13 -45,782.28)	14.71	(21,802.45 -45,795.39)	7.69		
53	872- 8	(21,802.45 -45,795.39)	14.71	(21,809.13 -45,782.28)	2.31	(@ 21,806.91 -45,781.64)	14.77
		(21,794.08 -45,788.96)	2.30	(21,795.96 -45,790.28)	8.26		
53	871- 5	(21,794.08 -45,788.96)	14.77	(21,806.91 -45,781.64)	3.72	(21,804.17 -45,779.12)	5.23
		(@ 21,803.13 -45,773.99)	11.15	(21,792.12 -45,775.78)	13.32		
53	871- 6	(21,792.12 -45,775.78)	11.15	(21,803.13 -45,773.99)	5.88	(21,802.57 -45,768.14)	7.30
		(21,803.08 -45,760.86)	2.00	(@ 21,802.75 -45,758.89)	11.33	(21,791.55 -45,760.63)	2.50
		(21,790.28 -45,762.78)	4.69	(21,790.96 -45,767.42)	8.44		
53	871- 7	(21,787.42 -45,761.08)	3.33	(21,790.28 -45,762.78)	2.50	(21,791.55 -45,760.63)	11.33
		(21,802.75 -45,758.89)	3.70	(21,802.56 -45,755.19)	5.57	(21,801.19 -45,749.79)	5.95
		(@ 21,798.49 -45,744.49)	13.72	(21,784.91 -45,746.43)	14.86		

地区 ..003

作業 .. 21

原図番号 .. N1 31-2

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -45,800.00

測定 年 4 月 28 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

53	871-	8	(@ 21,784.91 -45,746.43)	13.45	(21,771.59 -45,748.28)	0.25	(21,771.36 -45,748.37)	8.52
			(21,772.01 -45,756.87)	6.49	(21,772.68 -45,763.33)	14.91	(21,787.42 -45,761.08)	14.86
53	871-	4	(21,790.96 -45,767.42)	4.69	(21,790.28 -45,762.78)	3.33	(@ 21,787.42 -45,761.08)	3.52
			(21,786.40 -45,764.45)	3.56	(21,786.87 -45,767.98)	4.13		
53	871-	9	(21,786.87 -45,767.98)	3.56	(21,786.40 -45,764.45)	3.52	(@ 21,787.42 -45,761.08)	14.91
			(21,772.68 -45,763.33)	17.94	(21,774.58 -45,781.17)	14.01	(21,788.43 -45,779.03)	11.16
53	871-	10	(@ 21,788.43 -45,779.03)	14.01	(21,774.58 -45,781.17)	4.99	(21,775.21 -45,786.12)	6.02
			(21,776.62 -45,791.97)	9.78	(21,784.40 -45,797.89)	2.60	(21,786.95 -45,797.38)	6.66
			(21,790.31 -45,791.63)	12.74				
53	871-	1	(21,790.31 -45,791.63)	4.62	(21,794.08 -45,788.96)	13.32	(21,792.12 -45,775.78)	8.44
			(@ 21,790.96 -45,767.42)	4.13	(21,786.87 -45,767.98)	11.16	(21,788.43 -45,779.03)	12.74
53	001-	6	(21,776.62 -45,791.97)	6.02	(21,775.21 -45,786.12)	4.99	(21,774.58 -45,781.17)	17.94
			(21,772.68 -45,763.33)	6.49	(21,772.01 -45,756.87)	8.52	(21,771.36 -45,748.37)	0.25
			(21,771.59 -45,748.28)	58.71	(21,774.28 -45,689.63)	24.86	(21,776.05 -45,664.83)	5.02
			(@ 21,771.04 -45,664.53)	8.85	(21,770.33 -45,673.35)	14.78	(21,769.28 -45,688.09)	25.89
			(21,768.18 -45,713.96)	36.13	(21,766.75 -45,750.06)	32.40	(21,769.29 -45,782.36)	3.00
			(21,768.31 -45,785.20)	10.72				
53	867-	1	(21,768.18 -45,713.96)	13.29	(@ 21,754.90 -45,713.35)	38.47	(21,754.77 -45,751.82)	12.11
			(21,766.75 -45,750.06)	36.13				
53	870-	1	(21,771.59 -45,748.28)	13.45	(21,784.91 -45,746.43)	13.72	(21,798.49 -45,744.49)	2.60
			(21,797.49 -45,742.09)	8.20	(21,795.85 -45,734.06)	11.29	(21,794.66 -45,722.83)	3.42
			(21,794.66 -45,719.41)	15.54	(21,795.22 -45,703.88)	13.76	(21,795.78 -45,690.13)	21.51
			(@ 21,774.28 -45,689.63)	58.71				
53	869-	1	(21,774.28 -45,689.63)	21.51	(21,795.78 -45,690.13)	8.68	(21,803.56 -45,686.29)	7.97
			(21,810.14 -45,681.80)	5.93	(21,815.37 -45,679.00)	0.78	(21,815.29 -45,678.22)	4.45
			(21,813.44 -45,674.17)	5.07	(21,810.78 -45,669.85)	3.76	(21,808.75 -45,666.68)	32.75
			(@ 21,776.05 -45,664.83)	24.86				
53	002-	9	(21,810.78 -45,669.85)	5.07	(21,813.44 -45,674.17)	4.45	(21,815.29 -45,678.22)	0.78
			(21,815.37 -45,679.00)	5.93	(21,810.14 -45,681.80)	7.97	(21,803.56 -45,686.29)	8.68
			(21,795.78 -45,690.13)	13.76	(21,795.22 -45,703.88)	15.54	(21,794.66 -45,719.41)	3.42
			(21,794.66 -45,722.83)	11.29	(21,795.85 -45,734.06)	8.20	(21,797.49 -45,742.09)	2.60
			(21,798.49 -45,744.49)	5.95	(21,801.19 -45,749.79)	5.57	(21,802.56 -45,755.19)	3.70
			(21,802.75 -45,758.89)	2.00	(21,803.08 -45,760.86)	7.30	(21,802.57 -45,768.14)	5.88
			(21,803.13 -45,773.99)	5.23	(21,804.17 -45,779.12)	3.72	(21,806.91 -45,781.64)	2.31
			(21,809.13 -45,782.28)	8.42	(21,817.54 -45,782.75)	7.16	(21,824.66 -45,783.52)	6.25
			(21,830.86 -45,784.34)	7.00	(21,837.76 -45,785.52)	4.97	(21,842.66 -45,784.67)	3.16
			(21,845.76 -45,784.04)	5.14	(21,850.14 -45,781.35)	13.42	(21,836.76 -45,782.44)	1.27
			(21,835.58 -45,781.96)	6.87	(21,828.84 -45,780.61)	14.00	(21,814.92 -45,779.10)	6.04
			(21,808.89 -45,778.69)	2.37	(21,807.24 -45,776.99)	7.48	(21,805.60 -45,769.69)	6.31
			(21,805.90 -45,763.39)	5.95	(21,806.01 -45,757.44)	4.92	(21,805.29 -45,752.57)	5.82
			(21,803.46 -45,747.04)	5.07	(21,801.39 -45,742.41)	5.36	(21,799.65 -45,737.34)	9.85
			(21,797.95 -45,727.64)	7.84	(21,797.51 -45,719.81)	15.83	(21,798.02 -45,703.99)	10.40

地区 ..003

作業 .. 21

原図番号 .. N1 31-2

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -45,800.00

測定 年 4 月 28 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,799.00 -45,693.64)	1.66	(21,799.93 -45,692.26)	12.09	(21,810.36 -45,686.15)	9.49
		(21,818.84 -45,681.90)	1.77	(21,818.86 -45,680.13)	1.50	(21,819.54 -45,678.79)	2.58
		(21,817.79 -45,676.90)	3.05	(21,816.17 -45,674.32)	3.06	(21,814.77 -45,671.60)	3.24
		(@ 21,813.60 -45,668.58)	3.09				
59	001- 7	(@ 21,775.26 -45,612.33)	24.48	(21,773.42 -45,636.74)	1.07	(21,772.91 -45,637.68)	25.95
		(21,771.13 -45,663.57)	0.96	(21,771.04 -45,664.53)	5.02	(21,776.05 -45,664.83)	24.83
		(21,777.87 -45,640.07)	16.48	(21,779.13 -45,623.64)	6.07	(21,779.94 -45,617.62)	4.87
		(21,784.32 -45,615.49)	9.60				
59	946	(21,792.74 -45,636.13)	5.22	(21,795.99 -45,640.21)	6.13	(21,799.82 -45,644.99)	4.70
		(21,802.56 -45,648.81)	5.02	(21,805.34 -45,652.99)	4.89	(21,807.67 -45,657.29)	4.95
		(21,810.20 -45,661.55)	1.68	(21,811.35 -45,662.77)	0.78	(21,812.10 -45,663.00)	1.28
		(21,811.83 -45,661.75)	14.47	(21,809.71 -45,647.44)	6.38	(21,808.19 -45,641.24)	8.75
		(21,804.58 -45,633.27)	4.85	(@ 21,801.38 -45,629.62)	10.82		
59	947- 1	(21,801.38 -45,629.62)	22.15	(@ 21,784.32 -45,615.49)	4.87	(21,779.94 -45,617.62)	6.07
		(21,779.13 -45,623.64)	6.28	(21,784.18 -45,627.38)	5.31	(21,788.08 -45,630.98)	3.47
		(21,790.45 -45,633.51)	3.48	(21,792.74 -45,636.13)	10.82		
59	948- 2	(21,810.78 -45,669.85)	3.09	(21,813.60 -45,668.58)	0.16	(21,813.56 -45,668.43)	5.62
		(21,812.10 -45,663.00)	0.78	(21,811.35 -45,662.77)	1.68	(21,810.20 -45,661.55)	4.95
		(@ 21,807.67 -45,657.29)	1.60	(21,806.38 -45,658.24)	0.94	(21,806.06 -45,659.12)	2.02
		(21,806.10 -45,661.14)	3.49	(21,807.38 -45,664.39)	2.67	(21,808.75 -45,666.68)	3.76
59	948- 1	(21,807.38 -45,664.39)	3.49	(21,806.10 -45,661.14)	2.02	(21,806.06 -45,659.12)	0.94
		(21,806.38 -45,658.24)	1.60	(21,807.67 -45,657.29)	4.89	(21,805.34 -45,652.99)	5.02
		(21,802.56 -45,648.81)	4.70	(21,799.82 -45,644.99)	6.13	(21,795.99 -45,640.21)	5.22
		(21,792.74 -45,636.13)	3.48	(21,790.45 -45,633.51)	3.47	(21,788.08 -45,630.98)	5.31
		(21,784.18 -45,627.38)	6.28	(@ 21,779.13 -45,623.64)	16.48	(21,777.87 -45,640.07)	24.83
		(21,776.05 -45,664.83)	32.75	(21,808.75 -45,666.68)	2.67		
59	001- 8	(21,815.39 -45,667.35)	1.89	(21,814.90 -45,665.52)	4.34	(21,813.84 -45,661.31)	4.74
		(21,813.16 -45,656.62)	5.45	(21,812.44 -45,651.22)	3.47	(21,811.86 -45,647.80)	2.53
		(21,811.47 -45,645.30)	5.78	(21,810.17 -45,639.67)	8.87	(21,806.73 -45,631.49)	3.89
		(21,804.40 -45,628.37)	21.51	(21,787.89 -45,614.58)	3.14	(21,785.09 -45,613.15)	18.10
		(@ 21,770.40 -45,602.58)	3.70	(21,768.50 -45,605.75)	5.87	(21,773.14 -45,609.34)	3.67
		(21,775.26 -45,612.33)	9.60	(21,784.32 -45,615.49)	22.15	(21,801.38 -45,629.62)	4.85
		(21,804.58 -45,633.27)	8.75	(21,808.19 -45,641.24)	6.38	(21,809.71 -45,647.44)	14.47
		(21,811.83 -45,661.75)	1.28	(21,812.10 -45,663.00)	5.62	(21,813.56 -45,668.43)	2.12
58	944	(@ 21,818.84 -45,681.90)	9.49	(21,810.36 -45,686.15)	12.09	(21,799.93 -45,692.26)	1.66
		(21,799.00 -45,693.64)	10.40	(21,798.02 -45,703.99)	15.83	(21,797.51 -45,719.81)	7.84
		(21,797.95 -45,727.64)	9.85	(21,799.65 -45,737.34)	5.36	(21,801.39 -45,742.41)	5.07
		(21,803.46 -45,747.04)	5.82	(21,805.29 -45,752.57)	4.92	(21,806.01 -45,757.44)	5.95
		(21,805.90 -45,763.39)	6.31	(21,805.60 -45,769.69)	7.48	(21,807.24 -45,776.99)	2.37
		(21,808.89 -45,778.69)	6.04	(21,814.92 -45,779.10)	14.00	(21,828.84 -45,780.61)	6.87
		(21,835.58 -45,781.96)	101.45				
58	943	(21,835.58 -45,781.96)	1.27	(21,836.76 -45,782.44)	13.42	(21,850.14 -45,781.35)	103.26
		(21,832.56 -45,679.60)	0.95	(21,831.67 -45,679.94)	2.07	(21,829.71 -45,680.61)	2.43
		(21,827.31 -45,680.98)	2.25	(21,825.06 -45,680.88)	2.23	(21,822.86 -45,680.50)	1.49

地区 ..003

作業 .. 21

原図番号 .. N1 31-2

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -45,800.00

測定 年 4 月 28 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,821.47 -45,679.95)	2.25	(@ 21,819.54 -45,678.79)	1.50	(21,818.86 -45,680.13)	1.77
		(21,818.84 -45,681.90)	101.45				
66	1073-	(21,865.04 -45,608.41)	6.60	(@ 21,863.71 -45,601.95)	17.66	(21,847.76 -45,609.52)	9.51
		(21,852.19 -45,617.93)	15.25	(21,865.94 -45,611.34)	3.07		
66	1073-	(@ 21,865.94 -45,611.34)	15.25	(21,852.19 -45,617.93)	4.50	(21,855.11 -45,621.35)	12.75
		(21,863.00 -45,631.36)	0.91	(21,863.85 -45,631.69)	0.28	(21,864.13 -45,631.70)	7.80
		(21,867.58 -45,624.71)	4.55	(21,868.88 -45,620.35)	9.48		
66	002-	(@ 21,868.88 -45,620.35)	4.55	(21,867.58 -45,624.71)	7.80	(21,864.13 -45,631.70)	1.00
		(21,863.79 -45,632.64)	1.57	(21,863.30 -45,634.13)	3.92	(21,867.19 -45,633.67)	2.72
		(21,868.23 -45,631.16)	3.71	(21,869.78 -45,627.79)	3.44	(21,871.62 -45,624.88)	5.29
57	002-	(21,848.87 -45,662.02)	6.22	(21,843.28 -45,659.29)	1.90	(@ 21,841.38 -45,659.24)	3.38
		(21,838.03 -45,659.67)	4.75	(21,833.40 -45,660.71)	5.32	(21,828.38 -45,662.48)	5.45
		(21,823.13 -45,663.93)	8.46	(21,815.39 -45,667.35)	3.32	(21,816.63 -45,670.43)	11.33
		(21,827.15 -45,666.23)	11.14	(21,837.90 -45,663.32)	3.64	(21,841.48 -45,662.67)	4.94
		(21,846.30 -45,663.77)	3.11				
57	941	(21,846.30 -45,663.77)	4.94	(@ 21,841.48 -45,662.67)	3.64	(21,837.90 -45,663.32)	11.14
		(21,827.15 -45,666.23)	11.33	(21,816.63 -45,670.43)	3.54	(21,818.09 -45,673.65)	2.38
		(21,819.52 -45,675.55)	2.81	(21,821.49 -45,677.55)	1.66	(21,822.99 -45,678.25)	1.58
		(21,824.47 -45,678.81)	2.10	(21,826.57 -45,678.91)	2.61	(21,829.14 -45,678.46)	2.34
		(21,831.34 -45,677.66)	12.40	(21,842.70 -45,672.70)	4.15	(21,842.12 -45,668.59)	6.38
57	940	(21,849.47 -45,669.92)	2.09	(21,851.55 -45,669.76)	3.60	(21,854.30 -45,667.43)	5.30
		(21,857.60 -45,663.28)	1.83	(21,858.15 -45,661.53)	1.49	(21,857.80 -45,660.08)	3.17
		(@ 21,855.99 -45,657.48)	7.00	(21,851.60 -45,662.93)	3.96	(21,848.40 -45,665.27)	6.34
		(21,843.30 -45,669.04)	3.24	(21,843.78 -45,672.24)	6.14		
57	002-	(21,843.78 -45,672.24)	3.24	(21,843.30 -45,669.04)	6.34	(21,848.40 -45,665.27)	3.96
		(21,851.60 -45,662.93)	7.00	(21,855.99 -45,657.48)	1.45	(21,856.81 -45,656.28)	8.10
		(21,861.06 -45,649.38)	7.44	(21,864.99 -45,643.06)	6.35	(21,867.07 -45,637.06)	3.19
		(21,867.74 -45,633.94)	0.61	(@ 21,867.19 -45,633.67)	3.92	(21,863.30 -45,634.13)	4.46
		(21,863.05 -45,638.58)	4.30	(21,861.47 -45,642.58)	13.91	(21,854.18 -45,654.43)	0.91
		(21,853.66 -45,655.18)	8.35	(21,848.87 -45,662.02)	3.11	(21,846.30 -45,663.77)	6.38
		(21,842.12 -45,668.59)	4.15	(21,842.70 -45,672.70)	1.17		
57	938	(21,875.67 -45,638.19)	8.25	(21,873.88 -45,630.14)	3.80	(21,872.58 -45,626.57)	0.70
		(@ 21,871.96 -45,626.24)	2.21	(21,870.75 -45,628.09)	4.24	(21,868.98 -45,631.94)	2.32
		(21,868.12 -45,634.09)	0.41	(21,867.74 -45,633.94)	3.19	(21,867.07 -45,637.06)	6.35
		(21,864.99 -45,643.06)	7.44	(21,861.06 -45,649.38)	8.10	(21,856.81 -45,656.28)	3.65
		(21,859.23 -45,659.01)	2.58	(21,859.80 -45,661.53)	18.45	(21,875.71 -45,652.19)	14.00
57	936	(@ 21,875.71 -45,652.19)	18.45	(21,859.80 -45,661.53)	2.79	(21,858.88 -45,664.16)	5.43
		(21,855.52 -45,668.43)	3.18	(21,854.52 -45,671.45)	6.33	(21,855.34 -45,677.73)	1.54
		(21,856.04 -45,679.10)	1.26	(21,856.76 -45,680.13)	1.24	(21,857.76 -45,680.86)	1.58
		(21,859.21 -45,681.48)	2.18	(21,861.34 -45,681.93)	2.80	(21,864.14 -45,681.89)	12.00
		(21,876.09 -45,680.79)	28.60				
57	001-	(21,851.55 -45,669.76)	2.09	(21,849.47 -45,669.92)	6.14	(21,843.78 -45,672.24)	1.17

地区 ..003 作業 .. 21 原図番号 .. N1 31-2 縮尺 ..1/ 500 基準点 ..X 21,750.00..Y -45,800.00 測定 年 4 月 28 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

	(21,842.70 -45,672.70)	12.40	(21,831.34 -45,677.66)	2.34	(21,829.14 -45,678.46)	2.61
	(21,826.57 -45,678.91)	2.10	(21,824.47 -45,678.81)	1.58	(21,822.99 -45,678.25)	1.66
	(21,821.49 -45,677.55)	2.81	(21,819.52 -45,675.55)	2.38	(21,818.09 -45,673.65)	3.54
	(21,816.63 -45,670.43)	3.32	(21,815.39 -45,667.35)	2.12	(21,813.56 -45,668.43)	0.16
	(21,813.60 -45,668.58)	3.24	(21,814.77 -45,671.60)	3.06	(21,816.17 -45,674.32)	3.05
	(21,817.79 -45,676.90)	2.58	(21,819.54 -45,678.79)	2.25	(21,821.47 -45,679.95)	1.49
	(21,822.86 -45,680.50)	2.23	(21,825.06 -45,680.88)	2.25	(21,827.31 -45,680.98)	2.43
	(21,829.71 -45,680.61)	2.07	(21,831.67 -45,679.94)	0.95	(21,832.56 -45,679.60)	11.85
	(21,843.27 -45,674.52)	7.35	(21,850.17 -45,671.98)	1.48	(21,851.65 -45,672.08)	1.25
	(21,852.56 -45,672.94)	3.34				
57 920	(21,853.87 -45,680.76)	7.93	(21,852.56 -45,672.94)	1.25	(21,851.65 -45,672.08)	1.48
	(21,850.17 -45,671.98)	7.35	(21,843.27 -45,674.52)	11.85	(21,832.56 -45,679.60)	103.26
	(21,850.14 -45,781.35)	19.11	(21,868.82 -45,777.34)	4.03	(21,868.24 -45,773.35)	7.07
	(21,867.34 -45,766.34)	40.42	(21,860.91 -45,726.43)	46.21		
57 923	(21,860.91 -45,726.43)	16.30	(21,877.21 -45,726.60)	8.49	(21,878.06 -45,718.15)	4.65
	(21,878.51 -45,713.52)	4.88	(21,878.82 -45,708.65)	4.20	(21,879.00 -45,704.45)	3.90
	(21,878.90 -45,700.55)	3.11	(21,878.70 -45,697.45)	14.43	(21,877.75 -45,683.05)	2.14
	(21,875.61 -45,682.94)	9.48	(21,866.19 -45,683.99)	2.93	(21,863.26 -45,684.08)	2.94
	(21,860.34 -45,683.73)	4.38	(21,856.24 -45,682.18)	2.76	(21,853.87 -45,680.76)	46.21