

地区..003

作業.. 22 原図番号.. N1 31-3

縮尺..1/ 500

基準点..X 21,600.00..Y -46,000.00 測定 年 4 月 28 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,600.00 -46,000.00)	50.03	(21,650.03 -46,000.02)	50.00	(21,700.03 -46,000.05)	50.00
		(21,750.03 -46,000.11)	50.00	(21,750.02 -45,950.11)	50.00	(21,749.98 -45,900.11)	49.95
		(21,750.02 -45,850.16)	50.03	(21,750.05 -45,800.13)	50.07	(21,699.98 -45,800.09)	49.95
		(21,650.03 -45,800.03)	50.03	(21,600.00 -45,800.02)	50.00	(21,599.96 -45,850.02)	50.00
		(21,600.00 -45,900.02)	50.00	(21,599.99 -45,950.02)	49.98		
50	002- 10	(21,600.00 -46,000.00)	3.93	(21,603.93 -46,000.01)	4.19	(21,599.99 -45,998.57)	1.43
50	811	(21,599.99 -45,998.57)	4.19	(21,603.93 -46,000.01)	18.12	(21,622.05 -46,000.03)	12.36
		(21,622.28 -45,987.67)	0.83	(21,621.45 -45,987.70)	1.95	(21,619.71 -45,986.81)	2.82
		(21,616.94 -45,986.26)	1.82	(21,615.27 -45,985.53)	2.53	(21,613.23 -45,984.03)	2.15
		(21,612.02 -45,982.25)	8.36	(21,608.38 -45,974.72)	5.54	(21,605.56 -45,969.95)	2.63
		(21,603.97 -45,967.86)	5.54	(21,600.02 -45,963.97)	34.60		
50	819	(21,600.02 -45,963.97)	5.54	(21,603.97 -45,967.86)	2.63	(21,605.56 -45,969.95)	11.55
		(21,614.65 -45,962.83)	24.61	(21,600.05 -45,943.02)	20.95		
50	821	(21,600.05 -45,943.02)	24.61	(21,614.65 -45,962.83)	19.19	(21,629.73 -45,950.97)	24.72
		(21,649.11 -45,935.63)	21.74	(21,635.95 -45,918.32)	9.72	(21,630.06 -45,910.59)	4.99
		(21,627.35 -45,906.40)	34.83	(21,599.99 -45,927.95)	15.07		
50	822	(21,599.99 -45,927.95)	34.83	(21,627.35 -45,906.40)	10.74	(21,621.65 -45,897.30)	4.30
		(21,619.81 -45,893.41)	4.02	(21,618.54 -45,889.60)	4.21	(21,618.27 -45,885.40)	8.62
		(21,618.84 -45,876.80)	4.58	(21,620.23 -45,872.44)	3.95	(21,621.77 -45,868.80)	2.46
		(21,619.70 -45,870.13)	3.52	(21,616.20 -45,869.75)	2.24	(21,617.69 -45,871.42)	22.52
		(21,599.97 -45,885.32)	42.63				
50	826- 1	(21,599.97 -45,885.32)	22.52	(21,617.69 -45,871.42)	2.24	(21,616.20 -45,869.75)	16.20
		(21,600.01 -45,869.07)	16.25				
52	001- 2	(21,600.01 -45,869.07)	16.20	(21,616.20 -45,869.75)	3.52	(21,619.70 -45,870.13)	2.46
		(21,621.77 -45,868.80)	3.94	(21,624.85 -45,866.35)	8.61	(21,631.42 -45,860.78)	12.29
		(21,642.17 -45,854.82)	8.16	(21,648.86 -45,850.15)	8.72	(21,654.96 -45,843.92)	14.77
		(21,665.13 -45,833.21)	7.47	(21,670.73 -45,828.27)	5.06	(21,674.62 -45,825.03)	4.90
		(21,678.64 -45,822.22)	15.35	(21,691.51 -45,813.85)	11.77	(21,702.28 -45,809.11)	8.38
		(21,710.25 -45,806.53)	2.76	(21,713.01 -45,806.60)	2.32	(21,713.49 -45,804.33)	3.30
		(21,710.19 -45,804.43)	9.35	(21,701.42 -45,807.66)	12.16	(21,690.20 -45,812.36)	15.06
		(21,677.53 -45,820.51)	12.45	(21,667.55 -45,827.96)	5.37	(21,663.85 -45,831.85)	14.73
		(21,653.73 -45,842.56)	8.88	(21,647.32 -45,848.71)	7.73	(21,641.14 -45,853.36)	12.79
		(21,629.86 -45,859.39)	5.20	(21,625.83 -45,862.68)	6.99	(21,620.60 -45,867.32)	1.47
		(21,619.29 -45,867.98)	19.33	(21,599.97 -45,867.27)	1.80		
52	836- 1	(21,599.97 -45,867.27)	19.33	(21,619.29 -45,867.98)	1.47	(21,620.60 -45,867.32)	6.99
		(21,625.83 -45,862.68)	5.20	(21,629.86 -45,859.39)	12.79	(21,641.14 -45,853.36)	7.73
		(21,647.32 -45,848.71)	8.88	(21,653.73 -45,842.56)	14.73	(21,663.85 -45,831.85)	22.09
		(21,644.96 -45,820.39)	11.73	(21,641.38 -45,831.56)	4.12	(21,640.16 -45,835.50)	10.21
		(21,630.02 -45,836.72)	30.25	(21,599.99 -45,840.37)	26.90		
52	836- 2	(21,630.02 -45,836.72)	10.21	(21,640.16 -45,835.50)	4.12	(21,641.38 -45,831.56)	10.55
		(21,630.87 -45,832.51)	4.29				
52	841						

地区 ..003

作業 .. 22

原図番号 .. N1 31-3

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -46,000.00

測定 年 4 月 28 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,630.87 -45,832.51)	10.55	(21,641.38 -45,831.56)	11.73	(21,644.96 -45,820.39)	3.86
		(@ 21,645.67 -45,816.60)	11.54	(21,634.14 -45,817.00)	15.85		
52	835-	1 (1/ 2)					
		(@ 21,649.48 -45,800.03)	7.17	(21,647.57 -45,806.94)	9.85	(21,645.67 -45,816.60)	3.86
		(21,644.96 -45,820.39)	22.09	(21,663.85 -45,831.85)	5.37	(21,667.55 -45,827.96)	1.10
		(21,666.78 -45,827.17)	27.84	(21,688.65 -45,809.95)	9.18	(21,685.52 -45,801.32)	0.62
52	851	(21,685.39 -45,800.71)	3.86	(21,681.58 -45,800.09)	32.10		
		(1/ 2)					
52	002-	3 (21,681.58 -45,800.09)	3.86	(21,685.39 -45,800.71)	0.64	(@ 21,685.33 -45,800.07)	3.75
		(@ 21,685.33 -45,800.07)	0.64	(21,685.39 -45,800.71)	0.62	(21,685.52 -45,801.32)	9.18
		(21,688.65 -45,809.95)	2.50	(21,691.15 -45,810.02)	8.64	(21,688.14 -45,801.92)	1.89
52	834-	1 (21,687.68 -45,800.09)	2.35				
		(@ 21,687.68 -45,800.09)	1.89	(21,688.14 -45,801.92)	8.64	(21,691.15 -45,810.02)	14.11
		(21,704.31 -45,804.93)	10.20	(21,714.05 -45,801.91)	1.86	(21,713.60 -45,800.11)	25.92
52	002-	4 (@ 21,714.05 -45,801.91)	10.20	(21,704.31 -45,804.93)	14.11	(21,691.15 -45,810.02)	2.50
		(21,688.65 -45,809.95)	27.84	(21,666.78 -45,827.17)	1.10	(21,667.55 -45,827.96)	12.45
		(21,677.53 -45,820.51)	15.06	(21,690.20 -45,812.36)	12.16	(21,701.42 -45,807.66)	9.35
		(21,710.19 -45,804.43)	3.30	(21,713.49 -45,804.33)	2.48		
53	002-	2 (21,713.49 -45,804.33)	3.10	(21,715.93 -45,806.25)	3.20	(21,717.91 -45,808.77)	5.63
		(21,719.91 -45,814.03)	5.31	(21,721.50 -45,819.10)	11.46	(21,726.19 -45,829.56)	6.93
		(21,729.23 -45,835.79)	20.04	(21,738.86 -45,853.37)	1.88	(21,740.67 -45,853.87)	25.84
		(21,728.31 -45,831.18)	2.34	(21,727.29 -45,829.07)	10.73	(21,723.22 -45,819.14)	2.31
		(21,722.39 -45,816.98)	7.68	(21,720.02 -45,809.68)	3.69	(21,718.35 -45,806.39)	6.21
		(@ 21,714.05 -45,801.91)	2.48				
53	861-	3 (21,713.60 -45,800.11)	1.86	(21,714.05 -45,801.91)	6.21	(21,718.35 -45,806.39)	3.69
		(21,720.02 -45,809.68)	7.68	(21,722.39 -45,816.98)	2.31	(21,723.22 -45,819.14)	30.31
		(21,750.04 -45,805.01)	4.88	(21,750.05 -45,800.13)	36.45		
53	862	(21,750.04 -45,805.01)	30.31	(21,723.22 -45,819.14)	10.73	(21,727.29 -45,829.07)	2.34
		(21,728.31 -45,831.18)	19.97	(21,746.13 -45,822.17)	4.58	(21,750.02 -45,819.76)	14.75
53	865-	1 (21,750.02 -45,819.76)	4.58	(21,746.13 -45,822.17)	9.25	(21,750.03 -45,830.56)	10.80
		(@ 21,750.02 -45,819.76)					
53	863	(21,750.03 -45,830.56)	9.25	(@ 21,746.13 -45,822.17)	19.97	(21,728.31 -45,831.18)	25.84
		(21,740.67 -45,853.87)	5.06	(21,745.68 -45,854.55)	3.42	(21,749.06 -45,854.00)	1.10
		(21,750.04 -45,853.51)	22.95				
53	001-	1 (21,750.04 -45,853.51)	1.10	(21,749.06 -45,854.00)	3.42	(21,745.68 -45,854.55)	5.06
		(21,740.67 -45,853.87)	1.88	(21,738.86 -45,853.37)	20.04	(21,729.23 -45,835.79)	6.93
		(21,726.19 -45,829.56)	11.46	(21,721.50 -45,819.10)	5.31	(21,719.91 -45,814.03)	5.63
		(21,717.91 -45,808.77)	3.20	(21,715.93 -45,806.25)	3.10	(@ 21,713.49 -45,804.33)	2.32
		(21,713.01 -45,806.60)	1.72	(21,714.32 -45,807.71)	3.10	(21,716.09 -45,810.25)	4.91
		(21,718.02 -45,814.76)	24.36	(21,727.64 -45,837.14)	19.77	(21,737.13 -45,854.48)	2.01
		(21,738.76 -45,855.66)	7.60	(21,746.34 -45,856.20)	2.64	(21,748.97 -45,856.00)	1.16
		(21,750.02 -45,855.51)	2.00				
53	002-	1 (21,748.97 -45,856.00)	2.64	(21,746.34 -45,856.20)	7.60	(@ 21,738.76 -45,855.66)	4.64

地区 ..003

作業 .. 22

原図番号 .. N1 31-3

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -46,000.00

測定 年 4 月 28 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

53	000-	1	(21,738.65 -45,860.30)	11.18					
			(21,738.65 -45,860.30)	13.11	(21,727.52 -45,867.22)	0.91	(21,727.67 -45,868.12)	7.41	
			(21,722.72 -45,873.63)	8.90	(21,718.48 -45,881.45)	10.38	(21,711.62 -45,889.24)	12.05	
			(21,702.96 -45,897.62)	4.22	(21,699.52 -45,900.06)	19.33	(21,685.29 -45,913.15)	11.69	
			(21,677.49 -45,921.86)	4.73	(21,681.21 -45,924.78)	14.37	(21,692.58 -45,933.56)	3.86	
			(21,695.58 -45,935.99)	2.31	(21,696.99 -45,937.82)	4.59	(21,698.86 -45,942.01)	12.99	
			(21,702.65 -45,954.44)	0.59	(21,703.05 -45,954.87)	5.15	(21,705.99 -45,959.10)	1.95	
			(21,706.75 -45,960.90)	2.39	(21,707.13 -45,963.26)	4.32	(21,707.72 -45,967.54)	4.62	
			(21,707.61 -45,972.16)	1.39	(21,707.30 -45,973.51)	10.40	(21,707.51 -45,983.91)	6.75	
			(21,708.26 -45,990.62)	1.97	(21,709.53 -45,992.13)	2.32	(21,711.04 -45,993.89)	4.71	
			(21,715.31 -45,995.88)	1.17	(21,715.83 -45,996.93)	3.22	(21,715.18 -46,000.08)	34.85	
			(21,750.03 -46,000.11)	50.00	(21,750.02 -45,950.11)	50.00	(21,749.98 -45,900.11)	44.60	
		@	(21,750.02 -45,855.51)	1.16	(21,748.97 -45,856.00)	11.18			
51	832		(21,727.52 -45,867.22)	13.11	(21,738.65 -45,860.30)	4.64	(21,738.76 -45,855.66)	2.01	
			(21,737.13 -45,854.48)	19.77	@ (21,727.64 -45,837.14)	22.63	(21,711.84 -45,853.34)	20.94	
51	833-	1	(21,704.48 -45,860.88)	10.54	(21,711.84 -45,853.34)	22.63	(21,727.64 -45,837.14)	24.36	
		@	(21,718.02 -45,814.76)	43.13	(21,687.90 -45,845.63)	22.53			
51	833-	2	(21,687.90 -45,845.63)	43.13	(21,718.02 -45,814.76)	4.91	(21,716.09 -45,810.25)	3.10	
			(21,714.32 -45,807.71)	1.72	(21,713.01 -45,806.60)	2.76	@ (21,710.25 -45,806.53)	8.38	
			(21,702.28 -45,809.11)	11.77	(21,691.51 -45,813.85)	15.35	(21,678.64 -45,822.22)	4.90	
			(21,674.62 -45,825.03)	5.06	(21,670.73 -45,828.27)	1.59	(21,671.45 -45,829.69)	22.91	
51	002-	6	@ (21,670.73 -45,828.27)	7.47	(21,665.13 -45,833.21)	14.77	(21,654.96 -45,843.92)	8.72	
			(21,648.86 -45,850.15)	8.16	(21,642.17 -45,854.82)	12.29	(21,631.42 -45,860.78)	8.61	
			(21,624.85 -45,866.35)	3.94	(21,621.77 -45,868.80)	3.95	(21,620.23 -45,872.44)	4.58	
			(21,618.84 -45,876.80)	8.62	(21,618.27 -45,885.40)	4.21	(21,618.54 -45,889.60)	4.02	
			(21,619.81 -45,893.41)	4.30	(21,621.65 -45,897.30)	10.74	(21,627.35 -45,906.40)	4.99	
			(21,630.06 -45,910.59)	1.89	(21,631.62 -45,909.53)	8.26	(21,627.13 -45,902.60)	8.61	
			(21,622.79 -45,895.16)	5.87	(21,621.06 -45,889.55)	5.08	(21,620.85 -45,884.47)	3.05	
			(21,620.70 -45,881.42)	5.47	(21,621.87 -45,876.08)	6.83	(21,624.85 -45,869.93)	10.74	
			(21,632.96 -45,862.89)	9.99	(21,641.92 -45,858.47)	5.28	(21,646.27 -45,855.48)	2.02	
			(21,648.09 -45,854.60)	3.16	(21,650.71 -45,852.84)	15.18	(21,660.56 -45,841.29)	15.91	
			(21,671.45 -45,829.69)	1.59					
51	831		(21,688.38 -45,885.14)	19.19	(21,702.96 -45,897.62)	12.05	(21,711.62 -45,889.24)	10.38	
			(21,718.48 -45,881.45)	8.90	(21,722.72 -45,873.63)	7.41	(21,727.67 -45,868.12)	0.91	
			(21,727.52 -45,867.22)	20.94	@ (21,711.84 -45,853.34)	10.54	(21,704.48 -45,860.88)	29.12	
51	830		(21,704.48 -45,860.88)	22.53	(21,687.90 -45,845.63)	22.91	@ (21,671.45 -45,829.69)	15.91	
			(21,660.56 -45,841.29)	15.18	(21,650.71 -45,852.84)	49.62	(21,688.38 -45,885.14)	29.12	
51	002-	5	(21,702.96 -45,897.62)	19.19	(21,688.38 -45,885.14)	49.62	@ (21,650.71 -45,852.84)	3.16	
			(21,648.09 -45,854.60)	34.65	(21,674.29 -45,877.28)	31.36	(21,698.02 -45,897.78)	2.73	
			(21,699.52 -45,900.06)	4.22					
51	829		(21,635.95 -45,918.32)	21.74	(21,649.11 -45,935.63)	11.37	(21,656.03 -45,944.65)	17.51	
			(21,669.39 -45,933.33)	13.22	(21,676.92 -45,922.46)	0.83	(21,677.49 -45,921.86)	11.69	
			(21,685.29 -45,913.15)	19.33	(21,699.52 -45,900.06)	2.73	(21,698.02 -45,897.78)	31.36	

地区 ..003 作業 .. 22 原図番号 .. N1 31-3 縮尺 ..1/ 500 基準点 ..X 21,600.00..Y -46,000.00 測定 年 4 月 28 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

51	828	(@ 21,674.29 -45,877.28)	56.16								
		(21,674.29 -45,877.28)	34.65	(@ 21,648.09 -45,854.60)	2.02	(21,646.27 -45,855.48)	5.28				
		(21,641.92 -45,858.47)	9.99	(21,632.96 -45,862.89)	10.74	(21,624.85 -45,869.93)	6.83				
		(21,621.87 -45,876.08)	5.47	(21,620.70 -45,881.42)	3.05	(21,620.85 -45,884.47)	5.08				
		(21,621.06 -45,889.55)	5.87	(21,622.79 -45,895.16)	8.61	(21,627.13 -45,902.60)	8.26				
49	802	(21,631.62 -45,909.53)	1.89	(21,630.06 -45,910.59)	9.72	(21,635.95 -45,918.32)	56.16				
		(21,715.18 -46,000.08)	3.22	(21,715.83 -45,996.93)	1.17	(21,715.31 -45,995.88)	4.71				
		(@ 21,711.04 -45,993.89)	7.07	(21,707.58 -46,000.06)	7.60						
49	001- 3	(21,707.58 -46,000.06)	7.07	(21,711.04 -45,993.89)	2.32	(@ 21,709.53 -45,992.13)	4.24				
		(21,707.66 -45,995.94)	3.76	(21,705.71 -45,999.15)	1.08	(21,705.18 -46,000.09)	2.40				
49	002- 8	(21,705.18 -46,000.09)	1.08	(21,705.71 -45,999.15)	3.76	(21,707.66 -45,995.94)	4.24				
		(21,709.53 -45,992.13)	1.97	(@ 21,708.26 -45,990.62)	1.72	(21,706.57 -45,990.92)	1.26				
		(21,706.59 -45,992.18)	5.63	(21,704.65 -45,997.46)	3.00	(21,703.18 -46,000.08)	2.00				
49	803- 1	(21,703.18 -46,000.08)	3.00	(21,704.65 -45,997.46)	5.63	(21,706.59 -45,992.18)	1.26				
		(@ 21,706.57 -45,990.92)	21.64	(21,685.13 -45,993.86)	3.88	(21,684.70 -45,997.72)	2.52				
		(21,683.78 -46,000.07)	19.40								
49	803- 2	(21,683.78 -46,000.07)	2.52	(@ 21,684.70 -45,997.72)	1.41	(21,683.34 -45,998.11)	2.08				
		(21,682.63 -46,000.06)	1.15								
49	002- 7	(21,682.63 -46,000.06)	2.08	(21,683.34 -45,998.11)	1.41	(21,684.70 -45,997.72)	3.88				
		(21,685.13 -45,993.86)	16.72	(21,684.15 -45,977.17)	12.68	(21,679.01 -45,965.58)	10.32				
		(21,676.49 -45,955.57)	5.06	(21,675.84 -45,950.55)	10.06	(21,675.47 -45,940.50)	4.87				
		(21,675.88 -45,935.65)	3.61	(21,676.79 -45,932.16)	4.14	(21,678.67 -45,928.47)	4.48				
		(21,681.21 -45,924.78)	4.73	(@ 21,677.49 -45,921.86)	0.83	(21,676.92 -45,922.46)	13.22				
		(21,669.39 -45,933.33)	16.91	(21,671.26 -45,950.14)	5.20	(21,672.35 -45,955.22)	12.46				
		(21,674.87 -45,967.42)	7.20	(21,676.89 -45,974.33)	1.37	(21,677.90 -45,975.25)	0.64				
		(21,678.43 -45,975.61)	0.48	(21,678.80 -45,975.92)	15.63	(21,681.00 -45,991.39)	8.50				
		(21,679.63 -45,999.78)	0.50	(21,679.23 -46,000.08)	3.40						
49	804	(21,685.13 -45,993.86)	21.64	(21,706.57 -45,990.92)	1.72	(21,708.26 -45,990.62)	6.75				
		(21,707.51 -45,983.91)	10.40	(@ 21,707.30 -45,973.51)	23.44	(21,684.15 -45,977.17)	16.72				
49	805	(21,679.01 -45,965.58)	12.68	(21,684.15 -45,977.17)	23.44	(21,707.30 -45,973.51)	1.39				
		(21,707.61 -45,972.16)	4.62	(21,707.72 -45,967.54)	4.32	(21,707.13 -45,963.26)	2.39				
		(21,706.75 -45,960.90)	1.95	(21,705.99 -45,959.10)	5.15	(21,703.05 -45,954.87)	0.59				
		(21,702.65 -45,954.44)	1.10	(@ 21,701.58 -45,954.19)	13.87	(21,687.79 -45,955.65)	3.82				
		(21,683.97 -45,955.74)	7.48	(21,676.49 -45,955.57)	10.32						
49	806	(21,676.49 -45,955.57)	7.48	(21,683.97 -45,955.74)	3.82	(21,687.79 -45,955.65)	13.87				
		(21,701.58 -45,954.19)	1.10	(21,702.65 -45,954.44)	12.99	(21,698.86 -45,942.01)	4.59				
		(21,696.99 -45,937.82)	2.31	(21,695.58 -45,935.99)	3.86	(21,692.58 -45,933.56)	14.37				
		(@ 21,681.21 -45,924.78)	4.48	(21,678.67 -45,928.47)	4.14	(21,676.79 -45,932.16)	3.61				
		(21,675.88 -45,935.65)	4.87	(21,675.47 -45,940.50)	10.06	(21,675.84 -45,950.55)	5.06				
50	807	(21,677.03 -45,977.64)	2.54	(21,677.90 -45,975.25)	1.37	(21,676.89 -45,974.33)	7.20				
		(21,674.87 -45,967.42)	12.46	(21,672.35 -45,955.22)	5.20	(21,671.26 -45,950.14)	16.91				

地区 ..003

作業 .. 22 原図番号 .. N1 31-3

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -46,000.00 測定 年 4 月 28 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

50	827	(@ 21,669.39 -45,933.33)	17.51	(21,656.03 -45,944.65)	19.13	(21,651.48 -45,963.23)	29.33
		(21,651.48 -45,963.23)	19.13	(21,656.03 -45,944.65)	11.37	(@ 21,649.11 -45,935.63)	24.72
		(21,629.73 -45,950.97)	24.97				
50	808-	2 (2/ 2)					
		(21,679.23 -46,000.08)	0.50	(21,679.63 -45,999.78)	8.50	(21,681.00 -45,991.39)	15.63
		(21,678.80 -45,975.92)	0.48	(@ 21,678.43 -45,975.61)	19.60	(21,671.98 -45,994.12)	6.27
		(21,669.93 -46,000.05)	9.30				
50	002-	9					
		(21,669.93 -46,000.05)	6.27	(21,671.98 -45,994.12)	19.60	(21,678.43 -45,975.61)	0.64
		(@ 21,677.90 -45,975.25)	2.54	(21,677.03 -45,977.64)	16.44	(21,671.56 -45,993.14)	7.29
		(21,669.23 -46,000.05)	0.70				
50	809	(2/ 2)					
		(21,669.23 -46,000.05)	7.29	(21,671.56 -45,993.14)	16.44	(21,677.03 -45,977.64)	29.33
		(21,651.48 -45,963.23)	24.97	(@ 21,629.73 -45,950.97)	19.19	(21,614.65 -45,962.83)	11.55
		(21,605.56 -45,969.95)	5.54	(21,608.38 -45,974.72)	8.36	(21,612.02 -45,982.25)	2.15
		(21,613.23 -45,984.03)	2.53	(21,615.27 -45,985.53)	1.82	(21,616.94 -45,986.26)	2.82
		(21,619.71 -45,986.81)	1.95	(21,621.45 -45,987.70)	0.83	(21,622.28 -45,987.67)	3.96
		(21,622.36 -45,983.71)	2.49	(21,624.79 -45,983.15)	2.14	(21,626.92 -45,983.00)	3.20
		(21,630.09 -45,983.47)	2.93	(21,632.91 -45,984.25)	1.85	(21,634.63 -45,984.94)	3.49
		(21,637.61 -45,986.76)	2.40	(21,639.57 -45,988.15)	2.79	(21,641.38 -45,990.27)	4.37
		(21,644.03 -45,993.74)	6.65	(21,648.59 -45,998.58)	1.61	(21,649.70 -45,999.74)	0.43
		(21,650.03 -46,000.02)	19.20				
50	810	(2/ 2)					
		(21,650.03 -46,000.02)	0.43	(21,649.70 -45,999.74)	1.61	(21,648.59 -45,998.58)	6.65
		(21,644.03 -45,993.74)	4.37	(21,641.38 -45,990.27)	2.79	(21,639.57 -45,988.15)	2.40
		(21,637.61 -45,986.76)	3.49	(21,634.63 -45,984.94)	1.85	(21,632.91 -45,984.25)	2.93
		(21,630.09 -45,983.47)	3.20	(@ 21,626.92 -45,983.00)	2.14	(21,624.79 -45,983.15)	2.49
		(21,622.36 -45,983.71)	3.96	(21,622.28 -45,987.67)	12.36	(21,622.05 -46,000.03)	27.98
52	837-	1 (1/ 4)					
		(@ 21,600.00 -45,800.02)	40.35	(21,599.99 -45,840.37)	30.25	(21,630.02 -45,836.72)	4.29
		(21,630.87 -45,832.51)	15.85	(21,634.14 -45,817.00)	11.54	(21,645.67 -45,816.60)	9.85
		(21,647.57 -45,806.94)	7.17	(21,649.48 -45,800.03)	49.48		