

地区 ..003

作業 .. 23 原図番号 .. N1 31-4

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -45,800.00 測定 年 4 月 28 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,600.00 -45,800.00)	49.95	(21,649.95 -45,800.05)	50.05	(21,700.00 -45,800.10)	50.00
		(21,750.00 -45,800.10)	49.95	(21,750.00 -45,750.15)	50.00	(21,749.95 -45,700.15)	50.00
		(21,750.00 -45,650.15)	50.00	(21,749.95 -45,600.15)	49.95	(21,700.00 -45,600.10)	50.00
		(21,650.00 -45,600.05)	50.00	(21,600.00 -45,600.05)	50.00	(21,600.00 -45,650.05)	49.95
		(21,599.95 -45,700.00)	50.00	(21,600.00 -45,750.00)	50.00		
52	837- 1	(2 / 4)					
		(21,600.00 -45,800.00)	49.45	(21,649.45 -45,800.05)	4.61	(21,650.64 -45,795.60)	9.40
		(21,641.54 -45,793.23)	9.00	(21,632.89 -45,790.74)	8.17	(21,625.07 -45,788.38)	5.82
		(21,619.53 -45,786.59)	18.79	(21,601.79 -45,780.40)	4.21	(21,599.98 -45,784.20)	15.80
		(21,600.00 -45,800.00)	0.00				
52	001- 8						
		(21,599.98 -45,784.20)	4.21	(21,601.79 -45,780.40)	10.98	(21,606.08 -45,770.29)	5.66
		(21,608.07 -45,764.99)	9.98	(21,611.29 -45,755.54)	2.58	(21,612.38 -45,753.20)	5.02
		(21,607.86 -45,755.39)	1.18	(21,608.79 -45,756.12)	8.55	(21,606.12 -45,764.24)	5.67
		(21,604.04 -45,769.51)	9.98	(21,600.22 -45,778.73)	0.44	(21,599.99 -45,779.10)	5.10
52	002- 11						
		(21,599.99 -45,779.10)	0.44	(21,600.22 -45,778.73)	9.98	(21,604.04 -45,769.51)	5.67
		(21,606.12 -45,764.24)	8.55	(21,608.79 -45,756.12)	1.18	(21,607.86 -45,755.39)	0.91
		(21,607.71 -45,756.29)	8.04	(21,605.15 -45,763.91)	5.62	(21,603.21 -45,769.18)	8.13
		(21,600.00 -45,776.65)	2.45				
52	845- 1	(1 / 2)					
		(21,600.00 -45,776.65)	8.13	(21,603.21 -45,769.18)	5.62	(21,605.15 -45,763.91)	8.04
		(21,607.71 -45,756.29)	0.91	(21,607.86 -45,755.39)	4.72	(21,603.26 -45,756.46)	3.32
		(21,599.94 -45,756.55)	20.10				
61	001- 7						
		(21,599.94 -45,756.55)	3.32	(21,603.26 -45,756.46)	4.72	(21,607.86 -45,755.39)	5.02
		(21,612.38 -45,753.20)	2.50	(21,613.42 -45,750.93)	4.04	(21,615.31 -45,747.36)	1.93
		(21,616.16 -45,745.63)	5.20	(21,620.14 -45,742.29)	3.34	(21,623.35 -45,741.35)	4.29
		(21,626.97 -45,739.05)	2.78	(21,628.99 -45,737.14)	10.39	(21,635.59 -45,729.12)	12.19
		(21,642.59 -45,719.14)	7.01	(21,646.37 -45,713.24)	9.05	(21,650.89 -45,705.40)	1.72
		(21,652.01 -45,704.10)	2.81	(21,649.70 -45,702.50)	11.18	(21,644.13 -45,712.19)	6.74
		(21,640.51 -45,717.88)	6.39	(21,636.85 -45,723.12)	5.91	(21,633.34 -45,727.87)	5.80
		(21,629.76 -45,732.43)	4.39	(21,626.95 -45,735.80)	1.84	(21,625.58 -45,737.03)	1.34
		(21,624.52 -45,737.85)	1.27	(21,623.47 -45,738.57)	1.37	(21,622.27 -45,739.24)	1.45
		(21,620.87 -45,739.62)	5.12	(21,616.14 -45,741.58)	1.04	(21,615.42 -45,742.33)	11.56
		(21,609.55 -45,752.29)	1.45	(21,608.36 -45,753.12)	5.64	(21,602.87 -45,754.41)	2.88
		(21,599.99 -45,754.55)	2.00				
61	964	(1 / 2)					
		(21,599.99 -45,754.55)	2.88	(21,602.87 -45,754.41)	5.64	(21,608.36 -45,753.12)	0.99
		(21,608.63 -45,752.17)	10.04	(21,599.96 -45,747.10)	7.45		
61	963- 1	(1 / 2)					
		(21,599.96 -45,747.10)	10.04	(21,608.63 -45,752.17)	11.82	(21,614.54 -45,741.93)	1.35
		(21,615.29 -45,740.81)	5.48	(21,620.32 -45,738.63)	9.67	(21,612.48 -45,732.97)	14.60
		(21,600.00 -45,725.40)	21.70				
61	962	(1 / 2)					
		(21,600.00 -45,725.40)	14.60	(21,612.48 -45,732.97)	9.67	(21,620.32 -45,738.63)	1.64
		(21,621.95 -45,738.44)	1.15	(21,623.00 -45,737.97)	1.12	(21,623.93 -45,737.35)	1.46
		(21,625.10 -45,736.48)	1.80	(21,626.40 -45,735.23)	4.11	(21,629.04 -45,732.08)	6.07
		(21,632.75 -45,727.27)	5.85	(21,636.21 -45,722.55)	6.42	(21,639.87 -45,717.28)	6.43
		(21,643.34 -45,711.87)	0.50	(21,642.85 -45,711.99)	1.17	(21,641.68 -45,712.03)	0.97
		(21,640.73 -45,712.23)	2.02	(21,638.92 -45,713.13)	4.90	(21,634.89 -45,715.92)	3.05

地区..003

作業..23

原図番号..N1 31-4

縮尺..1/ 500

基準点..X 21,600.00..Y -45,800.00

測定 年 4 月 28 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,632.17 -45,717.31)	1.80	(21,630.46 -45,717.86)	1.87	(21,628.59 -45,717.81)	2.25
		(21,626.52 -45,716.93)	5.32	(21,622.10 -45,713.97)	9.81	(21,613.96 -45,708.50)	6.58
61	969- 1	(21,608.29 -45,705.17)	9.51	(21,600.00 -45,700.50)	24.90		
		(1/ 2)					
		(21,600.00 -45,700.50)	9.51	(21,608.29 -45,705.17)	6.58	(21,613.96 -45,708.50)	9.81
		(21,622.10 -45,713.97)	5.32	(21,626.52 -45,716.93)	2.25	(21,628.59 -45,717.81)	1.87
		(21,630.46 -45,717.86)	1.80	(21,632.17 -45,717.31)	3.05	(21,634.89 -45,715.92)	4.90
		(21,638.92 -45,713.13)	2.02	(21,640.73 -45,712.23)	0.97	(21,641.68 -45,712.03)	1.17
		(21,642.85 -45,711.99)	0.50	(21,643.34 -45,711.87)	11.46	(21,649.00 -45,701.90)	36.42
		(21,619.21 -45,680.94)	9.02	(21,611.28 -45,676.64)	7.40	(21,607.52 -45,683.01)	14.92
		(21,600.01 -45,695.90)	4.60				
61	969- 2	(1/ 2)					
		(21,600.01 -45,695.90)	14.92	(21,607.52 -45,683.01)	8.75	(21,599.99 -45,678.55)	17.35
61	971- 3	(1/ 2)					
		(21,599.99 -45,678.55)	8.75	(21,607.52 -45,683.01)	7.40	(21,611.28 -45,676.64)	1.94
		(21,609.57 -45,675.72)	10.66	(21,600.01 -45,671.00)	7.55		
61	001- 6						
		(21,600.01 -45,671.00)	10.66	(21,609.57 -45,675.72)	1.94	(21,611.28 -45,676.64)	9.02
		(21,619.21 -45,680.94)	36.42	(21,649.00 -45,701.90)	0.92	(21,649.70 -45,702.50)	2.81
		(21,652.01 -45,704.10)	7.18	(21,656.72 -45,698.68)	4.79	(21,652.76 -45,695.99)	26.04
		(21,631.29 -45,681.25)	16.78	(21,617.64 -45,671.49)	3.01	(21,615.13 -45,669.83)	18.25
		(21,599.98 -45,659.65)	11.35				
61	971- 1	(1/ 2)					
		(21,599.98 -45,659.65)	18.25	(21,615.13 -45,669.83)	0.98	(21,615.70 -45,669.03)	18.87
		(21,599.98 -45,658.60)	1.05				
61	972- 1	(1/ 2)					
		(21,599.98 -45,658.60)	18.87	(21,615.70 -45,669.03)	14.64	(21,624.30 -45,657.18)	1.51
		(21,625.17 -45,655.95)	30.91	(21,599.97 -45,638.05)	20.55		
61	974- 5	(1/ 2)					
		(21,599.97 -45,638.05)	30.91	(21,625.17 -45,655.95)	18.08	(21,635.37 -45,641.02)	2.99
		(21,632.75 -45,639.57)	2.23	(21,630.67 -45,638.76)	5.97	(21,625.38 -45,636.00)	4.87
		(21,621.01 -45,633.84)	4.23	(21,617.04 -45,632.38)	1.53	(21,615.56 -45,632.01)	4.38
		(21,611.49 -45,630.40)	3.65	(21,608.24 -45,628.74)	0.82	(21,607.61 -45,628.21)	8.13
		(21,600.93 -45,632.85)	1.27	(21,599.98 -45,633.70)	4.35		
61	002- 3						
		(21,599.98 -45,633.70)	1.27	(21,600.93 -45,632.85)	8.13	(21,607.61 -45,628.21)	9.73
		(21,615.08 -45,621.98)	5.21	(21,618.49 -45,618.04)	5.91	(21,620.85 -45,612.62)	1.02
		(21,621.78 -45,612.19)	5.11	(21,626.62 -45,613.82)	6.88	(21,633.14 -45,616.02)	2.96
		(21,635.88 -45,617.14)	39.98	(21,673.39 -45,630.97)	3.51	(21,676.84 -45,631.60)	3.47
		(21,680.20 -45,630.75)	2.58	(21,678.68 -45,628.67)	1.21	(21,677.72 -45,629.41)	3.69
		(21,674.04 -45,629.10)	40.08	(21,636.42 -45,615.27)	2.92	(21,633.72 -45,614.17)	6.64
		(21,627.48 -45,611.90)	5.15	(21,622.50 -45,610.59)	2.70	(21,619.84 -45,611.07)	6.59
		(21,616.72 -45,616.88)	4.64	(21,613.81 -45,620.50)	9.91	(21,606.32 -45,626.99)	7.26
		(21,600.44 -45,631.25)	0.60	(21,599.99 -45,631.65)	2.05		
62	999- 4	(1/ 2)					
		(21,599.99 -45,631.65)	0.60	(21,600.44 -45,631.25)	0.64	(21,599.99 -45,630.80)	0.85
62	990	(1/ 2)					
		(21,599.99 -45,630.80)	0.64	(21,600.44 -45,631.25)	7.26	(21,606.32 -45,626.99)	9.91
		(21,613.81 -45,620.50)	4.64	(21,616.72 -45,616.88)	6.59	(21,619.84 -45,611.07)	3.18
		(21,616.71 -45,610.52)	7.50	(21,611.67 -45,616.07)	15.80	(21,600.50 -45,627.25)	0.71
		(21,599.99 -45,627.75)	3.05				
62	991	(1/ 4)					

地区 ..003

作業 .. 23

原図番号 .. N1 31-4

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -45,800.00

測定 年 4 月 28 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,599.99 -45,627.75)	0.71	(21,600.50 -45,627.25)	15.80	(21,611.67 -45,616.07)	7.50
		(21,616.71 -45,610.52)	1.58	(21,615.46 -45,609.56)	14.28	(21,604.80 -45,600.06)	4.80
61	001-4	(@ 21,600.00 -45,600.05)	27.70				
		(@ 21,604.80 -45,600.06)	14.28	(21,615.46 -45,609.56)	1.58	(21,616.71 -45,610.52)	3.18
		(21,619.84 -45,611.07)	2.70	(21,622.50 -45,610.59)	5.15	(21,627.48 -45,611.90)	6.64
		(21,633.72 -45,614.17)	2.92	(21,636.42 -45,615.27)	40.08	(21,674.04 -45,629.10)	3.69
		(21,677.72 -45,629.41)	1.21	(21,678.68 -45,628.67)	1.09	(21,678.50 -45,627.59)	1.30
		(21,677.47 -45,628.38)	3.40	(21,674.09 -45,628.05)	39.94	(21,636.62 -45,614.22)	2.91
		(21,633.85 -45,613.32)	6.38	(21,627.88 -45,611.06)	5.64	(21,622.43 -45,609.59)	2.52
		(21,619.93 -45,609.94)	2.87	(21,617.08 -45,609.58)	1.36	(21,616.00 -45,608.75)	13.02
		(21,606.30 -45,600.06)	1.50				
61	987	(1/ 3)					
		(21,606.30 -45,600.06)	13.02	(21,616.00 -45,608.75)	1.03	(21,616.73 -45,608.03)	6.18
61	979-1	(1/ 2)		(@ 21,623.08 -45,600.05)	16.78		
		(@ 21,623.08 -45,600.05)	4.03	(21,620.69 -45,603.29)	6.18	(21,616.73 -45,608.03)	1.03
		(21,616.00 -45,608.75)	1.36	(21,617.08 -45,609.58)	2.87	(21,619.93 -45,609.94)	2.52
		(21,622.43 -45,609.59)	5.64	(21,627.88 -45,611.06)	6.38	(21,633.85 -45,613.32)	2.91
		(21,636.62 -45,614.22)	39.94	(21,674.09 -45,628.05)	3.40	(21,677.47 -45,628.38)	1.30
		(21,678.50 -45,627.59)	1.77	(21,678.27 -45,625.83)	2.60	(21,678.63 -45,623.26)	2.02
		(21,678.91 -45,621.26)	10.16	(21,680.79 -45,611.28)	35.31	(21,647.30 -45,600.09)	24.22
61	980	(1/ 2)					
		(@ 21,647.30 -45,600.09)	35.31	(21,680.79 -45,611.28)	11.37	(21,682.95 -45,600.12)	35.65
61	001-3						
		(@ 21,682.95 -45,600.12)	11.37	(21,680.79 -45,611.28)	10.16	(21,678.91 -45,621.26)	2.02
		(21,678.63 -45,623.26)	2.60	(21,678.27 -45,625.83)	1.77	(21,678.50 -45,627.59)	1.09
		(21,678.68 -45,628.67)	2.58	(21,680.20 -45,630.75)	3.63	(21,682.50 -45,633.56)	2.67
		(21,684.20 -45,631.50)	2.95	(21,682.17 -45,629.36)	3.26	(21,680.35 -45,626.66)	1.06
		(21,680.20 -45,625.61)	2.48	(21,680.43 -45,623.14)	23.47	(21,685.00 -45,600.12)	2.05
61	002-2						
		(21,685.00 -45,600.12)	23.47	(21,680.43 -45,623.14)	2.48	(21,680.20 -45,625.61)	1.06
		(21,680.35 -45,626.66)	3.26	(21,682.17 -45,629.36)	2.95	(21,684.20 -45,631.50)	1.55
		(21,685.67 -45,631.01)	3.19	(21,683.54 -45,628.64)	3.45	(21,681.80 -45,625.66)	11.14
		(21,685.53 -45,615.16)	3.55	(21,686.20 -45,611.67)	11.65	(@ 21,687.25 -45,600.07)	2.25
65	1038-1	(1/ 2)					
		(@ 21,687.25 -45,600.07)	11.65	(21,686.20 -45,611.67)	3.55	(21,685.53 -45,615.16)	3.16
		(21,688.59 -45,615.93)	9.48	(21,687.96 -45,625.39)	8.63	(21,696.38 -45,623.52)	6.14
		(21,700.92 -45,627.66)	10.94	(21,711.60 -45,625.30)	21.40	(21,729.32 -45,613.31)	2.85
		(21,727.20 -45,611.40)	3.22	(21,724.76 -45,609.30)	5.56	(21,720.09 -45,606.29)	3.49
		(21,716.65 -45,605.73)	13.13	(21,703.74 -45,603.36)	16.13	(21,687.95 -45,600.08)	0.70
65	1037	(1/ 2)					
		(@ 21,687.95 -45,600.08)	16.13	(21,703.74 -45,603.36)	13.13	(21,716.65 -45,605.73)	3.59
		(21,717.10 -45,602.17)	7.95	(21,709.15 -45,602.04)	1.93	(21,709.35 -45,600.12)	21.40
65	1036-3	(1/ 2)					
		(@ 21,709.35 -45,600.12)	1.93	(21,709.15 -45,602.04)	7.95	(21,717.10 -45,602.17)	2.06
		(21,717.38 -45,600.13)	8.03				
65	001-2						
		(21,716.65 -45,605.73)	3.49	(21,720.09 -45,606.29)	5.56	(21,724.76 -45,609.30)	3.22
		(21,727.20 -45,611.40)	2.85	(21,729.32 -45,613.31)	3.82	(21,732.53 -45,611.24)	17.90
		(@ 21,717.10 -45,602.17)	3.59				
65	1039-1	(1/ 2)					

地区..003 作業..23 原図番号..N1 31-4 縮尺..1/ 500 基準点..X 21,600.00..Y -45,800.00 測定 年 4 月 28 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,717.38 -45,600.13)	2.06	(21,717.10 -45,602.17)	17.90	(21,732.53 -45,611.24)	11.20
		(@ 21,733.90 -45,600.12)	16.52				
65	000-	2 (21,733.90 -45,600.12)	11.20	(21,732.53 -45,611.24)	0.54	(21,732.98 -45,610.95)	10.91
		(21,734.30 -45,600.12)	0.40				
65	1039-	3 (1/ 2)					
		(@ 21,734.30 -45,600.12)	10.91	(21,732.98 -45,610.95)	12.58	(21,743.46 -45,603.99)	6.91
		(21,737.73 -45,600.13)	3.43				
65	1040	(3/ 4)					
		(21,749.95 -45,600.15)	12.22	(@ 21,737.73 -45,600.13)	6.91	(21,743.46 -45,603.99)	6.55
		(21,749.97 -45,603.30)	3.15				
65	001-	1 (@ 21,749.97 -45,603.30)	6.55	(21,743.46 -45,603.99)	12.58	(21,732.98 -45,610.95)	0.54
		(21,732.53 -45,611.24)	3.82	(21,729.32 -45,613.31)	21.40	(21,711.60 -45,625.30)	10.94
		(21,700.92 -45,627.66)	4.35	(21,702.40 -45,631.75)	5.81	(21,708.10 -45,630.60)	1.59
		(21,709.69 -45,630.55)	3.78	(21,713.39 -45,629.80)	35.88	(21,742.95 -45,609.47)	1.88
		(21,744.53 -45,608.46)	5.48	(21,749.98 -45,607.90)	4.60		
59	950-	2 (2/ 2)					
		(@ 21,749.98 -45,607.90)	5.48	(21,744.53 -45,608.46)	1.88	(21,742.95 -45,609.47)	27.04
		(21,741.69 -45,636.48)	8.30	(21,749.98 -45,636.85)	28.95		
59	950-	1 (2/ 2)					
		(21,749.98 -45,636.85)	8.30	(21,741.69 -45,636.48)	18.72	(@ 21,722.98 -45,635.75)	36.20
		(21,715.01 -45,671.06)	0.38	(21,715.39 -45,671.08)	1.65	(21,717.04 -45,671.13)	33.00
		(21,750.01 -45,672.45)	35.60				
53	859	(2/ 2)					
		(21,750.01 -45,672.45)	33.00	(@ 21,717.04 -45,671.13)	24.64	(21,714.43 -45,695.63)	7.14
		(21,713.84 -45,702.75)	9.16	(21,713.88 -45,711.91)	16.46	(21,730.33 -45,712.41)	3.18
		(21,733.51 -45,712.52)	16.48	(21,749.97 -45,713.30)	40.85		
53	860-	6 (2/ 2)					
		(21,749.97 -45,713.30)	16.48	(@ 21,733.51 -45,712.52)	46.00	(21,733.41 -45,758.52)	7.55
		(21,740.55 -45,756.08)	3.13	(21,743.42 -45,754.84)	2.67	(21,745.92 -45,753.89)	3.63
		(21,749.42 -45,752.92)	0.58	(21,749.99 -45,752.80)	39.50		
53	866-	1 (2/ 2)					
		(@ 21,749.99 -45,752.80)	0.58	(21,749.42 -45,752.92)	3.63	(21,745.92 -45,753.89)	2.67
		(21,743.42 -45,754.84)	3.13	(21,740.55 -45,756.08)	9.01	(21,741.67 -45,765.02)	10.44
		(21,750.01 -45,771.30)	18.50				
53	001-	10					
		(21,750.01 -45,771.30)	10.44	(21,741.67 -45,765.02)	6.11	(21,736.88 -45,761.22)	4.40
		(21,733.41 -45,758.52)	19.72	(21,717.82 -45,746.44)	4.75	(21,714.10 -45,743.49)	2.29
		(21,712.35 -45,742.02)	12.47	(21,702.63 -45,734.21)	3.94	(@ 21,699.46 -45,731.87)	11.03
		(21,701.10 -45,742.78)	4.06	(21,704.31 -45,745.26)	10.32	(21,712.40 -45,751.67)	1.67
		(21,713.74 -45,752.66)	11.79	(21,722.88 -45,760.10)	25.18	(21,742.65 -45,775.69)	9.24
		(21,749.99 -45,781.30)	10.00				
53	866-	3 (3/ 3)					
		(21,749.99 -45,781.30)	9.24	(@ 21,742.65 -45,775.69)	24.63	(21,750.00 -45,799.20)	17.90
53	861-	3 (4/ 4)					
		(21,750.00 -45,800.10)	0.90	(21,750.00 -45,799.20)	24.63	(21,742.65 -45,775.69)	25.18
		(@ 21,722.88 -45,760.10)	10.52	(21,712.38 -45,760.76)	5.74	(21,711.37 -45,766.41)	3.57
		(21,710.89 -45,769.95)	3.64	(21,710.48 -45,773.57)	3.53	(21,710.65 -45,777.10)	4.64
		(21,711.09 -45,781.72)	5.79	(21,711.76 -45,787.47)	3.41	(21,712.37 -45,790.82)	8.98
		(21,713.50 -45,799.73)	0.36	(21,713.60 -45,800.08)	36.40		
52	834-	1 (2/ 2)					

地区 ..003

作業 .. 23

原図番号 .. N1 31-4

縮尺 .. 1/ 500

基準点 .. X 21,600.00 .. Y -45,800.00

測定 年 4 月 28 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,713.60 -45,800.08)	0.36	(21,713.50 -45,799.73)	8.98	(21,712.37 -45,790.82)	3.41
		(21,711.76 -45,787.47)	4.99	(21,706.86 -45,786.55)	2.18	(21,707.15 -45,788.71)	2.90
		(21,704.87 -45,790.51)	17.12	(21,687.80 -45,789.18)	7.96	(21,687.03 -45,797.10)	3.07
		(21,687.75 -45,800.08)	25.85				
52	002- 10	(21,687.75 -45,800.08)	3.07	(21,687.03 -45,797.10)	7.96	(21,687.80 -45,789.18)	17.12
		(21,704.87 -45,790.51)	2.90	(21,707.15 -45,788.71)	2.18	(21,706.86 -45,786.55)	9.65
		(21,705.77 -45,776.96)	3.25	(21,705.68 -45,773.71)	2.81	(21,705.91 -45,770.91)	5.56
		(21,706.65 -45,765.40)	2.59	(21,706.37 -45,762.83)	17.69	(21,704.31 -45,745.26)	4.06
		(21,701.10 -45,742.78)	7.29	(21,702.63 -45,749.91)	5.30	(21,703.39 -45,755.16)	9.58
		(21,703.77 -45,764.73)	6.11	(21,703.16 -45,770.81)	6.32	(21,703.35 -45,777.13)	10.40
		(21,704.00 -45,787.51)	11.38	(21,692.70 -45,786.19)	6.61	(21,686.13 -45,785.45)	5.16
		(21,684.49 -45,790.34)	5.18	(21,684.53 -45,795.52)	4.61	(21,685.30 -45,800.07)	2.45
52	851	(21,685.30 -45,800.07)	4.61	(21,684.53 -45,795.52)	5.18	(21,684.49 -45,790.34)	5.16
		(21,686.13 -45,785.45)	6.61	(21,692.70 -45,786.19)	11.38	(21,704.00 -45,787.51)	10.40
		(21,703.35 -45,777.13)	6.32	(21,703.16 -45,770.81)	6.11	(21,703.77 -45,764.73)	9.58
		(21,703.39 -45,755.16)	5.30	(21,702.63 -45,749.91)	7.29	(21,701.10 -45,742.78)	9.38
		(21,693.83 -45,736.85)	16.97	(21,686.80 -45,752.30)	3.48	(21,683.45 -45,751.35)	21.88
		(21,677.31 -45,772.35)	27.04	(21,669.69 -45,798.29)	11.79	(21,681.35 -45,800.06)	3.95
52	835- 1	(21,681.35 -45,800.06)	11.79	(21,669.69 -45,798.29)	10.61	(21,659.21 -45,796.63)	1.04
		(21,658.18 -45,796.49)	7.44	(21,650.91 -45,794.90)	0.75	(21,650.64 -45,795.60)	4.61
		(21,649.45 -45,800.05)	31.90				
52	846- 1	(21,619.53 -45,786.59)	4.65	(21,619.39 -45,781.94)	5.74	(21,620.87 -45,776.39)	10.67
		(21,623.59 -45,766.07)	4.37	(21,624.23 -45,761.75)	1.75	(21,623.98 -45,760.02)	1.62
		(21,622.76 -45,758.95)	11.97	(21,611.29 -45,755.54)	9.98	(21,608.07 -45,764.99)	5.66
		(21,606.08 -45,770.29)	10.98	(21,601.79 -45,780.40)	18.79		
52	847- 4	(21,612.38 -45,753.20)	2.58	(21,611.29 -45,755.54)	11.97	(21,622.76 -45,758.95)	1.62
		(21,623.98 -45,760.02)	1.75	(21,624.23 -45,761.75)	4.37	(21,623.59 -45,766.07)	10.67
		(21,620.87 -45,776.39)	5.74	(21,619.39 -45,781.94)	4.65	(21,619.53 -45,786.59)	5.82
		(21,625.07 -45,788.38)	8.17	(21,632.89 -45,790.74)	9.00	(21,641.54 -45,793.23)	9.40
		(21,650.64 -45,795.60)	0.75	(21,650.91 -45,794.90)	7.44	(21,658.18 -45,796.49)	1.04
		(21,659.21 -45,796.63)	30.44	(21,667.27 -45,767.28)	56.67		
52	847- 5	(21,667.27 -45,767.28)	30.44	(21,659.21 -45,796.63)	10.61	(21,669.69 -45,798.29)	27.04
		(21,677.31 -45,772.35)	21.88	(21,683.45 -45,751.35)	11.45	(21,672.22 -45,749.14)	18.80
52	847- 2	(21,667.27 -45,767.28)	18.80	(21,672.22 -45,749.14)	4.64	(21,667.69 -45,748.15)	16.88
		(21,651.21 -45,744.50)	6.65	(21,644.71 -45,743.09)	4.62	(21,640.32 -45,741.66)	5.06
		(21,635.57 -45,739.91)	5.31	(21,633.56 -45,744.82)	10.78	(21,623.35 -45,741.35)	3.34
		(21,620.14 -45,742.29)	5.20	(21,616.16 -45,745.63)	1.93	(21,615.31 -45,747.36)	4.04
		(21,613.42 -45,750.93)	2.50	(21,612.38 -45,753.20)	56.67		
52	847- 1	(21,633.56 -45,744.82)	5.31	(21,635.57 -45,739.91)	7.14	(21,628.99 -45,737.14)	2.78
		(21,626.97 -45,739.05)	4.29	(21,623.35 -45,741.35)	10.78		
52	834- 2	(21,706.65 -45,765.40)	5.56	(21,705.91 -45,770.91)	2.81	(21,705.68 -45,773.71)	3.25
		(21,705.77 -45,776.96)	9.65	(21,706.86 -45,786.55)	4.99	(21,711.76 -45,787.47)	5.79
		(21,711.09 -45,781.72)	4.64	(21,710.65 -45,777.10)	3.53	(21,710.48 -45,773.57)	3.64

地区 ..003

作業 .. 23

原図番号 .. N1 31-4

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -45,800.00

測定 年 4 月 28 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

53	854-	1	(21,710.89 -45,769.95)	3.57	(21,711.37 -45,766.41)	4.83			
		(@	21,704.31 -45,745.26)	17.69	(21,706.37 -45,762.83)	3.77	(21,710.02 -45,763.77)	12.33	
		(	21,712.40 -45,751.67)	10.32					
53	002-	9	(@ 21,712.40 -45,751.67)	12.33	(21,710.02 -45,763.77)	3.77	(21,706.37 -45,762.83)	2.59	
		(	21,706.65 -45,765.40)	4.83	(21,711.37 -45,766.41)	5.74	(21,712.38 -45,760.76)	8.21	
		(	21,713.74 -45,752.66)	1.67					
53	860-	3	(@ 21,713.74 -45,752.66)	8.21	(21,712.38 -45,760.76)	10.52	(21,722.88 -45,760.10)	11.79	
53	861-	1	(21,736.88 -45,761.22)	6.11	(21,741.67 -45,765.02)	9.01	(@ 21,740.55 -45,756.08)	7.55	
		(	21,733.41 -45,758.52)	4.40					
53	860-	7	(21,733.41 -45,758.52)	46.00	(21,733.51 -45,712.52)	3.18	(@ 21,730.33 -45,712.41)	17.74	
		(	21,729.09 -45,730.11)	10.40	(21,718.69 -45,730.04)	16.42	(21,717.82 -45,746.44)	19.72	
53	860-	1	(21,717.82 -45,746.44)	16.42	(21,718.69 -45,730.04)	10.40	(21,729.09 -45,730.11)	17.74	
		(	21,730.33 -45,712.41)	16.46	(@ 21,713.88 -45,711.91)	5.41	(21,714.57 -45,717.28)	4.45	
		(	21,714.71 -45,721.73)	9.30	(21,714.86 -45,731.03)	9.76	(21,714.44 -45,740.78)	2.73	
		(	21,714.10 -45,743.49)	4.75					
53	002-	8	(21,714.10 -45,743.49)	2.73	(21,714.44 -45,740.78)	9.76	(21,714.86 -45,731.03)	9.30	
		(	21,714.71 -45,721.73)	4.45	(21,714.57 -45,717.28)	5.41	(21,713.88 -45,711.91)	9.16	
		(	21,713.84 -45,702.75)	7.14	(21,714.43 -45,695.63)	24.64	(21,717.04 -45,671.13)	1.65	
		(@	21,715.39 -45,671.08)	24.92	(21,712.77 -45,695.86)	9.48	(21,711.59 -45,705.27)	6.87	
		(	21,712.08 -45,712.12)	10.27	(21,713.41 -45,722.30)	9.58	(21,713.34 -45,731.88)	10.19	
		(	21,712.35 -45,742.02)	2.29					
53	855-	1	(21,712.35 -45,742.02)	10.19	(21,713.34 -45,731.88)	9.58	(21,713.41 -45,722.30)	10.27	
		(	21,712.08 -45,712.12)	6.87	(21,711.59 -45,705.27)	9.48	(21,712.77 -45,695.86)	13.96	
		(@	21,698.96 -45,693.85)	7.78	(21,698.25 -45,701.60)	9.51	(21,697.85 -45,711.10)	7.41	
		(	21,698.76 -45,718.45)	7.65	(21,700.60 -45,725.88)	8.57	(21,702.63 -45,734.21)	12.47	
53	002-	7	(21,702.63 -45,734.21)	8.57	(21,700.60 -45,725.88)	7.65	(21,698.76 -45,718.45)	7.41	
		(	21,697.85 -45,711.10)	9.51	(21,698.25 -45,701.60)	7.78	(21,698.96 -45,693.85)	20.20	
		(	21,700.64 -45,673.72)	0.79	(21,699.85 -45,673.65)	5.89	(@ 21,693.97 -45,673.29)	4.29	
		(	21,690.55 -45,675.88)	7.51	(21,698.05 -45,676.20)	27.18	(21,695.79 -45,703.29)	0.98	
		(	21,695.64 -45,704.26)	6.98	(21,695.48 -45,711.24)	7.42	(21,696.24 -45,718.62)	7.03	
		(	21,697.92 -45,725.45)	6.60	(21,699.46 -45,731.87)	3.94			
53	858		(21,712.77 -45,695.86)	24.92	(21,715.39 -45,671.08)	0.38	(21,715.01 -45,671.06)	11.40	
		(@	21,703.61 -45,670.83)	0.86	(21,702.76 -45,670.96)	1.15	(21,701.91 -45,671.73)	2.08	
		(	21,701.25 -45,673.70)	0.61	(21,700.64 -45,673.72)	20.20	(21,698.96 -45,693.85)	13.96	
53	856		(21,684.11 -45,696.07)	13.73	(21,695.79 -45,703.29)	27.18	(21,698.05 -45,676.20)	7.51	
		(@	21,690.55 -45,675.88)	0.45	(21,690.56 -45,676.33)	20.77			
53	002-	6	(@ 21,684.11 -45,696.07)	0.98	(21,683.71 -45,696.97)	13.98	(21,695.64 -45,704.26)	0.98	
		(	21,695.79 -45,703.29)	13.73					
53	857		(21,699.85 -45,673.65)	10.27	(21,700.50 -45,663.40)	4.28	(21,696.24 -45,662.96)	2.44	

地区..003

作業..23 原図番号..N1 31-4

縮尺..1/ 500

基準点..X 21,600.00..Y -45,800.00 測定 年 4 月 28 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

59	954-	3	(21,693.81 -45,662.69)	1.62	(@ 21,692.19 -45,662.58)	10.86	(21,693.97 -45,673.29)	5.89
			(21,701.70 -45,634.62)	2.95	(@ 21,702.40 -45,631.75)	12.61	(21,690.08 -45,634.43)	0.90
59	955		(21,689.47 -45,635.09)	1.95	(21,689.69 -45,637.03)	12.25		
			(21,689.69 -45,637.03)	5.75	(21,690.41 -45,642.73)	6.74	(21,690.78 -45,649.46)	2.87
			(21,690.87 -45,652.33)	4.16	(21,691.14 -45,656.48)	2.78	(21,691.56 -45,659.23)	3.41
59	953-	1	(21,692.19 -45,662.58)	1.62	(21,693.81 -45,662.69)	29.16	(@ 21,701.70 -45,634.62)	12.25
			(21,702.40 -45,631.75)	2.95	(21,701.70 -45,634.62)	29.16	(21,693.81 -45,662.69)	2.44
			(21,696.24 -45,662.96)	10.08	(21,701.22 -45,654.20)	6.19	(21,703.65 -45,648.51)	6.49
59	950-	8	(21,705.82 -45,642.39)	7.66	(21,707.63 -45,634.95)	4.38	(@ 21,708.10 -45,630.60)	5.81
			(21,708.10 -45,630.60)	4.38	(21,707.63 -45,634.95)	1.74	(21,709.37 -45,635.03)	4.49
59	950-	4	(@ 21,709.69 -45,630.55)	1.59				
			(21,709.37 -45,635.03)	1.74	(@ 21,707.63 -45,634.95)	7.66	(21,705.82 -45,642.39)	6.49
			(21,703.65 -45,648.51)	6.19	(21,701.22 -45,654.20)	10.08	(21,696.24 -45,662.96)	4.28
			(21,700.50 -45,663.40)	10.27	(21,699.85 -45,673.65)	0.79	(21,700.64 -45,673.72)	0.61
			(21,701.25 -45,673.70)	2.08	(21,701.91 -45,671.73)	1.15	(21,702.76 -45,670.96)	0.86
59	950-	3	(21,703.61 -45,670.83)	11.40	(21,715.01 -45,671.06)	36.20	(21,722.98 -45,635.75)	13.63
			(21,722.98 -45,635.75)	18.72	(21,741.69 -45,636.48)	27.04	(@ 21,742.95 -45,609.47)	35.88
60	002-	5	(21,713.39 -45,629.80)	3.78	(21,709.69 -45,630.55)	4.49	(21,709.37 -45,635.03)	13.63
			(21,693.97 -45,673.29)	10.86	(21,692.19 -45,662.58)	3.41	(21,691.56 -45,659.23)	2.78
			(21,691.14 -45,656.48)	4.16	(21,690.87 -45,652.33)	2.87	(21,690.78 -45,649.46)	6.74
			(21,690.41 -45,642.73)	5.75	(21,689.69 -45,637.03)	1.95	(@ 21,689.47 -45,635.09)	1.74
60	956-	1	(21,688.04 -45,636.08)	8.24	(21,688.89 -45,644.28)	31.64	(21,690.55 -45,675.88)	4.29
			(21,690.55 -45,675.88)	31.64	(21,688.89 -45,644.28)	8.24	(@ 21,688.04 -45,636.08)	2.45
			(21,686.37 -45,637.87)	39.84	(21,671.15 -45,674.69)	7.62	(21,678.72 -45,675.56)	11.87
60	957-	1	(21,690.56 -45,676.33)	0.45				
			(21,690.56 -45,676.33)	11.87	(21,678.72 -45,675.56)	7.62	(@ 21,671.15 -45,674.69)	12.36
60	958-	1	(21,665.04 -45,685.43)	11.63	(21,675.37 -45,690.78)	10.22	(21,684.11 -45,696.07)	20.77
			(21,683.71 -45,696.97)	0.98	(21,684.11 -45,696.07)	10.22	(21,675.37 -45,690.78)	11.63
			(@ 21,665.04 -45,685.43)	13.23	(21,658.36 -45,696.85)	3.96	(21,658.95 -45,700.77)	20.09
60	959-	1	(21,675.12 -45,712.70)	17.92				
			(21,675.12 -45,712.70)	30.98	(21,699.46 -45,731.87)	6.60	(21,697.92 -45,725.45)	7.03
			(21,696.24 -45,718.62)	7.42	(21,695.48 -45,711.24)	6.98	(21,695.64 -45,704.26)	13.98
60	001-	9	(@ 21,683.71 -45,696.97)	17.92				
			(21,671.31 -45,718.78)	20.29	(21,687.14 -45,731.47)	8.58	(21,693.83 -45,736.85)	9.38
			(21,701.10 -45,742.78)	11.03	(21,699.46 -45,731.87)	30.98	(21,675.12 -45,712.70)	20.09
			(21,658.95 -45,700.77)	3.96	(@ 21,658.36 -45,696.85)	2.46	(21,656.72 -45,698.68)	7.18
60	958-	4	(21,652.01 -45,704.10)	1.72	(21,650.89 -45,705.40)	1.90	(21,652.74 -45,704.96)	23.15
			(@ 21,652.74 -45,704.96)	1.90	(21,650.89 -45,705.40)	9.05	(21,646.37 -45,713.24)	7.01
			(21,642.59 -45,719.14)	12.19	(21,635.59 -45,729.12)	10.39	(21,628.99 -45,737.14)	7.14

地区 ..003

作業 .. 23

原図番号 .. N1 31-4

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -45,800.00

測定 年 4 月 28 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,635.57 -45,739.91)	5.06	(21,640.32 -45,741.66)	4.62	(21,644.71 -45,743.09)	6.65
		(21,651.21 -45,744.50)	16.88	(21,667.69 -45,748.15)	15.62	(21,675.72 -45,734.75)	12.03
		(21,666.17 -45,727.43)	1.32	(21,665.97 -45,726.13)	9.09	(21,671.31 -45,718.78)	23.15
60	959- 3	(21,671.31 -45,718.78)	9.09	(21,665.97 -45,726.13)	1.32	(21,666.17 -45,727.43)	12.03
		(21,675.72 -45,734.75)	7.47	(21,681.65 -45,739.29)	9.55	(21,687.14 -45,731.47)	20.29
60	960- 3	(21,687.14 -45,731.47)	9.55	(21,681.65 -45,739.29)	7.47	(21,675.72 -45,734.75)	15.62
		(21,667.69 -45,748.15)	4.64	(21,672.22 -45,749.14)	11.45	(21,683.45 -45,751.35)	3.48
		(21,686.80 -45,752.30)	16.97	(21,693.83 -45,736.85)	8.58		
61	002- 4	(21,649.00 -45,701.90)	11.46	(21,643.34 -45,711.87)	6.43	(21,639.87 -45,717.28)	6.42
		(21,636.21 -45,722.55)	5.85	(21,632.75 -45,727.27)	6.07	(21,629.04 -45,732.08)	4.11
		(21,626.40 -45,735.23)	1.80	(21,625.10 -45,736.48)	1.46	(21,623.93 -45,737.35)	1.12
		(21,623.00 -45,737.97)	1.15	(21,621.95 -45,738.44)	1.64	(21,620.32 -45,738.63)	5.48
		(21,615.29 -45,740.81)	1.35	(21,614.54 -45,741.93)	11.82	(21,608.63 -45,752.17)	0.99
		(21,608.36 -45,753.12)	1.45	(21,609.55 -45,752.29)	11.56	(21,615.42 -45,742.33)	1.04
		(21,616.14 -45,741.58)	5.12	(21,620.87 -45,739.62)	1.45	(21,622.27 -45,739.24)	1.37
		(21,623.47 -45,738.57)	1.27	(21,624.52 -45,737.85)	1.34	(21,625.58 -45,737.03)	1.84
		(21,626.95 -45,735.80)	4.39	(21,629.76 -45,732.43)	5.80	(21,633.34 -45,727.87)	5.91
		(21,636.85 -45,723.12)	6.39	(21,640.51 -45,717.88)	6.74	(21,644.13 -45,712.19)	11.18
		(21,649.70 -45,702.50)	0.92				
61	001- 5	(21,656.72 -45,698.68)	2.46	(21,658.36 -45,696.85)	13.23	(21,665.04 -45,685.43)	12.36
		(21,671.15 -45,674.69)	39.84	(21,686.37 -45,637.87)	2.45	(21,688.04 -45,636.08)	1.74
		(21,689.47 -45,635.09)	0.90	(21,690.08 -45,634.43)	12.61	(21,702.40 -45,631.75)	4.35
		(21,700.92 -45,627.66)	13.59	(21,687.65 -45,630.58)	2.03	(21,685.67 -45,631.01)	1.55
		(21,684.20 -45,631.50)	2.67	(21,682.50 -45,633.56)	26.78	(21,672.43 -45,658.37)	0.27
		(21,672.68 -45,658.47)	2.86	(21,671.66 -45,661.14)	12.35	(21,667.01 -45,672.58)	1.38
		(21,666.43 -45,673.83)	7.25	(21,662.48 -45,679.91)	6.87	(21,659.33 -45,686.02)	11.94
		(21,652.76 -45,695.99)	4.79				
61	973- 1	(21,652.76 -45,695.99)	11.94	(21,659.33 -45,686.02)	6.87	(21,662.48 -45,679.91)	16.44
		(21,648.01 -45,672.10)	8.56	(21,640.71 -45,667.63)	1.00	(21,639.83 -45,667.16)	16.48
		(21,631.29 -45,681.25)	26.04				
61	973- 2	(21,631.29 -45,681.25)	16.48	(21,639.83 -45,667.16)	15.50	(21,626.78 -45,658.79)	15.65
		(21,617.64 -45,671.49)	16.78				
61	972- 2	(21,617.64 -45,671.49)	15.65	(21,626.78 -45,658.79)	2.96	(21,624.30 -45,657.18)	14.64
		(21,615.70 -45,669.03)	0.98	(21,615.13 -45,669.83)	3.01		
61	975- 2	(21,626.62 -45,613.82)	5.11	(21,621.78 -45,612.19)	1.02	(21,620.85 -45,612.62)	5.91
		(21,618.49 -45,618.04)	5.21	(21,615.08 -45,621.98)	9.73	(21,607.61 -45,628.21)	0.82
		(21,608.24 -45,628.74)	3.65	(21,611.49 -45,630.40)	4.38	(21,615.56 -45,632.01)	1.53
		(21,617.04 -45,632.38)	20.89				
61	975- 1	(21,635.88 -45,617.14)	2.96	(21,633.14 -45,616.02)	6.88	(21,626.62 -45,613.82)	20.89
		(21,617.04 -45,632.38)	4.23	(21,621.01 -45,633.84)	4.87	(21,625.38 -45,636.00)	5.97
		(21,630.67 -45,638.76)	22.24				
61	976	(21,630.67 -45,638.76)	2.23	(21,632.75 -45,639.57)	2.99	(21,635.37 -45,641.02)	2.66

地区 ..003

作業 .. 23 原図番号 .. N1 31-4

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -45,800.00 測定 年 4 月 28 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,637.84 -45,642.00)	16.10	(21,651.35 -45,650.75)	7.80	(21,658.09 -45,654.67)	1.78
		(21,659.65 -45,655.52)	13.26	(21,671.66 -45,661.14)	2.86	(21,672.68 -45,658.47)	0.27
		(21,672.43 -45,658.37)	26.78	(21,682.50 -45,633.56)	3.63	(21,680.20 -45,630.75)	3.47
		(21,676.84 -45,631.60)	3.51	(21,673.39 -45,630.97)	39.98	(21,635.88 -45,617.14)	22.24
61	974- 3	(21,637.84 -45,642.00)	2.66	(21,635.37 -45,641.02)	18.08	(21,625.17 -45,655.95)	1.51
		(21,624.30 -45,657.18)	2.96	(21,626.78 -45,658.79)	15.50	(21,639.83 -45,667.16)	1.00
		(21,640.71 -45,667.63)	19.95	(21,651.35 -45,650.75)	16.10		
61	974- 2	(21,651.35 -45,650.75)	19.95	(21,640.71 -45,667.63)	8.56	(21,648.01 -45,672.10)	20.13
		(21,658.09 -45,654.67)	7.80				
61	974- 1	(21,659.65 -45,655.52)	1.78	(21,658.09 -45,654.67)	20.13	(21,648.01 -45,672.10)	16.44
		(21,662.48 -45,679.91)	7.25	(21,666.43 -45,673.83)	1.38	(21,667.01 -45,672.58)	12.35
		(21,671.66 -45,661.14)	13.26	(21,659.65 -45,655.52)	0.00		
61	978	(21,687.96 -45,625.39)	9.48	(21,688.59 -45,615.93)	3.16	(21,685.53 -45,615.16)	11.14
		(21,681.80 -45,625.66)	3.45	(21,683.54 -45,628.64)	3.19	(21,685.67 -45,631.01)	2.03
		(21,687.65 -45,630.58)	5.20				
59	954- 1	(21,687.65 -45,630.58)	13.59	(21,700.92 -45,627.66)	6.14	(21,696.38 -45,623.52)	8.63
		(21,687.96 -45,625.39)	5.20				