

地区..003

作業.. 27 原図番号.. N1 32-4

縮尺..1/ 500

基準点..X 21,600.00..Y -45,400.00 測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

	(21,600.00 -45,400.00)	49.97	(21,649.97 -45,400.07)	50.06	(21,700.03 -45,400.10)	49.97
	(21,750.00 -45,400.15)	49.98	(21,750.00 -45,350.17)	50.00	(21,750.03 -45,300.17)	50.00
	(21,750.00 -45,250.17)	50.02	(21,750.00 -45,200.15)	50.04	(21,699.96 -45,200.13)	49.98
	(21,649.98 -45,200.02)	49.98	(21,600.00 -45,200.02)	50.03	(21,599.95 -45,250.05)	49.95
	(21,599.98 -45,300.00)	50.00	(21,600.00 -45,350.00)	50.00		
72 001- 4	(21,599.98 -45,396.20)	2.59	(21,602.56 -45,396.03)	3.73	(21,606.29 -45,395.92)	6.30
	(21,612.56 -45,396.56)	7.90	(21,620.38 -45,397.70)	5.33	(21,625.68 -45,398.31)	6.66
	(21,632.34 -45,398.37)	5.96	(21,638.23 -45,397.47)	3.61	(21,641.73 -45,396.60)	5.28
	(21,646.74 -45,394.92)	5.24	(21,651.57 -45,392.90)	5.19	(21,656.47 -45,391.19)	5.62
	(21,662.00 -45,390.20)	2.51	(21,664.50 -45,389.96)	2.36	(21,666.85 -45,390.19)	7.37
	(21,673.87 -45,392.43)	5.34	(21,679.09 -45,393.55)	3.90	(21,682.99 -45,393.66)	3.91
	(21,686.89 -45,393.39)	4.05	(21,690.87 -45,392.63)	5.05	(21,695.72 -45,391.24)	4.60
	(21,699.98 -45,389.50)	6.22	(21,705.56 -45,386.76)	3.85	(21,709.19 -45,385.47)	2.62
	(21,711.74 -45,384.88)	5.58	(21,717.31 -45,384.49)	12.04	(21,729.34 -45,384.12)	2.92
	(21,732.20 -45,384.70)	2.09	(21,734.08 -45,385.62)	4.32	(21,735.46 -45,381.53)	2.97
	(21,732.51 -45,381.88)	17.48	(21,715.04 -45,382.31)	6.05	(21,709.04 -45,383.07)	2.07
	(21,706.97 -45,383.02)	2.58	(21,704.81 -45,384.44)	4.37	(21,700.98 -45,386.55)	5.66
	(21,695.80 -45,388.84)	5.64	(21,690.45 -45,390.63)	3.76	(21,686.75 -45,391.32)	4.01
	(21,682.75 -45,391.63)	3.26	(21,679.50 -45,391.40)	5.52	(21,674.10 -45,390.24)	7.62
	(21,666.91 -45,387.72)	3.39	(21,663.53 -45,387.53)	7.55	(21,656.15 -45,389.12)	5.55
	(21,650.87 -45,390.83)	5.06	(21,646.22 -45,392.82)	5.83	(21,640.74 -45,394.80)	4.75
	(21,636.09 -45,395.79)	4.51	(21,631.63 -45,396.48)	5.97	(21,625.66 -45,396.36)	6.05
	(21,619.66 -45,395.60)	6.96	(21,612.79 -45,394.48)	5.65	(21,607.19 -45,393.72)	4.62
	(21,602.57 -45,393.81)	2.59	(21,599.99 -45,394.05)	2.15		
72 002- 2	(21,599.99 -45,394.05)	2.59	(21,602.57 -45,393.81)	4.62	(21,607.19 -45,393.72)	5.65
	(21,612.79 -45,394.48)	6.96	(21,619.66 -45,395.60)	6.05	(21,625.66 -45,396.36)	5.97
	(21,631.63 -45,396.48)	4.51	(21,636.09 -45,395.79)	4.75	(21,640.74 -45,394.80)	5.83
	(21,646.22 -45,392.82)	5.06	(21,650.87 -45,390.83)	5.55	(21,656.15 -45,389.12)	7.55
	(21,663.53 -45,387.53)	3.39	(21,666.91 -45,387.72)	7.62	(21,674.10 -45,390.24)	5.52
	(21,679.50 -45,391.40)	3.26	(21,682.75 -45,391.63)	4.01	(21,686.75 -45,391.32)	3.76
	(21,690.45 -45,390.63)	5.64	(21,695.80 -45,388.84)	5.66	(21,700.98 -45,386.55)	4.37
	(21,704.81 -45,384.44)	2.58	(21,706.97 -45,383.02)	24.84	(21,716.72 -45,360.17)	10.13
	(21,721.42 -45,351.20)	13.29	(21,728.80 -45,340.15)	11.18	(21,733.95 -45,330.23)	1.89
	(21,735.75 -45,330.80)	8.20	(21,731.47 -45,323.81)	6.91	(21,730.10 -45,330.58)	8.66
	(21,726.58 -45,338.49)	8.23	(21,722.01 -45,345.34)	11.62	(21,716.06 -45,355.32)	5.70
	(21,713.65 -45,360.48)	14.89	(21,707.39 -45,373.99)	8.13	(21,703.32 -45,381.03)	3.33
	(21,700.84 -45,383.25)	6.57	(21,695.01 -45,386.29)	8.78	(21,686.50 -45,388.47)	8.15
	(21,678.36 -45,388.00)	4.98	(21,673.52 -45,386.83)	6.60	(21,667.11 -45,385.27)	2.50
	(21,664.70 -45,384.61)	4.60	(21,660.11 -45,384.95)	10.90	(21,649.75 -45,388.35)	7.54
	(21,642.80 -45,391.28)	4.92	(21,638.12 -45,392.80)	7.75	(21,630.39 -45,393.35)	13.50
	(21,616.92 -45,392.39)	14.87	(21,602.13 -45,390.81)	2.13	(21,600.00 -45,390.95)	3.10
72 1154	(1/ 2)					
	(21,600.00 -45,390.95)	2.13	(21,602.13 -45,390.81)	27.38	(21,603.45 -45,363.46)	3.43
	(21,600.02 -45,363.60)	27.35				
72 1153	(1/ 2)					
	(21,600.02 -45,363.60)	3.43	(21,603.45 -45,363.46)	20.84	(21,624.29 -45,363.34)	10.93
	(21,635.22 -45,363.19)	15.77	(21,650.99 -45,363.10)	5.00	(21,655.97 -45,362.61)	3.79
	(21,659.72 -45,362.05)	3.83	(21,663.52 -45,361.54)	18.87	(21,662.37 -45,342.71)	6.36
	(21,661.42 -45,336.42)	2.41	(21,659.06 -45,336.90)	4.57	(21,654.85 -45,338.69)	3.55

地区 ..003

作業 .. 27

原図番号 .. N1 32-4

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -45,400.00

測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,651.50 -45,339.85)	4.19	(21,647.35 -45,340.42)	3.10	(21,644.25 -45,340.51)	6.08
		(21,638.17 -45,340.30)	14.73	(21,623.45 -45,339.83)	23.04	(21,600.43 -45,338.80)	0.51
72	1166	(21,599.93 -45,338.70)	24.90				
		(1/ 2)					
		(21,599.93 -45,338.70)	0.51	(21,600.43 -45,338.80)	23.04	(21,623.45 -45,339.83)	14.73
		(21,638.17 -45,340.30)	6.08	(21,644.25 -45,340.51)	3.10	(21,647.35 -45,340.42)	4.19
		(21,651.50 -45,339.85)	3.55	(21,654.85 -45,338.69)	4.57	(21,659.06 -45,336.90)	2.41
		(21,661.42 -45,336.42)	8.89	(21,658.98 -45,327.87)	4.67	(21,657.84 -45,323.34)	5.19
		(21,657.18 -45,318.19)	4.75	(21,657.12 -45,313.44)	5.06	(21,657.40 -45,308.39)	7.42
		(21,658.27 -45,301.02)	3.27	(21,658.83 -45,297.80)	57.38	(21,601.47 -45,299.15)	12.88
72	1165	(21,600.00 -45,311.95)	26.75				
		(1/ 2)					
		(21,600.00 -45,311.95)	12.88	(21,601.47 -45,299.15)	0.76	(21,600.73 -45,299.00)	0.75
		(21,599.98 -45,299.00)	12.95				
72	1164	(1/ 2)					
		(21,599.98 -45,299.00)	0.75	(21,600.73 -45,299.00)	0.76	(21,601.47 -45,299.15)	14.48
		(21,599.96 -45,284.75)	14.25				
72	1167	(1/ 2)					
		(21,599.96 -45,284.75)	14.48	(21,601.47 -45,299.15)	57.38	(21,658.83 -45,297.80)	4.13
		(21,660.02 -45,293.85)	2.54	(21,660.85 -45,291.45)	3.38	(21,661.95 -45,288.25)	3.35
		(21,663.36 -45,285.21)	4.76	(21,666.27 -45,281.44)	9.76	(21,672.74 -45,274.13)	72.77
		(21,599.99 -45,275.75)	9.00				
76	1229	(1/ 2)					
		(21,599.99 -45,275.75)	72.77	(21,672.74 -45,274.13)	20.06	(21,686.07 -45,259.14)	49.02
		(21,637.11 -45,261.59)	33.73	(21,603.44 -45,263.56)	3.51	(21,599.96 -45,264.05)	11.70
76	1225	(1/ 2)					
		(21,599.96 -45,264.05)	3.51	(21,603.44 -45,263.56)	33.73	(21,637.11 -45,261.59)	42.00
		(21,635.13 -45,219.64)	35.27	(21,599.97 -45,222.40)	41.65		
76	1224	(1/ 4)					
		(21,600.00 -45,200.02)	22.38	(21,599.97 -45,222.40)	35.27	(21,635.13 -45,219.64)	11.24
		(21,646.34 -45,218.87)	19.05	(21,643.53 -45,200.03)	43.53		
76	1215	(1/ 2)					
		(21,643.53 -45,200.03)	19.05	(21,646.34 -45,218.87)	40.03	(21,686.24 -45,215.65)	3.16
		(21,686.12 -45,212.49)	12.44	(21,685.53 -45,200.06)	42.00		
76	001-	2					
		(21,685.53 -45,200.06)	12.44	(21,686.12 -45,212.49)	3.16	(21,686.24 -45,215.65)	1.84
		(21,686.13 -45,217.49)	36.80	(21,687.46 -45,254.27)	2.62	(21,687.13 -45,256.87)	2.51
		(21,686.07 -45,259.14)	2.76	(21,688.82 -45,258.87)	2.75	(21,689.78 -45,256.29)	43.89
		(21,687.94 -45,212.44)	0.92	(21,688.01 -45,211.52)	11.47	(21,687.38 -45,200.07)	1.85
76	1213-	2					
		(1/ 2)					
		(21,687.38 -45,200.07)	11.47	(21,688.01 -45,211.52)	5.91	(21,693.92 -45,211.71)	3.39
		(21,697.22 -45,212.49)	3.87	(21,700.99 -45,213.37)	13.28	(21,699.96 -45,200.13)	12.58
75	1204-	1					
		(3/ 4)					
		(21,699.96 -45,200.13)	13.28	(21,700.99 -45,213.37)	3.99	(21,704.81 -45,214.51)	2.99
		(21,707.76 -45,214.97)	5.25	(21,713.01 -45,214.83)	4.06	(21,717.06 -45,214.57)	2.48
		(21,719.54 -45,214.57)	3.89	(21,720.38 -45,218.37)	10.04	(21,730.38 -45,217.43)	19.69
		(21,749.99 -45,215.67)	15.52	(21,750.00 -45,200.15)	50.04		
75	1208	(2/ 2)					
		(21,749.99 -45,215.67)	19.69	(21,730.38 -45,217.43)	18.14	(21,731.39 -45,235.54)	5.34
		(21,736.59 -45,234.31)	1.96	(21,738.54 -45,234.15)	4.26	(21,739.28 -45,238.35)	10.94
		(21,749.99 -45,236.12)	20.45				
75	1209	(2/ 2)					

地区 ..003

作業 .. 27

原図番号 .. N1 32-4

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -45,400.00

測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

72	002-	1	(@ 21,749.99 -45,236.12)	10.94	(21,739.28 -45,238.35)	17.82	(21,740.21 -45,256.15)	2.61
			(21,740.48 -45,258.75)	0.58	(21,740.59 -45,259.32)	9.44	(21,750.03 -45,259.62)	23.50
72	002-	1	(21,750.03 -45,259.62)	9.44	(21,740.59 -45,259.32)	18.38	(21,722.23 -45,258.51)	9.93
			(21,712.30 -45,258.68)	6.15	(21,706.15 -45,258.56)	7.19	(@ 21,698.98 -45,258.05)	10.19
			(21,688.82 -45,258.87)	2.66	(21,687.25 -45,261.02)	5.00	(21,692.25 -45,261.06)	13.88
			(21,706.12 -45,260.66)	18.84	(21,724.95 -45,261.21)	15.46	(21,740.40 -45,261.68)	9.63
			(21,750.02 -45,262.07)	2.45				
72	1173	(2/ 2)	(21,750.02 -45,262.07)	9.63	(21,740.40 -45,261.68)	15.46	(21,724.95 -45,261.21)	18.84
			(@ 21,706.12 -45,260.66)	13.88	(21,692.25 -45,261.06)	5.00	(21,687.25 -45,261.02)	43.24
			(21,699.28 -45,302.55)	38.10	(21,735.71 -45,291.39)	2.93	(21,738.45 -45,290.35)	7.85
			(21,742.89 -45,283.88)	6.00	(21,747.48 -45,280.02)	2.92	(21,749.98 -45,278.52)	16.45
73	002-	3	(@ 21,749.98 -45,278.52)	2.92	(21,747.48 -45,280.02)	6.00	(21,742.89 -45,283.88)	7.85
			(21,738.45 -45,290.35)	2.93	(21,735.71 -45,291.39)	5.76	(21,733.28 -45,296.61)	6.21
			(21,731.71 -45,302.62)	0.00	(21,731.71 -45,302.62)	1.75	(21,733.42 -45,302.98)	3.87
			(21,733.01 -45,306.83)	9.27	(21,732.09 -45,316.05)	7.78	(21,731.47 -45,323.81)	8.20
			(21,735.75 -45,330.80)	11.19	(21,738.07 -45,341.75)	4.39	(21,737.96 -45,346.14)	14.73
			(21,734.87 -45,360.54)	14.30	(21,732.91 -45,374.71)	7.18	(21,732.51 -45,381.88)	2.97
			(21,735.46 -45,381.53)	5.84	(21,735.47 -45,375.69)	3.41	(21,736.28 -45,372.38)	1.56
			(21,736.20 -45,370.82)	10.02	(21,737.42 -45,360.87)	8.93	(21,739.62 -45,352.22)	5.62
			(21,743.21 -45,347.89)	2.95	(21,743.69 -45,344.98)	13.30	(21,740.77 -45,332.00)	0.91
			(21,741.61 -45,331.65)	9.11	(21,737.47 -45,323.54)	3.10	(21,736.37 -45,320.64)	4.62
			(21,735.89 -45,316.04)	17.17	(21,738.48 -45,299.07)	3.04	(21,739.34 -45,296.15)	3.44
			(21,740.79 -45,293.03)	8.27	(21,745.29 -45,286.09)	1.94	(21,746.56 -45,284.62)	4.06
			(21,749.97 -45,282.42)	3.90				
			(2/ 2)					
73	1183	(2/ 2)	(@ 21,749.97 -45,282.42)	4.06	(21,746.56 -45,284.62)	4.99	(21,749.50 -45,288.65)	0.66
			(21,750.00 -45,288.22)	5.80				
73	1181	(2/ 2)	(21,750.00 -45,288.22)	0.66	(21,749.50 -45,288.65)	4.99	(@ 21,746.56 -45,284.62)	1.94
			(21,745.29 -45,286.09)	8.27	(21,740.79 -45,293.03)	3.44	(21,739.34 -45,296.15)	3.04
			(21,738.48 -45,299.07)	17.17	(21,735.89 -45,316.04)	4.62	(21,736.37 -45,320.64)	3.10
			(21,737.47 -45,323.54)	9.11	(21,741.61 -45,331.65)	0.54	(21,742.02 -45,332.00)	10.13
			(21,750.01 -45,325.77)	37.55				
73	1178	(2/ 2)	(@ 21,750.01 -45,325.77)	10.13	(21,742.02 -45,332.00)	0.54	(21,741.61 -45,331.65)	0.91
			(21,740.77 -45,332.00)	13.30	(21,743.69 -45,344.98)	2.95	(21,743.21 -45,347.89)	3.16
			(21,746.16 -45,346.77)	5.13	(21,748.10 -45,351.52)	5.13	(21,750.03 -45,356.27)	30.50
73	1174	(2/ 2)	(21,750.03 -45,356.27)	5.13	(21,748.10 -45,351.52)	5.13	(@ 21,746.16 -45,346.77)	3.16
			(21,743.21 -45,347.89)	5.62	(21,739.62 -45,352.22)	8.93	(21,737.42 -45,360.87)	10.02
			(21,736.20 -45,370.82)	1.56	(21,736.28 -45,372.38)	3.15	(21,738.11 -45,374.95)	7.98
			(21,743.62 -45,380.72)	2.38	(21,745.95 -45,380.24)	3.36	(21,749.13 -45,379.17)	0.96
			(21,750.03 -45,378.83)	22.56				
71	001-	5	(@ 21,750.03 -45,378.83)	0.96	(21,749.13 -45,379.17)	3.36	(21,745.95 -45,380.24)	2.38
			(21,743.62 -45,380.72)	2.67	(21,740.96 -45,381.00)	5.53	(21,735.46 -45,381.53)	2.98
			(21,736.71 -45,384.23)	0.96	(21,737.54 -45,383.74)	5.62	(21,743.12 -45,383.11)	1.95
			(21,745.04 -45,382.76)	1.30	(21,746.32 -45,382.52)	2.97	(21,749.17 -45,381.67)	0.92
			(21,750.02 -45,381.33)	2.50				

地区..003

作業.. 27

原図番号.. N1 32-4

縮尺..1/ 500

基準点..X 21,600.00..Y -45,400.00

測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

71	1135	(3/ 3)									
		(@ 21,750.02	-45,382.63)	0.45	(21,749.59	-45,382.77)	3.92	(21,745.92	-45,384.16)	8.21	
		(21,750.00	-45,391.28)	8.65							
71	002-	5									
		(21,750.00	-45,391.28)	8.21	(21,745.92	-45,384.16)	3.92	(21,749.59	-45,382.77)	0.45	
		(21,750.02	-45,382.63)	1.30	(@ 21,750.02	-45,381.33)	0.92	(21,749.17	-45,381.67)	2.97	
		(21,746.32	-45,382.52)	1.30	(21,745.04	-45,382.76)	1.95	(21,743.12	-45,383.11)	14.03	
		(21,750.01	-45,395.33)	4.05							
71	002-	4									
		(21,743.62	-45,380.72)	7.98	(21,738.11	-45,374.95)	3.15	(@ 21,736.28	-45,372.38)	3.41	
		(21,735.47	-45,375.69)	0.59	(21,736.04	-45,375.54)	7.35	(21,740.96	-45,381.00)	2.67	
71	1136-	2									
		(21,740.96	-45,381.00)	7.35	(@ 21,736.04	-45,375.54)	0.59	(21,735.47	-45,375.69)	5.84	
		(21,735.46	-45,381.53)	5.53							
71	1136-	1	(4/ 4)								
		(21,750.00	-45,400.15)	4.82	(21,750.01	-45,395.33)	14.03	(@ 21,743.12	-45,383.11)	5.62	
		(21,737.54	-45,383.74)	0.96	(21,736.71	-45,384.23)	3.97	(21,736.45	-45,388.19)	8.98	
		(21,734.80	-45,397.02)	3.89	(21,737.13	-45,400.14)	12.87				
71	1145-	1	(3/ 3)								
		(21,737.13	-45,400.14)	3.89	(@ 21,734.80	-45,397.02)	3.27	(21,733.78	-45,400.13)	3.35	
71	001-	6									
		(21,733.78	-45,400.13)	3.27	(21,734.80	-45,397.02)	8.98	(21,736.45	-45,388.19)	3.97	
		(21,736.71	-45,384.23)	2.98	(@ 21,735.46	-45,381.53)	4.32	(21,734.08	-45,385.62)	2.79	
		(21,734.10	-45,388.41)	8.37	(21,732.53	-45,396.63)	3.65	(21,731.48	-45,400.13)	2.30	
64	002-	6									
		(21,731.48	-45,400.13)	3.65	(21,732.53	-45,396.63)	8.37	(21,734.10	-45,388.41)	2.79	
		(21,734.08	-45,385.62)	2.09	(@ 21,732.20	-45,384.70)	1.25	(21,731.96	-45,385.93)	7.75	
		(21,730.54	-45,393.55)	3.77	(21,729.91	-45,397.27)	2.98	(21,729.03	-45,400.12)	2.45	
64	1024	(2/ 2)									
		(21,729.03	-45,400.12)	2.98	(21,729.91	-45,397.27)	3.77	(21,730.54	-45,393.55)	7.75	
		(21,731.96	-45,385.93)	1.25	(21,732.20	-45,384.70)	2.92	(@ 21,729.34	-45,384.12)	12.04	
		(21,717.31	-45,384.49)	5.58	(21,711.74	-45,384.88)	2.62	(21,709.19	-45,385.47)	3.85	
		(21,705.56	-45,386.76)	6.22	(21,699.98	-45,389.50)	4.60	(21,695.72	-45,391.24)	5.05	
		(21,690.87	-45,392.63)	4.05	(21,686.89	-45,393.39)	3.91	(21,682.99	-45,393.66)	3.90	
		(21,679.09	-45,393.55)	6.63	(21,678.08	-45,400.10)	50.95				
64	1023	(2/ 2)									
		(21,678.08	-45,400.10)	6.63	(21,679.09	-45,393.55)	5.34	(21,673.87	-45,392.43)	7.37	
		(21,666.85	-45,390.19)	2.36	(@ 21,664.50	-45,389.96)	2.51	(21,662.00	-45,390.20)	5.62	
		(21,656.47	-45,391.19)	5.19	(21,651.57	-45,392.90)	5.24	(21,646.74	-45,394.92)	3.50	
		(21,646.68	-45,398.42)	1.68	(21,646.37	-45,400.07)	31.71				
63	1022	(2/ 2)									
		(21,646.37	-45,400.07)	1.68	(21,646.68	-45,398.42)	3.50	(@ 21,646.74	-45,394.92)	5.28	
		(21,641.73	-45,396.60)	3.61	(21,638.23	-45,397.47)	5.96	(21,632.34	-45,398.37)	1.72	
		(21,632.12	-45,400.08)	14.25							
63	1017	(2/ 4)									
		(21,632.12	-45,400.08)	1.72	(21,632.34	-45,398.37)	6.66	(21,625.68	-45,398.31)	5.33	
		(21,620.38	-45,397.70)	7.90	(21,612.56	-45,396.56)	6.30	(@ 21,606.29	-45,395.92)	3.73	
		(21,602.56	-45,396.03)	2.59	(21,599.98	-45,396.20)	3.80	(21,600.00	-45,400.00)	32.12	
72	1150										
		(21,678.36	-45,388.00)	8.15	(21,686.50	-45,388.47)	8.78	(21,695.01	-45,386.29)	6.57	
		(21,700.84	-45,383.25)	3.33	(21,703.32	-45,381.03)	8.13	(21,707.39	-45,373.99)	14.89	
		(21,713.65	-45,360.48)	5.70	(21,716.06	-45,355.32)	11.62	(21,722.01	-45,345.34)	42.81	

地区..003

作業.. 27

原図番号.. N1 32-4

縮尺..1/ 500

基準点..X 21,600.00..Y -45,400.00

測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

	(@ 21,679.70 -45,338.80)	5.55	(21,679.86 -45,344.35)	4.50	(21,679.68 -45,348.85)	4.30
	(21,679.54 -45,353.15)	3.98	(21,679.06 -45,357.10)	5.80	(21,678.32 -45,362.85)	7.13
	(21,677.18 -45,369.89)	6.67	(21,676.06 -45,376.47)	5.81	(21,674.87 -45,382.16)	4.86
	(21,673.52 -45,386.83)	4.98				
72 1147	(21,673.52 -45,386.83)	4.86	(21,674.87 -45,382.16)	5.81	(21,676.06 -45,376.47)	6.67
	(21,677.18 -45,369.89)	7.13	(21,678.32 -45,362.85)	5.80	(21,679.06 -45,357.10)	3.98
	(21,679.54 -45,353.15)	4.30	(21,679.68 -45,348.85)	4.50	(21,679.86 -45,344.35)	5.55
	(21,679.70 -45,338.80)	42.81	(21,722.01 -45,345.34)	8.23	(21,726.58 -45,338.49)	8.66
	(21,730.10 -45,330.58)	6.91	(21,731.47 -45,323.81)	7.78	(21,732.09 -45,316.05)	9.27
	(21,733.01 -45,306.83)	3.87	(21,733.42 -45,302.98)	1.75	(@ 21,731.71 -45,302.62)	5.57
	(21,730.63 -45,308.08)	2.58	(21,729.80 -45,310.52)	2.91	(21,728.32 -45,313.02)	3.09
	(21,726.04 -45,315.11)	2.83	(21,723.58 -45,316.51)	4.50	(21,719.40 -45,318.17)	15.11
	(21,705.13 -45,323.15)	23.34	(21,682.60 -45,329.26)	8.78	(21,674.20 -45,331.81)	11.24
	(21,663.64 -45,335.66)	6.75	(21,664.47 -45,342.36)	42.99	(21,667.11 -45,385.27)	6.60
72 1152	(@ 21,663.52 -45,361.54)	3.83	(21,659.72 -45,362.05)	3.79	(21,655.97 -45,362.61)	5.00
	(21,650.99 -45,363.10)	15.77	(21,635.22 -45,363.19)	10.93	(21,624.29 -45,363.34)	20.84
	(21,603.45 -45,363.46)	27.38	(21,602.13 -45,390.81)	14.87	(21,616.92 -45,392.39)	13.50
	(21,630.39 -45,393.35)	7.75	(21,638.12 -45,392.80)	4.92	(21,642.80 -45,391.28)	7.54
	(21,649.75 -45,388.35)	10.90	(21,660.11 -45,384.95)	4.60	(21,664.70 -45,384.61)	23.10
72 001- 3	(21,667.11 -45,385.27)	42.99	(21,664.47 -45,342.36)	6.75	(21,663.64 -45,335.66)	8.62
	(21,661.08 -45,327.43)	4.65	(21,659.94 -45,322.92)	4.44	(21,659.35 -45,318.52)	5.17
	(21,659.19 -45,313.35)	6.71	(21,659.61 -45,306.65)	5.66	(21,660.42 -45,301.05)	6.56
	(21,662.06 -45,294.70)	7.24	(21,664.36 -45,287.83)	3.08	(21,665.89 -45,285.16)	3.41
	(21,667.99 -45,282.47)	26.04	(21,685.37 -45,263.08)	2.80	(21,687.27 -45,261.02)	2.65
	(@ 21,688.82 -45,258.87)	2.76	(21,686.07 -45,259.14)	20.06	(21,672.74 -45,274.13)	9.76
	(21,666.27 -45,281.44)	4.76	(21,663.36 -45,285.21)	3.35	(21,661.95 -45,288.25)	3.38
	(21,660.85 -45,291.45)	2.54	(21,660.02 -45,293.85)	4.13	(21,658.83 -45,297.80)	3.27
	(21,658.27 -45,301.02)	7.42	(21,657.40 -45,308.39)	5.06	(21,657.12 -45,313.44)	4.75
	(21,657.18 -45,318.19)	5.19	(21,657.84 -45,323.34)	4.67	(21,658.98 -45,327.87)	8.89
	(21,661.42 -45,336.42)	6.36	(21,662.37 -45,342.71)	18.87	(21,663.52 -45,361.54)	23.10
	(21,664.70 -45,384.61)	2.50				
72 1146	(21,709.04 -45,383.07)	6.05	(21,715.04 -45,382.31)	17.48	(21,732.51 -45,381.88)	7.18
	(21,732.91 -45,374.71)	14.30	(21,734.87 -45,360.54)	14.73	(21,737.96 -45,346.14)	4.39
	(21,738.07 -45,341.75)	11.19	(21,735.75 -45,330.80)	1.89	(@ 21,733.95 -45,330.23)	11.18
	(21,728.80 -45,340.15)	13.29	(21,721.42 -45,351.20)	10.13	(21,716.72 -45,360.17)	24.84
	(21,706.97 -45,383.02)	2.07				
72 1172	(21,705.13 -45,323.15)	15.11	(21,719.40 -45,318.17)	4.50	(21,723.58 -45,316.51)	2.83
	(21,726.04 -45,315.11)	3.09	(21,728.32 -45,313.02)	2.91	(21,729.80 -45,310.52)	2.58
	(21,730.63 -45,308.08)	5.57	(21,731.71 -45,302.62)	0.00	(21,731.71 -45,302.62)	6.21
	(21,733.28 -45,296.61)	5.76	(@ 21,735.71 -45,291.39)	38.10	(21,699.28 -45,302.55)	21.41
72 1171	(21,699.28 -45,302.55)	43.23	(@ 21,687.27 -45,261.02)	2.80	(21,685.37 -45,263.08)	24.11
	(21,676.86 -45,285.64)	12.69	(21,664.36 -45,287.83)	7.24	(21,662.06 -45,294.70)	6.56
	(21,660.42 -45,301.05)	5.66	(21,659.61 -45,306.65)	6.71	(21,659.19 -45,313.35)	5.17
	(21,659.35 -45,318.52)	4.44	(21,659.94 -45,322.92)	4.65	(21,661.08 -45,327.43)	8.62
	(21,663.64 -45,335.66)	11.24	(21,674.20 -45,331.81)	8.78	(21,682.60 -45,329.26)	23.34
	(21,705.13 -45,323.15)	21.41	(21,699.28 -45,302.55)	0.00		

地区 ..003 作業 .. 27 原図番号 .. N1 32-4 縮尺 ..1/ 500 基準点 ..X 21,600.00..Y -45,400.00 測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

72	1170	(21,667.99 -45,282.47)	3.41	(21,665.89 -45,285.16)	3.08	(21,664.36 -45,287.83)	12.69
		(21,676.86 -45,285.64)	24.11	(@ 21,685.37 -45,263.08)	26.04		
76	001- 1	(21,688.82 -45,258.87)	10.19	(21,698.98 -45,258.05)	7.19	(21,706.15 -45,258.56)	6.15
		(21,712.30 -45,258.68)	9.93	(21,722.23 -45,258.51)	18.38	(21,740.59 -45,259.32)	0.58
		(21,740.48 -45,258.75)	2.61	(21,740.21 -45,256.15)	17.82	(21,739.28 -45,238.35)	4.26
		(@ 21,738.54 -45,234.15)	1.96	(21,736.59 -45,234.31)	4.74	(21,737.48 -45,238.97)	17.20
		(21,738.31 -45,256.15)	1.04	(21,737.63 -45,256.94)	15.20	(21,722.43 -45,256.71)	10.07
		(21,712.36 -45,256.93)	6.20	(21,706.16 -45,256.69)	7.16	(21,699.01 -45,256.25)	8.78
		(21,690.26 -45,256.93)	0.80	(21,689.78 -45,256.29)	2.75		
76	1211	(21,722.43 -45,256.71)	15.20	(21,737.63 -45,256.94)	1.04	(21,738.31 -45,256.15)	17.20
		(21,737.48 -45,238.97)	4.74	(@ 21,736.59 -45,234.31)	5.34	(21,731.39 -45,235.54)	10.49
		(21,721.22 -45,238.10)	18.65				
76	1212	(21,721.22 -45,238.10)	10.49	(21,731.39 -45,235.54)	18.14	(@ 21,730.38 -45,217.43)	10.04
		(21,720.38 -45,218.37)	19.75				
76	1217	(21,720.38 -45,218.37)	3.89	(21,719.54 -45,214.57)	2.48	(21,717.06 -45,214.57)	4.06
		(21,713.01 -45,214.83)	5.25	(21,707.76 -45,214.97)	2.99	(21,704.81 -45,214.51)	3.99
		(21,700.99 -45,213.37)	3.87	(21,697.22 -45,212.49)	3.39	(21,693.92 -45,211.71)	5.91
		(@ 21,688.01 -45,211.52)	0.92	(21,687.94 -45,212.44)	43.89	(21,689.78 -45,256.29)	0.80
		(21,690.26 -45,256.93)	8.78	(21,699.01 -45,256.25)	7.16	(21,706.16 -45,256.69)	6.20
		(21,712.36 -45,256.93)	10.07	(21,722.43 -45,256.71)	18.65	(21,721.22 -45,238.10)	19.75
76	1227	(21,686.07 -45,259.14)	2.51	(21,687.13 -45,256.87)	2.62	(21,687.46 -45,254.27)	36.80
		(21,686.13 -45,217.49)	1.84	(@ 21,686.24 -45,215.65)	40.03	(21,646.34 -45,218.87)	11.24
		(21,635.13 -45,219.64)	42.00	(21,637.11 -45,261.59)	49.02		