

地区 ..003 作業 .. 28 原図番号 .. N1 33-1 縮尺 ..1/ 500 基準点 ..X 21,750.00..Y -45,200.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) &amp; 座標間距離 (m)

|     |       |                          |       |                          |       |                          |       |
|-----|-------|--------------------------|-------|--------------------------|-------|--------------------------|-------|
|     |       | ( 21,750.00 -45,200.00 ) | 49.95 | ( 21,799.95 -45,200.02 ) | 50.05 | ( 21,850.00 -45,200.04 ) | 49.98 |
|     |       | ( 21,899.98 -45,200.11 ) | 50.05 | ( 21,899.97 -45,150.06 ) | 50.00 | ( 21,899.99 -45,100.06 ) | 50.00 |
|     |       | ( 21,900.01 -45,050.06 ) | 49.95 | ( 21,900.03 -45,000.11 ) | 49.95 | ( 21,850.08 -45,000.14 ) | 50.10 |
|     |       | ( 21,799.98 -45,000.02 ) | 49.98 | ( 21,750.00 -45,000.05 ) | 49.90 | ( 21,750.01 -45,049.95 ) | 50.00 |
|     |       | ( 21,749.94 -45,099.95 ) | 50.05 | ( 21,749.92 -45,150.00 ) | 50.00 |                          |       |
| 75  | 1204- | 1 ( 2/ 4 )               |       |                          |       |                          |       |
|     |       | ( 21,750.00 -45,200.00 ) | 17.75 | ( 21,767.75 -45,200.02 ) | 12.65 | ( 21,764.03 -45,187.93 ) | 0.57  |
|     |       | ( 21,764.55 -45,187.69 ) | 7.37  | ( 21,763.13 -45,180.46 ) | 9.67  | ( 21,753.47 -45,180.08 ) | 3.50  |
|     |       | ( 21,749.97 -45,179.95 ) | 20.05 |                          |       |                          |       |
| 75  | 1203- | 2 ( 1/ 2 )               |       |                          |       |                          |       |
|     |       | ( 21,749.97 -45,179.95 ) | 3.50  | ( 21,753.47 -45,180.08 ) | 36.71 | ( 21,755.76 -45,143.44 ) | 1.14  |
|     |       | ( 21,754.62 -45,143.36 ) | 2.04  | ( 21,753.01 -45,144.62 ) | 3.05  | ( 21,749.96 -45,144.60 ) | 35.35 |
| 100 | 002-  | 4                        |       |                          |       |                          |       |
|     |       | ( 21,749.96 -45,144.60 ) | 3.05  | ( 21,753.01 -45,144.62 ) | 2.04  | ( 21,754.62 -45,143.36 ) | 8.14  |
|     |       | ( 21,760.82 -45,138.08 ) | 7.77  | ( 21,768.45 -45,139.57 ) | 11.27 | ( 21,779.51 -45,141.75 ) | 7.55  |
|     |       | ( 21,787.05 -45,141.44 ) | 3.12  | ( 21,790.12 -45,140.88 ) | 3.81  | ( 21,793.90 -45,140.38 ) | 7.13  |
|     |       | ( 21,800.65 -45,138.09 ) | 7.70  | ( 21,808.00 -45,135.81 ) | 8.95  | ( 21,816.95 -45,135.84 ) | 6.83  |
|     |       | ( 21,823.75 -45,136.48 ) | 5.22  | ( 21,828.97 -45,136.47 ) | 1.05  | ( 21,830.00 -45,136.67 ) | 5.01  |
|     |       | ( 21,834.90 -45,137.71 ) | 6.23  | ( 21,841.05 -45,138.70 ) | 6.15  | ( 21,846.87 -45,136.72 ) | 8.71  |
|     |       | ( 21,854.59 -45,132.68 ) | 5.18  | ( 21,853.23 -45,127.68 ) | 3.63  | ( 21,849.83 -45,128.94 ) | 7.31  |
|     |       | ( 21,843.79 -45,133.05 ) | 3.92  | ( 21,839.89 -45,133.40 ) | 11.08 | ( 21,829.04 -45,131.17 ) | 11.40 |
|     |       | ( 21,817.64 -45,131.09 ) | 10.98 | ( 21,806.66 -45,131.41 ) | 1.78  | ( 21,804.97 -45,131.96 ) | 4.97  |
|     |       | ( 21,800.24 -45,133.49 ) | 8.46  | ( 21,791.97 -45,135.28 ) | 12.86 | ( 21,779.27 -45,137.30 ) | 8.59  |
|     |       | ( 21,770.80 -45,135.84 ) | 11.02 | ( 21,760.14 -45,133.03 ) | 0.77  | ( 21,759.46 -45,133.39 ) | 6.99  |
|     |       | ( 21,753.75 -45,137.42 ) | 4.51  | ( 21,749.95 -45,139.85 ) | 4.75  |                          |       |
| 100 | 207   | ( 1/ 2 )                 |       |                          |       |                          |       |
|     |       | ( 21,749.95 -45,139.85 ) | 4.51  | ( 21,753.75 -45,137.42 ) | 6.99  | ( 21,759.46 -45,133.39 ) | 9.54  |
|     |       | ( 21,749.94 -45,132.75 ) | 7.10  |                          |       |                          |       |
| 100 | 190-  | 1 ( 1/ 2 )               |       |                          |       |                          |       |
|     |       | ( 21,749.94 -45,132.75 ) | 9.54  | ( 21,759.46 -45,133.39 ) | 32.73 | ( 21,753.34 -45,101.24 ) | 24.13 |
|     |       | ( 21,777.22 -45,097.76 ) | 35.94 | ( 21,769.44 -45,062.67 ) | 5.70  | ( 21,763.81 -45,063.58 ) | 14.04 |
|     |       | ( 21,749.98 -45,066.00 ) | 66.75 |                          |       |                          |       |
| 100 | 196   | ( 1/ 2 )                 |       |                          |       |                          |       |
|     |       | ( 21,749.98 -45,066.00 ) | 14.04 | ( 21,763.81 -45,063.58 ) | 27.82 | ( 21,755.54 -45,037.02 ) | 1.07  |
|     |       | ( 21,754.50 -45,037.28 ) | 4.63  | ( 21,749.99 -45,038.32 ) | 27.68 |                          |       |
| 100 | 202   | ( 1/ 3 )                 |       |                          |       |                          |       |
|     |       | ( 21,749.99 -45,038.32 ) | 4.63  | ( 21,754.50 -45,037.28 ) | 9.99  | ( 21,751.32 -45,027.81 ) | 5.03  |
|     |       | ( 21,750.01 -45,022.95 ) | 15.37 |                          |       |                          |       |
| 100 | 198   | ( 1/ 4 )                 |       |                          |       |                          |       |
|     |       | ( 21,750.01 -45,022.95 ) | 5.03  | ( 21,751.32 -45,027.81 ) | 18.16 | ( 21,768.06 -45,020.77 ) | 13.55 |
|     |       | ( 21,781.14 -45,017.23 ) | 12.79 | ( 21,777.38 -45,005.01 ) | 5.18  | ( 21,775.85 -45,000.06 ) | 25.85 |
|     |       | ( 21,750.00 -45,000.05 ) | 22.90 |                          |       |                          |       |
| 100 | 001-  | 4                        |       |                          |       |                          |       |
|     |       | ( 21,775.85 -45,000.06 ) | 5.18  | ( 21,777.38 -45,005.01 ) | 12.79 | ( 21,781.14 -45,017.23 ) | 2.85  |
|     |       | ( 21,781.98 -45,019.95 ) | 2.79  | ( 21,783.56 -45,022.25 ) | 10.57 | ( 21,790.37 -45,030.33 ) | 6.57  |
|     |       | ( 21,793.88 -45,035.88 ) | 7.15  | ( 21,797.19 -45,042.22 ) | 8.37  | ( 21,800.96 -45,049.69 ) | 1.28  |
|     |       | ( 21,800.51 -45,050.89 ) | 31.65 | ( 21,770.73 -45,061.62 ) | 1.46  | ( 21,769.38 -45,062.17 ) | 0.50  |
|     |       | ( 21,769.44 -45,062.67 ) | 35.94 | ( 21,777.22 -45,097.76 ) | 1.58  | ( 21,778.78 -45,097.50 ) | 35.17 |
|     |       | ( 21,771.13 -45,063.17 ) | 34.58 | ( 21,803.66 -45,051.44 ) | 4.17  | ( 21,801.77 -45,047.72 ) | 7.24  |
|     |       | ( 21,798.49 -45,041.26 ) | 7.14  | ( 21,795.18 -45,034.93 ) | 6.26  | ( 21,791.87 -45,029.62 ) | 9.71  |
|     |       | ( 21,785.76 -45,022.07 ) | 3.62  | ( 21,783.46 -45,019.27 ) | 14.92 | ( 21,779.11 -45,005.00 ) | 5.17  |

字 地番及び座標 (X ; Y) &amp; 座標間距離 (m)

|     |      |      |                      |              |       |   |           |              |       |    |           |              |       |
|-----|------|------|----------------------|--------------|-------|---|-----------|--------------|-------|----|-----------|--------------|-------|
| 100 | 187- | (a 2 | 21,777.63<br>( 1/ 2) | -45,000.05 ) | 1.78  |   |           |              |       |    |           |              |       |
|     |      | (a   | 21,777.63            | -45,000.05 ) | 5.17  | ( | 21,779.11 | -45,005.00 ) | 14.92 | (  | 21,783.46 | -45,019.27 ) | 3.62  |
|     |      | (    | 21,785.76            | -45,022.07 ) | 9.71  | ( | 21,791.87 | -45,029.62 ) | 30.86 | (  | 21,783.03 | -45,000.05 ) | 5.40  |
| 100 | 187- | 1    | ( 1/ 2)              |              |       |   |           |              |       |    |           |              |       |
|     |      | (    | 21,783.03            | -45,000.05 ) | 30.86 | ( | 21,791.87 | -45,029.62 ) | 6.26  | (  | 21,795.18 | -45,034.93 ) | 7.14  |
|     |      | (    | 21,798.49            | -45,041.26 ) | 11.47 | ( | 21,808.63 | -45,035.90 ) | 6.79  | (  | 21,806.44 | -45,029.47 ) | 30.89 |
|     |      | (a   | 21,797.13            | -45,000.02 ) | 14.10 |   |           |              |       |    |           |              |       |
| 100 | 186  |      | ( 1/ 2)              |              |       |   |           |              |       |    |           |              |       |
|     |      | (a   | 21,797.13            | -45,000.02 ) | 30.89 | ( | 21,806.44 | -45,029.47 ) | 26.04 | (  | 21,828.55 | -45,015.72 ) | 5.27  |
|     |      | (    | 21,824.47            | -45,012.38 ) | 9.55  | ( | 21,817.63 | -45,005.71 ) | 3.69  | (  | 21,814.61 | -45,003.59 ) | 4.55  |
|     |      | (    | 21,810.53            | -45,001.58 ) | 5.61  | ( | 21,805.13 | -45,000.06 ) | 8.00  |    |           |              |       |
| 100 | 001- | 5    |                      |              |       |   |           |              |       |    |           |              |       |
|     |      | (    | 21,805.13            | -45,000.06 ) | 5.61  | ( | 21,810.53 | -45,001.58 ) | 4.55  | (  | 21,814.61 | -45,003.59 ) | 3.69  |
|     |      | (    | 21,817.63            | -45,005.71 ) | 9.55  | ( | 21,824.47 | -45,012.38 ) | 5.27  | (  | 21,828.55 | -45,015.72 ) | 12.70 |
|     |      | (    | 21,838.76            | -45,023.28 ) | 2.52  | ( | 21,840.73 | -45,024.85 ) | 17.62 | (  | 21,855.18 | -45,034.94 ) | 2.00  |
|     |      | (    | 21,855.28            | -45,032.94 ) | 15.74 | ( | 21,842.40 | -45,023.90 ) | 3.31  | (  | 21,839.73 | -45,021.95 ) | 11.45 |
|     |      | (    | 21,830.50            | -45,015.17 ) | 6.33  | ( | 21,825.59 | -45,011.18 ) | 7.51  | (  | 21,820.41 | -45,005.74 ) | 2.09  |
|     |      | (    | 21,818.73            | -45,004.49 ) | 4.05  | ( | 21,815.40 | -45,002.19 ) | 3.10  | (  | 21,812.63 | -45,000.80 ) | 1.68  |
|     |      | (a   | 21,811.13            | -45,000.05 ) | 6.00  |   |           |              |       |    |           |              |       |
| 101 | 236  |      | ( 1/ 2)              |              |       |   |           |              |       |    |           |              |       |
|     |      | (a   | 21,811.13            | -45,000.05 ) | 1.68  | ( | 21,812.63 | -45,000.80 ) | 3.10  | (  | 21,815.40 | -45,002.19 ) | 4.05  |
|     |      | (    | 21,818.73            | -45,004.49 ) | 2.09  | ( | 21,820.41 | -45,005.74 ) | 5.81  | (  | 21,821.73 | -45,000.08 ) | 10.60 |
| 101 | 238- | 1    | ( 1/ 2)              |              |       |   |           |              |       |    |           |              |       |
|     |      | (a   | 21,821.73            | -45,000.08 ) | 5.82  | ( | 21,820.38 | -45,005.74 ) | 7.53  | (  | 21,825.59 | -45,011.18 ) | 6.33  |
|     |      | (    | 21,830.50            | -45,015.17 ) | 11.45 | ( | 21,839.73 | -45,021.95 ) | 1.12  | (  | 21,840.76 | -45,021.50 ) | 22.35 |
|     |      | (    | 21,847.18            | -45,000.09 ) | 25.45 |   |           |              |       |    |           |              |       |
| 101 | 001- | 6    |                      |              |       |   |           |              |       |    |           |              |       |
|     |      | (a   | 21,847.18            | -45,000.09 ) | 22.35 | ( | 21,840.76 | -45,021.50 ) | 1.12  | (  | 21,839.73 | -45,021.95 ) | 3.31  |
|     |      | (    | 21,842.40            | -45,023.90 ) | 1.57  | ( | 21,842.14 | -45,022.35 ) | 23.28 | (  | 21,848.95 | -45,000.09 ) | 1.77  |
| 99  | 148  |      | ( 1/ 2)              |              |       |   |           |              |       |    |           |              |       |
|     |      | (a   | 21,848.95            | -45,000.09 ) | 23.28 | ( | 21,842.14 | -45,022.35 ) | 1.57  | (  | 21,842.40 | -45,023.90 ) | 15.74 |
|     |      | (    | 21,855.28            | -45,032.94 ) | 3.45  | ( | 21,858.08 | -45,034.95 ) | 19.21 | (  | 21,874.20 | -45,045.40 ) | 0.93  |
|     |      | (    | 21,875.10            | -45,045.15 ) | 12.53 | ( | 21,876.18 | -45,032.67 ) | 10.72 | (  | 21,878.19 | -45,022.14 ) | 2.60  |
|     |      | (    | 21,880.78            | -45,022.34 ) | 14.56 | ( | 21,895.31 | -45,023.26 ) | 5.45  | (  | 21,894.55 | -45,017.86 ) | 18.19 |
|     |      | (    | 21,890.53            | -45,000.12 ) | 41.58 |   |           |              |       |    |           |              |       |
| 99  | 151- | 1    | ( 3/ 4)              |              |       |   |           |              |       |    |           |              |       |
|     |      | (    | 21,890.53            | -45,000.12 ) | 18.19 | ( | 21,894.55 | -45,017.86 ) | 5.60  | (  | 21,900.05 | -45,016.81 ) | 16.70 |
|     |      | (a   | 21,900.03            | -45,000.11 ) | 9.50  |   |           |              |       |    |           |              |       |
| 99  | 150  |      | ( 2/ 2)              |              |       |   |           |              |       |    |           |              |       |
|     |      | (a   | 21,900.05            | -45,016.81 ) | 5.60  | ( | 21,894.55 | -45,017.86 ) | 5.45  | (  | 21,895.31 | -45,023.26 ) | 14.56 |
|     |      | (    | 21,880.78            | -45,022.34 ) | 25.53 | ( | 21,878.72 | -45,047.79 ) | 7.87  | (  | 21,885.06 | -45,052.46 ) | 2.35  |
|     |      | (    | 21,887.24            | -45,053.35 ) | 1.97  | ( | 21,889.21 | -45,053.25 ) | 1.59  | (  | 21,890.74 | -45,052.80 ) | 2.08  |
|     |      | (    | 21,892.38            | -45,051.52 ) | 3.52  | ( | 21,894.68 | -45,048.86 ) | 8.51  | (  | 21,899.99 | -45,042.21 ) | 25.40 |
| 99  | 001- | 1    |                      |              |       |   |           |              |       |    |           |              |       |
|     |      | (    | 21,899.99            | -45,042.21 ) | 8.51  | ( | 21,894.68 | -45,048.86 ) | 3.52  | (  | 21,892.38 | -45,051.52 ) | 2.08  |
|     |      | (    | 21,890.74            | -45,052.80 ) | 1.59  | ( | 21,889.21 | -45,053.25 ) | 1.97  | (  | 21,887.24 | -45,053.35 ) | 2.35  |
|     |      | (    | 21,885.06            | -45,052.46 ) | 7.87  | ( | 21,878.72 | -45,047.79 ) | 4.48  | (  | 21,875.10 | -45,045.15 ) | 0.93  |
|     |      | (    | 21,874.20            | -45,045.40 ) | 19.21 | ( | 21,858.08 | -45,034.95 ) | 3.45  | (a | 21,855.28 | -45,032.94 ) | 2.00  |
|     |      | (    | 21,855.18            | -45,034.94 ) | 2.23  | ( | 21,856.98 | -45,036.25 ) | 19.52 | (  | 21,873.37 | -45,046.85 ) | 13.02 |
|     |      | (    | 21,884.16            | -45,054.13 ) | 3.19  | ( | 21,887.07 | -45,055.43 ) | 2.56  | (  | 21,889.62 | -45,055.67 ) | 3.36  |
|     |      | (    | 21,892.81            | -45,054.62 ) | 5.50  | ( | 21,896.23 | -45,050.31 ) | 6.14  | (  | 21,900.00 | -45,045.46 ) | 3.25  |

地区 ..003 作業 .. 28 原図番号 .. N1 33-1 縮尺 ..1/ 500 基準点 ..X 21,750.00..Y -45,200.00 測定 年 5 月 2 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|    |         |                            |       |                          |       |                            |       |  |  |  |  |  |  |
|----|---------|----------------------------|-------|--------------------------|-------|----------------------------|-------|--|--|--|--|--|--|
| 99 | 174     | ( 3/ 3 )                   |       |                          |       |                            |       |  |  |  |  |  |  |
|    |         | ( @ 21,900.00 -45,045.46 ) | 6.14  | ( 21,896.23 -45,050.31 ) | 5.50  | ( 21,892.81 -45,054.62 )   | 12.51 |  |  |  |  |  |  |
|    |         | ( 21,893.28 -45,067.12 )   | 3.29  | ( 21,894.77 -45,070.05 ) | 10.74 | ( 21,899.95 -45,079.46 )   | 34.00 |  |  |  |  |  |  |
| 99 | 175     | ( 2/ 2 )                   |       |                          |       |                            |       |  |  |  |  |  |  |
|    |         | ( 21,899.95 -45,079.46 )   | 10.74 | ( 21,894.77 -45,070.05 ) | 17.26 | ( @ 21,877.52 -45,069.61 ) | 37.03 |  |  |  |  |  |  |
|    |         | ( 21,875.90 -45,106.60 )   | 9.05  | ( 21,884.80 -45,104.98 ) | 16.14 | ( 21,899.99 -45,099.51 )   | 20.05 |  |  |  |  |  |  |
| 99 | 176     | ( 2/ 2 )                   |       |                          |       |                            |       |  |  |  |  |  |  |
|    |         | ( @ 21,899.99 -45,099.51 ) | 16.14 | ( 21,884.80 -45,104.98 ) | 9.05  | ( 21,875.90 -45,106.60 )   | 2.89  |  |  |  |  |  |  |
|    |         | ( 21,873.05 -45,107.10 )   | 14.68 | ( 21,877.51 -45,121.09 ) | 1.84  | ( 21,879.30 -45,120.66 )   | 18.01 |  |  |  |  |  |  |
|    |         | ( 21,893.08 -45,109.07 )   | 5.03  | ( 21,897.52 -45,106.71 ) | 4.00  | ( 21,899.99 -45,103.56 )   | 4.05  |  |  |  |  |  |  |
| 99 | 002- 1  |                            |       |                          |       |                            |       |  |  |  |  |  |  |
|    |         | ( @ 21,899.99 -45,103.56 ) | 4.00  | ( 21,897.52 -45,106.71 ) | 5.03  | ( 21,893.08 -45,109.07 )   | 18.01 |  |  |  |  |  |  |
|    |         | ( 21,879.30 -45,120.66 )   | 1.84  | ( 21,877.51 -45,121.09 ) | 7.63  | ( 21,869.92 -45,121.90 )   | 17.66 |  |  |  |  |  |  |
|    |         | ( 21,853.23 -45,127.68 )   | 5.18  | ( 21,854.59 -45,132.68 ) | 10.49 | ( 21,864.08 -45,128.21 )   | 4.91  |  |  |  |  |  |  |
|    |         | ( 21,868.81 -45,126.91 )   | 5.78  | ( 21,874.56 -45,126.37 ) | 0.64  | ( 21,875.20 -45,126.40 )   | 3.06  |  |  |  |  |  |  |
|    |         | ( 21,878.26 -45,126.54 )   | 5.71  | ( 21,883.35 -45,123.96 ) | 6.65  | ( 21,888.77 -45,120.10 )   | 13.74 |  |  |  |  |  |  |
|    |         | ( 21,899.26 -45,111.23 )   | 1.10  | ( 21,900.00 -45,110.41 ) | 6.85  |                            |       |  |  |  |  |  |  |
| 99 | 171     | ( 2/ 2 )                   |       |                          |       |                            |       |  |  |  |  |  |  |
|    |         | ( @ 21,900.00 -45,110.41 ) | 1.10  | ( 21,899.26 -45,111.23 ) | 13.74 | ( 21,888.77 -45,120.10 )   | 6.65  |  |  |  |  |  |  |
|    |         | ( 21,883.35 -45,123.96 )   | 5.71  | ( 21,878.26 -45,126.54 ) | 3.06  | ( 21,875.20 -45,126.40 )   | 14.34 |  |  |  |  |  |  |
|    |         | ( 21,878.80 -45,140.28 )   | 9.95  | ( 21,887.72 -45,135.88 ) | 0.46  | ( 21,888.13 -45,135.68 )   | 3.97  |  |  |  |  |  |  |
|    |         | ( 21,891.59 -45,133.74 )   | 4.81  | ( 21,895.44 -45,130.86 ) | 2.28  | ( 21,897.09 -45,129.29 )   | 2.97  |  |  |  |  |  |  |
|    |         | ( 21,899.26 -45,127.26 )   | 1.08  | ( 21,899.98 -45,126.46 ) | 16.05 |                            |       |  |  |  |  |  |  |
| 99 | 001- 2  |                            |       |                          |       |                            |       |  |  |  |  |  |  |
|    |         | ( @ 21,899.98 -45,126.46 ) | 1.08  | ( 21,899.26 -45,127.26 ) | 2.97  | ( 21,897.09 -45,129.29 )   | 2.28  |  |  |  |  |  |  |
|    |         | ( 21,895.44 -45,130.86 )   | 4.81  | ( 21,891.59 -45,133.74 ) | 3.97  | ( 21,888.13 -45,135.68 )   | 4.27  |  |  |  |  |  |  |
|    |         | ( 21,892.40 -45,135.48 )   | 5.36  | ( 21,896.72 -45,132.31 ) | 4.57  | ( 21,899.98 -45,129.11 )   | 2.65  |  |  |  |  |  |  |
| 75 | 1200- 2 | ( 2/ 2 )                   |       |                          |       |                            |       |  |  |  |  |  |  |
|    |         | ( @ 21,899.98 -45,129.11 ) | 4.57  | ( 21,896.72 -45,132.31 ) | 5.36  | ( 21,892.40 -45,135.48 )   | 4.00  |  |  |  |  |  |  |
|    |         | ( 21,888.90 -45,137.42 )   | 25.32 | ( 21,866.17 -45,148.58 ) | 41.16 | ( 21,884.11 -45,185.63 )   | 13.70 |  |  |  |  |  |  |
|    |         | ( 21,895.14 -45,177.51 )   | 5.69  | ( 21,900.01 -45,174.56 ) | 45.45 |                            |       |  |  |  |  |  |  |
| 75 | 002- 2  |                            |       |                          |       |                            |       |  |  |  |  |  |  |
|    |         | ( @ 21,900.01 -45,174.56 ) | 5.69  | ( 21,895.14 -45,177.51 ) | 13.70 | ( 21,884.11 -45,185.63 )   | 24.32 |  |  |  |  |  |  |
|    |         | ( 21,864.55 -45,200.09 )   | 6.73  | ( 21,871.28 -45,200.10 ) | 8.30  | ( 21,878.12 -45,195.39 )   | 10.59 |  |  |  |  |  |  |
|    |         | ( 21,886.73 -45,189.23 )   | 12.48 | ( 21,896.65 -45,181.66 ) | 3.35  | ( 21,899.30 -45,179.61 )   | 0.76  |  |  |  |  |  |  |
|    |         | ( 21,899.97 -45,179.26 )   | 4.70  |                          |       |                            |       |  |  |  |  |  |  |
| 74 | 1198    | ( 3/ 3 )                   |       |                          |       |                            |       |  |  |  |  |  |  |
|    |         | ( @ 21,899.97 -45,179.26 ) | 0.76  | ( 21,899.30 -45,179.61 ) | 1.22  | ( 21,899.97 -45,180.63 )   | 1.37  |  |  |  |  |  |  |
| 74 | 1193    | ( 4/ 4 )                   |       |                          |       |                            |       |  |  |  |  |  |  |
|    |         | ( 21,899.98 -45,200.11 )   | 19.48 | ( 21,899.97 -45,180.63 ) | 1.22  | ( @ 21,899.30 -45,179.61 ) | 3.35  |  |  |  |  |  |  |
|    |         | ( 21,896.65 -45,181.66 )   | 12.48 | ( 21,886.73 -45,189.23 ) | 10.59 | ( 21,878.12 -45,195.39 )   | 8.30  |  |  |  |  |  |  |
|    |         | ( 21,871.28 -45,200.10 )   | 28.70 |                          |       |                            |       |  |  |  |  |  |  |
| 75 | 1200- 1 | ( 2/ 2 )                   |       |                          |       |                            |       |  |  |  |  |  |  |
|    |         | ( 21,864.55 -45,200.09 )   | 24.32 | ( 21,884.11 -45,185.63 ) | 41.16 | ( @ 21,866.17 -45,148.58 ) | 10.18 |  |  |  |  |  |  |
|    |         | ( 21,856.80 -45,152.55 )   | 8.92  | ( 21,848.43 -45,155.64 ) | 2.81  | ( 21,848.18 -45,158.44 )   | 16.10 |  |  |  |  |  |  |
|    |         | ( 21,850.71 -45,174.34 )   | 3.31  | ( 21,850.46 -45,177.64 ) | 22.75 | ( 21,854.18 -45,200.08 )   | 10.37 |  |  |  |  |  |  |
| 75 | 002- 3  |                            |       |                          |       |                            |       |  |  |  |  |  |  |
|    |         | ( 21,854.18 -45,200.08 )   | 22.75 | ( 21,850.46 -45,177.64 ) | 3.31  | ( @ 21,850.71 -45,174.34 ) | 0.45  |  |  |  |  |  |  |
|    |         | ( 21,850.26 -45,174.39 )   | 3.27  | ( 21,850.09 -45,177.66 ) | 22.72 | ( 21,853.75 -45,200.08 )   | 0.43  |  |  |  |  |  |  |
| 75 | 1206- 1 | ( 2/ 2 )                   |       |                          |       |                            |       |  |  |  |  |  |  |
|    |         | ( 21,853.75 -45,200.08 )   | 22.72 | ( 21,850.09 -45,177.66 ) | 3.27  | ( @ 21,850.26 -45,174.39 ) | 2.11  |  |  |  |  |  |  |
|    |         | ( 21,848.19 -45,174.79 )   | 41.18 | ( 21,807.67 -45,182.14 ) | 18.38 | ( 21,811.80 -45,200.05 )   | 41.95 |  |  |  |  |  |  |

地区 ..003 作業 .. 28 原図番号 .. N1 33-1 縮尺 ..1/ 500 基準点 ..X 21,750.00..Y -45,200.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) &amp; 座標間距離 (m)

|     |       |   |         |                          |       |                          |       |                          |       |
|-----|-------|---|---------|--------------------------|-------|--------------------------|-------|--------------------------|-------|
| 75  | 1205- | 1 | ( 2/ 2) | ( 21,811.80 -45,200.05 ) | 18.38 | ( 21,807.67 -45,182.14 ) | 1.85  | ( 21,805.82 -45,182.11 ) | 21.04 |
|     |       |   |         | ( 21,784.93 -45,184.63 ) | 15.86 | ( 21,788.70 -45,200.04 ) | 23.10 |                          |       |
| 75  | 1205- | 3 | ( 2/ 2) | ( 21,788.70 -45,200.04 ) | 15.86 | ( 21,784.93 -45,184.63 ) | 20.61 | ( 21,764.55 -45,187.69 ) | 0.57  |
|     |       |   |         | ( 21,764.03 -45,187.93 ) | 12.65 | ( 21,767.75 -45,200.02 ) | 20.95 |                          |       |
| 75  | 1202  |   |         | ( 21,764.55 -45,187.69 ) | 20.61 | ( 21,784.93 -45,184.63 ) | 21.04 | ( 21,805.82 -45,182.11 ) | 1.85  |
|     |       |   |         | ( 21,807.67 -45,182.14 ) | 41.18 | ( 21,848.19 -45,174.79 ) | 1.73  | ( 21,848.61 -45,173.11 ) | 2.22  |
|     |       |   |         | ( 21,848.55 -45,170.89 ) | 14.28 | ( 21,845.86 -45,156.87 ) | 2.56  | ( 21,846.26 -45,154.34 ) | 3.85  |
|     |       |   |         | ( 21,842.43 -45,153.97 ) | 2.00  | ( 21,840.47 -45,153.58 ) | 2.09  | ( 21,838.57 -45,152.71 ) | 1.38  |
|     |       |   |         | ( 21,837.60 -45,151.73 ) | 2.12  | ( 21,836.34 -45,150.03 ) | 2.31  | ( 21,835.22 -45,148.01 ) | 1.95  |
|     |       |   |         | ( 21,834.79 -45,146.11 ) | 2.05  | ( 21,833.06 -45,145.01 ) | 3.37  | ( 21,829.71 -45,144.67 ) | 13.73 |
|     |       |   |         | ( 21,816.01 -45,143.82 ) | 6.54  | ( 21,809.48 -45,143.40 ) | 4.21  | ( 21,805.33 -45,144.11 ) | 6.92  |
|     |       |   |         | ( 21,798.76 -45,146.27 ) | 10.24 | ( 21,788.95 -45,149.22 ) | 2.55  | ( 21,786.64 -45,150.29 ) | 2.84  |
|     |       |   |         | ( 21,783.95 -45,151.19 ) | 5.33  | ( 21,778.67 -45,151.90 ) | 3.50  | ( 21,775.20 -45,151.46 ) | 3.14  |
|     |       |   |         | ( 21,772.37 -45,150.11 ) | 5.79  | ( 21,767.81 -45,146.54 ) | 33.52 | ( 21,766.19 -45,180.02 ) | 3.09  |
|     |       |   |         | ( 21,763.13 -45,180.46 ) | 7.37  |                          |       |                          |       |
| 75  | 1203- | 1 |         | ( 21,763.13 -45,180.46 ) | 3.09  | ( 21,766.19 -45,180.02 ) | 33.52 | ( 21,767.81 -45,146.54 ) | 4.65  |
|     |       |   |         | ( 21,763.58 -45,144.60 ) | 3.34  | ( 21,760.33 -45,143.81 ) | 4.58  | ( 21,755.76 -45,143.44 ) | 36.71 |
|     |       |   |         | ( 21,753.47 -45,180.08 ) | 9.67  |                          |       |                          |       |
| 75  | 1201  |   |         | ( 21,788.95 -45,149.22 ) | 10.24 | ( 21,798.76 -45,146.27 ) | 6.92  | ( 21,805.33 -45,144.11 ) | 4.21  |
|     |       |   |         | ( 21,809.48 -45,143.40 ) | 6.54  | ( 21,816.01 -45,143.82 ) | 13.73 | ( 21,829.71 -45,144.67 ) | 3.37  |
|     |       |   |         | ( 21,833.06 -45,145.01 ) | 5.21  | ( 21,831.00 -45,140.22 ) | 3.69  | ( 21,830.00 -45,136.67 ) | 1.05  |
|     |       |   |         | ( 21,828.97 -45,136.47 ) | 5.22  | ( 21,823.75 -45,136.48 ) | 6.83  | ( 21,816.95 -45,135.84 ) | 8.95  |
|     |       |   |         | ( 21,808.00 -45,135.81 ) | 7.70  | ( 21,800.65 -45,138.09 ) | 7.13  | ( 21,793.90 -45,140.38 ) | 3.81  |
|     |       |   |         | ( 21,790.12 -45,140.88 ) | 8.42  |                          |       |                          |       |
| 100 | 192   |   |         | ( 21,790.12 -45,140.88 ) | 3.12  | ( 21,787.05 -45,141.44 ) | 7.55  | ( 21,779.51 -45,141.75 ) | 11.27 |
|     |       |   |         | ( 21,768.45 -45,139.57 ) | 7.77  | ( 21,760.82 -45,138.08 ) | 8.14  | ( 21,754.62 -45,143.36 ) | 1.14  |
|     |       |   |         | ( 21,755.76 -45,143.44 ) | 4.58  | ( 21,760.33 -45,143.81 ) | 3.34  | ( 21,763.58 -45,144.60 ) | 4.65  |
|     |       |   |         | ( 21,767.81 -45,146.54 ) | 5.79  | ( 21,772.37 -45,150.11 ) | 3.14  | ( 21,775.20 -45,151.46 ) | 3.50  |
|     |       |   |         | ( 21,778.67 -45,151.90 ) | 5.33  | ( 21,783.95 -45,151.19 ) | 2.84  | ( 21,786.64 -45,150.29 ) | 2.55  |
|     |       |   |         | ( 21,788.95 -45,149.22 ) | 8.42  |                          |       |                          |       |
| 100 | 181   |   |         | ( 21,833.06 -45,145.01 ) | 2.05  | ( 21,834.79 -45,146.11 ) | 1.95  | ( 21,835.22 -45,148.01 ) | 2.31  |
|     |       |   |         | ( 21,836.34 -45,150.03 ) | 2.12  | ( 21,837.60 -45,151.73 ) | 1.38  | ( 21,838.57 -45,152.71 ) | 2.09  |
|     |       |   |         | ( 21,840.47 -45,153.58 ) | 2.00  | ( 21,842.43 -45,153.97 ) | 3.85  | ( 21,846.26 -45,154.34 ) | 10.52 |
|     |       |   |         | ( 21,856.17 -45,150.80 ) | 4.18  | ( 21,860.02 -45,149.17 ) | 17.36 | ( 21,854.59 -45,132.68 ) | 8.71  |
|     |       |   |         | ( 21,846.87 -45,136.72 ) | 6.15  | ( 21,841.05 -45,138.70 ) | 6.23  | ( 21,834.90 -45,137.71 ) | 5.01  |
|     |       |   |         | ( 21,830.00 -45,136.67 ) | 3.69  | ( 21,831.00 -45,140.22 ) | 5.21  |                          |       |
| 100 | 182   |   |         | ( 21,804.97 -45,131.96 ) | 1.78  | ( 21,806.66 -45,131.41 ) | 10.98 | ( 21,817.64 -45,131.09 ) | 11.40 |
|     |       |   |         | ( 21,829.04 -45,131.17 ) | 11.08 | ( 21,839.89 -45,133.40 ) | 3.92  | ( 21,843.79 -45,133.05 ) | 7.31  |
|     |       |   |         | ( 21,849.83 -45,128.94 ) | 3.63  | ( 21,853.23 -45,127.68 ) | 23.16 | ( 21,853.54 -45,104.52 ) | 9.80  |
|     |       |   |         | ( 21,852.83 -45,094.75 ) | 2.32  | ( 21,850.53 -45,094.44 ) | 12.51 | ( 21,838.26 -45,096.86 ) | 16.29 |
|     |       |   |         | ( 21,822.30 -45,100.10 ) | 7.06  | ( 21,815.24 -45,100.34 ) | 9.75  | ( 21,805.49 -45,100.13 ) | 7.16  |
|     |       |   |         | ( 21,798.39 -45,099.22 ) | 33.39 |                          |       |                          |       |
| 100 | 191   |   |         | ( 21,798.39 -45,099.22 ) | 0.81  | ( 21,797.66 -45,098.87 ) | 6.77  | ( 21,790.89 -45,098.86 ) | 3.16  |

地区 ..003

作業 .. 28

原図番号 .. N1 33-1

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -45,200.00

測定 年 5 月 2 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|     |        |                            |       |                            |       |                            |       |
|-----|--------|----------------------------|-------|----------------------------|-------|----------------------------|-------|
|     |        | ( @ 21,790.18 -45,095.78 ) | 11.53 | ( 21,778.78 -45,097.50 )   | 1.58  | ( 21,777.22 -45,097.76 )   | 24.13 |
|     |        | ( 21,753.34 -45,101.24 )   | 32.73 | ( 21,759.46 -45,133.39 )   | 0.77  | ( 21,760.14 -45,133.03 )   | 11.02 |
|     |        | ( 21,770.80 -45,135.84 )   | 8.59  | ( 21,779.27 -45,137.30 )   | 12.86 | ( 21,791.97 -45,135.28 )   | 8.46  |
|     |        | ( 21,800.24 -45,133.49 )   | 4.97  | ( 21,804.97 -45,131.96 )   | 33.39 |                            |       |
| 100 | 183    | ( 21,822.30 -45,100.10 )   | 16.29 | ( 21,838.26 -45,096.86 )   | 12.51 | ( 21,850.53 -45,094.44 )   | 2.32  |
|     |        | ( 21,852.83 -45,094.75 )   | 59.86 | ( 21,855.18 -45,034.94 )   | 17.62 | ( @ 21,840.73 -45,024.85 ) | 37.04 |
|     |        | ( 21,808.70 -45,043.45 )   | 58.26 |                            |       |                            |       |
| 100 | 189    | ( @ 21,808.70 -45,043.45 ) | 8.14  | ( 21,801.77 -45,047.72 )   | 4.17  | ( 21,803.66 -45,051.44 )   | 34.58 |
|     |        | ( 21,771.13 -45,063.17 )   | 35.17 | ( 21,778.78 -45,097.50 )   | 11.48 | ( 21,790.13 -45,095.78 )   | 3.17  |
|     |        | ( 21,790.89 -45,098.86 )   | 6.77  | ( 21,797.66 -45,098.87 )   | 0.81  | ( 21,798.39 -45,099.22 )   | 7.16  |
|     |        | ( 21,805.49 -45,100.13 )   | 9.75  | ( 21,815.24 -45,100.34 )   | 7.06  | ( 21,822.30 -45,100.10 )   | 58.26 |
| 100 | 185- 2 | ( 21,801.77 -45,047.72 )   | 8.14  | ( 21,808.70 -45,043.45 )   | 37.04 | ( 21,840.73 -45,024.85 )   | 2.52  |
|     |        | ( 21,838.76 -45,023.28 )   | 12.70 | ( @ 21,828.55 -45,015.72 ) | 26.04 | ( 21,806.44 -45,029.47 )   | 6.79  |
|     |        | ( 21,808.63 -45,035.90 )   | 11.47 | ( 21,798.49 -45,041.26 )   | 7.24  |                            |       |
| 100 | 188    | ( 21,800.51 -45,050.89 )   | 1.28  | ( 21,800.96 -45,049.69 )   | 8.37  | ( 21,797.19 -45,042.22 )   | 7.15  |
|     |        | ( 21,793.88 -45,035.88 )   | 6.57  | ( 21,790.37 -45,030.33 )   | 10.57 | ( 21,783.56 -45,022.25 )   | 2.79  |
|     |        | ( 21,781.98 -45,019.95 )   | 2.85  | ( @ 21,781.14 -45,017.23 ) | 13.55 | ( 21,768.06 -45,020.77 )   | 18.16 |
|     |        | ( 21,751.32 -45,027.81 )   | 9.99  | ( 21,754.50 -45,037.28 )   | 1.07  | ( 21,755.54 -45,037.02 )   | 27.82 |
|     |        | ( 21,763.81 -45,063.58 )   | 5.70  | ( 21,769.44 -45,062.67 )   | 0.50  | ( 21,769.38 -45,062.17 )   | 1.46  |
|     |        | ( 21,770.73 -45,061.62 )   | 31.65 |                            |       |                            |       |
| 99  | 149- 2 | ( 21,875.10 -45,045.15 )   | 4.48  | ( 21,878.72 -45,047.79 )   | 25.53 | ( 21,880.78 -45,022.34 )   | 2.60  |
|     |        | ( @ 21,878.19 -45,022.14 ) | 10.72 | ( 21,876.18 -45,032.67 )   | 12.53 |                            |       |
| 99  | 177    | ( @ 21,873.37 -45,046.85 ) | 23.14 | ( 21,877.52 -45,069.61 )   | 17.26 | ( 21,894.77 -45,070.05 )   | 3.29  |
|     |        | ( 21,893.28 -45,067.12 )   | 12.51 | ( 21,892.81 -45,054.62 )   | 3.36  | ( 21,889.62 -45,055.67 )   | 2.56  |
|     |        | ( 21,887.07 -45,055.43 )   | 3.19  | ( 21,884.16 -45,054.13 )   | 13.02 |                            |       |
| 99  | 178    | ( 21,873.37 -45,046.85 )   | 19.52 | ( 21,856.98 -45,036.25 )   | 2.23  | ( @ 21,855.18 -45,034.94 ) | 59.86 |
|     |        | ( 21,852.83 -45,094.75 )   | 9.80  | ( 21,853.54 -45,104.52 )   | 17.72 | ( 21,871.12 -45,102.28 )   | 5.19  |
|     |        | ( 21,873.05 -45,107.10 )   | 2.89  | ( 21,875.90 -45,106.60 )   | 37.03 | ( 21,877.52 -45,069.61 )   | 23.14 |
| 99  | 179    | ( @ 21,871.12 -45,102.28 ) | 17.72 | ( 21,853.54 -45,104.52 )   | 23.16 | ( 21,853.23 -45,127.68 )   | 17.66 |
|     |        | ( 21,869.92 -45,121.90 )   | 7.63  | ( 21,877.51 -45,121.09 )   | 19.87 |                            |       |
| 99  | 180    | ( 21,875.20 -45,126.40 )   | 0.64  | ( @ 21,874.56 -45,126.37 ) | 5.78  | ( 21,868.81 -45,126.91 )   | 4.91  |
|     |        | ( 21,864.08 -45,128.21 )   | 10.49 | ( 21,854.59 -45,132.68 )   | 17.36 | ( 21,860.02 -45,149.17 )   | 5.80  |
|     |        | ( 21,865.36 -45,146.91 )   | 14.99 | ( 21,878.80 -45,140.28 )   | 14.34 |                            |       |
| 75  | 001- 3 | ( 21,848.19 -45,174.79 )   | 2.11  | ( 21,850.26 -45,174.39 )   | 0.45  | ( 21,850.71 -45,174.34 )   | 16.10 |
|     |        | ( 21,848.18 -45,158.44 )   | 2.81  | ( 21,848.43 -45,155.64 )   | 8.92  | ( 21,856.80 -45,152.55 )   | 10.18 |
|     |        | ( 21,866.17 -45,148.58 )   | 25.32 | ( 21,888.90 -45,137.42 )   | 4.00  | ( @ 21,892.40 -45,135.48 ) | 4.27  |
|     |        | ( 21,888.13 -45,135.68 )   | 0.46  | ( 21,887.72 -45,135.88 )   | 9.95  | ( 21,878.80 -45,140.28 )   | 14.99 |
|     |        | ( 21,865.36 -45,146.91 )   | 5.80  | ( 21,860.02 -45,149.17 )   | 4.18  | ( 21,856.17 -45,150.80 )   | 10.52 |
|     |        | ( 21,846.26 -45,154.34 )   | 2.56  | ( 21,845.86 -45,156.87 )   | 14.28 | ( 21,848.55 -45,170.89 )   | 2.22  |
|     |        | ( 21,848.61 -45,173.11 )   | 1.73  |                            |       |                            |       |