

地区 ..003

作業 .. 30

原図番号 .. N1 33-3

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -45,200.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,600.00 -45,200.00)	50.00	(21,650.00 -45,200.04)	49.92	(21,699.92 -45,200.08)	50.06
		(21,749.98 -45,200.09)	49.98	(21,749.94 -45,150.11)	50.00	(21,750.03 -45,100.11)	50.00
		(21,749.96 -45,050.11)	50.00	(21,750.03 -45,000.11)	50.03	(21,700.00 -45,000.07)	50.00
		(21,650.00 -45,000.04)	50.00	(21,600.00 -45,000.05)	50.00	(21,600.01 -45,050.05)	50.00
		(21,599.93 -45,100.05)	49.95	(21,599.99 -45,150.00)	50.00		
76	1224	(2 / 4)					
		(21,600.00 -45,200.00)	43.48	(21,643.48 -45,200.03)	12.76	(21,641.56 -45,187.42)	0.26
		(21,641.52 -45,187.16)	4.83	(21,636.75 -45,187.94)	2.64	(21,634.12 -45,188.22)	2.50
		(21,631.62 -45,188.33)	0.72	(21,630.91 -45,188.23)	0.95	(21,630.90 -45,189.18)	9.47
		(21,621.43 -45,189.17)	19.47	(21,602.00 -45,190.35)	2.07	(21,601.47 -45,188.35)	5.94
		(21,599.96 -45,182.60)	17.40				
76	1233	(1 / 2)					
		(21,599.96 -45,182.60)	5.93	(21,601.42 -45,188.35)	2.08	(21,602.00 -45,190.35)	19.47
		(21,621.43 -45,189.17)	28.46	(21,618.23 -45,160.89)	0.60	(21,617.94 -45,160.36)	6.02
		(21,617.47 -45,154.36)	1.82	(21,616.83 -45,152.66)	13.21	(21,604.10 -45,156.19)	4.15
		(21,600.53 -45,158.30)	1.31	(21,600.01 -45,159.50)	23.10		
77	002- 4						
		(21,600.01 -45,159.50)	1.31	(21,600.53 -45,158.30)	4.15	(21,604.10 -45,156.19)	13.21
		(21,616.83 -45,152.66)	8.80	(21,620.20 -45,144.53)	9.09	(21,621.45 -45,135.53)	6.23
		(21,627.55 -45,134.24)	9.92	(21,637.40 -45,135.42)	6.17	(21,643.46 -45,136.60)	10.51
		(21,653.92 -45,137.59)	6.51	(21,653.77 -45,131.08)	11.01	(21,642.81 -45,130.07)	19.05
		(21,623.84 -45,128.35)	7.07	(21,618.57 -45,133.06)	12.65	(21,616.05 -45,145.46)	3.86
		(21,614.18 -45,148.84)	3.82	(21,611.01 -45,150.98)	11.11	(21,599.94 -45,151.90)	7.60
77	1242	(1 / 2)					
		(21,599.94 -45,151.90)	11.11	(21,611.01 -45,150.98)	3.82	(21,614.18 -45,148.84)	3.86
		(21,616.05 -45,145.46)	12.65	(21,618.57 -45,133.06)	7.07	(21,623.84 -45,128.35)	13.27
		(21,610.59 -45,127.58)	10.66	(21,599.94 -45,127.05)	24.85		
77	1244	(1 / 2)					
		(21,599.94 -45,127.05)	10.66	(21,610.59 -45,127.58)	13.27	(21,623.84 -45,128.35)	19.05
		(21,642.81 -45,130.07)	4.30	(21,646.46 -45,127.80)	4.17	(21,649.73 -45,125.21)	2.19
		(21,648.25 -45,123.59)	13.09	(21,642.83 -45,111.68)	3.66	(21,641.84 -45,108.16)	1.97
		(21,641.15 -45,110.01)	2.28	(21,640.45 -45,112.18)	2.24	(21,639.46 -45,114.19)	1.87
		(21,637.68 -45,114.76)	13.25	(21,624.43 -45,114.74)	8.07	(21,616.36 -45,114.56)	8.72
		(21,607.66 -45,114.01)	5.91	(21,601.80 -45,113.25)	1.86	(21,599.95 -45,113.05)	14.00
77	002- 3						
		(21,599.95 -45,113.05)	1.86	(21,601.80 -45,113.25)	4.88	(21,600.92 -45,108.45)	2.18
		(21,599.94 -45,106.50)	6.55				
78	1248	(1 / 2)					
		(21,599.94 -45,106.50)	2.18	(21,600.92 -45,108.45)	4.88	(21,601.80 -45,113.25)	5.91
		(21,607.66 -45,114.01)	8.72	(21,616.36 -45,114.56)	8.07	(21,624.43 -45,114.74)	13.25
		(21,637.68 -45,114.76)	1.87	(21,639.46 -45,114.19)	2.24	(21,640.45 -45,112.18)	2.28
		(21,641.15 -45,110.01)	1.97	(21,641.84 -45,108.16)	3.43	(21,642.54 -45,104.80)	16.70
		(21,640.96 -45,088.17)	3.42	(21,640.66 -45,084.76)	12.63	(21,639.51 -45,072.18)	33.88
		(21,605.84 -45,075.94)	5.90	(21,599.97 -45,076.55)	29.95		
78	1247	(1 / 2)					
		(21,599.97 -45,076.55)	5.90	(21,605.84 -45,075.94)	28.32	(21,602.31 -45,047.84)	18.58
		(21,600.02 -45,029.40)	47.15				
78	1256	(1 / 2)					
		(21,600.02 -45,029.40)	18.58	(21,602.31 -45,047.84)	28.32	(21,605.84 -45,075.94)	33.88
		(21,639.51 -45,072.18)	12.63	(21,638.13 -45,059.63)	36.99	(21,637.27 -45,022.65)	37.72
		(21,600.01 -45,028.50)	0.90				

地区..003 作業..30 原図番号..N1 33-3 縮尺..1/ 500 基準点..X 21,600.00..Y -45,200.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

78	1257	(1/ 4)	(21,600.01 -45,028.50)	37.72	(21,637.27 -45,022.65)	12.72	(21,635.72 -45,010.02)	8.65
		(21,635.69 -45,001.37)	1.61	(21,634.08 -45,001.37)	1.36	(21,633.95 -45,000.02)	33.95	
		(21,600.00 -45,000.05)	28.45					
78	1259	(1/ 3)	(21,633.95 -45,000.02)	1.36	(21,634.08 -45,001.37)	1.57	(21,635.65 -45,001.37)	0.20
		(21,635.85 -45,001.37)	1.31	(21,635.70 -45,000.07)	1.75			
100	219	(1/ 2)	(21,635.70 -45,000.07)	1.31	(21,635.85 -45,001.37)	0.20	(21,635.65 -45,001.37)	8.65
		(21,635.72 -45,010.02)	12.72	(21,637.27 -45,022.65)	36.99	(21,638.13 -45,059.63)	24.55	
		(21,661.73 -45,052.86)	55.06	(21,646.08 -45,000.07)	10.38			
100	001- 1		(21,646.08 -45,000.07)	55.06	(21,661.73 -45,052.86)	2.65	(21,662.22 -45,055.46)	22.42
		(21,669.81 -45,076.56)	3.37	(21,670.93 -45,079.74)	22.69	(21,678.68 -45,101.07)	6.10	
		(21,680.24 -45,106.97)	6.12	(21,681.40 -45,112.98)	0.95	(21,681.93 -45,113.77)	11.89	
		(21,682.63 -45,125.64)	0.71	(21,681.93 -45,125.73)	6.94	(21,682.50 -45,132.65)	3.38	
		(21,685.20 -45,134.69)	7.63	(21,684.99 -45,127.06)	0.34	(21,684.69 -45,126.91)	12.30	
		(21,684.04 -45,114.63)	2.36	(21,683.62 -45,112.31)	12.04	(21,680.68 -45,100.63)	48.73	
		(21,664.41 -45,054.70)	56.91	(21,648.55 -45,000.04)	2.47			
100	216	(1/ 2)	(21,648.55 -45,000.04)	56.91	(21,664.41 -45,054.70)	9.39	(21,673.67 -45,053.12)	2.65
		(21,676.17 -45,052.24)	1.89	(21,675.68 -45,050.41)	2.14	(21,673.81 -45,049.36)	1.68	
		(21,672.71 -45,048.09)	5.49	(21,670.27 -45,043.17)	5.16	(21,668.19 -45,038.45)	6.14	
		(21,666.22 -45,032.63)	12.36	(21,662.55 -45,020.83)	6.01	(21,660.63 -45,015.14)	7.56	
		(21,658.57 -45,007.87)	7.87	(21,656.43 -45,000.30)	0.24	(21,656.35 -45,000.07)	7.80	
100	214	(1/ 2)	(21,656.35 -45,000.07)	0.24	(21,656.43 -45,000.30)	7.87	(21,658.57 -45,007.87)	7.56
		(21,660.63 -45,015.14)	6.01	(21,662.55 -45,020.83)	12.36	(21,666.22 -45,032.63)	6.14	
		(21,668.19 -45,038.45)	5.16	(21,670.27 -45,043.17)	5.49	(21,672.71 -45,048.09)	1.68	
		(21,673.81 -45,049.36)	2.14	(21,675.68 -45,050.41)	14.37	(21,689.72 -45,047.36)	31.59	
		(21,678.43 -45,017.86)	8.73	(21,675.45 -45,009.65)	10.26	(21,671.85 -45,000.04)	15.50	
100	215- 3	(1/ 2)	(21,671.85 -45,000.04)	10.26	(21,675.45 -45,009.65)	8.73	(21,678.43 -45,017.86)	18.10
		(21,695.44 -45,011.68)	1.41	(21,696.77 -45,011.22)	11.41	(21,694.25 -45,000.09)	22.40	
100	200	(1/ 2)	(21,694.25 -45,000.09)	11.41	(21,696.77 -45,011.22)	26.50	(21,722.51 -45,004.92)	5.03
		(21,721.15 -45,000.08)	26.90					
100	199	(1/ 2)	(21,721.15 -45,000.08)	5.03	(21,722.51 -45,004.92)	20.41	(21,742.35 -45,000.13)	21.20
100	202	(2/ 3)	(21,742.35 -45,000.13)	20.41	(21,722.51 -45,004.92)	26.50	(21,696.77 -45,011.22)	1.66
		(21,697.35 -45,012.78)	0.74	(21,697.58 -45,013.48)	3.56	(21,698.46 -45,016.93)	4.20	
		(21,699.10 -45,021.08)	4.33	(21,699.41 -45,025.40)	3.76	(21,699.67 -45,029.15)	2.95	
		(21,700.10 -45,032.07)	16.17	(21,703.04 -45,047.97)	20.37	(21,723.17 -45,044.82)	0.27	
		(21,723.08 -45,044.57)	27.61	(21,749.99 -45,038.39)	15.50	(21,750.00 -45,022.89)	19.47	
		(21,744.91 -45,004.10)	4.06	(21,745.70 -45,000.12)	3.35			
100	198	(3/ 4)	(21,745.70 -45,000.12)	4.06	(21,744.91 -45,004.10)	19.47	(21,750.00 -45,022.89)	22.78
		(21,750.03 -45,000.11)	4.33					
100	196	(2/ 2)	(21,749.99 -45,038.39)	27.61	(21,723.08 -45,044.57)	0.27	(21,723.17 -45,044.82)	1.38
		(21,723.49 -45,046.16)	8.62	(21,725.95 -45,054.42)	8.30	(21,727.82 -45,062.51)	7.34	

地区..003 作業..30 原図番号..N1 33-3 縮尺..1/ 500 基準点..X 21,600.00..Y -45,200.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

100	190-	1	(21,728.62 -45,069.81) (2/ 2)	21.71	(21,750.00 -45,066.06)	27.67				
		(a	21,750.00 -45,066.06)	21.71	(21,728.62 -45,069.81)	39.95	(21,735.30 -45,109.20)	2.04		
		(	21,735.83 -45,111.17)	1.99	(21,733.85 -45,111.33)	20.91	(21,736.95 -45,132.01)	13.03		
100	207		(21,749.95 -45,132.91) (2/ 2)	66.85						
		(	21,749.95 -45,132.91)	13.03	(21,736.95 -45,132.01)	8.01	(21,729.00 -45,131.06)	5.87		
		(a	21,723.13 -45,131.04)	11.22	(21,725.63 -45,141.98)	4.31	(21,729.75 -45,143.23)	19.32		
		(	21,748.89 -45,140.61)	1.29	(21,749.97 -45,139.91)	7.00				
100	002-	2	(21,749.97 -45,139.91)	1.29	(21,748.89 -45,140.61)	19.32	(21,729.75 -45,143.23)	4.31		
		(	21,725.63 -45,141.98)	4.26	(21,721.62 -45,140.55)	5.67	(21,715.99 -45,141.21)	7.92		
		(	21,708.12 -45,140.33)	23.60	(21,685.20 -45,134.69)	3.38	(21,682.50 -45,132.65)	19.90		
		(	21,662.60 -45,132.51)	8.95	(a 21,653.77 -45,131.08)	6.51	(21,653.92 -45,137.59)	1.39		
		(	21,654.71 -45,138.73)	5.31	(21,660.01 -45,138.36)	5.77	(21,665.78 -45,138.35)	6.59		
		(	21,672.31 -45,137.44)	10.63	(21,682.83 -45,138.95)	2.09	(21,684.65 -45,139.97)	11.35		
		(	21,695.50 -45,143.31)	2.30	(21,697.77 -45,143.66)	4.73	(21,702.43 -45,144.47)	6.03		
		(	21,708.23 -45,146.13)	1.35	(21,709.58 -45,146.19)	5.55	(21,715.13 -45,146.34)	6.31		
		(	21,721.28 -45,147.73)	2.46	(21,723.73 -45,148.00)	6.89	(21,730.61 -45,147.56)	1.99		
		(	21,732.57 -45,147.22)	15.14	(21,747.51 -45,144.75)	2.47	(21,749.98 -45,144.71)	4.80		
75	1203-	2	(21,749.98 -45,144.71)	2.47	(21,747.51 -45,144.75)	35.41	(21,742.70 -45,179.83)	7.31		
		(	21,750.01 -45,180.01)	35.30						
75	1204-	1	(21,750.01 -45,180.01)	7.31	(21,742.70 -45,179.83)	11.55	(21,731.15 -45,179.59)	10.95		
		(	21,720.20 -45,179.34)	10.91	(21,709.30 -45,178.95)	11.11	(a 21,698.19 -45,178.89)	21.26		
		(	21,699.92 -45,200.08)	50.06	(21,749.98 -45,200.09)	20.08				
76	1213-	2	(21,699.92 -45,200.08)	21.26	(a 21,698.19 -45,178.89)	12.11	(21,686.09 -45,179.31)	4.41		
		(	21,686.39 -45,183.71)	8.10	(21,686.81 -45,191.80)	8.26	(21,687.30 -45,200.05)	12.62		
76	001-	3	(21,687.30 -45,200.05)	8.26	(21,686.81 -45,191.80)	8.10	(21,686.39 -45,183.71)	4.41		
		(	21,686.09 -45,179.31)	7.51	(21,685.74 -45,171.81)	31.86	(21,684.65 -45,139.97)	2.09		
		(a	21,682.83 -45,138.95)	33.01	(21,683.84 -45,171.94)	11.36	(21,684.65 -45,183.27)	16.86		
		(	21,685.45 -45,200.11)	1.85						
76	1215		(21,685.45 -45,200.11)	16.86	(a 21,684.65 -45,183.27)	8.54	(21,676.13 -45,183.88)	20.70		
		(	21,655.52 -45,185.84)	2.44	(21,653.10 -45,186.15)	11.61	(21,641.56 -45,187.42)	12.76		
		(	21,643.48 -45,200.03)	41.97						
76	1223		(a 21,629.21 -45,160.43)	3.52	(21,625.69 -45,160.44)	7.47	(21,618.23 -45,160.89)	28.46		
		(	21,621.43 -45,189.17)	9.47	(21,630.90 -45,189.18)	0.95	(21,630.91 -45,188.23)	27.85		
76	1221		(21,630.91 -45,188.23)	0.72	(21,631.62 -45,188.33)	2.50	(21,634.12 -45,188.22)	2.64		
		(	21,636.75 -45,187.94)	4.83	(21,641.52 -45,187.16)	0.26	(21,641.56 -45,187.42)	11.61		
		(	21,653.10 -45,186.15)	29.27	(a 21,651.40 -45,156.93)	8.90	(21,642.61 -45,158.35)	6.53		
		(	21,636.16 -45,159.34)	6.34	(21,629.86 -45,160.03)	0.76	(21,629.21 -45,160.43)	27.85		
76	1220		(21,629.21 -45,160.43)	0.76	(21,629.86 -45,160.03)	6.34	(21,636.16 -45,159.34)	6.53		
		(	21,642.61 -45,158.35)	8.90	(21,651.40 -45,156.93)	29.27	(21,653.10 -45,186.15)	2.44		
		(	21,655.52 -45,185.84)	28.90	(21,654.03 -45,156.98)	19.39	(21,653.92 -45,137.59)	10.51		
		(	21,643.46 -45,136.60)	6.17	(21,637.40 -45,135.42)	9.92	(a 21,627.55 -45,134.24)	6.23		

地区 ..003

作業 .. 30

原図番号 .. N1 33-3

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -45,200.00

測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,621.45 -45,135.53)	9.09	(21,620.20 -45,144.53)	8.80	(21,616.83 -45,152.66)	1.82
		(21,617.47 -45,154.36)	6.02	(21,617.94 -45,160.36)	0.60	(21,618.23 -45,160.89)	7.47
		(21,625.69 -45,160.44)	3.52				
76	1219	(21,660.01 -45,138.36)	5.31	(21,654.71 -45,138.73)	1.39	(21,653.92 -45,137.59)	19.39
		(21,654.03 -45,156.98)	28.90	(21,655.52 -45,185.84)	20.70	(21,676.13 -45,183.88)	10.46
		(21,675.24 -45,173.46)	3.09	(21,672.19 -45,172.94)	5.14	(21,667.06 -45,173.17)	34.84
		(21,665.78 -45,138.35)	5.77				
76	1214	(21,665.78 -45,138.35)	34.84	(21,667.06 -45,173.17)	5.14	(21,672.19 -45,172.94)	3.09
		(21,675.24 -45,173.46)	10.46	(21,676.13 -45,183.88)	8.54	(21,684.65 -45,183.27)	11.36
		(21,683.84 -45,171.94)	33.01	(21,682.83 -45,138.95)	10.63	(21,672.31 -45,137.44)	6.59
76	1213- 1	(21,684.65 -45,139.97)	31.86	(21,685.74 -45,171.81)	7.51	(21,686.09 -45,179.31)	12.11
		(21,698.19 -45,178.89)	35.23	(21,697.77 -45,143.66)	2.30	(21,695.50 -45,143.31)	11.35
75	1203- 6	(21,709.58 -45,146.19)	1.35	(21,708.23 -45,146.13)	6.03	(21,702.43 -45,144.47)	4.73
		(21,697.77 -45,143.66)	35.23	(21,698.19 -45,178.89)	11.11	(21,709.30 -45,178.95)	32.76
75	1203- 5	(21,709.30 -45,178.95)	10.91	(21,720.20 -45,179.34)	31.63	(21,721.28 -45,147.73)	6.31
		(21,715.13 -45,146.34)	5.55	(21,709.58 -45,146.19)	32.76		
75	1203- 4	(21,732.57 -45,147.22)	1.99	(21,730.61 -45,147.56)	6.89	(21,723.73 -45,148.00)	2.46
		(21,721.28 -45,147.73)	31.63	(21,720.20 -45,179.34)	10.95	(21,731.15 -45,179.59)	32.40
75	1203- 3	(21,732.57 -45,147.22)	32.40	(21,731.15 -45,179.59)	11.55	(21,742.70 -45,179.83)	35.41
		(21,747.51 -45,144.75)	15.14				
100	208- 1	(21,725.63 -45,141.98)	11.22	(21,723.13 -45,131.04)	2.33	(21,720.90 -45,131.73)	18.89
		(21,702.04 -45,130.62)	4.08	(21,697.99 -45,130.13)	2.55	(21,695.49 -45,129.63)	10.81
		(21,684.99 -45,127.06)	7.63	(21,685.20 -45,134.69)	23.60	(21,708.12 -45,140.33)	7.92
		(21,715.99 -45,141.21)	5.67	(21,721.62 -45,140.55)	4.26	(21,725.63 -45,141.98)	0.00
100	206	(21,723.13 -45,131.04)	5.87	(21,729.00 -45,131.06)	8.01	(21,736.95 -45,132.01)	20.91
		(21,733.85 -45,111.33)	21.72	(21,712.23 -45,113.40)	11.53	(21,700.71 -45,113.87)	16.69
		(21,684.04 -45,114.63)	12.30	(21,684.69 -45,126.91)	0.34	(21,684.99 -45,127.06)	10.81
		(21,695.49 -45,129.63)	2.55	(21,697.99 -45,130.13)	4.08	(21,702.04 -45,130.62)	18.89
		(21,720.90 -45,131.73)	2.33				
100	001- 2	(21,733.85 -45,111.33)	1.99	(21,735.83 -45,111.17)	1.69	(21,735.65 -45,109.49)	23.63
		(21,712.10 -45,111.40)	11.58	(21,700.53 -45,111.90)	16.20	(21,684.35 -45,112.66)	0.81
		(21,683.62 -45,112.31)	2.36	(21,684.04 -45,114.63)	16.69	(21,700.71 -45,113.87)	11.53
		(21,712.23 -45,113.40)	21.72				
100	204	(21,735.30 -45,109.20)	39.95	(21,728.62 -45,069.81)	7.34	(21,727.82 -45,062.51)	8.30
		(21,725.95 -45,054.42)	8.62	(21,723.49 -45,046.16)	21.28	(21,702.66 -45,050.52)	0.46
		(21,702.20 -45,050.57)	61.63	(21,712.10 -45,111.40)	23.30		
100	205	(21,712.10 -45,111.40)	61.63	(21,702.20 -45,050.57)	7.30	(21,694.92 -45,051.14)	7.37
		(21,687.56 -45,050.75)	11.49	(21,676.17 -45,052.24)	2.65	(21,673.67 -45,053.12)	13.54
		(21,678.15 -45,065.90)	8.55	(21,680.84 -45,074.02)	5.29	(21,681.45 -45,079.27)	3.56
		(21,681.24 -45,082.82)	17.82	(21,680.68 -45,100.63)	12.04	(21,683.62 -45,112.31)	0.81

地区 ..003 作業 .. 30 原図番号 .. N1 33-3 縮尺 ..1/ 500 基準点 ..X 21,600.00..Y -45,200.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

100	213	(21,684.35 -45,112.66)	16.20	(21,700.53 -45,111.90)	11.58				
		(21,680.68 -45,100.63)	17.82	(21,681.24 -45,082.82)	3.56	(21,681.45 -45,079.27)	5.29		
		(21,680.84 -45,074.02)	8.55	(21,678.15 -45,065.90)	13.54	(21,673.67 -45,053.12)	9.39		
100	002-	(21,664.41 -45,054.70)	48.73						
	1	(21,675.68 -45,050.41)	1.89	(21,676.17 -45,052.24)	11.49	(21,687.56 -45,050.75)	7.37		
		(21,694.92 -45,051.14)	7.30	(21,702.20 -45,050.57)	0.46	(21,702.66 -45,050.52)	21.28		
		(21,723.49 -45,046.16)	1.38	(21,723.17 -45,044.82)	20.37	(21,703.04 -45,047.97)	8.40		
		(21,694.66 -45,048.51)	5.07	(21,689.72 -45,047.36)	14.37				
100	215-	(21,689.72 -45,047.36)	5.07	(21,694.66 -45,048.51)	8.40	(21,703.04 -45,047.97)	16.17		
	1	(21,700.10 -45,032.07)	2.95	(21,699.67 -45,029.15)	3.76	(21,699.41 -45,025.40)	4.33		
		(21,699.10 -45,021.08)	4.20	(21,698.46 -45,016.93)	3.56	(21,697.58 -45,013.48)	1.41		
		(21,696.26 -45,013.98)	2.44	(21,695.44 -45,011.68)	18.10	(21,678.43 -45,017.86)	31.59		
100	201-	(21,696.26 -45,013.98)	1.41	(21,697.58 -45,013.48)	0.74	(21,697.35 -45,012.78)	1.66		
	2	(21,696.77 -45,011.22)	1.41	(21,695.44 -45,011.68)	2.44				
100	212	(21,662.22 -45,055.46)	2.65	(21,661.73 -45,052.86)	24.55	(21,638.13 -45,059.63)	12.63		
		(21,639.51 -45,072.18)	12.63	(21,640.66 -45,084.76)	30.28	(21,669.81 -45,076.56)	22.42		
100	211	(21,669.81 -45,076.56)	30.28	(21,640.66 -45,084.76)	3.42	(21,640.96 -45,088.17)	31.13		
		(21,670.93 -45,079.74)	3.37						
100	210	(21,670.93 -45,079.74)	31.13	(21,640.96 -45,088.17)	16.70	(21,642.54 -45,104.80)	3.43		
		(21,641.84 -45,108.16)	3.66	(21,642.83 -45,111.68)	13.09	(21,648.25 -45,123.59)	2.19		
		(21,649.73 -45,125.21)	23.74	(21,673.31 -45,122.50)	1.47	(21,673.85 -45,121.13)	8.19		
		(21,677.61 -45,113.85)	0.93	(21,678.36 -45,113.30)	3.06	(21,681.40 -45,112.98)	6.12		
		(21,680.24 -45,106.97)	6.10	(21,678.68 -45,101.07)	22.69				
100	209	(21,681.93 -45,113.77)	0.95	(21,681.40 -45,112.98)	3.06	(21,678.36 -45,113.30)	0.93		
		(21,677.61 -45,113.85)	8.19	(21,673.85 -45,121.13)	1.47	(21,673.31 -45,122.50)	9.21		
		(21,681.93 -45,125.73)	0.71	(21,682.63 -45,125.64)	11.89				
100	208-	(21,682.50 -45,132.65)	6.94	(21,681.93 -45,125.73)	9.21	(21,673.31 -45,122.50)	23.74		
	2	(21,649.73 -45,125.21)	7.13	(21,653.77 -45,131.08)	8.95	(21,662.60 -45,132.51)	19.90		
77	1243	(21,653.77 -45,131.08)	7.13	(21,649.73 -45,125.21)	4.17	(21,646.46 -45,127.80)	4.30		
		(21,642.81 -45,130.07)	11.01						