

地区 ..003

作業 .. 31 原図番号 .. N1 33-4

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -45,000.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,600.00 -45,000.00)	50.00	(21,650.00 -45,000.02)	50.05	(21,700.05 -45,000.05)	49.98
		(21,750.03 -45,000.02)	50.00	(21,750.03 -44,950.02)	49.95	(21,750.00 -44,900.07)	50.00
		(21,749.98 -44,850.07)	50.02	(21,750.00 -44,800.05)	50.03	(21,699.97 -44,800.03)	49.97
		(21,650.00 -44,799.97)	50.00	(21,600.00 -44,800.00)	49.95	(21,599.97 -44,849.95)	50.00
		(21,599.95 -44,899.95)	50.05	(21,599.98 -44,950.00)	50.00		
78	1257	(2 / 4)					
		(21,600.00 -45,000.00)	33.95	(21,633.95 -44,999.97)	17.80	(21,632.08 -44,982.27)	32.30
		(21,599.96 -44,985.70)	14.30				
78	1259	(2 / 3)					
		(21,599.96 -44,985.70)	32.30	(21,632.08 -44,982.27)	17.80	(21,633.95 -44,999.97)	1.70
		(21,635.65 -45,000.01)	19.74	(21,634.40 -44,980.31)	34.64	(21,599.99 -44,984.30)	1.40
100	223	(1 / 2)					
		(21,599.99 -44,984.30)	34.64	(21,634.40 -44,980.31)	9.73	(21,633.76 -44,970.60)	2.34
		(21,633.25 -44,968.32)	14.23	(21,631.04 -44,954.26)	31.27	(21,600.00 -44,958.05)	26.25
100	227	(1 / 2)					
		(21,600.00 -44,958.05)	31.27	(21,631.04 -44,954.26)	10.78	(21,629.26 -44,943.63)	8.24
		(21,628.29 -44,935.45)	7.96	(21,627.69 -44,927.51)	1.41	(21,627.29 -44,926.16)	1.51
		(21,626.03 -44,925.32)	4.50	(21,621.61 -44,924.50)	5.66	(21,615.96 -44,924.26)	16.00
		(21,599.96 -44,924.65)	33.40				
100	001- 5						
		(21,599.96 -44,924.65)	16.00	(21,615.96 -44,924.26)	5.66	(21,621.61 -44,924.50)	4.50
		(21,626.03 -44,925.32)	4.05	(21,630.03 -44,925.97)	7.60	(21,637.37 -44,927.93)	10.88
		(21,647.98 -44,930.33)	8.11	(21,655.88 -44,932.16)	16.85	(21,672.70 -44,931.24)	7.76
		(21,680.45 -44,931.55)	8.54	(21,688.96 -44,932.25)	2.03	(21,690.98 -44,932.47)	2.63
		(21,693.56 -44,932.99)	10.07	(21,703.36 -44,935.32)	6.96	(21,710.07 -44,937.17)	6.27
		(21,715.73 -44,939.86)	1.05	(21,716.70 -44,940.26)	2.20	(21,718.40 -44,941.65)	2.11
		(21,719.93 -44,943.10)	3.92	(21,722.52 -44,946.04)	2.09	(21,723.59 -44,947.84)	3.86
		(21,725.33 -44,951.29)	2.81	(21,727.03 -44,953.53)	3.27	(21,729.19 -44,955.98)	2.47
		(21,731.12 -44,957.52)	1.05	(21,732.11 -44,957.87)	4.63	(21,735.23 -44,961.29)	4.97
		(21,738.06 -44,965.38)	4.73	(21,740.05 -44,969.67)	5.23	(21,741.94 -44,974.55)	7.34
		(21,744.13 -44,981.56)	5.93	(21,746.54 -44,986.98)	2.14	(21,748.37 -44,988.09)	1.66
		(21,750.00 -44,988.42)	1.87	(21,750.04 -44,986.55)	2.04	(21,748.29 -44,985.50)	4.84
		(21,746.15 -44,981.16)	7.53	(21,743.76 -44,974.02)	5.52	(21,741.82 -44,968.85)	4.79
		(21,739.71 -44,964.55)	2.06	(21,738.71 -44,962.75)	5.55	(21,735.45 -44,958.26)	5.07
		(21,731.79 -44,954.75)	5.01	(21,728.28 -44,951.18)	5.70	(21,725.62 -44,946.14)	1.43
		(21,725.20 -44,944.77)	2.28	(21,723.58 -44,943.17)	5.82	(21,719.25 -44,939.28)	4.94
		(21,715.09 -44,936.61)	4.14	(21,711.34 -44,934.85)	10.87	(21,700.98 -44,931.56)	5.37
		(21,695.84 -44,930.01)	15.56	(21,680.32 -44,928.85)	7.98	(21,672.35 -44,928.39)	15.43
		(21,657.03 -44,930.22)	2.54	(21,654.52 -44,929.86)	17.51	(21,637.42 -44,926.11)	10.10
		(21,627.63 -44,923.63)	6.19	(21,621.53 -44,922.57)	5.63	(21,615.91 -44,922.33)	15.96
		(21,599.96 -44,922.80)	1.85				
2 101	282- 1	(1 / 2)					
		(21,599.96 -44,922.80)	15.96	(21,615.91 -44,922.33)	5.63	(21,621.53 -44,922.57)	6.19
		(21,627.63 -44,923.63)	10.10	(21,637.42 -44,926.11)	3.50	(21,637.17 -44,922.62)	6.22
		(21,634.94 -44,916.81)	35.05	(21,599.99 -44,914.20)	8.60		
101	281	(1 / 2)					
		(21,599.99 -44,914.20)	35.05	(21,634.94 -44,916.81)	18.69	(21,630.75 -44,898.60)	5.40
		(21,629.33 -44,893.39)	29.40	(21,599.98 -44,891.65)	22.55		
101	279	(1 / 2)					
		(21,599.98 -44,891.65)	29.40	(21,629.33 -44,893.39)	10.28	(21,626.68 -44,883.46)	6.20
		(21,625.87 -44,877.31)	14.88	(21,625.86 -44,862.43)	2.25	(21,623.70 -44,861.79)	2.45

地区 ..003 作業 .. 31 原図番号 .. N1 33-4 縮尺 ..1/ 500 基準点 ..X 21,600.00..Y -45,000.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

101	002-	3	(21,621.35 -44,861.10)	22.01	(@ 21,599.99 -44,855.80)	35.85				
			(21,599.99 -44,855.80)	22.01	(21,621.35 -44,861.10)	2.45	(21,623.70 -44,861.79)	2.25		
			(21,625.86 -44,862.43)	6.21	(21,631.78 -44,864.29)	6.78	(21,637.92 -44,867.17)	7.45		
			(21,643.98 -44,862.84)	4.25	(21,646.85 -44,859.70)	8.45	(21,647.53 -44,851.28)	12.24		
			(21,652.02 -44,839.89)	10.13	(21,654.18 -44,829.99)	7.90	(21,656.42 -44,822.41)	2.41		
			(@ 21,654.09 -44,821.80)	9.87	(21,649.48 -44,830.53)	31.03	(21,637.85 -44,859.30)	7.68		
			(21,630.17 -44,859.10)	3.47	(21,626.81 -44,858.23)	20.80	(21,606.63 -44,853.18)	6.84		
			(21,600.00 -44,851.50)	4.30						
116	606		(1 / 3)							
			(21,600.00 -44,851.50)	6.84	(21,606.63 -44,853.18)	20.80	(21,626.81 -44,858.23)	25.28		
			(21,632.58 -44,833.62)	10.28	(21,622.90 -44,830.17)	14.08	(21,628.14 -44,817.10)	12.77		
			(21,616.36 -44,812.16)	11.09	(21,618.82 -44,801.35)	2.75	(@ 21,616.43 -44,799.98)	0.20		
			(21,616.23 -44,800.01)	3.85	(21,615.11 -44,803.69)	4.41	(21,614.82 -44,808.09)	6.15		
			(21,613.39 -44,814.07)	29.65	(21,600.00 -44,840.52)	10.98				
116	002-	6								
			(21,600.00 -44,840.52)	29.65	(21,613.39 -44,814.07)	6.15	(21,614.82 -44,808.09)	4.41		
			(21,615.11 -44,803.69)	3.85	(21,616.23 -44,800.01)	2.88	(@ 21,613.35 -44,799.99)	3.79		
			(21,612.43 -44,803.67)	4.76	(21,612.65 -44,808.42)	3.89	(21,611.35 -44,812.09)	8.02		
			(21,607.73 -44,819.25)	9.40	(21,603.29 -44,827.54)	7.21	(21,599.98 -44,833.95)	6.57		
116	602-	1	(1 / 2)							
			(21,599.98 -44,833.95)	7.21	(21,603.29 -44,827.54)	9.40	(21,607.73 -44,819.25)	7.95		
			(@ 21,599.99 -44,817.45)	16.50						
116	601-	4	(1 / 2)							
			(21,599.99 -44,817.45)	7.95	(21,607.73 -44,819.25)	8.02	(21,611.35 -44,812.09)	11.64		
			(@ 21,599.97 -44,809.65)	7.80						
116	601-	2	(1 / 4)							
			(21,599.97 -44,809.65)	11.64	(21,611.35 -44,812.09)	3.89	(21,612.65 -44,808.42)	4.76		
			(21,612.43 -44,803.67)	3.79	(@ 21,613.35 -44,799.99)	13.35	(21,600.00 -44,800.00)	9.65		
116	001-	7								
			(@ 21,616.43 -44,799.98)	2.75	(21,618.82 -44,801.35)	3.23	(21,621.36 -44,803.35)	5.16		
			(21,625.77 -44,806.03)	19.29	(21,643.29 -44,814.09)	7.35	(21,649.07 -44,818.63)	5.94		
			(21,654.09 -44,821.80)	3.42	(21,656.49 -44,819.37)	3.51	(21,653.08 -44,818.53)	3.15		
			(21,650.37 -44,816.92)	7.77	(21,644.28 -44,812.09)	19.01	(21,627.06 -44,804.03)	5.10		
			(21,622.65 -44,801.47)	2.29	(21,620.90 -44,800.00)	4.47				
116	609-	1	(1 / 3)							
			(@ 21,620.90 -44,800.00)	2.29	(21,622.65 -44,801.47)	5.10	(21,627.06 -44,804.03)	19.01		
			(21,644.28 -44,812.09)	11.82	(21,656.03 -44,813.39)	6.55	(21,662.54 -44,814.11)	14.21		
			(21,673.21 -44,804.72)	6.05	(21,678.07 -44,801.12)	1.13	(21,678.20 -44,800.00)	27.05		
			(21,651.15 -44,800.02)	4.10	(21,649.11 -44,803.58)	5.64	(21,643.80 -44,801.69)	5.88		
			(21,638.15 -44,800.05)	17.25						
116	611-	1	(1 / 2)							
			(21,638.15 -44,800.05)	5.88	(21,643.80 -44,801.69)	5.64	(21,649.11 -44,803.58)	4.10		
			(@ 21,651.15 -44,800.02)	13.00						
116	609-	2	(1 / 2)							
			(@ 21,678.20 -44,800.00)	1.13	(21,678.07 -44,801.12)	0.96	(21,678.83 -44,800.53)	1.52		
			(21,680.25 -44,800.00)	2.05						
101	002-	2								
			(@ 21,680.25 -44,800.00)	1.52	(21,678.83 -44,800.53)	0.96	(21,678.07 -44,801.12)	6.05		
			(21,673.21 -44,804.72)	14.21	(21,662.54 -44,814.11)	8.02	(21,656.49 -44,819.37)	2.91		
			(21,659.40 -44,819.35)	11.81	(21,668.55 -44,811.88)	4.25	(21,672.00 -44,809.39)	9.95		
			(21,680.36 -44,804.00)	4.03	(21,683.96 -44,802.19)	3.86	(21,687.55 -44,800.78)	2.85		

地区 ..003 作業 .. 31 原図番号 .. N1 33-4 縮尺 ..1/ 500 基準点 ..X 21,600.00..Y -45,000.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,730.49 -44,946.32)	3.52	(21,726.99 -44,945.98)	1.38	(21,725.62 -44,946.14)	5.70
		(21,728.28 -44,951.18)	5.01	(21,731.79 -44,954.75)	5.07	(21,735.45 -44,958.26)	5.55
		(21,738.71 -44,962.75)	2.06	(21,739.71 -44,964.55)	4.79	(21,741.82 -44,968.85)	5.52
		(21,743.76 -44,974.02)	7.53	(21,746.15 -44,981.16)	4.84	(21,748.29 -44,985.50)	2.04
100	198	(21,750.04 -44,986.55)	46.18				
		(4 / 4)					
		(21,750.03 -45,000.02)	11.60	(21,750.00 -44,988.42)	1.66	(21,748.37 -44,988.09)	12.24
		(21,745.70 -45,000.04)	4.33				
100	202	(3 / 3)					
		(21,745.70 -45,000.04)	12.24	(21,748.37 -44,988.09)	2.14	(21,746.54 -44,986.98)	0.88
		(21,746.55 -44,987.86)	12.10	(21,743.92 -44,999.67)	1.52	(21,742.45 -45,000.04)	3.25
100	199	(2 / 2)					
		(21,742.45 -45,000.04)	1.52	(21,743.92 -44,999.67)	12.10	(21,746.55 -44,987.86)	0.93
		(21,746.52 -44,986.93)	5.88	(21,744.13 -44,981.56)	7.34	(21,741.94 -44,974.55)	5.23
		(21,740.05 -44,969.67)	4.73	(21,738.06 -44,965.38)	4.97	(21,735.23 -44,961.29)	4.63
		(21,732.11 -44,957.87)	7.48	(21,725.98 -44,962.16)	5.81	(21,721.06 -44,965.25)	4.14
		(21,717.22 -44,966.81)	5.07	(21,712.36 -44,968.25)	21.25	(21,718.02 -44,988.73)	11.70
		(21,721.15 -45,000.00)	21.30				
100	200	(2 / 2)					
		(21,721.15 -45,000.00)	11.70	(21,718.02 -44,988.73)	21.25	(21,712.36 -44,968.25)	3.56
		(21,708.82 -44,968.63)	4.11	(21,704.72 -44,968.84)	13.65	(21,691.07 -44,969.15)	3.55
		(21,687.52 -44,969.08)	31.64	(21,694.20 -45,000.01)	26.95		
100	215-	(2 / 2)					
	3	(21,694.20 -45,000.01)	31.64	(21,687.52 -44,969.08)	5.05	(21,682.47 -44,968.99)	4.49
		(21,678.10 -44,970.00)	4.72	(21,673.53 -44,971.17)	4.14	(21,669.48 -44,972.03)	2.90
		(21,666.62 -44,972.50)	2.47	(21,666.89 -44,974.96)	10.08	(21,666.38 -44,985.03)	15.91
		(21,671.85 -44,999.97)	22.35				
100	214	(2 / 2)					
		(21,671.85 -44,999.97)	15.91	(21,666.38 -44,985.03)	1.82	(21,665.17 -44,986.39)	1.37
		(21,664.02 -44,987.14)	10.06	(21,654.48 -44,990.34)	4.01	(21,654.74 -44,994.34)	5.97
		(21,656.45 -45,000.06)	15.40				
100	216	(2 / 2)					
		(21,656.45 -45,000.06)	5.97	(21,654.74 -44,994.34)	4.01	(21,654.48 -44,990.34)	10.06
		(21,664.02 -44,987.14)	1.37	(21,665.17 -44,986.39)	1.82	(21,666.38 -44,985.03)	10.08
		(21,666.89 -44,974.96)	2.47	(21,666.62 -44,972.50)	3.94	(21,664.92 -44,968.95)	10.75
		(21,654.40 -44,971.16)	12.17	(21,642.51 -44,973.74)	4.15	(21,638.57 -44,975.05)	5.34
		(21,641.45 -44,979.55)	4.16	(21,643.21 -44,983.32)	8.05	(21,645.88 -44,990.91)	9.49
		(21,648.50 -45,000.03)	7.95				
100	001-	6					
		(21,648.50 -45,000.03)	9.49	(21,645.88 -44,990.91)	8.05	(21,643.21 -44,983.32)	4.16
		(21,641.45 -44,979.55)	5.34	(21,638.57 -44,975.05)	4.44	(21,636.43 -44,971.16)	3.56
		(21,635.57 -44,967.71)	13.88	(21,633.19 -44,954.04)	11.53	(21,631.01 -44,942.72)	7.56
		(21,630.06 -44,935.22)	7.74	(21,629.52 -44,927.50)	1.17	(21,629.59 -44,926.33)	0.57
		(21,630.03 -44,925.97)	4.05	(21,626.03 -44,925.32)	1.51	(21,627.29 -44,926.16)	1.41
		(21,627.69 -44,927.51)	7.96	(21,628.29 -44,935.45)	8.24	(21,629.26 -44,943.63)	10.78
		(21,631.04 -44,954.26)	14.23	(21,633.25 -44,968.32)	2.34	(21,633.76 -44,970.60)	1.71
		(21,634.33 -44,972.21)	4.44	(21,636.42 -44,976.13)	5.95	(21,639.65 -44,981.13)	11.49
		(21,643.73 -44,991.87)	8.46	(21,646.15 -44,999.98)	2.35		
100	219	(2 / 2)					
		(21,646.15 -44,999.98)	8.46	(21,643.73 -44,991.87)	11.49	(21,639.65 -44,981.13)	5.95
		(21,636.42 -44,976.13)	4.44	(21,634.33 -44,972.21)	1.71	(21,633.76 -44,970.60)	9.73
		(21,634.40 -44,980.31)	19.74	(21,635.65 -45,000.01)	10.50		

地区 ..003

作業 .. 31

原図番号 .. N1 33-4

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -45,000.00

測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

Q100	229	(21,638.57 -44,975.05)	4.15	(21,642.51 -44,973.74)	12.17	(21,654.40 -44,971.16)	10.75
		(21,664.92 -44,968.95)	4.46	(21,663.61 -44,964.69)	14.44	(21,660.43 -44,950.60)	13.92
		(21,657.19 -44,937.06)	5.07	(21,655.88 -44,932.16)	8.11	(21,647.98 -44,930.33)	10.88
		(21,637.37 -44,927.93)	7.60	(21,630.03 -44,925.97)	0.57	(21,629.59 -44,926.33)	1.17
		(21,629.52 -44,927.50)	7.74	(21,630.06 -44,935.22)	7.56	(21,631.01 -44,942.72)	11.53
		(21,633.19 -44,954.04)	13.88	(21,635.57 -44,967.71)	3.56	(21,636.43 -44,971.16)	4.44
100	230- 1	(21,664.92 -44,968.95)	3.94	(21,666.62 -44,972.50)	2.90	(21,669.48 -44,972.03)	4.14
		(21,673.53 -44,971.17)	4.72	(21,678.10 -44,970.00)	4.49	(21,682.47 -44,968.99)	5.05
		(21,687.52 -44,969.08)	3.55	(21,691.07 -44,969.15)	13.65	(21,704.72 -44,968.84)	4.11
		(21,708.82 -44,968.63)	3.56	(21,712.36 -44,968.25)	5.07	(21,717.22 -44,966.81)	4.14
		(21,721.06 -44,965.25)	5.81	(21,725.98 -44,962.16)	7.48	(21,732.11 -44,957.87)	1.05
		(21,731.12 -44,957.52)	2.47	(21,729.19 -44,955.98)	3.27	(21,727.03 -44,953.53)	2.81
		(21,725.33 -44,951.29)	3.86	(21,723.59 -44,947.84)	2.09	(21,722.52 -44,946.04)	3.92
		(21,719.93 -44,943.10)	2.11	(21,718.40 -44,941.65)	2.20	(21,716.70 -44,940.26)	1.05
		(21,715.73 -44,939.86)	6.27	(21,710.07 -44,937.17)	6.96	(21,703.36 -44,935.32)	10.07
		(21,693.56 -44,932.99)	2.63	(21,690.98 -44,932.47)	2.03	(21,688.96 -44,932.25)	8.54
		(21,680.45 -44,931.55)	7.76	(21,672.70 -44,931.24)	16.85	(21,655.88 -44,932.16)	5.07
		(21,657.19 -44,937.06)	13.92	(21,660.43 -44,950.60)	14.44	(21,663.61 -44,964.69)	4.46
Q101	231	(21,654.52 -44,926.76)	9.02	(21,645.66 -44,925.09)	3.77	(21,642.01 -44,924.14)	5.07
		(21,637.17 -44,922.62)	3.50	(21,637.42 -44,926.11)	17.51	(21,654.52 -44,929.86)	3.10
101	002- 4	(21,654.52 -44,929.86)	2.54	(21,657.03 -44,930.22)	5.01	(21,657.16 -44,925.21)	4.19
		(21,656.60 -44,921.06)	7.26	(21,654.19 -44,914.21)	6.39	(21,651.32 -44,908.50)	6.84
		(21,647.81 -44,902.63)	8.96	(21,643.67 -44,894.68)	1.84	(21,642.88 -44,893.02)	7.93
		(21,637.77 -44,886.96)	4.10	(21,635.41 -44,883.61)	5.69	(21,634.89 -44,877.94)	8.26
		(21,636.15 -44,869.78)	3.15	(21,637.92 -44,867.17)	6.78	(21,631.78 -44,864.29)	3.59
		(21,632.84 -44,867.72)	3.87	(21,632.78 -44,871.59)	6.10	(21,631.74 -44,877.60)	6.00
		(21,632.38 -44,883.57)	3.26	(21,634.07 -44,886.36)	7.13	(21,638.80 -44,891.70)	5.12
		(21,641.84 -44,895.82)	8.88	(21,645.91 -44,903.71)	12.64	(21,651.94 -44,914.82)	7.16
		(21,654.28 -44,921.59)	5.18	(21,654.52 -44,926.76)	3.10		
101	278	(21,654.52 -44,926.76)	5.18	(21,654.28 -44,921.59)	7.16	(21,651.94 -44,914.82)	12.64
		(21,645.91 -44,903.71)	8.88	(21,641.84 -44,895.82)	5.12	(21,638.80 -44,891.70)	7.13
		(21,634.07 -44,886.36)	3.26	(21,632.38 -44,883.57)	6.00	(21,631.74 -44,877.60)	6.10
		(21,632.78 -44,871.59)	3.87	(21,632.84 -44,867.72)	3.59	(21,631.78 -44,864.29)	6.21
		(21,625.86 -44,862.43)	14.88	(21,625.87 -44,877.31)	6.20	(21,626.68 -44,883.46)	10.28
		(21,629.33 -44,893.39)	5.40	(21,630.75 -44,898.60)	18.69	(21,634.94 -44,916.81)	6.22
		(21,637.17 -44,922.62)	5.07	(21,642.01 -44,924.14)	3.77	(21,645.66 -44,925.09)	9.02
101	232- 1	(21,657.03 -44,930.22)	15.43	(21,672.35 -44,928.39)	7.98	(21,680.32 -44,928.85)	15.56
		(21,695.84 -44,930.01)	1.09	(21,696.52 -44,929.16)	2.50	(21,696.42 -44,926.66)	25.74
		(21,693.90 -44,901.04)	10.72	(21,692.83 -44,890.37)	12.07	(21,680.78 -44,891.00)	37.29
		(21,643.67 -44,894.68)	8.96	(21,647.81 -44,902.63)	6.84	(21,651.32 -44,908.50)	6.39
		(21,654.19 -44,914.21)	7.26	(21,656.60 -44,921.06)	4.19	(21,657.16 -44,925.21)	5.01
101	277	(21,643.67 -44,894.68)	37.29	(21,680.78 -44,891.00)	12.07	(21,692.83 -44,890.37)	17.08
		(21,689.68 -44,873.58)	13.60	(21,687.15 -44,860.22)	13.18	(21,674.69 -44,864.51)	28.25
		(21,646.85 -44,859.70)	4.25	(21,643.98 -44,862.84)	7.45	(21,637.92 -44,867.17)	3.15
		(21,636.15 -44,869.78)	8.26	(21,634.89 -44,877.94)	5.69	(21,635.41 -44,883.61)	4.10

地区 ..003

作業 .. 31

原図番号 .. N1 33-4

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -45,000.00

測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

101	276-	1	(21,637.77 -44,886.96)	7.93	(21,642.88 -44,893.02)	1.84			
			(21,646.85 -44,859.70)	28.25	(21,674.69 -44,864.51)	13.18	(21,687.15 -44,860.22)	51.47	
			(21,677.82 -44,809.60)	1.50	(21,676.36 -44,809.26)	5.02	(21,672.13 -44,811.97)	5.24	
			(21,667.99 -44,815.18)	10.51	(21,660.03 -44,822.05)	1.66	(21,658.41 -44,822.40)	1.99	
			(21,656.42 -44,822.41)	7.90	(21,654.18 -44,829.99)	10.13	(21,652.02 -44,839.89)	12.24	
101	271-	1	(21,647.53 -44,851.28)	8.45					
			(21,685.45 -44,834.24)	17.55	(21,702.83 -44,831.79)	25.62	(21,699.02 -44,806.45)	18.13	
			(21,681.07 -44,809.00)	25.62					
101	271-	3	(21,681.07 -44,809.00)	18.13	(21,699.02 -44,806.45)	6.06	(21,698.15 -44,800.45)	11.90	
			(21,686.71 -44,803.73)	3.37	(21,683.66 -44,805.17)	2.03	(21,681.99 -44,806.32)	1.88	
			(21,680.90 -44,807.85)	1.16					
101	001-	3	(21,676.36 -44,809.26)	1.50	(21,677.82 -44,809.60)	51.47	(21,687.15 -44,860.22)	13.60	
			(21,689.68 -44,873.58)	17.08	(21,692.83 -44,890.37)	10.72	(21,693.90 -44,901.04)	25.74	
			(21,696.42 -44,926.66)	2.50	(21,696.52 -44,929.16)	1.09	(21,695.84 -44,930.01)	5.37	
			(21,700.98 -44,931.56)	1.56	(21,699.88 -44,930.45)	34.23	(21,696.23 -44,896.42)	6.45	
			(21,695.68 -44,889.99)	2.78	(21,695.15 -44,887.26)	14.62	(21,692.48 -44,872.89)	9.87	
			(21,690.64 -44,863.19)	29.41	(21,685.45 -44,834.24)	25.62	(21,681.07 -44,809.00)	1.16	
			(21,680.90 -44,807.85)	4.75					
101	272-	1	(21,713.74 -44,830.78)	0.41	(21,713.73 -44,830.37)	10.99	(21,702.83 -44,831.79)	17.55	
			(21,685.45 -44,834.24)	29.41	(21,690.64 -44,863.19)	9.55	(21,700.03 -44,861.45)	3.35	
			(21,703.38 -44,861.49)	5.15	(21,708.26 -44,863.15)	3.31	(21,711.23 -44,864.61)	1.60	
			(21,712.66 -44,865.32)	18.12	(21,713.52 -44,847.22)	16.44			
101	266-	2	(21,712.66 -44,865.32)	1.60	(21,711.23 -44,864.61)	16.32	(21,714.72 -44,880.55)	15.83	
			(21,729.69 -44,875.39)	10.68	(21,724.18 -44,866.24)	11.56			
101	273-	1	(21,714.72 -44,880.55)	16.32	(21,711.23 -44,864.61)	3.31	(21,708.26 -44,863.15)	5.15	
			(21,703.38 -44,861.49)	3.35	(21,700.03 -44,861.45)	9.55	(21,690.64 -44,863.19)	9.87	
			(21,692.48 -44,872.89)	14.62	(21,695.15 -44,887.26)	20.69	(21,714.72 -44,880.55)	0.00	
101	234-	1	(21,714.72 -44,880.55)	20.69	(21,695.15 -44,887.26)	2.78	(21,695.68 -44,889.99)	6.45	
			(21,696.23 -44,896.42)	40.52	(21,734.59 -44,883.36)	9.36	(21,729.69 -44,875.39)	15.83	
101	233-	1	(21,734.59 -44,883.36)	40.52	(21,696.23 -44,896.42)	34.23	(21,699.88 -44,930.45)	1.56	
			(21,700.98 -44,931.56)	10.87	(21,711.34 -44,934.85)	4.14	(21,715.09 -44,936.61)	4.94	
			(21,719.25 -44,939.28)	5.82	(21,723.58 -44,943.17)	2.28	(21,725.20 -44,944.77)	2.02	
			(21,727.14 -44,945.33)	3.09	(21,730.21 -44,945.67)	2.36	(21,732.56 -44,945.49)	3.02	
			(21,735.41 -44,944.49)	12.33	(21,747.07 -44,940.47)	36.34	(21,747.06 -44,904.13)	24.23	
116	607-	1	(21,637.85 -44,859.30)	31.03	(21,649.48 -44,830.53)	9.87	(21,654.09 -44,821.80)	5.94	
			(21,649.07 -44,818.63)	7.35	(21,643.29 -44,814.09)	19.29	(21,625.77 -44,806.03)	5.16	
			(21,621.36 -44,803.35)	3.23	(21,618.82 -44,801.35)	11.09	(21,616.36 -44,812.16)	12.77	
			(21,628.14 -44,817.10)	14.08	(21,622.90 -44,830.17)	10.28	(21,632.58 -44,833.62)	25.28	
			(21,626.81 -44,858.23)	3.47	(21,630.17 -44,859.10)	7.68			
116	607-	2	(21,653.08 -44,818.53)	3.51	(21,656.49 -44,819.37)	8.02	(21,662.54 -44,814.11)	6.55	
			(21,656.03 -44,813.39)	5.93					

地区 ..003 作業 .. 31 原図番号 .. N1 33-4 縮尺 ..1/ 500 基準点 ..X 21,600.00..Y -45,000.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

116	608-	1	(21,656.03 -44,813.39)	11.82	(@ 21,644.28 -44,812.09)	7.77	(21,650.37 -44,816.92)	3.15
			(21,653.08 -44,818.53)	5.93				