

地区 ..003

作業 .. 32 原図番号 .. N1 34-1

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -44,800.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,750.00 -44,800.00)	50.00	(21,800.00 -44,799.95)	50.05	(21,850.05 -44,799.90)	50.00
		(21,900.05 -44,799.88)	50.03	(21,900.00 -44,749.85)	50.00	(21,900.00 -44,699.85)	49.95
		(21,900.00 -44,649.90)	50.00	(21,900.00 -44,599.90)	50.00	(21,850.00 -44,599.95)	50.00
		(21,800.00 -44,599.95)	50.00	(21,750.00 -44,600.05)	49.95	(21,750.00 -44,650.00)	50.00
		(21,750.00 -44,700.00)	50.00	(21,750.00 -44,750.00)	50.00		
101	269- 1	(2 / 4)					
		(21,750.00 -44,800.00)	7.95	(21,757.95 -44,800.01)	7.98	(21,760.63 -44,792.49)	1.60
		(@ 21,760.04 -44,791.00)	10.15	(21,750.06 -44,792.85)	7.15		
116	002- 3						
		(21,750.06 -44,792.85)	10.15	(21,760.04 -44,791.00)	3.53	(21,763.23 -44,789.50)	11.51
		(21,774.64 -44,787.97)	23.22	(21,797.42 -44,783.45)	15.83	(21,812.97 -44,780.46)	22.78
		(21,835.36 -44,776.27)	17.71	(21,835.12 -44,758.56)	3.74	(21,835.52 -44,754.84)	0.80
		(@ 21,835.70 -44,754.06)	3.75	(21,832.34 -44,755.73)	16.92	(21,831.43 -44,772.63)	1.45
		(21,830.70 -44,773.88)	7.05	(21,823.73 -44,774.92)	3.35	(21,820.47 -44,775.70)	5.46
		(21,815.15 -44,776.92)	6.58	(21,808.67 -44,778.08)	5.50	(21,803.32 -44,779.37)	21.57
		(21,782.17 -44,783.60)	10.88	(21,771.41 -44,785.22)	9.15	(21,762.30 -44,786.08)	5.62
		(21,756.81 -44,787.26)	5.31	(21,751.61 -44,788.32)	1.58	(21,750.06 -44,788.60)	4.25
116	621- 1	(1 / 2)					
		(21,750.06 -44,788.60)	1.58	(21,751.61 -44,788.32)	28.91	(@ 21,749.99 -44,759.46)	29.14
116	621- 3						
		(21,749.99 -44,759.46)	28.91	(21,751.61 -44,788.32)	5.31	(21,756.81 -44,787.26)	29.42
		(@ 21,756.86 -44,757.84)	7.06				
116	625- 1	(1 / 2)					
		(21,749.99 -44,759.46)	7.06	(21,756.86 -44,757.84)	6.76	(21,763.46 -44,756.38)	28.98
		(21,765.66 -44,727.48)	2.62	(21,763.50 -44,725.99)	3.90	(@ 21,760.49 -44,723.51)	5.06
		(21,759.72 -44,728.51)	8.07	(21,757.84 -44,736.36)	7.83	(21,750.01 -44,736.45)	23.01
116	622	(1 / 2)					
		(21,750.01 -44,736.45)	7.83	(21,757.84 -44,736.36)	8.07	(21,759.72 -44,728.51)	9.82
		(@ 21,749.97 -44,727.30)	9.15				
116	624	(1 / 2)					
		(21,749.97 -44,727.30)	9.82	(21,759.72 -44,728.51)	5.06	(21,760.49 -44,723.51)	1.42
		(21,759.43 -44,722.56)	13.19	(@ 21,749.99 -44,713.35)	13.95		
115	001- 7						
		(21,749.99 -44,713.35)	13.19	(21,759.43 -44,722.56)	1.42	(21,760.49 -44,723.51)	3.90
		(21,763.50 -44,725.99)	2.62	(21,765.66 -44,727.48)	9.42	(21,773.42 -44,732.82)	0.57
		(21,773.92 -44,733.09)	8.58	(21,781.54 -44,737.03)	2.94	(21,784.18 -44,738.33)	9.73
		(21,793.11 -44,742.19)	11.18	(21,803.40 -44,746.57)	1.20	(21,804.50 -44,747.05)	15.57
		(21,819.27 -44,751.97)	13.60	(21,832.34 -44,755.73)	1.46	(21,832.51 -44,754.28)	6.13
		(21,826.67 -44,752.43)	0.55	(21,826.60 -44,751.88)	7.70	(21,833.90 -44,749.42)	1.46
		(21,833.64 -44,747.98)	11.02	(21,823.20 -44,751.52)	3.63	(21,819.70 -44,750.57)	15.72
		(21,804.80 -44,745.55)	11.69	(21,794.01 -44,741.04)	10.11	(21,784.71 -44,737.08)	2.49
		(21,782.51 -44,735.92)	9.41	(21,774.22 -44,731.47)	11.95	(21,764.33 -44,724.76)	0.43
		(21,763.98 -44,724.51)	4.99	(21,760.18 -44,721.28)	12.83	(21,751.04 -44,712.28)	1.25
		(@ 21,749.99 -44,711.60)	1.75				
115	576- 1	(1 / 2)					
		(21,749.99 -44,711.60)	1.25	(21,751.04 -44,712.28)	12.83	(21,760.18 -44,721.28)	6.83
		(21,763.73 -44,715.44)	2.28	(21,764.54 -44,713.31)	3.54	(21,765.72 -44,709.97)	9.65
		(21,775.36 -44,710.45)	10.03	(21,785.39 -44,710.75)	13.21	(21,787.84 -44,697.77)	4.59
		(21,783.25 -44,697.91)	6.80	(21,782.51 -44,691.15)	1.09	(21,781.88 -44,690.26)	6.41
		(21,775.99 -44,687.73)	3.44	(21,773.06 -44,685.92)	8.10	(21,765.42 -44,683.24)	12.22
		(21,753.44 -44,680.85)	3.45	(@ 21,750.02 -44,680.40)	31.20		

地区 ..003

作業 .. 32 原図番号 .. N1 34-1

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -44,800.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

115	001- 8	(21,750.02 -44,680.40)	3.45	(21,753.44 -44,680.85)	12.22	(21,765.42 -44,683.24)	8.10
		(21,773.06 -44,685.92)	3.44	(21,775.99 -44,687.73)	6.41	(21,781.88 -44,690.26)	1.09
		(21,782.51 -44,691.15)	4.91	(21,785.63 -44,694.94)	3.59	(21,787.84 -44,697.77)	2.54
		(21,789.80 -44,699.39)	9.91	(21,799.65 -44,700.45)	13.35	(21,812.92 -44,701.94)	10.03
		(21,822.82 -44,703.57)	15.06	(21,837.88 -44,703.82)	2.16	(21,838.55 -44,701.77)	15.60
		(21,822.95 -44,701.57)	9.70	(21,813.40 -44,699.89)	9.27	(21,804.20 -44,698.78)	9.35
		(21,794.93 -44,697.57)	3.98	(21,791.05 -44,696.67)	2.32	(21,789.08 -44,695.44)	2.64
		(21,787.33 -44,693.46)	3.89	(21,785.22 -44,690.19)	3.63	(21,782.46 -44,687.83)	6.14
		(21,776.71 -44,685.68)	3.28	(21,773.89 -44,684.00)	8.92	(21,765.37 -44,681.37)	1.43
		(21,763.97 -44,681.06)	10.44	(21,753.72 -44,679.10)	3.73	(21,750.02 -44,678.65)	1.75
115	563	(1/ 2)					
		(21,750.02 -44,678.65)	3.73	(21,753.72 -44,679.10)	10.44	(21,763.97 -44,681.06)	9.84
		(21,765.23 -44,671.30)	15.39	(21,749.98 -44,669.25)	9.40		
115	561- 1	(1/ 2)					
		(21,749.98 -44,669.25)	15.39	(21,765.23 -44,671.30)	4.09	(21,769.28 -44,671.87)	8.17
		(21,770.49 -44,663.79)	20.79	(21,749.99 -44,660.30)	8.95		
115	560	(1/ 2)					
		(21,749.99 -44,660.30)	20.79	(21,770.49 -44,663.79)	30.09	(21,800.17 -44,668.77)	6.07
		(21,801.49 -44,662.85)	7.47	(21,803.04 -44,655.54)	20.85	(21,782.95 -44,649.98)	11.64
		(21,771.75 -44,646.82)	17.05	(21,755.36 -44,642.11)	2.96	(21,752.46 -44,641.50)	2.61
		(21,750.01 -44,640.60)	19.70				
115	546	(1/ 2)					
		(21,750.01 -44,640.60)	2.61	(21,752.46 -44,641.50)	2.96	(21,755.36 -44,642.11)	17.05
		(21,771.75 -44,646.82)	14.61	(21,776.85 -44,633.13)	7.07	(21,770.27 -44,630.55)	19.98
		(21,778.00 -44,612.13)	2.62	(21,775.44 -44,611.58)	3.33	(21,772.41 -44,610.20)	2.11
		(21,770.67 -44,609.00)	1.69	(21,769.39 -44,607.89)	1.79	(21,768.39 -44,606.40)	3.13
		(21,769.02 -44,609.47)	0.85	(21,768.17 -44,609.52)	4.92	(21,763.34 -44,608.56)	3.23
		(21,760.17 -44,607.96)	7.65	(21,752.67 -44,606.43)	2.77	(21,749.99 -44,605.72)	34.88
115	544- 2	(1/ 4)					
		(21,749.99 -44,605.72)	2.77	(21,752.67 -44,606.43)	7.65	(21,760.17 -44,607.96)	3.23
		(21,763.34 -44,608.56)	4.92	(21,768.17 -44,609.52)	0.85	(21,769.02 -44,609.47)	3.13
		(21,768.39 -44,606.40)	6.71	(21,766.30 -44,600.02)	16.30	(21,750.00 -44,600.05)	5.67
115	001- 9	(21,766.30 -44,600.02)	6.71	(21,768.39 -44,606.40)	1.79	(21,769.39 -44,607.89)	1.69
		(21,770.67 -44,609.00)	2.11	(21,772.41 -44,610.20)	3.33	(21,775.44 -44,611.58)	2.62
		(21,778.00 -44,612.13)	14.05	(21,791.81 -44,614.74)	4.07	(21,795.87 -44,615.08)	10.75
		(21,806.58 -44,616.01)	4.82	(21,811.38 -44,615.54)	3.09	(21,814.36 -44,614.71)	2.11
		(21,816.15 -44,613.60)	4.24	(21,819.79 -44,611.42)	7.30	(21,825.42 -44,606.78)	3.59
		(21,828.47 -44,604.88)	4.74	(21,833.05 -44,603.66)	9.30	(21,842.30 -44,602.66)	1.82
		(21,842.26 -44,600.84)	9.53	(21,832.78 -44,601.83)	5.36	(21,827.62 -44,603.28)	3.88
		(21,824.34 -44,605.35)	7.56	(21,818.51 -44,610.17)	5.70	(21,813.64 -44,613.14)	2.64
		(21,811.04 -44,613.59)	4.34	(21,806.71 -44,613.86)	0.28	(21,806.66 -44,613.58)	5.63
		(21,801.05 -44,613.15)	5.33	(21,795.74 -44,612.67)	3.25	(21,792.50 -44,612.39)	10.16
		(21,782.46 -44,610.86)	6.15	(21,776.47 -44,609.48)	2.78	(21,773.94 -44,608.32)	1.99
		(21,772.19 -44,607.37)	2.43	(21,770.62 -44,605.52)	5.76	(21,768.90 -44,600.02)	2.60
115	543- 5	(1/ 2)					
		(21,768.90 -44,600.02)	5.76	(21,770.62 -44,605.52)	2.43	(21,772.19 -44,607.37)	1.99
		(21,773.94 -44,608.32)	2.78	(21,776.47 -44,609.48)	6.15	(21,782.46 -44,610.86)	10.16
		(21,792.50 -44,612.39)	12.41	(21,792.95 -44,599.99)	24.05		
115	543- 6	(1/ 2)					
		(21,792.95 -44,599.99)	12.41	(21,792.50 -44,612.39)	3.25	(21,795.74 -44,612.67)	5.33

地区..003 作業..32 原図番号..N1 34-1 縮尺..1/ 500 基準点..X 21,750.00..Y -44,800.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

115	551-	1	(21,801.05 (1/ 2) -44,613.15)	13.16	(21,801.60 -44,600.00)	8.65			
			(21,801.60 -44,600.00)	13.16	(21,801.05 -44,613.15)	5.63	(21,806.66 -44,613.58)	0.28	
			(21,806.71 -44,613.86)	4.34	(21,811.04 -44,613.59)	2.64	(21,813.64 -44,613.14)	5.70	
			(21,818.51 -44,610.17)	7.56	(21,824.34 -44,605.35)	3.88	(21,827.62 -44,603.28)	5.36	
			(21,832.78 -44,601.83)	1.90	(21,832.65 -44,599.93)	31.05			
115	540		(1/ 2)						
		(21,832.65 -44,599.93)	1.90	(21,832.78 -44,601.83)	9.53	(21,842.26 -44,600.84)	0.90		
115	002-	4	(21,842.25 -44,599.94)	9.60					
		(21,842.25 -44,599.94)	0.90	(21,842.26 -44,600.84)	1.82	(21,842.30 -44,602.66)	18.68		
		(21,842.81 -44,621.33)	11.46	(21,842.82 -44,632.79)	23.80	(21,843.09 -44,656.59)	7.26		
		(21,841.59 -44,663.69)	20.52	(21,839.87 -44,684.14)	17.68	(21,838.55 -44,701.77)	2.16		
		(21,837.88 -44,703.82)	24.93	(21,835.17 -44,728.60)	19.44	(21,833.64 -44,747.98)	1.46		
		(21,833.90 -44,749.42)	5.05	(21,832.51 -44,754.28)	1.46	(21,832.34 -44,755.73)	3.75		
		(21,835.70 -44,754.06)	8.85	(21,837.70 -44,745.44)	14.01	(21,839.82 -44,731.59)	16.77		
		(21,841.31 -44,714.89)	9.71	(21,840.82 -44,705.19)	3.61	(21,841.50 -44,701.64)	16.46		
		(21,842.96 -44,685.24)	21.55	(21,845.56 -44,663.85)	30.15	(21,845.54 -44,633.70)	14.92		
		(21,844.91 -44,618.79)	18.85	(21,844.95 -44,599.94)	2.70				
115	001-	10							
		(21,844.95 -44,599.94)	18.85	(21,844.91 -44,618.79)	14.92	(21,845.54 -44,633.70)	30.15		
		(21,845.56 -44,663.85)	21.55	(21,842.96 -44,685.24)	16.46	(21,841.50 -44,701.64)	3.61		
		(21,840.82 -44,705.19)	9.71	(21,841.31 -44,714.89)	16.77	(21,839.82 -44,731.59)	14.01		
		(21,837.70 -44,745.44)	8.85	(21,835.70 -44,754.06)	3.22	(21,838.60 -44,752.67)	2.22		
		(21,839.02 -44,750.49)	0.97	(21,839.20 -44,749.54)	4.04	(21,840.04 -44,745.59)	13.50		
		(21,842.02 -44,732.24)	10.81	(21,843.14 -44,721.49)	15.47	(21,843.97 -44,706.04)	0.91		
		(21,843.83 -44,705.14)	3.16	(21,844.05 -44,701.99)	17.20	(21,845.52 -44,684.85)	9.11		
		(21,846.32 -44,675.78)	11.87	(21,847.60 -44,663.98)	12.49	(21,848.15 -44,651.50)	1.32		
		(21,848.06 -44,650.18)	7.62	(21,848.04 -44,642.56)	17.97	(21,847.58 -44,624.60)	23.06		
		(21,846.95 -44,601.55)	0.92	(21,846.93 -44,600.63)	0.73	(21,846.90 -44,599.90)	1.95		
97	23-	1	(1/ 2)						
		(21,846.90 -44,599.90)	0.73	(21,846.93 -44,600.63)	5.94	(21,852.85 -44,600.15)	1.18		
		(21,854.00 -44,599.90)	7.10						
97	001-	1							
		(21,854.00 -44,599.90)	1.18	(21,852.85 -44,600.15)	5.94	(21,846.93 -44,600.63)	0.92		
		(21,846.95 -44,601.55)	6.01	(21,852.95 -44,601.13)	6.66	(21,859.50 -44,599.91)	5.50		
97	37		(1/ 2)						
		(21,859.50 -44,599.91)	6.66	(21,852.95 -44,601.13)	6.01	(21,846.95 -44,601.55)	23.06		
		(21,847.58 -44,624.60)	26.01	(21,873.58 -44,623.74)	1.51	(21,873.24 -44,622.27)	21.35		
		(21,868.20 -44,601.52)	1.75	(21,867.50 -44,599.92)	8.00				
97	24		(1/ 2)						
		(21,867.50 -44,599.92)	1.75	(21,868.20 -44,601.52)	21.35	(21,873.24 -44,622.27)	6.18		
		(21,879.23 -44,620.73)	21.71	(21,873.05 -44,599.92)	5.55				
97	25		(1/ 2)						
		(21,873.05 -44,599.92)	21.71	(21,879.23 -44,620.73)	5.14	(21,884.22 -44,619.48)	20.43		
		(21,878.45 -44,599.88)	5.40						
97	26		(1/ 2)						
		(21,878.45 -44,599.88)	20.43	(21,884.22 -44,619.48)	10.71	(21,894.50 -44,616.46)	17.43		
		(21,889.10 -44,599.89)	10.65						
97	32		(3/ 4)						
		(21,889.10 -44,599.89)	17.43	(21,894.50 -44,616.46)	5.97	(21,900.01 -44,614.15)	14.25		
		(21,900.00 -44,599.90)	10.90						

地区..003 作業..32 原図番号..N1 34-1 縮尺..1/ 500 基準点..X 21,750.00..Y -44,800.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

97	33	(2/ 2)	(a 21,900.01 -44,614.15)	5.97	(21,894.50 -44,616.46)	10.71	(21,884.22 -44,619.48)	5.14
			(21,879.23 -44,620.73)	6.18	(21,873.24 -44,622.27)	1.51	(21,873.58 -44,623.74)	18.84
			(21,877.06 -44,642.26)	7.28	(21,878.45 -44,649.41)	2.05	(21,880.50 -44,649.28)	0.86
			(21,880.66 -44,650.13)	20.19	(21,900.01 -44,644.35)	30.20		
97	43	(2/ 2)	(a 21,900.01 -44,644.35)	20.19	(21,880.66 -44,650.13)	0.47	(21,880.78 -44,650.58)	13.97
			(21,883.24 -44,664.33)	9.47	(21,885.23 -44,673.59)	2.56	(21,885.72 -44,676.10)	9.74
			(21,887.81 -44,685.61)	6.78	(21,881.03 -44,685.70)	28.95	(21,873.74 -44,713.72)	9.44
			(21,878.38 -44,721.94)	5.42	(21,883.73 -44,721.08)	9.90	(21,893.26 -44,718.39)	6.94
			(21,900.03 -44,716.85)	72.50				
97	59-	1 (2/ 2)	(a 21,900.03 -44,716.85)	6.94	(21,893.26 -44,718.39)	9.90	(21,883.73 -44,721.08)	5.42
			(21,878.38 -44,721.94)	4.13	(21,881.15 -44,725.01)	2.59	(21,883.17 -44,726.63)	2.15
			(21,885.15 -44,727.46)	3.02	(21,888.16 -44,727.64)	7.48	(21,895.52 -44,726.30)	4.52
			(21,900.02 -44,725.90)	9.05				
97	001-	3	(a 21,900.02 -44,725.90)	4.52	(21,895.52 -44,726.30)	7.48	(21,888.16 -44,727.64)	5.10
			(21,883.51 -44,729.73)	12.08	(21,872.34 -44,734.32)	4.84	(21,867.76 -44,735.87)	4.57
			(21,863.40 -44,737.23)	7.79	(21,855.91 -44,739.38)	17.04	(21,840.04 -44,745.59)	4.04
			(21,839.20 -44,749.54)	2.19	(21,840.70 -44,747.94)	17.03	(21,856.61 -44,741.86)	6.70
			(21,863.03 -44,739.96)	12.06	(21,874.59 -44,736.52)	0.63	(21,875.18 -44,736.29)	16.83
			(21,890.62 -44,729.59)	9.55	(21,900.02 -44,727.90)	2.00		
97	66	(2/ 2)	(a 21,900.02 -44,727.90)	9.55	(21,890.62 -44,729.59)	4.30	(21,891.73 -44,733.74)	0.54
			(21,892.27 -44,733.76)	7.96	(21,899.72 -44,730.95)	0.30	(21,900.02 -44,730.90)	3.00
98	002-	1	(a 21,900.02 -44,730.90)	0.30	(21,899.72 -44,730.95)	7.96	(21,892.27 -44,733.76)	10.34
			(21,892.68 -44,744.09)	9.70	(21,892.00 -44,753.77)	4.75	(21,890.39 -44,758.24)	3.83
			(21,888.14 -44,761.34)	5.25	(21,884.29 -44,764.91)	0.47	(21,884.35 -44,765.38)	1.76
			(21,884.51 -44,767.13)	12.73	(21,882.37 -44,779.68)	6.87	(21,880.46 -44,786.28)	8.92
			(21,877.98 -44,794.85)	5.13	(21,877.10 -44,799.90)	2.50	(21,879.60 -44,799.88)	4.91
			(21,880.51 -44,795.06)	16.92	(21,885.50 -44,778.89)	11.17	(21,889.18 -44,768.34)	2.75
			(21,891.01 -44,766.29)	11.55	(21,895.51 -44,755.65)	20.43	(21,896.61 -44,735.25)	3.65
			(21,900.02 -44,733.95)	3.05				
98	81	(2/ 2)	(a 21,900.02 -44,733.95)	3.65	(21,896.61 -44,735.25)	20.43	(21,895.51 -44,755.65)	1.82
			(21,897.14 -44,756.46)	3.07	(21,899.99 -44,757.60)	23.65		
98	86-	1 (2/ 2)	(21,899.99 -44,757.60)	3.07	(a 21,897.14 -44,756.46)	1.04	(21,896.69 -44,757.40)	4.36
			(21,896.44 -44,761.75)	5.65	(21,896.56 -44,767.40)	4.06	(21,900.03 -44,769.50)	11.90
98	85	(4/ 4)	(21,900.03 -44,769.50)	4.06	(21,896.56 -44,767.40)	5.65	(21,896.44 -44,761.75)	4.36
			(21,896.69 -44,757.40)	1.04	(21,897.14 -44,756.46)	1.82	(a 21,895.51 -44,755.65)	11.55
			(21,891.01 -44,766.29)	2.75	(21,889.18 -44,768.34)	11.17	(21,885.50 -44,778.89)	16.92
			(21,880.51 -44,795.06)	4.91	(21,879.60 -44,799.88)	20.45	(21,900.05 -44,799.88)	30.38
98	83	(2/ 2)	(21,877.10 -44,799.90)	5.13	(21,877.98 -44,794.85)	8.92	(21,880.46 -44,786.28)	6.87
			(21,882.37 -44,779.68)	12.73	(21,884.51 -44,767.13)	1.76	(21,884.35 -44,765.38)	47.32
			(a 21,837.53 -44,758.49)	5.50	(21,837.44 -44,763.99)	12.11	(21,837.92 -44,776.09)	0.70
			(21,837.95 -44,776.79)	9.43	(21,839.39 -44,786.11)	5.94	(21,840.76 -44,791.89)	8.24
			(21,842.75 -44,799.89)	34.35				

地区 ..003 作業 .. 32 原図番号 .. N1 34-1 縮尺 ..1/ 500 基準点 ..X 21,750.00..Y -44,800.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

101	001- 4	(21,842.75 -44,799.89)	8.24	(21,840.76 -44,791.89)	5.94	(21,839.39 -44,786.11)	9.43
		(21,837.95 -44,776.79)	0.70	(21,837.92 -44,776.09)	2.57	(21,835.36 -44,776.27)	1.03
		(21,835.47 -44,777.29)	6.93	(21,836.69 -44,784.11)	4.04	(21,837.39 -44,788.09)	4.46
		(21,838.36 -44,792.44)	3.22	(21,839.05 -44,795.59)	4.47	(21,840.15 -44,799.92)	2.60
101	251	(21,840.15 -44,799.92)	4.47	(21,839.05 -44,795.59)	3.22	(21,838.36 -44,792.44)	4.46
		(21,837.39 -44,788.09)	4.04	(21,836.69 -44,784.11)	6.93	(21,835.47 -44,777.29)	37.47
		(21,798.67 -44,784.33)	15.91	(21,801.70 -44,799.95)	38.45		
101	252	(21,801.70 -44,799.95)	15.91	(21,798.67 -44,784.33)	24.30	(21,774.81 -44,788.92)	3.06
		(21,775.58 -44,791.88)	8.30	(21,777.15 -44,800.03)	24.55		
101	257	(21,777.15 -44,800.03)	8.30	(21,775.58 -44,791.88)	3.06	(21,774.81 -44,788.92)	10.74
		(21,764.16 -44,790.31)	2.34	(21,763.96 -44,792.64)	7.82	(21,761.35 -44,800.01)	15.80
101	001- 5	(21,761.35 -44,800.01)	7.82	(21,763.96 -44,792.64)	2.34	(21,764.16 -44,790.31)	10.74
		(21,774.81 -44,788.92)	24.30	(21,798.67 -44,784.33)	37.47	(21,835.47 -44,777.29)	1.03
		(21,835.36 -44,776.27)	22.78	(21,812.97 -44,780.46)	15.83	(21,797.42 -44,783.45)	23.22
		(21,774.64 -44,787.97)	11.51	(21,763.23 -44,789.50)	2.92	(21,763.01 -44,792.41)	8.07
		(21,760.30 -44,800.01)	1.05				
101	002- 2	(21,760.30 -44,800.01)	8.07	(21,763.01 -44,792.41)	2.92	(21,763.23 -44,789.50)	3.53
		(21,760.04 -44,791.00)	1.60	(21,760.63 -44,792.49)	7.98	(21,757.95 -44,800.01)	2.35
116	630	(21,803.29 -44,756.17)	23.20	(21,803.32 -44,779.37)	5.50	(21,808.67 -44,778.08)	6.58
		(21,815.15 -44,776.92)	5.46	(21,820.47 -44,775.70)	3.35	(21,823.73 -44,774.92)	7.05
		(21,830.70 -44,773.88)	1.45	(21,831.43 -44,772.63)	16.92	(21,832.34 -44,755.73)	13.60
		(21,819.27 -44,751.97)	15.57	(21,804.50 -44,747.05)	1.20	(21,803.40 -44,746.57)	9.60
116	628- 1	(21,803.29 -44,756.17)	9.60	(21,803.40 -44,746.57)	11.18	(21,793.11 -44,742.19)	9.73
		(21,784.18 -44,738.33)	15.92	(21,783.40 -44,754.23)	19.98		
116	628- 2	(21,783.40 -44,754.23)	29.40	(21,782.17 -44,783.60)	21.57	(21,803.32 -44,779.37)	23.20
		(21,803.29 -44,756.17)	19.98				
116	627	(21,771.41 -44,785.22)	10.88	(21,782.17 -44,783.60)	29.40	(21,783.40 -44,754.23)	15.92
		(21,784.18 -44,738.33)	2.94	(21,781.54 -44,737.03)	8.58	(21,773.92 -44,733.09)	13.77
		(21,772.85 -44,746.82)	9.72	(21,772.19 -44,756.52)	28.71		
116	626	(21,772.19 -44,756.52)	9.72	(21,772.85 -44,746.82)	13.77	(21,773.92 -44,733.09)	0.57
		(21,773.42 -44,732.82)	9.42	(21,765.66 -44,727.48)	28.98	(21,763.46 -44,756.38)	29.72
		(21,762.30 -44,786.08)	9.15	(21,771.41 -44,785.22)	28.71		
116	625- 2	(21,756.81 -44,787.26)	5.62	(21,762.30 -44,786.08)	29.72	(21,763.46 -44,756.38)	6.76
		(21,756.86 -44,757.84)	29.42				
115	573- 1	(21,760.18 -44,721.28)	4.99	(21,763.98 -44,724.51)	9.93	(21,769.48 -44,716.24)	5.74
		(21,764.54 -44,713.31)	2.28	(21,763.73 -44,715.44)	6.83		
115	573- 2	(21,764.54 -44,713.31)	5.74	(21,769.48 -44,716.24)	9.93	(21,763.98 -44,724.51)	0.43
		(21,764.33 -44,724.76)	11.95	(21,774.22 -44,731.47)	9.41	(21,782.51 -44,735.92)	21.59

地区 ..003

作業 .. 32

原図番号 .. N1 34-1

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -44,800.00

測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,784.94 -44,714.47)	3.75	(21,785.39 -44,710.75)	10.03	(21,775.36 -44,710.45)	9.65
		(@ 21,765.72 -44,709.97)	3.54				
115	570	(21,783.25 -44,697.91)	4.59	(21,787.84 -44,697.77)	3.59	(21,785.63 -44,694.94)	4.91
		(@ 21,782.51 -44,691.15)	6.80				
115	575- 5	(21,787.84 -44,697.77)	13.21	(21,785.39 -44,710.75)	3.75	(21,784.94 -44,714.47)	12.14
		(21,797.05 -44,715.31)	15.09	(21,799.65 -44,700.45)	9.91	(21,789.80 -44,699.39)	2.54
115	575- 1	(21,799.65 -44,700.45)	15.09	(21,797.05 -44,715.31)	11.81	(21,808.83 -44,716.21)	8.35
		(21,807.96 -44,724.51)	27.52	(21,835.17 -44,728.60)	24.93	(21,837.88 -44,703.82)	15.06
		(21,822.82 -44,703.57)	10.03	(21,812.92 -44,701.94)	13.35		
115	575- 3	(21,807.96 -44,724.51)	8.35	(21,808.83 -44,716.21)	11.81	(21,797.05 -44,715.31)	12.14
		(@ 21,784.94 -44,714.47)	21.59	(21,782.51 -44,735.92)	2.49	(21,784.71 -44,737.08)	10.11
		(21,794.01 -44,741.04)	11.69	(21,804.80 -44,745.55)	21.28		
115	575- 6	(21,804.80 -44,745.55)	15.72	(21,819.70 -44,750.57)	3.63	(21,823.20 -44,751.52)	11.02
		(21,833.64 -44,747.98)	19.44	(21,835.17 -44,728.60)	27.52	(@ 21,807.96 -44,724.51)	21.28
115	575- 7	(@ 21,833.90 -44,749.42)	7.70	(21,826.60 -44,751.88)	0.55	(21,826.67 -44,752.43)	6.13
		(21,832.51 -44,754.28)	5.05				
115	551- 2	(@ 21,842.30 -44,602.66)	9.30	(21,833.05 -44,603.66)	4.74	(21,828.47 -44,604.88)	3.59
		(21,825.42 -44,606.78)	7.30	(21,819.79 -44,611.42)	4.24	(21,816.15 -44,613.60)	5.98
		(21,816.41 -44,619.57)	3.85	(21,820.26 -44,619.65)	4.53	(21,823.68 -44,622.62)	19.17
		(21,842.81 -44,621.33)	18.68				
115	552	(@ 21,842.81 -44,621.33)	19.17	(21,823.68 -44,622.62)	9.90	(21,825.59 -44,632.33)	0.48
		(21,826.07 -44,632.34)	16.76	(21,842.82 -44,632.79)	11.46		
115	553	(21,842.82 -44,632.79)	16.76	(@ 21,826.07 -44,632.34)	8.07	(21,826.81 -44,640.38)	3.94
		(21,822.92 -44,641.02)	20.03	(21,823.97 -44,661.02)	2.94	(21,826.87 -44,661.48)	6.89
		(21,833.69 -44,662.43)	2.84	(21,836.49 -44,662.89)	5.16	(21,841.59 -44,663.69)	7.26
		(21,843.09 -44,656.59)	23.80				
115	568	(21,841.59 -44,663.69)	5.16	(21,836.49 -44,662.89)	2.84	(21,833.69 -44,662.43)	6.89
		(@ 21,826.87 -44,661.48)	5.40	(21,826.97 -44,666.88)	15.51	(21,826.95 -44,682.39)	13.06
		(21,839.89 -44,684.14)	20.52				
115	569	(21,839.89 -44,684.14)	13.06	(21,826.95 -44,682.39)	4.23	(21,822.77 -44,681.77)	24.95
		(21,798.06 -44,678.30)	0.34	(@ 21,797.72 -44,678.30)	7.09	(21,796.31 -44,685.25)	10.69
		(21,785.77 -44,683.49)	5.51	(21,784.76 -44,688.91)	1.36	(21,785.22 -44,690.19)	3.89
		(21,787.33 -44,693.46)	2.64	(21,789.08 -44,695.44)	2.32	(21,791.05 -44,696.67)	3.98
		(21,794.93 -44,697.57)	9.35	(21,804.20 -44,698.78)	9.27	(21,813.40 -44,699.89)	9.70
		(21,822.95 -44,701.57)	15.60	(21,838.55 -44,701.77)	17.68		
115	567- 3	(21,826.95 -44,682.39)	15.51	(21,826.97 -44,666.88)	4.66	(@ 21,822.37 -44,666.16)	15.62
		(21,822.77 -44,681.77)	4.23				
115	567- 1	(21,822.77 -44,681.77)	15.62	(21,822.37 -44,666.16)	21.14	(@ 21,801.49 -44,662.85)	6.07
		(21,800.17 -44,668.77)	7.61	(21,798.52 -44,676.20)	2.15	(21,798.06 -44,678.30)	24.95

地区 ..003 作業 .. 32 原図番号 .. N1 34-1 縮尺 ..1/ 500 基準点 ..X 21,750.00..Y -44,800.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

115	565	(21,798.06 -44,678.30)	2.15	(21,798.52 -44,676.20)	14.77	(@ 21,783.91 -44,674.03)	6.22
		(21,783.42 -44,680.23)	7.66	(21,782.46 -44,687.83)	3.63	(21,785.22 -44,690.19)	1.36
		(21,784.76 -44,688.91)	5.51	(21,785.77 -44,683.49)	10.69	(21,796.31 -44,685.25)	7.09
		(21,797.72 -44,678.30)	0.34				
115	566	(21,798.52 -44,676.20)	7.61	(21,800.17 -44,668.77)	30.09	(@ 21,770.49 -44,663.79)	8.17
		(21,769.28 -44,671.87)	14.79	(21,783.91 -44,674.03)	14.77		
115	567- 2	(21,804.73 -44,655.97)	1.74	(@ 21,803.04 -44,655.54)	7.47	(21,801.49 -44,662.85)	21.14
		(21,822.37 -44,666.16)	4.66	(21,826.97 -44,666.88)	5.40	(21,826.87 -44,661.48)	2.94
		(21,823.97 -44,661.02)	19.89				
115	554	(21,823.97 -44,661.02)	20.03	(@ 21,822.92 -44,641.02)	14.95	(21,807.99 -44,641.81)	14.53
		(21,804.73 -44,655.97)	19.89				
115	550- 1	(21,805.91 -44,641.71)	2.08	(21,807.99 -44,641.81)	14.95	(21,822.92 -44,641.02)	3.94
		(21,826.81 -44,640.38)	8.07	(21,826.07 -44,632.34)	0.48	(21,825.59 -44,632.33)	9.90
		(21,823.68 -44,622.62)	4.53	(21,820.26 -44,619.65)	3.85	(21,816.41 -44,619.57)	5.98
		(@ 21,816.15 -44,613.60)	2.11	(21,814.36 -44,614.71)	3.09	(21,811.38 -44,615.54)	4.82
		(21,806.58 -44,616.01)	2.65	(21,806.73 -44,618.66)	9.91	(21,806.27 -44,628.56)	13.15
		(21,805.91 -44,641.71)	0.00				
115	543- 2	(21,806.58 -44,616.01)	10.75	(@ 21,795.87 -44,615.08)	4.17	(21,795.73 -44,619.25)	11.02
		(21,806.73 -44,618.66)	2.65				
115	550- 2	(@ 21,806.73 -44,618.66)	11.02	(21,795.73 -44,619.25)	9.87	(21,795.77 -44,629.12)	10.51
		(21,806.27 -44,628.56)	9.91				
115	555	(@ 21,806.27 -44,628.56)	10.51	(21,795.77 -44,629.12)	12.94	(21,799.86 -44,641.40)	6.06
		(21,805.91 -44,641.71)	13.15				
115	558	(21,805.91 -44,641.71)	6.06	(21,799.86 -44,641.40)	12.94	(@ 21,795.77 -44,629.12)	19.34
		(21,776.85 -44,633.13)	14.61	(21,771.75 -44,646.82)	11.64	(21,782.95 -44,649.98)	20.85
		(21,803.04 -44,655.54)	1.74	(21,804.73 -44,655.97)	14.53	(21,807.99 -44,641.81)	2.08
115	548- 1	(21,795.77 -44,629.12)	9.87	(21,795.73 -44,619.25)	4.17	(21,795.87 -44,615.08)	4.07
		(21,791.81 -44,614.74)	14.05	(@ 21,778.00 -44,612.13)	19.98	(21,770.27 -44,630.55)	7.07
		(21,776.85 -44,633.13)	19.34				
115	564	(21,783.42 -44,680.23)	6.22	(21,783.91 -44,674.03)	14.79	(21,769.28 -44,671.87)	4.09
		(@ 21,765.23 -44,671.30)	9.84	(21,763.97 -44,681.06)	1.43	(21,765.37 -44,681.37)	8.92
		(21,773.89 -44,684.00)	3.28	(21,776.71 -44,685.68)	6.14	(21,782.46 -44,687.83)	7.66
97	36	(@ 21,873.58 -44,623.74)	26.01	(21,847.58 -44,624.60)	17.97	(21,848.04 -44,642.56)	29.02
		(21,877.06 -44,642.26)	18.84				
97	35	(@ 21,877.06 -44,642.26)	29.02	(21,848.04 -44,642.56)	7.62	(21,848.06 -44,650.18)	12.24
		(21,860.30 -44,650.46)	18.18	(21,878.45 -44,649.41)	7.28		
97	39- 2	(21,878.45 -44,649.41)	18.18	(21,860.30 -44,650.46)	12.24	(21,848.06 -44,650.18)	1.32
		(21,848.15 -44,651.50)	12.10	(21,860.25 -44,651.66)	20.56	(21,880.78 -44,650.58)	0.47

地区 ..003 作業 .. 32 原図番号 .. N1 34-1 縮尺 ..1/ 500 基準点 ..X 21,750.00..Y -44,800.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

97	39-	3	(21,880.66 -44,650.13)	0.86	(@ 21,880.50 -44,649.28)	2.05			
			(@ 21,880.78 -44,650.58)	20.56	(21,860.25 -44,651.66)	12.10	(21,848.15 -44,651.50)	12.49	
			(21,847.60 -44,663.98)	35.64	(21,883.24 -44,664.33)	13.97			
97	39-	1	(21,883.24 -44,664.33)	35.64	(@ 21,847.60 -44,663.98)	11.87	(21,846.32 -44,675.78)	26.50	
			(21,872.82 -44,675.97)	2.50	(21,872.83 -44,673.47)	12.40	(21,885.23 -44,673.59)	9.47	
97	41		(21,885.23 -44,673.59)	12.40	(@ 21,872.83 -44,673.47)	2.50	(21,872.82 -44,675.97)	12.90	
			(21,885.72 -44,676.10)	2.56					
97	40		(21,885.72 -44,676.10)	12.90	(21,872.82 -44,675.97)	26.50	(@ 21,846.32 -44,675.78)	9.11	
			(21,845.52 -44,684.85)	35.52	(21,881.03 -44,685.70)	6.78	(21,887.81 -44,685.61)	9.74	
97	42		(21,881.03 -44,685.70)	35.52	(@ 21,845.52 -44,684.85)	17.20	(21,844.05 -44,701.99)	5.62	
			(21,849.57 -44,703.02)	8.41	(21,857.75 -44,704.96)	8.87	(21,866.04 -44,708.12)	3.87	
			(21,869.54 -44,709.77)	2.86	(21,871.76 -44,711.57)	2.92	(21,873.74 -44,713.72)	28.95	
97	001-	2	(21,888.16 -44,727.64)	3.02	(21,885.15 -44,727.46)	2.15	(21,883.17 -44,726.63)	2.59	
			(21,881.15 -44,725.01)	4.13	(21,878.38 -44,721.94)	9.44	(21,873.74 -44,713.72)	2.92	
			(21,871.76 -44,711.57)	2.86	(21,869.54 -44,709.77)	3.87	(21,866.04 -44,708.12)	8.87	
			(21,857.75 -44,704.96)	8.41	(21,849.57 -44,703.02)	5.62	(@ 21,844.05 -44,701.99)	3.16	
			(21,843.83 -44,705.14)	1.12	(21,844.62 -44,704.34)	4.67	(21,849.23 -44,705.10)	8.11	
			(21,857.12 -44,706.98)	8.77	(21,865.29 -44,710.17)	3.81	(21,868.79 -44,711.67)	2.35	
			(21,870.56 -44,713.22)	2.26	(21,872.01 -44,714.95)	1.46	(21,872.73 -44,716.22)	8.78	
			(21,877.03 -44,723.88)	3.76	(21,879.70 -44,726.53)	4.48	(21,883.40 -44,729.06)	0.68	
			(21,883.51 -44,729.73)	5.10					
97	62		(21,865.29 -44,710.17)	8.77	(21,857.12 -44,706.98)	8.11	(@ 21,849.23 -44,705.10)	10.35	
			(21,847.83 -44,715.35)	17.02	(21,864.83 -44,716.26)	6.11			
97	63		(21,864.83 -44,716.26)	17.02	(21,847.83 -44,715.35)	10.35	(21,849.23 -44,705.10)	4.67	
			(@ 21,844.62 -44,704.34)	1.12	(21,843.83 -44,705.14)	0.91	(21,843.97 -44,706.04)	15.47	
			(21,843.14 -44,721.49)	21.61	(21,864.58 -44,724.23)	7.97			
97	64-	1	(21,864.58 -44,724.23)	21.61	(@ 21,843.14 -44,721.49)	10.81	(21,842.02 -44,732.24)	13.50	
			(21,840.04 -44,745.59)	17.04	(21,855.91 -44,739.38)	7.79	(21,863.40 -44,737.23)	7.85	
			(21,864.07 -44,729.41)	5.21					
97	60		(21,864.07 -44,729.41)	7.85	(21,863.40 -44,737.23)	4.57	(21,867.76 -44,735.87)	4.84	
			(21,872.34 -44,734.32)	12.08	(21,883.51 -44,729.73)	0.68	(21,883.40 -44,729.06)	4.48	
			(21,879.70 -44,726.53)	3.76	(@ 21,877.03 -44,723.88)	14.09			
97	61		(21,877.03 -44,723.88)	8.78	(21,872.73 -44,716.22)	1.46	(21,872.01 -44,714.95)	2.26	
			(21,870.56 -44,713.22)	2.35	(21,868.79 -44,711.67)	3.81	(@ 21,865.29 -44,710.17)	6.11	
			(21,864.83 -44,716.26)	7.97	(21,864.58 -44,724.23)	5.21	(21,864.07 -44,729.41)	14.09	
97	64-	2	(@ 21,863.03 -44,739.96)	6.70	(21,856.61 -44,741.86)	17.03	(21,840.70 -44,747.94)	2.19	
			(21,839.20 -44,749.54)	0.97	(21,839.02 -44,750.49)	2.22	(21,838.60 -44,752.67)	27.54	
97	65		(@ 21,890.62 -44,729.59)	16.83	(21,875.18 -44,736.29)	9.79	(21,884.96 -44,735.86)	7.09	
			(21,891.73 -44,733.74)	4.30					

地区 ..003

作業 .. 32 原図番号 .. N1 34-1

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -44,800.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

98	82	(21,884.35 -44,765.38)	0.47	(21,884.29 -44,764.91)	5.25	(21,888.14 -44,761.34)	3.83
		(21,890.39 -44,758.24)	4.75	(21,892.00 -44,753.77)	9.70	(21,892.68 -44,744.09)	10.34
		(21,892.27 -44,733.76)	0.54	(21,891.73 -44,733.74)	7.09	(21,884.96 -44,735.86)	9.79
		(21,875.18 -44,736.29)	0.63	(21,874.59 -44,736.52)	12.06	(21,863.03 -44,739.96)	27.54
		(21,838.60 -44,752.67)	5.92	(21,837.53 -44,758.49)	47.32		
116	001- 6	(21,837.92 -44,776.09)	12.11	(21,837.44 -44,763.99)	5.50	(21,837.53 -44,758.49)	5.92
		(21,838.60 -44,752.67)	3.22	(21,835.70 -44,754.06)	0.80	(21,835.52 -44,754.84)	3.74
		(21,835.12 -44,758.56)	17.71	(21,835.36 -44,776.27)	2.57		