

地区 ..003

作業 .. 33

原図番号 .. N1 34-2

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -44,600.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,750.00 -44,600.00)	50.00	(21,800.00 -44,600.07)	49.95	(21,849.95 -44,600.10)	50.05
		(21,900.00 -44,600.20)	49.98	(21,899.98 -44,550.22)	50.00	(21,900.00 -44,500.22)	50.00
		(21,899.98 -44,450.22)	50.00	(21,900.00 -44,400.22)	50.00	(21,850.00 -44,400.15)	49.95
		(21,800.05 -44,400.07)	50.05	(21,750.00 -44,400.05)	50.00	(21,749.98 -44,450.05)	49.95
		(21,749.95 -44,500.00)	50.00	(21,749.92 -44,550.00)	50.00		
114	515	(1/ 2)					
		(21,749.94 -44,588.48)	18.37	(21,760.05 -44,573.14)	11.51	(21,749.93 -44,567.65)	20.83
114	514	(1/ 3)					
		(21,749.93 -44,567.65)	11.51	(21,760.05 -44,573.14)	8.73	(21,764.80 -44,565.81)	18.46
		(21,749.98 -44,554.80)	12.85				
114	513- 1	(1/ 2)					
		(21,749.98 -44,554.80)	18.46	(21,764.80 -44,565.81)	21.06	(21,775.27 -44,547.54)	1.88
		(21,776.07 -44,545.84)	19.04	(21,759.73 -44,536.06)	20.29	(21,749.98 -44,553.85)	0.95
114	514	(2/ 3)					
		(21,749.98 -44,553.85)	20.29	(21,759.73 -44,536.06)	8.57	(21,752.37 -44,531.66)	1.70
		(21,750.90 -44,530.81)	2.80	(21,749.97 -44,533.45)	20.40		
114	002- 12						
		(21,749.97 -44,533.45)	2.80	(21,750.90 -44,530.81)	2.58	(21,751.74 -44,528.37)	2.80
		(21,751.91 -44,525.58)	11.54	(21,752.68 -44,514.07)	7.87	(21,755.93 -44,506.90)	5.33
		(21,760.35 -44,503.93)	4.87	(21,765.20 -44,503.47)	12.67	(21,773.83 -44,512.74)	11.88
		(21,780.19 -44,522.78)	6.49	(21,784.64 -44,527.51)	1.94	(21,786.19 -44,528.68)	1.46
		(21,787.61 -44,528.33)	8.33	(21,795.71 -44,526.38)	4.05	(21,792.91 -44,523.46)	4.19
		(21,789.93 -44,520.52)	19.86	(21,775.70 -44,506.66)	8.52	(21,770.51 -44,499.90)	3.72
		(21,766.95 -44,498.81)	4.54	(21,762.45 -44,498.22)	5.14	(21,757.47 -44,499.50)	6.97
		(21,751.63 -44,503.30)	2.19	(21,749.95 -44,504.70)	28.75		
113	496	(1/ 2)					
		(21,749.95 -44,504.70)	2.19	(21,751.63 -44,503.30)	6.97	(21,757.47 -44,499.50)	5.14
		(21,762.45 -44,498.22)	4.54	(21,766.95 -44,498.81)	3.52	(21,767.40 -44,495.32)	3.75
		(21,767.50 -44,491.57)	2.81	(21,766.66 -44,488.89)	2.80	(21,764.27 -44,490.34)	5.98
		(21,759.75 -44,494.25)	10.28	(21,752.43 -44,501.47)	3.84	(21,749.95 -44,504.40)	0.30
113	001- 14						
		(21,749.95 -44,504.40)	3.84	(21,752.43 -44,501.47)	10.28	(21,759.75 -44,494.25)	5.98
		(21,764.27 -44,490.34)	2.80	(21,766.66 -44,488.89)	2.28	(21,768.64 -44,487.76)	1.83
		(21,769.97 -44,486.51)	3.49	(21,772.09 -44,483.74)	3.38	(21,774.29 -44,481.17)	5.85
		(21,776.92 -44,475.95)	2.08	(21,775.23 -44,474.74)	1.00	(21,774.49 -44,475.42)	1.58
		(21,773.34 -44,476.51)	3.40	(21,771.89 -44,479.59)	3.85	(21,769.82 -44,482.84)	2.88
		(21,767.99 -44,485.06)	1.16	(21,767.24 -44,485.94)	3.34	(21,764.39 -44,487.69)	1.46
		(21,763.49 -44,488.84)	6.18	(21,758.75 -44,492.80)	10.56	(21,751.23 -44,500.22)	1.87
		(21,749.95 -44,501.58)	2.82				
113	502	(1/ 2)					
		(21,749.95 -44,501.58)	1.87	(21,751.23 -44,500.22)	10.56	(21,758.75 -44,492.80)	6.18
		(21,763.49 -44,488.84)	1.46	(21,764.39 -44,487.69)	3.23	(21,762.17 -44,485.34)	6.25
		(21,756.99 -44,481.85)	4.44	(21,753.09 -44,479.72)	4.36	(21,749.94 -44,476.70)	24.88
113	494	(1/ 2)					
		(21,749.94 -44,476.70)	4.36	(21,753.09 -44,479.72)	4.44	(21,756.99 -44,481.85)	6.25
		(21,762.17 -44,485.34)	3.23	(21,764.39 -44,487.69)	3.34	(21,767.24 -44,485.94)	1.16
		(21,767.99 -44,485.06)	23.75	(21,750.01 -44,469.55)	7.15		
113	493	(1/ 2)					
		(21,750.01 -44,469.55)	23.75	(21,767.99 -44,485.06)	2.88	(21,769.82 -44,482.84)	3.85
		(21,771.89 -44,479.59)	3.40	(21,773.34 -44,476.51)	1.58	(21,774.49 -44,475.42)	3.96
		(21,771.29 -44,473.09)	10.84	(21,762.51 -44,466.74)	8.55	(21,755.96 -44,461.25)	7.27

地区..003

作業..33 原図番号..N1 34-2

縮尺..1/ 500

基準点..X 21,750.00..Y -44,600.00 測定

年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

113	001-15	(21,750.83 -44,456.10)	1.27	(@ 21,749.98 -44,455.15)	14.40				
		(21,749.98 -44,455.15)	1.27	(21,750.83 -44,456.10)	7.27	(21,755.96 -44,461.25)	8.55		
		(21,762.51 -44,466.74)	10.84	(21,771.29 -44,473.09)	3.96	(21,774.49 -44,475.42)	1.00		
		(21,775.23 -44,474.74)	5.40	(21,770.81 -44,471.64)	9.62	(21,763.06 -44,465.94)	8.51		
131	481	(21,756.58 -44,460.42)	7.30	(21,751.45 -44,455.22)	2.19	(@ 21,749.98 -44,453.60)	1.55		
		(1/ 2)							
		(21,749.98 -44,453.60)	2.19	(21,751.45 -44,455.22)	7.30	(21,756.58 -44,460.42)	8.51		
		(21,763.06 -44,465.94)	9.62	(21,770.81 -44,471.64)	5.40	(21,775.23 -44,474.74)	0.57		
		(21,775.69 -44,474.41)	11.88	(21,781.08 -44,463.82)	7.10	(21,775.40 -44,459.56)	11.96		
		(21,766.53 -44,451.54)	6.91	(21,761.87 -44,446.44)	2.58	(21,760.30 -44,444.39)	7.11		
131	482	(21,756.04 -44,438.70)	6.20	(21,752.52 -44,433.60)	4.43	(@ 21,750.01 -44,429.95)	23.65		
		(1/ 2)							
		(21,750.01 -44,429.95)	4.43	(21,752.52 -44,433.60)	6.20	(21,756.04 -44,438.70)	7.11		
		(21,760.30 -44,444.39)	2.58	(21,761.87 -44,446.44)	6.91	(21,766.53 -44,451.54)	11.96		
		(21,775.40 -44,459.56)	7.10	(21,781.08 -44,463.82)	5.73	(21,783.68 -44,458.71)	25.49		
		(21,793.87 -44,435.35)	1.35	(21,793.57 -44,434.03)	16.11	(21,781.66 -44,423.18)	0.89		
		(21,780.91 -44,422.71)	12.04	(21,770.08 -44,417.46)	15.57	(@ 21,755.91 -44,411.00)	4.81		
131	483	(21,751.78 -44,413.47)	1.94	(21,749.98 -44,414.20)	15.75				
		(1/ 4)							
		(@ 21,750.00 -44,400.05)	11.47	(21,750.01 -44,411.52)	4.28	(21,753.73 -44,409.40)	3.44		
131	002-7	(21,755.03 -44,406.22)	2.85	(21,755.10 -44,403.37)	3.32	(21,755.05 -44,400.05)	5.05		
		(@ 21,755.05 -44,400.05)	3.32	(21,755.10 -44,403.37)	2.85	(21,755.03 -44,406.22)	3.44		
		(21,753.73 -44,409.40)	4.28	(21,750.01 -44,411.52)	2.68	(21,749.98 -44,414.20)	1.94		
		(21,751.78 -44,413.47)	4.80	(21,755.93 -44,411.05)	1.01	(21,756.26 -44,410.10)	5.08		
131	475	(21,757.18 -44,405.10)	5.04	(21,757.45 -44,400.07)	2.40				
		(1/ 2)							
		(@ 21,757.45 -44,400.07)	5.04	(21,757.18 -44,405.10)	5.08	(21,756.26 -44,410.10)	1.01		
		(21,755.93 -44,411.05)	15.53	(21,770.08 -44,417.46)	12.04	(21,780.91 -44,422.71)	0.89		
		(21,781.66 -44,423.18)	3.41	(21,781.86 -44,419.78)	8.89	(21,783.61 -44,411.06)	6.58		
131	001-16	(21,784.40 -44,404.53)	4.45	(21,784.30 -44,400.08)	26.85				
		(@ 21,784.30 -44,400.08)	4.45	(21,784.40 -44,404.53)	6.58	(21,783.61 -44,411.06)	8.89		
		(21,781.86 -44,419.78)	3.41	(21,781.66 -44,423.18)	16.11	(21,793.57 -44,434.03)	1.35		
		(21,793.87 -44,435.35)	25.49	(21,783.68 -44,458.71)	5.73	(21,781.08 -44,463.82)	11.88		
		(21,775.69 -44,474.41)	0.57	(21,775.23 -44,474.74)	2.08	(21,776.92 -44,475.95)	13.54		
		(21,783.13 -44,463.92)	5.30	(21,785.30 -44,459.08)	26.43	(21,795.77 -44,434.81)	0.83		
		(21,796.04 -44,434.03)	15.18	(21,784.89 -44,423.73)	1.89	(21,783.74 -44,422.23)	2.27		
		(21,783.61 -44,419.96)	8.43	(21,785.27 -44,411.70)	7.39	(21,786.30 -44,404.38)	4.31		
131	476	(21,786.00 -44,400.08)	1.70						
		(1/ 2)							
		(21,786.00 -44,400.08)	4.31	(21,786.30 -44,404.38)	7.39	(21,785.27 -44,411.70)	13.84		
131	002-6	(21,799.00 -44,409.93)	18.42	(21,817.29 -44,407.73)	9.31	(@ 21,812.00 -44,400.07)	26.00		
		(@ 21,812.00 -44,400.07)	9.31	(21,817.29 -44,407.73)	1.75	(21,819.00 -44,408.12)	20.22		
		(21,830.41 -44,424.81)	13.02	(21,837.22 -44,435.91)	4.70	(21,839.69 -44,439.91)	3.61		
		(21,840.64 -44,443.39)	2.09	(21,841.22 -44,445.40)	6.12	(21,842.83 -44,451.30)	6.32		
		(21,840.95 -44,457.33)	8.47	(21,836.48 -44,464.53)	16.04	(21,823.84 -44,474.41)	7.26		
		(21,818.56 -44,479.39)	5.83	(21,815.98 -44,484.62)	3.56	(21,815.44 -44,488.14)	4.46		
		(21,813.80 -44,492.29)	8.93	(21,809.70 -44,500.22)	5.14	(21,806.48 -44,504.22)	4.29		
		(21,803.07 -44,506.82)	4.66	(21,802.67 -44,511.46)	6.97	(21,797.71 -44,516.35)	8.83		

地区 ..003

作業 .. 33

原図番号 .. N1 34-2

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -44,600.00

測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,789.93 -44,520.52)	4.19	(21,792.91 -44,523.46)	7.85	(21,799.66 -44,519.45)	15.85
		(21,810.95 -44,508.32)	8.27	(21,814.75 -44,500.97)	12.09	(21,818.69 -44,489.54)	7.92
		(21,821.57 -44,482.16)	8.50	(21,827.54 -44,476.11)	14.29	(21,838.66 -44,467.13)	9.31
		(21,843.85 -44,459.40)	8.80	(21,846.23 -44,450.93)	7.67	(21,845.54 -44,443.29)	0.00
		(21,845.54 -44,443.29)	3.43	(21,844.17 -44,440.15)	3.26	(21,842.42 -44,437.40)	17.22
		(21,832.86 -44,423.08)	18.48	(21,822.55 -44,407.74)	9.61	(21,816.70 -44,400.12)	4.70
96	002- 1	(21,816.70 -44,400.12)	9.61	(21,822.55 -44,407.74)	18.48	(21,832.86 -44,423.08)	17.22
		(21,842.42 -44,437.40)	3.26	(21,844.17 -44,440.15)	3.43	(21,845.54 -44,443.29)	5.73
		(21,849.89 -44,439.56)	2.47	(21,848.27 -44,437.70)	4.10	(21,845.47 -44,434.70)	8.90
		(21,839.54 -44,428.06)	7.56	(21,835.41 -44,421.73)	7.81	(21,831.66 -44,414.88)	8.84
		(21,826.45 -44,407.74)	9.65	(21,820.55 -44,400.11)	3.85		
96	001- 3	(21,820.55 -44,400.11)	9.65	(21,826.45 -44,407.74)	8.84	(21,831.66 -44,414.88)	7.81
		(21,835.41 -44,421.73)	7.56	(21,839.54 -44,428.06)	8.90	(21,845.47 -44,434.70)	4.10
		(21,848.27 -44,437.70)	2.47	(21,849.89 -44,439.56)	4.71	(21,853.62 -44,436.69)	4.53
		(21,849.19 -44,435.75)	8.88	(21,843.14 -44,429.25)	6.52	(21,839.24 -44,424.03)	6.48
		(21,835.76 -44,418.56)	5.35	(21,833.26 -44,413.83)	5.67	(21,830.05 -44,409.16)	11.38
		(21,823.15 -44,400.11)	2.60				
96	3 (1/ 2)	(21,823.15 -44,400.11)	11.38	(21,830.05 -44,409.16)	5.67	(21,833.26 -44,413.83)	5.35
		(21,835.76 -44,418.56)	6.48	(21,839.24 -44,424.03)	6.52	(21,843.14 -44,429.25)	8.88
		(21,849.19 -44,435.75)	4.53	(21,853.62 -44,436.69)	3.44	(21,853.79 -44,433.25)	15.75
		(21,854.53 -44,417.52)	13.21	(21,856.03 -44,404.40)	3.93	(21,856.48 -44,400.50)	0.35
		(21,856.45 -44,400.15)	33.30				
96	002- 2	(21,856.45 -44,400.15)	0.35	(21,856.48 -44,400.50)	3.93	(21,856.03 -44,404.40)	13.21
		(21,854.53 -44,417.52)	15.75	(21,853.79 -44,433.25)	3.44	(21,853.62 -44,436.69)	5.54
		(21,859.16 -44,436.61)	19.62	(21,860.23 -44,417.02)	16.94	(21,862.15 -44,400.19)	5.70
96	4 (1/ 2)	(21,862.15 -44,400.19)	16.94	(21,860.23 -44,417.02)	19.62	(21,859.16 -44,436.61)	6.73
		(21,865.83 -44,435.74)	35.42	(21,872.79 -44,401.01)	1.08	(21,871.72 -44,400.85)	5.81
		(21,865.95 -44,400.19)	3.80				
96	5 (1/ 2)	(21,865.95 -44,400.19)	5.81	(21,871.72 -44,400.85)	0.66	(21,871.80 -44,400.19)	5.85
96	001- 2	(21,871.80 -44,400.19)	0.66	(21,871.72 -44,400.85)	1.08	(21,872.79 -44,401.01)	0.83
		(21,872.90 -44,400.19)	1.10				
96	7- 1 (1/ 2)	(21,872.90 -44,400.19)	0.83	(21,872.79 -44,401.01)	15.36	(21,888.05 -44,402.77)	2.59
		(21,888.55 -44,400.23)	15.65				
96	001- 1	(21,888.55 -44,400.23)	2.59	(21,888.05 -44,402.77)	29.80	(21,882.29 -44,432.01)	5.01
		(21,887.26 -44,432.68)	2.71	(21,887.83 -44,430.03)	16.77	(21,891.21 -44,413.60)	4.58
		(21,893.58 -44,409.68)	9.65	(21,895.38 -44,400.20)	6.83		
96	8- 2 (3/ 4)	(21,900.00 -44,400.22)	4.62	(21,895.38 -44,400.20)	9.65	(21,893.58 -44,409.68)	4.58
		(21,891.21 -44,413.60)	16.77	(21,887.83 -44,430.03)	12.56	(21,900.01 -44,426.97)	26.75
96	8- 5 (2/ 2)	(21,900.01 -44,426.97)	12.56	(21,887.83 -44,430.03)	2.71	(21,887.26 -44,432.68)	13.10
		(21,900.01 -44,429.67)	2.70				
97	13- 1 (2/ 2)						

地区 ..003

作業 .. 33

原図番号 .. N1 34-2

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -44,600.00

測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(@ 21,900.01 -44,429.67)	13.10	(21,887.26 -44,432.68)	36.75	(21,880.13 -44,468.73)	9.20
		(21,888.76 -44,465.53)	11.97	(21,899.98 -44,461.37)	31.70		
97	15- 1	(2/ 2)					
		(@ 21,899.98 -44,461.37)	11.97	(21,888.76 -44,465.53)	9.20	(21,880.13 -44,468.73)	28.24
		(21,874.70 -44,496.44)	1.32	(21,876.00 -44,496.19)	15.02	(21,884.35 -44,508.68)	16.74
		(21,899.95 -44,502.62)	41.25				
97	18- 1	(2/ 2)					
		(@ 21,899.95 -44,502.62)	16.74	(21,884.35 -44,508.68)	1.45	(21,882.99 -44,509.18)	17.50
		(21,893.21 -44,523.38)	12.60	(21,897.89 -44,535.08)	3.82	(21,899.99 -44,538.27)	35.65
97	002- 5						
		(21,899.99 -44,538.27)	3.82	(21,897.89 -44,535.08)	12.60	(21,893.21 -44,523.38)	17.50
		(21,882.99 -44,509.18)	15.20	(21,874.70 -44,496.44)	7.91	(21,870.78 -44,489.57)	12.40
		(21,863.44 -44,479.57)	9.34	(@ 21,859.35 -44,471.17)	7.24	(21,857.05 -44,478.03)	4.62
		(21,859.64 -44,481.85)	16.98	(21,869.95 -44,495.34)	8.79	(21,873.94 -44,503.17)	9.82
		(21,879.61 -44,511.19)	16.87	(21,889.58 -44,524.80)	3.97	(21,890.89 -44,528.55)	8.36
		(21,893.82 -44,536.38)	1.90	(21,894.72 -44,538.05)	8.23	(21,899.51 -44,544.74)	0.78
		(21,899.97 -44,545.37)	7.10				
97	22- 1	(2/ 2)					
		(21,899.97 -44,545.37)	0.78	(@ 21,899.51 -44,544.74)	14.43	(21,886.26 -44,550.45)	30.83
		(21,857.95 -44,562.65)	16.24	(21,863.69 -44,577.84)	1.86	(21,865.04 -44,579.12)	2.56
		(21,867.59 -44,578.89)	3.72	(21,871.04 -44,577.51)	12.54	(21,882.46 -44,572.33)	18.92
		(21,899.71 -44,564.55)	0.30	(21,899.98 -44,564.42)	19.05		
97	001- 6						
		(21,899.98 -44,564.42)	0.30	(21,899.71 -44,564.55)	18.92	(21,882.46 -44,572.33)	12.54
		(21,871.04 -44,577.51)	3.72	(21,867.59 -44,578.89)	2.56	(21,865.04 -44,579.12)	1.86
		(21,863.69 -44,577.84)	16.24	(21,857.95 -44,562.65)	5.35	(21,856.33 -44,557.55)	2.97
		(21,855.48 -44,554.70)	3.85	(21,853.98 -44,551.15)	1.83	(21,852.94 -44,549.65)	1.35
		(21,852.07 -44,548.62)	1.68	(21,850.97 -44,547.35)	1.43	(@ 21,849.82 -44,546.50)	1.80
		(21,848.37 -44,547.57)	2.89	(21,850.40 -44,549.62)	1.82	(21,851.58 -44,551.00)	5.53
		(21,853.60 -44,556.15)	4.00	(21,854.98 -44,559.90)	3.07	(21,856.13 -44,562.75)	17.11
		(21,862.09 -44,578.79)	1.63	(21,863.14 -44,580.04)	1.95	(21,864.79 -44,581.08)	1.07
		(21,865.86 -44,581.08)	1.55	(21,867.41 -44,581.04)	5.22	(21,872.29 -44,579.19)	9.05
		(21,880.49 -44,575.35)	21.46	(21,899.98 -44,566.37)	1.95		
97	27	(2/ 2)					
		(@ 21,899.98 -44,566.37)	21.46	(21,880.49 -44,575.35)	22.58	(21,887.90 -44,596.68)	12.82
		(21,899.97 -44,592.35)	25.98				
97	32	(4/ 4)					
		(21,900.00 -44,600.20)	7.85	(@ 21,899.97 -44,592.35)	12.82	(21,887.90 -44,596.68)	3.70
		(21,889.10 -44,600.18)	10.90				
97	26	(2/ 2)					
		(21,889.10 -44,600.18)	3.70	(21,887.90 -44,596.68)	22.58	(@ 21,880.49 -44,575.35)	9.05
		(21,872.29 -44,579.19)	21.90	(21,878.50 -44,600.19)	10.60		
97	25	(2/ 2)					
		(21,878.50 -44,600.19)	21.90	(@ 21,872.29 -44,579.19)	5.22	(21,867.41 -44,581.04)	19.94
		(21,873.15 -44,600.14)	5.35				
97	24	(2/ 2)					
		(21,873.15 -44,600.14)	19.94	(@ 21,867.41 -44,581.04)	1.55	(21,865.86 -44,581.08)	2.43
		(21,866.19 -44,583.49)	2.95	(21,866.74 -44,586.39)	3.01	(21,867.54 -44,589.29)	3.38
		(21,868.02 -44,592.64)	3.21	(21,867.80 -44,595.84)	2.57	(21,866.75 -44,598.19)	2.11
		(21,867.55 -44,600.14)	5.60				
97	37	(2/ 2)					
		(21,867.55 -44,600.14)	2.11	(@ 21,866.75 -44,598.19)	2.44	(21,864.52 -44,599.19)	5.16

地区 ..003

作業 .. 33

原図番号 .. N1 34-2

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -44,600.00

測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

97	001-	7	(21,859.45 -44,600.15)	8.10						
			(21,859.45 -44,600.15)	5.16	(21,864.52 -44,599.19)	2.44	(21,866.75 -44,598.19)	2.57		
			(21,867.80 -44,595.84)	3.21	(21,868.02 -44,592.64)	3.38	(21,867.54 -44,589.29)	3.01		
			(21,866.74 -44,586.39)	2.95	(21,866.19 -44,583.49)	2.43	(21,865.86 -44,581.08)	1.07		
			(21,864.79 -44,581.08)	2.63	(21,865.14 -44,583.69)	2.93	(21,865.82 -44,586.54)	3.34		
			(21,866.59 -44,589.79)	3.09	(21,867.07 -44,592.84)	2.66	(21,866.90 -44,595.49)	2.19		
			(21,866.02 -44,597.49)	1.77	(21,864.42 -44,598.24)	10.35	(21,854.25 -44,600.15)	5.20		
97	23-	1	(21,854.25 -44,600.15)	10.35	(21,864.42 -44,598.24)	1.77	(21,866.02 -44,597.49)	2.19		
			(21,866.90 -44,595.49)	2.66	(21,867.07 -44,592.84)	3.09	(21,866.59 -44,589.79)	3.34		
			(21,865.82 -44,586.54)	2.93	(21,865.14 -44,583.69)	2.63	(21,864.79 -44,581.08)	1.95		
			(21,863.14 -44,580.04)	1.63	(21,862.09 -44,578.79)	17.11	(21,856.13 -44,562.75)	3.07		
			(21,854.98 -44,559.90)	4.00	(21,853.60 -44,556.15)	5.53	(21,851.58 -44,551.00)	1.82		
			(21,850.40 -44,549.62)	2.89	(21,848.37 -44,547.57)	4.29	(21,844.83 -44,550.00)	26.29		
			(21,846.96 -44,576.20)	23.95	(21,846.90 -44,600.15)	7.35				
115	001-	10	(21,846.90 -44,600.15)	23.95	(21,846.96 -44,576.20)	26.33	(21,844.87 -44,549.95)	2.25		
			(21,842.91 -44,551.05)	25.33	(21,844.86 -44,576.30)	23.85	(21,844.95 -44,600.15)	1.95		
115	002-	11	(21,844.95 -44,600.15)	23.85	(21,844.86 -44,576.30)	25.33	(21,842.91 -44,551.05)	6.93		
			(21,842.89 -44,544.12)	3.07	(21,843.00 -44,541.05)	5.64	(21,845.80 -44,536.15)	8.16		
			(21,838.18 -44,539.06)	1.92	(21,839.72 -44,540.21)	6.95	(21,840.04 -44,547.15)	5.12		
			(21,840.96 -44,552.19)	23.72	(21,841.64 -44,575.90)	10.23	(21,841.39 -44,586.13)	1.67		
			(21,841.34 -44,587.80)	12.33	(21,842.25 -44,600.10)	2.70				
115	540		(21,842.25 -44,600.10)	12.33	(21,841.34 -44,587.80)	9.48	(21,831.86 -44,587.66)	12.48		
			(21,832.65 -44,600.11)	9.60						
115	551-	1	(21,832.65 -44,600.11)	12.48	(21,831.86 -44,587.66)	17.29	(21,814.61 -44,586.42)	13.70		
			(21,812.30 -44,599.92)	10.69	(21,801.65 -44,598.97)	1.10	(21,801.55 -44,600.07)	31.10		
115	543-	6	(21,801.55 -44,600.07)	1.10	(21,801.65 -44,598.97)	8.74	(21,792.91 -44,598.78)	1.30		
			(21,792.93 -44,600.08)	8.62						
115	543-	5	(21,792.93 -44,600.08)	1.30	(21,792.91 -44,598.78)	25.25	(21,767.76 -44,596.59)	3.68		
			(21,768.90 -44,600.09)	24.03						
115	001-	12	(21,768.90 -44,600.09)	3.68	(21,767.76 -44,596.59)	6.09	(21,765.65 -44,590.88)	2.39		
			(21,763.53 -44,591.99)	8.51	(21,766.30 -44,600.04)	2.60				
115	544-	2	(21,766.30 -44,600.04)	8.51	(21,763.53 -44,591.99)	11.39	(21,753.40 -44,597.20)	3.94		
			(21,749.97 -44,599.13)	0.87	(21,750.00 -44,600.00)	16.30				
115	543-	1	(21,765.65 -44,590.88)	6.09	(21,767.76 -44,596.59)	25.25	(21,792.91 -44,598.78)	10.34		
			(21,793.48 -44,588.46)	10.75	(21,787.20 -44,579.73)	24.26				
115	544-	5	(21,787.20 -44,579.73)	10.75	(21,793.48 -44,588.46)	18.62	(21,811.96 -44,586.22)	18.63		
			(21,810.83 -44,567.62)	26.55						
115	538-	1	(21,810.83 -44,567.62)	18.63	(21,811.96 -44,586.22)	2.66	(21,814.61 -44,586.42)	17.29		
			(21,831.86 -44,587.66)	9.48	(21,841.34 -44,587.80)	1.67	(21,841.39 -44,586.13)	10.23		

地区 ..003

作業 .. 33

原図番号 .. N1 34-2

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -44,600.00

測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

115	001-	13	(21,841.64 -44,575.90)	23.72	(@ 21,840.96 -44,552.19)	33.85			
		(@	21,840.04 -44,547.15)	30.65	(21,812.78 -44,561.17)	62.54	(21,757.11 -44,589.66)	11.58	
		(	21,750.00 -44,598.80)	0.33	(21,749.97 -44,599.13)	3.94	(21,753.40 -44,597.20)	11.39	
		(	21,763.53 -44,591.99)	2.39	(21,765.65 -44,590.88)	24.26	(21,787.20 -44,579.73)	26.55	
		(	21,810.83 -44,567.62)	33.85	(21,840.96 -44,552.19)	5.12			
115	537-	1	(21,840.04 -44,547.15)	6.95	(21,839.72 -44,540.21)	1.92	(21,838.18 -44,539.06)	1.69	
		(@	21,836.52 -44,538.76)	12.21	(21,824.34 -44,539.56)	10.78	(21,813.61 -44,540.60)	20.59	
		(	21,812.78 -44,561.17)	30.65					
115	544-	3	(21,812.78 -44,561.17)	20.59	(@ 21,813.61 -44,540.60)	14.89	(21,798.72 -44,540.63)	2.87	
		(	21,795.87 -44,540.93)	13.46	(21,783.67 -44,546.62)	4.03	(21,781.27 -44,549.86)	46.56	
		(	21,757.11 -44,589.66)	62.54					
115	002-	9	(21,750.00 -44,598.80)	11.58	(21,757.11 -44,589.66)	46.56	(21,781.27 -44,549.86)	4.03	
		(	21,783.67 -44,546.62)	7.45	(21,786.23 -44,539.62)	1.35	(21,786.82 -44,538.41)	3.63	
		(	21,789.32 -44,535.78)	3.46	(21,792.24 -44,533.93)	8.92	(21,800.20 -44,529.91)	5.67	
		(	21,804.71 -44,526.47)	14.92	(21,817.01 -44,518.02)	2.47	(21,818.32 -44,515.93)	2.76	
		(	21,818.17 -44,513.17)	2.60	(@ 21,817.41 -44,510.68)	2.54	(21,815.66 -44,512.52)	2.23	
		(	21,816.41 -44,514.62)	1.79	(21,815.18 -44,515.92)	6.08	(21,809.98 -44,519.07)	8.95	
		(	21,802.81 -44,524.42)	4.65	(21,799.31 -44,527.48)	11.72	(21,789.07 -44,533.18)	5.45	
		(	21,784.92 -44,536.71)	9.74	(21,779.20 -44,544.59)	2.75	(21,778.67 -44,547.29)	4.56	
		(	21,776.58 -44,551.34)	20.03	(21,766.31 -44,568.54)	29.11	(21,750.52 -44,593.00)	0.98	
		(	21,749.95 -44,593.80)	5.00					
115	001-	11	(21,749.95 -44,593.80)	0.98	(21,750.52 -44,593.00)	29.11	(21,766.31 -44,568.54)	20.03	
		(	21,776.58 -44,551.34)	4.56	(21,778.67 -44,547.29)	2.75	(21,779.20 -44,544.59)	9.74	
		(	21,784.92 -44,536.71)	5.45	(21,789.07 -44,533.18)	11.72	(21,799.31 -44,527.48)	4.65	
		(	21,802.81 -44,524.42)	8.95	(21,809.98 -44,519.07)	6.08	(21,815.18 -44,515.92)	1.79	
		(	21,816.41 -44,514.62)	2.23	(@ 21,815.66 -44,512.52)	4.51	(21,812.18 -44,515.39)	12.77	
		(	21,801.64 -44,522.60)	7.03	(21,795.71 -44,526.38)	7.41	(21,789.47 -44,530.38)	4.35	
		(	21,785.95 -44,532.93)	1.13	(21,785.02 -44,533.58)	3.78	(21,782.37 -44,536.28)	6.40	
		(	21,778.32 -44,541.24)	5.12	(21,776.07 -44,545.84)	1.88	(21,775.27 -44,547.54)	21.06	
		(	21,764.80 -44,565.81)	8.73	(21,760.05 -44,573.14)	18.37	(21,749.94 -44,588.48)	5.32	
115	536-	2	(@ 21,800.20 -44,529.91)	8.92	(21,792.24 -44,533.93)	3.46	(21,789.32 -44,535.78)	3.63	
		(	21,786.82 -44,538.41)	1.35	(21,786.23 -44,539.62)	9.78	(21,795.62 -44,536.88)	4.61	
		(	21,800.22 -44,536.56)	6.65					
115	536-	1	(21,800.22 -44,536.56)	16.17	(21,816.39 -44,536.27)	7.02	(21,823.32 -44,535.16)	13.68	
		(	21,836.97 -44,534.21)	3.18	(21,839.27 -44,532.01)	4.71	(21,840.16 -44,527.38)	8.70	
		(	21,840.43 -44,518.68)	0.41	(21,840.57 -44,518.29)	8.08	(@ 21,841.76 -44,510.30)	13.18	
		(	21,829.13 -44,514.06)	10.97	(21,818.32 -44,515.93)	2.47	(21,817.01 -44,518.02)	14.92	
		(	21,804.71 -44,526.47)	5.67	(21,800.20 -44,529.91)	6.65			
115	536-	4	(21,841.76 -44,510.30)	8.08	(21,840.57 -44,518.29)	9.61	(@ 21,844.40 -44,509.48)	2.76	
115	002-	10	(@ 21,844.40 -44,509.48)	9.61	(21,840.57 -44,518.29)	0.41	(21,840.43 -44,518.68)	8.70	
		(	21,840.16 -44,527.38)	4.71	(21,839.27 -44,532.01)	3.18	(21,836.97 -44,534.21)	13.68	
		(	21,823.32 -44,535.16)	7.02	(21,816.39 -44,536.27)	16.17	(21,800.22 -44,536.56)	4.61	
		(	21,795.62 -44,536.88)	9.78	(21,786.23 -44,539.62)	7.45	(21,783.67 -44,546.62)	13.46	

地区 ..003

作業 .. 33

原図番号 .. N1 34-2

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -44,600.00

測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,795.87 -44,540.93)	2.87	(21,798.72 -44,540.63)	14.89	(21,813.61 -44,540.60)	10.78
		(21,824.34 -44,539.56)	12.21	(21,836.52 -44,538.76)	1.69	(21,838.18 -44,539.06)	8.16
		(21,845.80 -44,536.15)	13.02	(21,846.46 -44,523.15)	6.10	(21,848.36 -44,517.35)	4.03
		(21,850.21 -44,513.77)	4.07	(21,851.03 -44,509.78)	6.64		
97	22- 4	(21,853.98 -44,551.15)	3.85	(21,855.48 -44,554.70)	2.97	(21,856.33 -44,557.55)	5.35
		(21,857.95 -44,562.65)	30.83	(21,886.26 -44,550.45)	13.96	(21,880.77 -44,537.61)	30.32
		(21,852.94 -44,549.65)	1.83				
97	22- 3	(21,849.82 -44,546.50)	1.43	(21,850.97 -44,547.35)	1.68	(21,852.07 -44,548.62)	1.35
		(21,852.94 -44,549.65)	30.32	(21,880.77 -44,537.61)	13.96	(21,886.26 -44,550.45)	14.43
		(21,899.51 -44,544.74)	8.23	(21,894.72 -44,538.05)	1.90	(21,893.82 -44,536.38)	8.36
		(21,890.89 -44,528.55)	3.97	(21,889.58 -44,524.80)	33.67	(21,859.15 -44,539.21)	11.84
97	17- 2	(21,859.15 -44,539.21)	33.67	(21,889.58 -44,524.80)	16.87	(21,879.61 -44,511.19)	9.82
		(21,873.94 -44,503.17)	9.42	(21,871.58 -44,512.29)	10.81	(21,868.74 -44,522.72)	6.53
		(21,866.46 -44,528.84)	5.98	(21,863.42 -44,533.99)	5.87	(21,859.87 -44,538.67)	0.90
97	001- 8	(21,842.91 -44,551.05)	2.25	(21,844.87 -44,549.95)	4.23	(21,848.37 -44,547.57)	1.80
		(21,849.82 -44,546.50)	11.84	(21,859.15 -44,539.21)	0.90	(21,859.87 -44,538.67)	5.87
		(21,863.42 -44,533.99)	5.98	(21,866.46 -44,528.84)	6.53	(21,868.74 -44,522.72)	10.81
		(21,871.58 -44,512.29)	9.42	(21,873.94 -44,503.17)	8.79	(21,869.95 -44,495.34)	10.42
		(21,867.73 -44,505.52)	0.86	(21,866.89 -44,505.69)	29.92	(21,852.27 -44,531.80)	11.49
		(21,845.92 -44,541.38)	4.09	(21,842.89 -44,544.12)	6.93		
97	17- 1	(21,851.03 -44,509.78)	4.07	(21,850.21 -44,513.77)	4.03	(21,848.36 -44,517.35)	6.10
		(21,846.46 -44,523.15)	13.02	(21,845.80 -44,536.15)	5.64	(21,843.00 -44,541.05)	3.07
		(21,842.89 -44,544.12)	4.09	(21,845.92 -44,541.38)	11.49	(21,852.27 -44,531.80)	29.92
		(21,866.89 -44,505.69)	16.38				
97	16- 1	(21,866.89 -44,505.69)	0.86	(21,867.73 -44,505.52)	10.42	(21,869.95 -44,495.34)	16.98
		(21,859.64 -44,481.85)	4.62	(21,857.05 -44,478.03)	5.51	(21,855.34 -44,483.27)	10.10
		(21,851.47 -44,492.60)	8.57	(21,850.55 -44,501.12)	8.67	(21,851.03 -44,509.78)	16.38
97	002- 4	(21,851.03 -44,509.78)	8.67	(21,850.55 -44,501.12)	8.57	(21,851.47 -44,492.60)	10.10
		(21,855.34 -44,483.27)	5.51	(21,857.05 -44,478.03)	7.24	(21,859.35 -44,471.17)	2.43
		(21,858.63 -44,468.85)	5.16	(21,858.38 -44,463.70)	11.21	(21,860.10 -44,452.62)	5.86
		(21,858.82 -44,446.90)	8.41	(21,860.10 -44,438.59)	2.19	(21,859.16 -44,436.61)	5.54
		(21,853.62 -44,436.69)	2.54	(21,853.39 -44,439.22)	5.60	(21,852.32 -44,444.72)	6.08
		(21,851.23 -44,450.70)	11.64	(21,849.58 -44,462.22)	2.83	(21,849.73 -44,465.05)	4.64
		(21,850.11 -44,469.67)	11.38	(21,851.17 -44,481.00)	4.82	(21,850.19 -44,485.72)	6.30
		(21,846.37 -44,490.73)	4.98	(21,845.62 -44,495.65)	13.88	(21,844.40 -44,509.48)	6.64
97	11	(21,844.40 -44,509.48)	13.88	(21,845.62 -44,495.65)	4.98	(21,846.37 -44,490.73)	6.30
		(21,850.19 -44,485.72)	4.82	(21,851.17 -44,481.00)	11.38	(21,850.11 -44,469.67)	4.64
		(21,849.73 -44,465.05)	2.83	(21,849.58 -44,462.22)	5.46	(21,847.03 -44,467.05)	6.18
		(21,842.91 -44,471.65)	5.48	(21,838.36 -44,474.71)	7.05	(21,832.81 -44,479.06)	9.55
		(21,826.54 -44,486.26)	5.97	(21,824.07 -44,491.69)	10.73	(21,822.53 -44,502.31)	6.88
		(21,820.70 -44,508.94)	4.38	(21,818.71 -44,512.84)	0.63	(21,818.17 -44,513.17)	2.76
		(21,818.32 -44,515.93)	10.97	(21,829.13 -44,514.06)	13.18	(21,841.76 -44,510.30)	2.76
97	002- 3	(21,845.54 -44,443.29)	7.67	(21,846.23 -44,450.93)	8.80	(21,843.85 -44,459.40)	9.31

地区..003

作業..33

原図番号..N1 34-2

縮尺..1/ 500

基準点..X 21,750.00..Y -44,600.00

測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,838.66 -44,467.13)	14.29	(21,827.54 -44,476.11)	8.50	(21,821.57 -44,482.16)	7.92
		(21,818.69 -44,489.54)	12.09	(21,814.75 -44,500.97)	8.27	(21,810.95 -44,508.32)	15.85
		(21,799.66 -44,519.45)	7.85	(21,792.91 -44,523.46)	4.05	(21,795.71 -44,526.38)	7.03
		(21,801.64 -44,522.60)	12.77	(21,812.18 -44,515.39)	4.51	(21,815.66 -44,512.52)	2.54
		(21,817.41 -44,510.68)	2.73	(21,818.20 -44,508.07)	6.63	(21,819.93 -44,501.67)	11.08
		(21,822.02 -44,490.79)	6.45	(21,824.62 -44,484.89)	9.77	(21,831.19 -44,477.66)	7.27
		(21,836.79 -44,473.03)	5.28	(21,841.11 -44,470.00)	5.25	(21,844.66 -44,466.13)	5.07
		(21,846.73 -44,461.50)	11.44	(21,849.63 -44,450.43)	7.29	(21,850.55 -44,443.20)	3.70
		(21,849.89 -44,439.56)	5.73				
97	001-	9					
		(21,849.89 -44,439.56)	3.70	(21,850.55 -44,443.20)	7.29	(21,849.63 -44,450.43)	11.44
		(21,846.73 -44,461.50)	5.07	(21,844.66 -44,466.13)	5.25	(21,841.11 -44,470.00)	5.28
		(21,836.79 -44,473.03)	7.27	(21,831.19 -44,477.66)	9.77	(21,824.62 -44,484.89)	6.45
		(21,822.02 -44,490.79)	11.08	(21,819.93 -44,501.67)	6.63	(21,818.20 -44,508.07)	2.73
		(21,817.41 -44,510.68)	2.60	(21,818.17 -44,513.17)	0.63	(21,818.71 -44,512.84)	4.38
		(21,820.70 -44,508.94)	6.88	(21,822.53 -44,502.31)	10.73	(21,824.07 -44,491.69)	5.97
		(21,826.54 -44,486.26)	9.55	(21,832.81 -44,479.06)	7.05	(21,838.36 -44,474.71)	5.48
		(21,842.91 -44,471.65)	6.18	(21,847.03 -44,467.05)	5.46	(21,849.58 -44,462.22)	11.64
		(21,851.23 -44,450.70)	6.08	(21,852.32 -44,444.72)	5.60	(21,853.39 -44,439.22)	2.54
		(21,853.62 -44,436.69)	4.71				
97	001-	5					
		(21,882.29 -44,432.01)	16.88	(21,865.83 -44,435.74)	6.73	(21,859.16 -44,436.61)	2.19
		(21,860.10 -44,438.59)	5.80	(21,865.84 -44,437.79)	16.49	(21,881.92 -44,434.15)	2.17
97	13-	2					
		(21,881.92 -44,434.15)	16.49	(21,865.84 -44,437.79)	5.80	(21,860.10 -44,438.59)	8.41
		(21,858.82 -44,446.90)	5.86	(21,860.10 -44,452.62)	11.21	(21,858.38 -44,463.70)	5.16
		(21,858.63 -44,468.85)	2.43	(21,859.35 -44,471.17)	15.72	(21,874.92 -44,469.00)	35.55
97	15-	2					
		(21,874.92 -44,469.00)	15.72	(21,859.35 -44,471.17)	9.34	(21,863.44 -44,479.57)	12.40
		(21,870.78 -44,489.57)	20.98				
97	15-	4					
		(21,882.99 -44,509.18)	1.45	(21,884.35 -44,508.68)	15.02	(21,876.00 -44,496.19)	1.32
		(21,874.70 -44,496.44)	15.20				
97	001-	4					
		(21,874.70 -44,496.44)	28.24	(21,880.13 -44,468.73)	36.75	(21,887.26 -44,432.68)	5.01
		(21,882.29 -44,432.01)	2.17	(21,881.92 -44,434.15)	35.55	(21,874.92 -44,469.00)	20.98
		(21,870.78 -44,489.57)	7.91				
96	8-	1					
		(21,872.79 -44,401.01)	35.42	(21,865.83 -44,435.74)	16.88	(21,882.29 -44,432.01)	29.80
		(21,888.05 -44,402.77)	15.36				
131	477						
		(21,839.69 -44,439.91)	4.70	(21,837.22 -44,435.91)	13.02	(21,830.41 -44,424.81)	20.22
		(21,819.00 -44,408.12)	1.75	(21,817.29 -44,407.73)	18.42	(21,799.00 -44,409.93)	13.84
		(21,785.27 -44,411.70)	8.43	(21,783.61 -44,419.96)	2.27	(21,783.74 -44,422.23)	1.89
		(21,784.89 -44,423.73)	15.18	(21,796.04 -44,434.03)	0.83	(21,795.77 -44,434.81)	6.93
		(21,801.24 -44,439.07)	3.22	(21,803.95 -44,440.80)	3.78	(21,807.42 -44,442.30)	3.22
		(21,810.55 -44,443.07)	4.15	(21,814.67 -44,443.57)	6.27	(21,820.92 -44,444.01)	6.40
		(21,827.32 -44,444.06)	7.35	(21,834.62 -44,444.93)	2.90	(21,837.47 -44,444.41)	3.33
		(21,840.64 -44,443.39)	3.61				
131	478						
		(21,815.98 -44,484.62)	5.83	(21,818.56 -44,479.39)	7.26	(21,823.84 -44,474.41)	16.04
		(21,836.48 -44,464.53)	8.47	(21,840.95 -44,457.33)	6.32	(21,842.83 -44,451.30)	6.12

地区 ..003 作業 .. 33 原図番号 .. N1 34-2 縮尺 ..1/ 500 基準点 ..X 21,750.00..Y -44,600.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,841.22 -44,445.40)	2.09	(21,840.64 -44,443.39)	3.33	(21,837.47 -44,444.41)	2.90
		(21,834.62 -44,444.93)	7.35	(21,827.32 -44,444.06)	6.40	(21,820.92 -44,444.01)	6.27
		(21,814.67 -44,443.57)	4.15	(21,810.55 -44,443.07)	3.22	(21,807.42 -44,442.30)	3.78
		(21,803.95 -44,440.80)	3.22	(21,801.24 -44,439.07)	6.93	(21,795.77 -44,434.81)	26.43
		(21,785.30 -44,459.08)	5.30	(21,783.13 -44,463.92)	38.83		
131	479	(21,783.13 -44,463.92)	13.54	(21,776.92 -44,475.95)	5.85	(21,774.29 -44,481.17)	4.30
		(21,778.32 -44,482.66)	2.25	(21,780.27 -44,483.78)	3.29	(21,782.58 -44,486.12)	2.69
		(21,784.54 -44,484.28)	4.38	(21,787.59 -44,487.43)	24.81	(21,803.07 -44,506.82)	4.29
		(21,806.48 -44,504.22)	5.14	(21,809.70 -44,500.22)	8.93	(21,813.80 -44,492.29)	4.46
		(21,815.44 -44,488.14)	3.56	(21,815.98 -44,484.62)	38.83		
131	002- 8	(21,802.67 -44,511.46)	4.66	(21,803.07 -44,506.82)	24.81	(21,787.59 -44,487.43)	4.38
		(21,784.54 -44,484.28)	2.69	(21,782.58 -44,486.12)	32.34		
131	480	(21,782.58 -44,486.12)	3.29	(21,780.27 -44,483.78)	2.25	(21,778.32 -44,482.66)	4.30
		(21,774.29 -44,481.17)	3.38	(21,772.09 -44,483.74)	3.49	(21,769.97 -44,486.51)	1.83
		(21,768.64 -44,487.76)	5.11	(21,770.45 -44,492.54)	7.36	(21,770.51 -44,499.90)	8.52
		(21,775.70 -44,506.66)	19.86	(21,789.93 -44,520.52)	8.83	(21,797.71 -44,516.35)	6.97
		(21,802.67 -44,511.46)	32.34				
113	002- 13	(21,770.51 -44,499.90)	7.36	(21,770.45 -44,492.54)	5.11	(21,768.64 -44,487.76)	2.28
		(21,766.66 -44,488.89)	2.81	(21,767.50 -44,491.57)	3.75	(21,767.40 -44,495.32)	3.52
		(21,766.95 -44,498.81)	3.72				
115	536- 5	(21,795.71 -44,526.38)	8.33	(21,787.61 -44,528.33)	2.77	(21,789.47 -44,530.38)	7.41
114	511	(21,789.47 -44,530.38)	2.77	(21,787.61 -44,528.33)	1.46	(21,786.19 -44,528.68)	1.94
		(21,784.64 -44,527.51)	6.49	(21,780.19 -44,522.78)	11.88	(21,773.83 -44,512.74)	12.67
		(21,765.20 -44,503.47)	4.87	(21,760.35 -44,503.93)	38.68	(21,785.95 -44,532.93)	4.35
114	512	(21,785.95 -44,532.93)	38.68	(21,760.35 -44,503.93)	5.33	(21,755.93 -44,506.90)	7.87
		(21,752.68 -44,514.07)	11.54	(21,751.91 -44,525.58)	3.06	(21,754.54 -44,527.15)	5.00
		(21,752.37 -44,531.66)	8.57	(21,759.73 -44,536.06)	19.04	(21,776.07 -44,545.84)	5.12
		(21,778.32 -44,541.24)	6.40	(21,782.37 -44,536.28)	3.78	(21,785.02 -44,533.58)	1.13
114	513- 2	(21,752.37 -44,531.66)	5.00	(21,754.54 -44,527.15)	3.06	(21,751.91 -44,525.58)	2.80
		(21,751.74 -44,528.37)	2.58	(21,750.90 -44,530.81)	1.70		
115	542	(21,814.61 -44,586.42)	2.66	(21,811.96 -44,586.22)	18.62	(21,793.48 -44,588.46)	10.34
		(21,792.91 -44,598.78)	8.74	(21,801.65 -44,598.97)	10.69	(21,812.30 -44,599.92)	13.70

↓
+ 1/5
mm