

地区 ..003

作業 .. 34

原図番号 .. N1 34-3

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -44,800.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(	21,600.00	-44,800.00)	50.00	(	21,650.00	-44,799.96)	50.02	(	21,700.02	-44,799.89)	50.01
		(	21,750.03	-44,799.89)	50.00	(	21,750.01	-44,749.89)	50.00	(	21,750.03	-44,699.89)	50.00
		(	21,749.99	-44,649.89)	50.00	(	21,750.00	-44,599.89)	50.00	(	21,700.00	-44,599.92)	50.05
		(	21,649.95	-44,599.96)	49.95	(	21,600.00	-44,600.02)	49.98	(	21,599.99	-44,650.00)	50.00
		(	21,600.03	-44,700.00)	50.00	(	21,600.01	-44,750.00)	50.00				
116	601-	2	(2/ 4)										
		(	21,600.00	-44,800.00)	13.40	(	21,613.40	-44,799.97)	1.49	(	21,613.74	-44,798.52)	2.71
		(	21,611.33	-44,797.29)	5.02	(	21,606.86	-44,795.01)	2.26	(	21,604.86	-44,793.96)	5.82
		(@	21,600.01	-44,790.75)	9.25								
116	001-	14											
		(	21,600.01	-44,790.75)	5.82	(	21,604.86	-44,793.96)	2.26	(	21,606.86	-44,795.01)	5.02
		(	21,611.33	-44,797.29)	2.71	(	21,613.74	-44,798.52)	2.91	(	21,616.28	-44,799.93)	3.67
		(	21,616.95	-44,796.32)	2.38	(	21,614.57	-44,796.30)	9.08	(	21,606.41	-44,792.31)	4.90
		(	21,602.21	-44,789.78)	2.68	(@	21,600.01	-44,788.25)	2.50				
116	600	(1/ 2)											
		(	21,600.01	-44,788.25)	2.68	(	21,602.21	-44,789.78)	4.90	(	21,606.41	-44,792.31)	9.08
		(	21,614.57	-44,796.30)	14.71	(	21,622.45	-44,783.88)	4.21	(	21,624.37	-44,780.13)	11.32
		(	21,613.88	-44,775.88)	0.00	(	21,613.88	-44,775.88)	15.00	(@	21,600.04	-44,770.10)	18.15
116	595-	2	(1/ 2)										
		(	21,600.04	-44,770.10)	15.00	(	21,613.88	-44,775.88)	4.28	(	21,614.74	-44,771.69)	0.88
		(	21,613.97	-44,771.27)	15.00	(@	21,600.04	-44,765.70)	4.40				
116	595-	1	(1/ 2)										
		(	21,600.04	-44,765.70)	15.00	(	21,613.97	-44,771.27)	12.21	(	21,615.97	-44,759.22)	14.94
		(@	21,601.12	-44,757.55)	1.25	(	21,600.05	-44,758.20)	7.50				
116	597-	2	(1/ 2)										
		(	21,600.05	-44,758.20)	1.25	(	21,601.12	-44,757.55)	12.31	(	21,603.73	-44,745.52)	3.71
		(@	21,600.02	-44,745.35)	12.85								
116	593	(1/ 2)											
		(	21,600.02	-44,745.35)	3.71	(	21,603.73	-44,745.52)	18.20	(	21,607.71	-44,727.76)	2.00
		(	21,608.14	-44,725.81)	8.33	(@	21,599.99	-44,724.10)	21.25				
116	592-	1	(1/ 2)										
		(	21,599.99	-44,724.10)	8.33	(	21,608.14	-44,725.81)	17.92	(	21,610.24	-44,708.01)	6.87
		(	21,608.96	-44,701.26)	9.00	(@	21,599.97	-44,700.95)	23.15				
116	591-	2	(1/ 2)										
		(	21,599.97	-44,700.95)	9.00	(	21,608.96	-44,701.26)	8.77	(@	21,607.33	-44,692.64)	5.63
		(	21,602.83	-44,696.03)	3.67	(	21,599.98	-44,698.35)	2.60				
116	002-	11											
		(	21,599.98	-44,698.35)	3.67	(	21,602.83	-44,696.03)	5.63	(	21,607.33	-44,692.64)	1.94
		(	21,608.88	-44,691.47)	2.66	(@	21,606.29	-44,690.86)	1.73	(	21,604.86	-44,691.83)	6.26
		(	21,599.98	-44,695.75)	2.60								
116	001-	13											
		(	21,599.98	-44,695.75)	6.26	(	21,604.86	-44,691.83)	1.73	(	21,606.29	-44,690.86)	6.39
		(@	21,600.06	-44,689.45)	0.10	(	21,600.00	-44,689.53)	6.22				
114	523-	1	(1/ 2)										
		(	21,600.00	-44,689.53)	0.10	(	21,600.06	-44,689.45)	2.72	(	21,602.24	-44,687.83)	20.70
		(	21,618.96	-44,675.62)	16.98	(	21,616.30	-44,658.85)	0.25	(	21,616.05	-44,658.87)	1.18
		(@	21,615.18	-44,658.08)	15.30	(	21,600.02	-44,660.15)	29.38				
114	526	(1/ 2)											
		(	21,600.02	-44,660.15)	15.30	(	21,615.18	-44,658.08)	2.70	(	21,617.86	-44,657.76)	19.24
		(	21,617.64	-44,638.52)	2.52	(@	21,615.13	-44,638.27)	1.60	(	21,613.53	-44,638.32)	4.47
		(	21,609.28	-44,639.71)	1.18	(	21,608.25	-44,640.29)	2.00	(	21,606.70	-44,641.56)	1.26

地区 ..003 作業 .. 34 原図番号 .. N1 34-3 縮尺 ..1/ 500 基準点 ..X 21,600.00..Y -44,800.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

114	002-	9	(21,606.00 -44,642.61)	2.67	(21,604.74 -44,644.96)	13.04	(21,599.98 -44,657.10)	3.05
			(21,599.98 -44,657.10)	13.04	(21,604.74 -44,644.96)	2.67	(21,606.00 -44,642.61)	1.26
			(21,606.70 -44,641.56)	2.00	(21,608.25 -44,640.29)	1.18	(21,609.28 -44,639.71)	4.47
			(21,613.53 -44,638.32)	1.60	(21,615.13 -44,638.27)	2.52	(21,617.64 -44,638.52)	10.68
			(21,628.25 -44,637.29)	6.02	(21,634.25 -44,636.84)	7.94	(21,642.19 -44,636.75)	0.66
			(21,642.80 -44,636.50)	1.44	(21,642.58 -44,635.08)	1.93	(21,640.92 -44,634.10)	9.53
			(21,631.41 -44,634.79)	13.73	(21,617.75 -44,636.22)	6.78	(21,611.31 -44,634.09)	2.96
			(21,608.41 -44,634.66)	4.79	(21,604.80 -44,637.81)	3.45	(21,603.00 -44,640.75)	0.87
			(21,602.55 -44,641.50)	6.71	(21,599.99 -44,647.70)	9.40		
112	485-	2	(1/ 2)					
			(21,599.99 -44,647.70)	6.71	(21,602.55 -44,641.50)	0.87	(21,603.00 -44,640.75)	3.13
			(21,600.00 -44,641.65)	6.05				
112	486-	2	(1/ 2)					
			(21,600.00 -44,641.65)	3.13	(21,603.00 -44,640.75)	3.45	(21,604.80 -44,637.81)	4.79
			(21,608.41 -44,634.66)	13.10	(21,600.02 -44,624.60)	17.05		
114	520		(1/ 2)					
			(21,600.02 -44,624.60)	13.10	(21,608.41 -44,634.66)	2.96	(21,611.31 -44,634.09)	6.78
			(21,617.75 -44,636.22)	13.73	(21,631.41 -44,634.79)	9.53	(21,640.92 -44,634.10)	5.20
			(21,638.56 -44,629.47)	20.57	(21,632.59 -44,609.79)	4.75	(21,632.04 -44,605.07)	28.54
			(21,604.21 -44,611.41)	4.37	(21,600.03 -44,612.70)	11.90		
114	001-	10						
			(21,600.03 -44,612.70)	4.37	(21,604.21 -44,611.41)	28.54	(21,632.04 -44,605.07)	1.01
			(21,631.79 -44,604.09)	28.46	(21,604.04 -44,610.40)	4.24	(21,600.04 -44,611.80)	0.90
114	002-	7						
			(21,600.04 -44,611.80)	4.24	(21,604.04 -44,610.40)	28.46	(21,631.79 -44,604.09)	7.67
			(21,638.50 -44,600.38)	1.09	(21,639.50 -44,599.95)	11.05	(21,628.45 -44,599.99)	9.94
			(21,619.00 -44,603.07)	4.60	(21,614.52 -44,604.12)	12.67	(21,601.97 -44,605.85)	2.04
			(21,600.04 -44,606.50)	5.30				
133	002-	10						
			(21,600.04 -44,606.50)	2.04	(21,601.97 -44,605.85)	12.67	(21,614.52 -44,604.12)	4.60
			(21,619.00 -44,603.07)	9.94	(21,628.45 -44,599.99)	12.47	(21,615.98 -44,599.99)	2.19
			(21,613.85 -44,600.49)	4.81	(21,609.05 -44,600.86)	8.56	(21,600.50 -44,601.30)	0.46
			(21,600.05 -44,601.40)	5.10				
133	001-	12						
			(21,600.05 -44,601.40)	0.46	(21,600.50 -44,601.30)	8.56	(21,609.05 -44,600.86)	4.81
			(21,613.85 -44,600.49)	2.19	(21,615.98 -44,599.99)	15.98	(21,600.00 -44,600.02)	1.38
114	001-	8						
			(21,639.50 -44,599.95)	1.09	(21,638.50 -44,600.38)	2.01	(21,639.06 -44,602.31)	6.06
			(21,644.65 -44,599.96)	5.15				
114	519-	2	(1/ 2)					
			(21,644.65 -44,599.96)	6.06	(21,639.06 -44,602.31)	33.56	(21,648.77 -44,634.43)	9.27
			(21,658.03 -44,634.92)	7.33	(21,665.20 -44,636.42)	10.60	(21,664.79 -44,625.83)	7.21
			(21,664.33 -44,618.63)	18.78	(21,662.65 -44,599.93)	18.00		
114	518-	1	(1/ 2)					
			(21,662.65 -44,599.93)	18.78	(21,664.33 -44,618.63)	7.21	(21,664.79 -44,625.83)	10.60
			(21,665.20 -44,636.42)	6.41	(21,671.54 -44,637.35)	7.63	(21,677.91 -44,633.15)	5.19
			(21,683.01 -44,632.20)	37.70	(21,714.74 -44,611.84)	6.50	(21,709.74 -44,607.69)	6.55
			(21,703.89 -44,604.75)	13.04	(21,691.78 -44,599.91)	29.13		
114	001-	6						
			(21,691.78 -44,599.91)	13.04	(21,703.89 -44,604.75)	6.55	(21,709.74 -44,607.69)	6.50
			(21,714.74 -44,611.84)	2.22	(21,716.62 -44,610.66)	7.52	(21,710.79 -44,605.91)	6.06

地区 ..003 作業 .. 34 原図番号 .. N1 34-3 縮尺 ..1/ 500 基準点 ..X 21,600.00..Y -44,800.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

114	002-	6	(21,705.41 -44,603.13)	1.04	(21,704.47 -44,602.68)	7.54	(21,697.45 -44,599.92)	5.67
			(21,697.45 -44,599.92)	7.54	(21,704.47 -44,602.68)	1.04	(21,705.41 -44,603.13)	3.81
114	517-	1	(21,708.48 -44,600.87)	1.64	(21,709.80 -44,599.89)	12.35		
			(1/ 3)					
			(21,709.80 -44,599.89)	1.64	(21,708.48 -44,600.87)	13.48	(21,719.04 -44,609.25)	18.15
			(21,734.58 -44,599.87)	14.53	(21,720.05 -44,599.90)	2.47	(21,719.45 -44,602.30)	6.85
			(21,712.75 -44,600.89)	1.06	(21,712.40 -44,599.89)	2.60		
114	517-	2	(21,712.40 -44,599.89)	1.06	(21,712.75 -44,600.89)	6.85	(21,719.45 -44,602.30)	2.47
			(21,720.05 -44,599.90)	7.65				
114	001-	7	(21,734.58 -44,599.87)	18.15	(21,719.04 -44,609.25)	2.80	(21,716.62 -44,610.66)	2.22
			(21,714.74 -44,611.84)	37.70	(21,683.01 -44,632.20)	5.19	(21,677.91 -44,633.15)	7.63
			(21,671.54 -44,637.35)	1.90	(21,669.95 -44,638.39)	0.49	(21,670.23 -44,638.79)	10.40
			(21,661.49 -44,644.43)	3.92	(21,657.88 -44,645.96)	2.73	(21,655.39 -44,647.07)	1.00
			(21,654.44 -44,647.37)	0.66	(21,653.79 -44,647.27)	1.55	(21,652.34 -44,646.72)	3.04
			(21,650.48 -44,644.31)	20.37	(21,656.34 -44,663.82)	1.35	(21,656.30 -44,662.47)	3.44
			(21,657.28 -44,659.17)	2.70	(21,658.18 -44,656.62)	1.52	(21,658.96 -44,655.32)	1.80
			(21,660.03 -44,653.87)	20.84	(21,677.56 -44,642.60)	10.36	(21,686.25 -44,636.96)	11.44
			(21,695.90 -44,630.82)	1.12	(21,696.84 -44,630.22)	9.82	(21,705.07 -44,624.86)	18.18
			(21,720.53 -44,615.30)	2.39	(21,722.57 -44,614.05)	17.46	(21,737.68 -44,605.30)	5.87
			(21,735.45 -44,599.87)	0.87				
115	001-	1	(21,735.45 -44,599.87)	5.87	(21,737.68 -44,605.30)	2.49	(21,738.59 -44,607.62)	6.84
			(21,743.12 -44,602.50)	1.75	(21,744.30 -44,601.21)	1.63	(21,745.25 -44,599.88)	9.80
115	002-	1	(21,745.25 -44,599.88)	1.63	(21,744.30 -44,601.21)	1.75	(21,743.12 -44,602.50)	6.84
			(21,738.59 -44,607.62)	6.38	(21,741.00 -44,613.53)	11.90	(21,746.55 -44,603.00)	3.93
			(21,748.95 -44,599.89)	3.70				
115	544-	2	(21,748.95 -44,599.89)	3.93	(21,746.55 -44,603.00)	1.81	(21,747.52 -44,604.53)	1.04
			(21,748.44 -44,605.01)	1.62	(21,749.99 -44,605.49)	5.60	(21,750.00 -44,599.89)	1.05
115	546		(21,749.99 -44,605.49)	1.62	(21,748.44 -44,605.01)	1.04	(21,747.52 -44,604.53)	1.81
			(21,746.55 -44,603.00)	11.90	(21,741.00 -44,613.53)	1.25	(21,739.93 -44,614.17)	5.52
			(21,736.73 -44,618.67)	9.67	(21,730.44 -44,626.01)	6.50	(21,727.41 -44,631.76)	1.79
			(21,729.08 -44,632.41)	22.41	(21,750.00 -44,640.44)	34.95		
115	560		(21,750.00 -44,640.44)	22.41	(21,729.08 -44,632.41)	1.79	(21,727.41 -44,631.76)	12.55
			(21,722.35 -44,643.25)	7.40	(21,719.84 -44,650.21)	24.95	(21,743.53 -44,658.05)	1.81
			(21,745.24 -44,658.63)	2.39	(21,747.53 -44,659.33)	2.61	(21,750.03 -44,660.09)	19.65
115	561-	1	(21,750.03 -44,660.09)	2.61	(21,747.53 -44,659.33)	9.65	(21,744.33 -44,668.43)	5.73
			(21,750.01 -44,669.19)	9.10				
115	563		(21,750.01 -44,669.19)	5.73	(21,744.33 -44,668.43)	2.47	(21,741.88 -44,668.09)	2.15
			(21,739.82 -44,667.47)	11.07	(21,736.80 -44,678.12)	1.34	(21,738.13 -44,677.97)	4.57
			(21,742.70 -44,677.90)	7.32	(21,750.00 -44,678.49)	9.30		
115	001-	2	(21,750.00 -44,678.49)	7.32	(21,742.70 -44,677.90)	4.57	(21,738.13 -44,677.97)	1.34
			(21,736.80 -44,678.12)	4.90	(21,731.92 -44,678.55)	1.28	(21,730.65 -44,678.71)	5.84

地区 ..003

作業 .. 34

原図番号 .. N1 34-3

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -44,800.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,724.88 -44,679.61)	1.88	(21,723.00 -44,679.59)	0.82	(21,722.18 -44,679.58)	2.86
		(21,719.35 -44,679.20)	4.67	(21,714.90 -44,677.79)	1.46	(21,713.55 -44,677.24)	1.69
		(21,712.62 -44,675.83)	4.67	(21,711.25 -44,680.29)	1.94	(21,712.88 -44,679.24)	5.98
		(21,718.55 -44,681.15)	3.53	(21,722.05 -44,681.58)	3.37	(21,725.42 -44,681.66)	10.73
115	576- 1	(21,736.10 -44,680.65)	7.02	(21,743.10 -44,680.11)	6.90	(21,750.00 -44,680.34)	1.85
		(21,750.00 -44,680.34)	6.90	(21,743.10 -44,680.11)	21.12	(21,742.71 -44,701.23)	6.90
		(21,742.61 -44,708.13)	2.33	(21,744.86 -44,708.73)	3.53	(21,748.16 -44,709.99)	2.26
115	001- 3	(21,750.01 -44,711.29)	30.95				
		(21,750.01 -44,711.29)	2.26	(21,748.16 -44,709.99)	3.53	(21,744.86 -44,708.73)	2.33
		(21,742.61 -44,708.13)	1.18	(21,741.44 -44,708.00)	1.65	(21,739.79 -44,707.92)	5.68
		(21,734.12 -44,707.57)	3.69	(21,730.49 -44,706.91)	3.32	(21,727.49 -44,705.48)	3.17
		(21,724.97 -44,703.56)	2.31	(21,723.54 -44,701.75)	3.30	(21,722.05 -44,698.80)	7.68
		(21,719.94 -44,691.42)	2.70	(21,718.84 -44,688.95)	2.86	(21,716.69 -44,687.07)	2.36
		(21,714.62 -44,685.94)	4.71	(21,710.24 -44,684.20)	1.45	(21,709.69 -44,685.54)	4.53
		(21,713.89 -44,687.24)	2.21	(21,715.84 -44,688.27)	2.44	(21,717.64 -44,689.92)	2.27
		(21,718.54 -44,692.00)	3.08	(21,719.41 -44,694.95)	4.71	(21,720.70 -44,699.48)	3.51
		(21,722.30 -44,702.60)	2.67	(21,723.89 -44,704.75)	1.02	(21,724.68 -44,705.39)	2.58
		(21,726.82 -44,706.83)	3.50	(21,730.01 -44,708.26)	3.93	(21,733.86 -44,709.07)	3.45
		(21,737.31 -44,709.22)	4.06	(21,741.36 -44,709.48)	1.16	(21,742.51 -44,709.65)	2.21
		(21,744.66 -44,710.18)	2.92	(21,747.36 -44,711.28)	3.21	(21,750.01 -44,713.09)	1.80
116	624	(21,750.01 -44,713.09)	3.21	(21,747.36 -44,711.28)	2.92	(21,744.66 -44,710.18)	2.21
		(21,742.51 -44,709.65)	1.16	(21,741.36 -44,709.48)	4.06	(21,737.31 -44,709.22)	3.45
		(21,733.86 -44,709.07)	3.93	(21,730.01 -44,708.26)	3.50	(21,726.82 -44,706.83)	2.58
		(21,724.68 -44,705.39)	10.69	(21,723.36 -44,716.00)	10.66	(21,722.93 -44,726.65)	11.77
		(21,734.62 -44,725.29)	15.49	(21,749.99 -44,727.19)	14.10		
116	622	(21,749.99 -44,727.19)	15.49	(21,734.62 -44,725.29)	11.77	(21,722.93 -44,726.65)	11.66
		(21,724.03 -44,738.26)	5.21	(21,729.08 -44,736.96)	12.04	(21,741.11 -44,736.44)	8.92
		(21,750.03 -44,736.39)	9.20				
116	625- 1	(21,750.03 -44,736.39)	8.92	(21,741.11 -44,736.44)	24.61	(21,742.94 -44,760.98)	7.25
		(21,750.00 -44,759.34)	22.95				
116	621- 1	(21,750.00 -44,759.34)	7.25	(21,742.94 -44,760.98)	11.78	(21,744.32 -44,772.68)	16.60
		(21,746.18 -44,789.18)	3.89	(21,750.01 -44,788.49)	29.15		
116	002- 15	(21,750.01 -44,788.49)	3.89	(21,746.18 -44,789.18)	10.11	(21,736.41 -44,791.77)	4.18
		(21,739.48 -44,794.61)	10.74	(21,750.06 -44,792.74)	4.25		
101	269- 1	(21,750.06 -44,792.74)	10.74	(21,739.48 -44,794.61)	7.30	(21,744.53 -44,799.88)	5.50
		(21,750.03 -44,799.89)	7.15				
101	001- 17	(21,744.53 -44,799.88)	7.30	(21,739.48 -44,794.61)	9.20	(21,730.42 -44,793.02)	0.53
		(21,730.76 -44,793.43)	5.34	(21,734.19 -44,797.52)	3.16	(21,736.30 -44,799.87)	8.23
101	269- 2	(21,736.30 -44,799.87)	3.16	(21,734.19 -44,797.52)	0.74	(21,733.45 -44,797.44)	0.31
		(21,733.14 -44,797.45)	2.43	(21,733.35 -44,799.87)	2.95		
101	270- 1	(21,733.35 -44,799.87)	2.43	(21,733.14 -44,797.45)	3.04	(21,730.13 -44,797.84)	5.18

地区 ..003 作業 .. 34 原図番号 .. N1 34-3 縮尺 ..1/ 500 基準点 ..X 21,600.00..Y -44,800.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

101	001-18	(21,724.95 -44,798.01)	7.37	(21,717.60 -44,797.50)	3.57	(21,714.03 -44,797.47)	3.95
		(21,710.08 -44,797.61)	10.32	(21,700.02 -44,799.89)	33.33		
101	001-18	(21,700.02 -44,799.89)	10.32	(21,710.08 -44,797.61)	3.95	(21,714.03 -44,797.47)	3.57
		(21,717.60 -44,797.50)	7.37	(21,724.95 -44,798.01)	5.18	(21,730.13 -44,797.84)	3.04
		(21,733.14 -44,797.45)	0.31	(21,733.45 -44,797.44)	0.74	(21,734.19 -44,797.52)	5.34
		(21,730.76 -44,793.43)	1.81	(21,729.71 -44,794.91)	19.03	(21,710.68 -44,794.59)	16.47
101	002-16	(21,694.70 -44,798.57)	2.27	(21,692.53 -44,799.22)	2.38	(21,690.25 -44,799.91)	9.77
		(21,690.25 -44,799.91)	2.38	(21,692.53 -44,799.22)	2.27	(21,694.70 -44,798.57)	16.47
		(21,710.68 -44,794.59)	19.03	(21,729.71 -44,794.91)	1.81	(21,730.76 -44,793.43)	0.53
		(21,730.42 -44,793.02)	3.60	(21,726.82 -44,792.94)	16.16	(21,710.66 -44,792.54)	8.86
116	609-2	(21,701.89 -44,793.83)	7.87	(21,694.26 -44,795.77)	7.64	(21,686.85 -44,797.61)	6.94
		(21,680.30 -44,799.90)	9.95				
		(21,680.30 -44,799.90)	6.94	(21,686.85 -44,797.61)	7.64	(21,694.26 -44,795.77)	18.49
		(21,689.23 -44,777.98)	7.49	(21,681.76 -44,778.57)	13.89	(21,679.34 -44,792.25)	7.78
116	609-1	(21,678.20 -44,799.95)	2.10				
		(21,678.20 -44,799.95)	7.78	(21,679.34 -44,792.25)	10.36	(21,669.06 -44,790.99)	9.02
		(21,660.11 -44,789.88)	4.10	(21,656.14 -44,788.87)	5.80	(21,654.01 -44,794.27)	2.58
		(21,653.05 -44,796.67)	3.77	(21,651.20 -44,799.96)	27.00		
116	611-1	(21,651.20 -44,799.96)	3.77	(21,653.05 -44,796.67)	2.58	(21,654.01 -44,794.27)	28.34
		(21,627.22 -44,785.02)	10.87	(21,621.06 -44,793.98)	9.24	(21,629.65 -44,797.39)	8.75
		(21,638.00 -44,800.00)	13.20				
116	609-1	(21,638.00 -44,800.00)	8.75	(21,629.65 -44,797.39)	9.24	(21,621.06 -44,793.98)	3.17
		(21,619.75 -44,796.87)	1.40	(21,619.70 -44,798.27)	1.29	(21,620.35 -44,799.38)	0.92
		(21,621.05 -44,799.98)	16.95				
116	001-15	(21,621.05 -44,799.98)	0.92	(21,620.35 -44,799.38)	1.29	(21,619.70 -44,798.27)	1.40
		(21,619.75 -44,796.87)	3.17	(21,621.06 -44,793.98)	10.87	(21,627.22 -44,785.02)	3.05
		(21,628.92 -44,782.49)	8.83	(21,634.78 -44,775.89)	7.16	(21,639.71 -44,770.70)	14.53
		(21,648.38 -44,759.04)	11.04	(21,654.21 -44,749.67)	2.69	(21,655.42 -44,747.27)	4.64
		(21,656.72 -44,742.82)	25.20	(21,663.95 -44,718.68)	1.78	(21,664.90 -44,717.18)	0.76
		(21,665.60 -44,717.47)	5.99	(21,664.11 -44,711.67)	7.92	(21,660.95 -44,718.93)	19.33
		(21,656.03 -44,737.62)	6.44	(21,654.12 -44,743.77)	4.86	(21,652.34 -44,748.29)	14.87
		(21,644.05 -44,760.63)	3.66	(21,642.05 -44,763.70)	10.56	(21,635.21 -44,771.74)	10.17
		(21,628.03 -44,778.94)	4.42	(21,625.60 -44,782.63)	12.30	(21,618.91 -44,792.95)	3.90
		(21,616.95 -44,796.32)	3.67	(21,616.28 -44,799.93)	0.00	(21,616.28 -44,799.93)	4.77
		(21,616.28 -44,799.93)	0.00	(21,616.28 -44,799.93)	0.00	(21,616.28 -44,799.93)	0.00
		(21,616.28 -44,799.93)	0.00	(21,616.28 -44,799.93)	2.91	(21,613.74 -44,798.52)	1.49
		(21,613.40 -44,799.97)	2.88				
116	002-13	(21,616.95 -44,796.32)	3.90	(21,618.91 -44,792.95)	12.30	(21,625.60 -44,782.63)	4.42
		(21,628.03 -44,778.94)	10.17	(21,635.21 -44,771.74)	10.56	(21,642.05 -44,763.70)	3.66
		(21,644.05 -44,760.63)	14.87	(21,652.34 -44,748.29)	4.86	(21,654.12 -44,743.77)	6.44
		(21,656.03 -44,737.62)	19.33	(21,660.95 -44,718.93)	7.92	(21,664.11 -44,711.67)	2.98
		(21,662.93 -44,708.93)	8.78	(21,659.48 -44,717.00)	3.89	(21,658.05 -44,720.62)	16.85

地区 ..003

作業 .. 34

原図番号 .. N1 34-3

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -44,800.00

測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,653.79 -44,736.92)	6.46	(21,652.17 -44,743.17)	9.63	(21,647.44 -44,751.56)	7.77
		(21,642.85 -44,757.83)	2.12	(21,642.08 -44,759.80)	2.70	(21,640.55 -44,762.02)	1.19
		(21,639.87 -44,763.00)	9.54	(21,633.84 -44,770.39)	9.25	(21,627.00 -44,776.61)	2.32
		(21,625.50 -44,778.38)	2.08	(21,624.37 -44,780.13)	4.21	(21,622.45 -44,783.88)	14.71
116	594- 3	(21,614.57 -44,796.30)	2.38				
		(21,624.37 -44,780.13)	2.08	(21,625.50 -44,778.38)	2.32	(21,627.00 -44,776.61)	9.25
		(21,633.84 -44,770.39)	9.54	(21,639.87 -44,763.00)	1.19	(21,640.55 -44,762.02)	8.14
		(21,632.46 -44,761.11)	16.60	(21,615.97 -44,759.22)	12.21	(21,613.97 -44,771.27)	0.88
		(21,614.74 -44,771.69)	4.28	(21,613.88 -44,775.88)	11.32		
116	594- 1	(21,615.97 -44,759.22)	16.60	(21,632.46 -44,761.11)	26.37	(21,635.28 -44,734.89)	5.24
		(21,633.29 -44,730.04)	25.68	(21,607.71 -44,727.76)	18.20	(21,603.73 -44,745.52)	12.31
		(21,601.12 -44,757.55)	14.94				
116	590- 1	(21,633.29 -44,730.04)	3.50	(21,633.22 -44,726.54)	2.77	(21,633.95 -44,723.87)	2.47
		(21,634.70 -44,721.52)	2.04	(21,634.88 -44,719.49)	4.85	(21,635.86 -44,714.74)	0.55
		(21,636.36 -44,714.50)	15.50	(21,634.68 -44,699.09)	7.40	(21,634.44 -44,691.69)	25.56
		(21,608.88 -44,691.47)	1.94	(21,607.33 -44,692.64)	8.77	(21,608.96 -44,701.26)	6.87
		(21,610.24 -44,708.01)	17.92	(21,608.14 -44,725.81)	2.00	(21,607.71 -44,727.76)	25.68
116	589- 1	(21,662.10 -44,707.03)	1.21	(21,661.67 -44,705.90)	16.89	(21,658.12 -44,689.39)	16.71
		(21,641.54 -44,691.45)	7.10	(21,634.44 -44,691.69)	7.40	(21,634.68 -44,699.09)	28.55
116	589- 3	(21,634.68 -44,699.09)	15.50	(21,636.36 -44,714.50)	22.54	(21,658.05 -44,720.62)	3.89
		(21,659.48 -44,717.00)	8.78	(21,662.93 -44,708.93)	2.07	(21,662.10 -44,707.03)	28.55
116	588- 3	(21,658.05 -44,720.62)	22.54	(21,636.36 -44,714.50)	0.55	(21,635.86 -44,714.74)	4.85
		(21,634.88 -44,719.49)	2.04	(21,634.70 -44,721.52)	2.47	(21,633.95 -44,723.87)	2.77
		(21,633.22 -44,726.54)	3.50	(21,633.29 -44,730.04)	5.24	(21,635.28 -44,734.89)	18.62
		(21,653.79 -44,736.92)	16.85				
116	588- 1	(21,653.79 -44,736.92)	18.62	(21,635.28 -44,734.89)	26.37	(21,632.46 -44,761.11)	8.14
		(21,640.55 -44,762.02)	2.70	(21,642.08 -44,759.80)	2.12	(21,642.85 -44,757.83)	7.77
		(21,647.44 -44,751.56)	9.63	(21,652.17 -44,743.17)	6.46	(21,653.79 -44,736.92)	0.00
116	586- 1	(21,676.84 -44,745.37)	6.91	(21,679.96 -44,739.20)	6.36	(21,675.68 -44,734.49)	3.42
		(21,673.54 -44,731.82)	10.47	(21,668.00 -44,722.93)	5.96	(21,665.60 -44,717.47)	0.76
		(21,664.90 -44,717.18)	1.78	(21,663.95 -44,718.68)	25.20	(21,656.72 -44,742.82)	4.64
		(21,655.42 -44,747.27)	2.23	(21,657.11 -44,748.72)	4.46	(21,661.01 -44,750.88)	1.67
		(21,662.56 -44,751.50)	1.10	(21,663.66 -44,751.53)	11.25	(21,674.91 -44,751.54)	6.46
116	585- 1	(21,674.91 -44,751.54)	3.15	(21,678.06 -44,751.55)	1.58	(21,679.64 -44,751.67)	14.42
		(21,693.61 -44,755.24)	2.31	(21,695.89 -44,755.62)	2.01	(21,694.61 -44,754.07)	19.33
		(21,681.43 -44,739.93)	1.64	(21,679.96 -44,739.20)	6.91	(21,676.84 -44,745.37)	6.46
116	612- 2	(21,663.61 -44,751.48)	1.05	(21,662.56 -44,751.50)	1.67	(21,661.01 -44,750.88)	4.46
		(21,657.11 -44,748.72)	2.23	(21,655.42 -44,747.27)	2.69	(21,654.21 -44,749.67)	3.54
		(21,657.31 -44,751.37)	4.15	(21,660.71 -44,753.75)	5.88	(21,663.65 -44,758.84)	7.36
116	612	(21,663.65 -44,758.84)	5.88	(21,660.71 -44,753.75)	4.15	(21,657.31 -44,751.37)	3.54
		(21,654.21 -44,749.67)	11.04	(21,648.38 -44,759.04)	14.53	(21,639.71 -44,770.70)	7.16

地区 ..003 作業 .. 34 原図番号 .. N1 34-3 縮尺 ..1/ 500 基準点 ..X 21,600.00..Y -44,800.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

116	613	(21,634.78 -44,775.89)	27.92	(21,661.54 -44,783.85)	5.54	(21,661.99 -44,778.33)	19.56
		(21,663.65 -44,758.84)	19.56	(21,661.99 -44,778.33)	9.11	(21,671.06 -44,779.14)	10.72
		(21,681.76 -44,778.57)	7.49	(21,689.23 -44,777.98)	11.49	(21,700.58 -44,776.19)	3.94
		(21,700.13 -44,772.28)	6.73	(21,706.84 -44,771.73)	3.50	(21,710.34 -44,771.64)	17.91
		(21,698.15 -44,758.52)	1.51	(21,697.23 -44,757.32)	2.16	(21,695.89 -44,755.62)	2.31
		(21,693.61 -44,755.24)	14.42	(21,679.64 -44,751.67)	1.58	(21,678.06 -44,751.55)	3.15
		(21,674.91 -44,751.54)	11.30	(21,663.61 -44,751.48)	7.36		
116	610- 3	(21,671.06 -44,779.14)	9.11	(21,661.99 -44,778.33)	5.54	(21,661.54 -44,783.85)	9.29
		(21,670.77 -44,784.92)	5.79				
116	610- 1	(21,670.77 -44,784.92)	9.29	(21,661.54 -44,783.85)	6.20	(21,660.11 -44,789.88)	9.02
		(21,669.06 -44,790.99)	6.31				
116	610- 2	(21,669.06 -44,790.99)	10.36	(21,679.34 -44,792.25)	13.89	(21,681.76 -44,778.57)	10.72
		(21,671.06 -44,779.14)	5.79	(21,670.77 -44,784.92)	6.31		
116	611- 2	(21,661.54 -44,783.85)	27.92	(21,634.78 -44,775.89)	8.83	(21,628.92 -44,782.49)	3.05
		(21,627.22 -44,785.02)	28.34	(21,654.01 -44,794.27)	5.80	(21,656.14 -44,788.87)	4.10
		(21,660.11 -44,789.88)	6.20				
116	615	(21,689.23 -44,777.98)	18.49	(21,694.26 -44,795.77)	7.87	(21,701.89 -44,793.83)	17.69
		(21,700.58 -44,776.19)	11.49				
116	617- 2- 2	(21,700.13 -44,772.28)	3.94	(21,700.58 -44,776.19)	17.69	(21,701.89 -44,793.83)	8.86
		(21,710.66 -44,792.54)	16.16	(21,726.82 -44,792.94)	3.87	(21,726.75 -44,789.07)	18.04
		(21,714.48 -44,775.84)	7.17	(21,709.07 -44,780.54)	9.09	(21,706.84 -44,771.73)	6.73
116	617- 7	(21,706.84 -44,771.73)	9.09	(21,709.07 -44,780.54)	7.17	(21,714.48 -44,775.84)	5.90
		(21,710.34 -44,771.64)	3.50				
116	619- 2	(21,726.82 -44,792.94)	3.60	(21,730.42 -44,793.02)	5.39	(21,726.75 -44,789.07)	3.87
116	001- 16	(21,739.48 -44,794.61)	4.18	(21,736.41 -44,791.77)	26.32	(21,718.65 -44,772.35)	20.72
		(21,704.48 -44,757.23)	0.62	(21,704.12 -44,756.73)	1.04	(21,703.56 -44,755.85)	0.57
		(21,703.03 -44,755.65)	28.84	(21,683.43 -44,734.50)	4.23	(21,680.61 -44,731.35)	7.89
		(21,676.06 -44,724.90)	4.32	(21,673.65 -44,721.32)	3.11	(21,672.15 -44,718.59)	3.98
		(21,670.56 -44,714.94)	3.34	(21,669.41 -44,711.80)	7.06	(21,667.03 -44,705.15)	2.97
		(21,666.12 -44,702.32)	5.37	(21,664.65 -44,697.16)	9.26	(21,662.84 -44,688.08)	4.90
		(21,658.12 -44,689.39)	16.89	(21,661.67 -44,705.90)	1.21	(21,662.10 -44,707.03)	2.07
		(21,662.93 -44,708.93)	2.98	(21,664.11 -44,711.67)	5.99	(21,665.60 -44,717.47)	5.96
		(21,668.00 -44,722.93)	10.47	(21,673.54 -44,731.82)	3.42	(21,675.68 -44,734.49)	6.36
		(21,679.96 -44,739.20)	1.64	(21,681.43 -44,739.93)	19.33	(21,694.61 -44,754.07)	2.01
		(21,695.89 -44,755.62)	2.16	(21,697.23 -44,757.32)	1.51	(21,698.15 -44,758.52)	17.91
		(21,710.34 -44,771.64)	5.90	(21,714.48 -44,775.84)	18.04	(21,726.75 -44,789.07)	5.39
		(21,730.42 -44,793.02)	9.20				
116	620- 2	(21,736.41 -44,791.77)	10.11	(21,746.18 -44,789.18)	16.60	(21,744.32 -44,772.68)	4.79
		(21,739.55 -44,773.12)	5.73	(21,733.83 -44,773.52)	18.43		
116	619- 4	(21,733.83 -44,773.52)	5.73	(21,739.55 -44,773.12)	10.82	(21,734.75 -44,763.42)	7.56

地区 ..003

作業 .. 34 原図番号 .. N1 34-3

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -44,800.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		619-4	(21,727.53 -44,765.66)	5.71	(21,722.97 -44,769.10)	5.41	(21,718.65 -44,772.35)	26.32
			(21,736.41 -44,791.77)	18.43				
116	620-	1	(21,744.32 -44,772.68)	11.78	(21,742.94 -44,760.98)	8.55	(21,734.75 -44,763.42)	10.82
			(21,739.55 -44,773.12)	4.79				
116	619-	1	(21,734.75 -44,763.42)	8.55	(21,742.94 -44,760.98)	24.61	(21,741.11 -44,736.44)	12.04
			(21,729.08 -44,736.96)	5.21	(21,724.03 -44,738.26)	4.61	(21,719.92 -44,740.35)	11.90
			(21,720.23 -44,752.25)	15.27	(21,727.53 -44,765.66)	7.56		
116	618-	2	(21,727.53 -44,765.66)	15.27	(21,720.23 -44,752.25)	11.90	(21,719.92 -44,740.35)	10.31
			(21,710.77 -44,745.11)	26.91	(21,722.97 -44,769.10)	5.71		
116	618-	3	(21,722.97 -44,769.10)	26.91	(21,710.77 -44,745.11)	6.45	(21,709.81 -44,751.49)	4.10
			(21,707.51 -44,754.88)	3.86	(21,704.12 -44,756.73)	0.62	(21,704.48 -44,757.23)	20.72
			(21,718.65 -44,772.35)	5.41				
116	583-	1	(21,704.12 -44,756.73)	3.86	(21,707.51 -44,754.88)	4.10	(21,709.81 -44,751.49)	6.45
			(21,710.77 -44,745.11)	0.47	(21,710.39 -44,744.84)	4.50	(21,710.47 -44,740.34)	1.05
			(21,709.42 -44,740.31)	12.06	(21,710.70 -44,728.32)	34.81	(21,676.06 -44,724.90)	7.89
			(21,680.61 -44,731.35)	4.23	(21,683.43 -44,734.50)	28.84	(21,703.03 -44,755.65)	0.57
			(21,703.56 -44,755.85)	1.04				
116	584		(21,710.77 -44,745.11)	10.31	(21,719.92 -44,740.35)	4.61	(21,724.03 -44,738.26)	11.66
			(21,722.93 -44,726.65)	12.34	(21,710.70 -44,728.32)	12.06	(21,709.42 -44,740.31)	1.05
			(21,710.47 -44,740.34)	4.50	(21,710.39 -44,744.84)	0.47		
116	583-	2	(21,723.36 -44,716.00)	11.54	(21,711.86 -44,715.09)	21.50	(21,690.46 -44,713.01)	21.08
			(21,669.41 -44,711.80)	3.34	(21,670.56 -44,714.94)	3.98	(21,672.15 -44,718.59)	3.11
			(21,673.65 -44,721.32)	4.32	(21,676.06 -44,724.90)	34.81	(21,710.70 -44,728.32)	12.34
			(21,722.93 -44,726.65)	10.66				
116	582-	1	(21,723.36 -44,716.00)	10.69	(21,724.68 -44,705.39)	1.02	(21,723.89 -44,704.75)	2.67
			(21,722.30 -44,702.60)	3.51	(21,720.70 -44,699.48)	4.71	(21,719.41 -44,694.95)	3.08
			(21,718.54 -44,692.00)	2.27	(21,717.64 -44,689.92)	2.44	(21,715.84 -44,688.27)	2.21
			(21,713.89 -44,687.24)	8.76	(21,714.36 -44,695.99)	19.26	(21,711.86 -44,715.09)	11.54
116	580-	2	(21,711.86 -44,715.09)	19.26	(21,714.36 -44,695.99)	8.76	(21,713.89 -44,687.24)	4.53
			(21,709.69 -44,685.54)	1.41	(21,708.84 -44,686.66)	1.29	(21,707.64 -44,687.13)	2.71
			(21,705.02 -44,687.83)	13.81	(21,691.22 -44,688.31)	7.65	(21,691.21 -44,695.96)	17.07
			(21,690.46 -44,713.01)	21.50				
116	580-	1	(21,690.46 -44,713.01)	17.07	(21,691.21 -44,695.96)	7.65	(21,691.22 -44,688.31)	6.04
			(21,685.19 -44,688.68)	9.81	(21,675.41 -44,689.49)	0.63	(21,674.79 -44,689.59)	0.85
			(21,674.31 -44,690.29)	16.55	(21,667.03 -44,705.15)	7.06	(21,669.41 -44,711.80)	21.08
116	002-	14	(21,667.03 -44,705.15)	16.55	(21,674.31 -44,690.29)	0.85	(21,674.79 -44,689.59)	0.63
			(21,675.41 -44,689.49)	9.81	(21,685.19 -44,688.68)	6.04	(21,691.22 -44,688.31)	13.81
			(21,705.02 -44,687.83)	2.71	(21,707.64 -44,687.13)	1.29	(21,708.84 -44,686.66)	1.41
			(21,709.69 -44,685.54)	2.58	(21,707.34 -44,684.48)	0.67	(21,706.84 -44,684.93)	21.75
			(21,685.14 -44,686.38)	11.74	(21,673.44 -44,687.34)	16.67	(21,666.12 -44,702.32)	2.97
116	579							

地区 ..003

作業 .. 34

原図番号 .. N1 34-3

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -44,800.00

測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

	579	(21,666.12 -44,702.32)	16.67	(21,673.44 -44,687.34)	0.42	(21,673.42 -44,686.92)	10.64
		(21,662.84 -44,688.08)	9.26	(21,664.65 -44,697.16)	5.37		
115	577- 1	(21,723.54 -44,701.75)	2.31	(21,724.97 -44,703.56)	3.17	(21,727.49 -44,705.48)	3.32
		(21,730.49 -44,706.91)	3.69	(21,734.12 -44,707.57)	5.68	(21,739.79 -44,707.92)	1.65
		(21,741.44 -44,708.00)	1.18	(21,742.61 -44,708.13)	6.90	(21,742.71 -44,701.23)	19.18
115	578- 2	(21,742.71 -44,701.23)	21.12	(21,743.10 -44,680.11)	7.02	(21,736.10 -44,680.65)	10.73
		(21,725.42 -44,681.66)	3.37	(21,722.05 -44,681.58)	3.53	(21,718.55 -44,681.15)	5.98
		(21,712.88 -44,679.24)	1.94	(21,711.25 -44,680.29)	4.04	(21,710.24 -44,684.20)	4.71
		(21,714.62 -44,685.94)	2.36	(21,716.69 -44,687.07)	2.86	(21,718.84 -44,688.95)	2.70
		(21,719.94 -44,691.42)	7.68	(21,722.05 -44,698.80)	3.30	(21,723.54 -44,701.75)	19.18
115	578- 1	(21,723.00 -44,679.59)	1.88	(21,724.88 -44,679.61)	5.84	(21,730.65 -44,678.71)	3.50
		(21,727.30 -44,677.71)	2.40	(21,725.05 -44,676.87)	3.41		
115	578- 3	(21,725.05 -44,676.87)	4.42	(21,721.18 -44,674.73)	5.89	(21,716.96 -44,670.62)	2.82
		(21,714.36 -44,669.54)	6.53	(21,712.62 -44,675.83)	1.69	(21,713.55 -44,677.24)	1.46
		(21,714.90 -44,677.79)	4.67	(21,719.35 -44,679.20)	2.86	(21,722.18 -44,679.58)	0.82
		(21,723.00 -44,679.59)	3.41				
115	002- 2	(21,731.92 -44,678.55)	4.87	(21,727.25 -44,677.18)	1.75	(21,725.65 -44,676.46)	4.68
		(21,721.41 -44,674.48)	6.16	(21,717.16 -44,670.02)	2.82	(21,714.53 -44,668.99)	0.58
		(21,714.36 -44,669.54)	2.82	(21,716.96 -44,670.62)	5.89	(21,721.18 -44,674.73)	4.42
		(21,725.05 -44,676.87)	2.40	(21,727.30 -44,677.71)	3.50	(21,730.65 -44,678.71)	1.28
115	562- 1	(21,716.92 -44,660.58)	8.74	(21,714.53 -44,668.99)	2.82	(21,717.16 -44,670.02)	6.16
		(21,721.41 -44,674.48)	4.68	(21,725.65 -44,676.46)	12.71	(21,729.17 -44,664.25)	12.79
115	562- 2	(21,729.17 -44,664.25)	12.71	(21,725.65 -44,676.46)	1.75	(21,727.25 -44,677.18)	4.87
		(21,731.92 -44,678.55)	4.90	(21,736.80 -44,678.12)	11.07	(21,739.82 -44,667.47)	11.13
115	561- 3	(21,741.88 -44,668.09)	2.47	(21,744.33 -44,668.43)	9.65	(21,747.53 -44,659.33)	2.39
		(21,745.24 -44,658.63)	10.04				
115	561- 2	(21,745.24 -44,658.63)	1.81	(21,743.53 -44,658.05)	24.95	(21,719.84 -44,650.21)	10.77
		(21,716.92 -44,660.58)	12.79	(21,729.17 -44,664.25)	11.13	(21,739.82 -44,667.47)	2.15
		(21,741.88 -44,668.09)	10.04				
114	002- 3	(21,738.59 -44,607.62)	3.19	(21,736.49 -44,610.02)	12.80	(21,728.43 -44,619.96)	2.02
		(21,729.36 -44,621.75)	0.85	(21,730.00 -44,622.31)	7.47	(21,726.64 -44,628.98)	7.90
		(21,723.11 -44,636.05)	6.85	(21,720.55 -44,642.40)	13.15	(21,716.48 -44,654.90)	17.19
		(21,711.86 -44,671.46)	11.17	(21,708.95 -44,682.24)	2.76	(21,707.34 -44,684.48)	2.58
		(21,709.69 -44,685.54)	1.45	(21,710.24 -44,684.20)	4.04	(21,711.25 -44,680.29)	4.67
		(21,712.62 -44,675.83)	6.53	(21,714.36 -44,669.54)	0.58	(21,714.53 -44,668.99)	8.74
		(21,716.92 -44,660.58)	10.77	(21,719.84 -44,650.21)	7.40	(21,722.35 -44,643.25)	12.55
		(21,727.41 -44,631.76)	6.50	(21,730.44 -44,626.01)	9.67	(21,736.73 -44,618.67)	5.52
		(21,739.93 -44,614.17)	1.25	(21,741.00 -44,613.53)	6.38		
114	001- 4	(21,729.36 -44,621.75)	4.45	(21,725.87 -44,624.51)	3.27	(21,724.47 -44,627.46)	14.38
		(21,718.52 -44,640.55)	15.30	(21,714.23 -44,655.24)	16.16	(21,709.66 -44,670.74)	2.41
		(21,708.93 -44,673.04)	2.90	(21,707.98 -44,675.78)	2.18	(21,707.00 -44,677.73)	1.91

地区 ..003

作業 .. 34

原図番号 .. N1 34-3

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -44,800.00

測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,705.85 -44,679.26)	1.27	(21,704.97 -44,680.18)	1.18	(21,703.95 -44,680.78)	1.22
		(21,702.80 -44,681.18)	1.78	(21,701.05 -44,681.48)	16.74	(21,684.37 -44,682.86)	15.92
		(21,668.57 -44,684.79)	3.71	(21,664.92 -44,685.48)	8.70	(21,656.42 -44,687.32)	21.30
		(21,635.21 -44,689.27)	21.40	(21,613.81 -44,689.02)	2.03	(21,611.79 -44,689.24)	3.67
		(21,608.88 -44,691.47)	25.56	(21,634.44 -44,691.69)	7.10	(21,641.54 -44,691.45)	16.71
		(21,658.12 -44,689.39)	4.90	(21,662.84 -44,688.08)	10.64	(21,673.42 -44,686.92)	0.42
		(21,673.44 -44,687.34)	11.74	(21,685.14 -44,686.38)	21.75	(21,706.84 -44,684.93)	0.67
		(21,707.34 -44,684.48)	2.76	(21,708.95 -44,682.24)	11.17	(21,711.86 -44,671.46)	17.19
		(21,716.48 -44,654.90)	13.15	(21,720.55 -44,642.40)	6.85	(21,723.11 -44,636.05)	7.90
		(21,726.64 -44,628.98)	7.47	(21,730.00 -44,622.31)	0.85		
114	002- 4	(21,728.43 -44,619.96)	3.34	(21,725.24 -44,620.96)	4.73	(21,722.87 -44,625.05)	8.07
		(21,719.33 -44,632.30)	6.35	(21,716.82 -44,638.13)	1.18	(21,716.44 -44,639.25)	15.66
		(21,712.13 -44,654.31)	6.00	(21,710.20 -44,659.99)	8.01	(21,708.43 -44,667.80)	3.91
		(21,707.21 -44,671.51)	3.52	(21,706.03 -44,674.83)	1.37	(21,705.46 -44,676.08)	1.92
		(21,704.33 -44,677.63)	1.73	(21,703.00 -44,678.73)	1.37	(21,701.68 -44,679.10)	2.85
		(21,698.85 -44,679.42)	13.76	(21,685.18 -44,680.99)	19.89	(21,665.45 -44,683.48)	3.71
		(21,661.75 -44,683.76)	4.81	(21,656.99 -44,684.42)	2.99	(21,654.12 -44,685.27)	17.20
		(21,636.99 -44,686.83)	24.80	(21,612.19 -44,686.57)	7.29	(21,606.29 -44,690.86)	2.66
		(21,608.88 -44,691.47)	3.67	(21,611.79 -44,689.24)	2.03	(21,613.81 -44,689.02)	21.40
		(21,635.21 -44,689.27)	21.30	(21,656.42 -44,687.32)	8.70	(21,664.92 -44,685.48)	3.71
		(21,668.57 -44,684.79)	15.92	(21,684.37 -44,682.86)	16.74	(21,701.05 -44,681.48)	1.78
		(21,702.80 -44,681.18)	1.22	(21,703.95 -44,680.78)	1.18	(21,704.97 -44,680.18)	1.27
		(21,705.85 -44,679.26)	1.91	(21,707.00 -44,677.73)	2.18	(21,707.98 -44,675.78)	2.90
		(21,708.93 -44,673.04)	2.41	(21,709.66 -44,670.74)	16.16	(21,714.23 -44,655.24)	15.30
		(21,718.52 -44,640.55)	14.38	(21,724.47 -44,627.46)	3.27	(21,725.87 -44,624.51)	4.45
		(21,729.36 -44,621.75)	2.02				
114	001- 5	(21,720.53 -44,615.30)	7.36	(21,725.24 -44,620.96)	3.34	(21,728.43 -44,619.96)	12.80
		(21,736.49 -44,610.02)	3.19	(21,738.59 -44,607.62)	2.49	(21,737.68 -44,605.30)	17.17
		(21,726.53 -44,618.36)	5.85	(21,722.57 -44,614.05)	2.39		
114	516- 2	(21,722.57 -44,614.05)	5.85	(21,726.53 -44,618.36)	17.17	(21,737.68 -44,605.30)	17.46
114	002- 5	(21,716.82 -44,638.13)	16.25	(21,700.78 -44,635.53)	6.63	(21,696.81 -44,630.22)	1.09
		(21,695.90 -44,630.82)	6.85	(21,700.05 -44,636.27)	0.85	(21,700.78 -44,636.70)	15.87
		(21,716.44 -44,639.25)	1.18				
114	516- 1	(21,719.04 -44,609.25)	13.48	(21,708.48 -44,600.87)	3.81	(21,705.41 -44,603.13)	6.06
		(21,710.79 -44,605.91)	7.52	(21,716.62 -44,610.66)	2.80		
114	518- 2	(21,700.78 -44,635.53)	16.25	(21,716.82 -44,638.13)	6.35	(21,719.33 -44,632.30)	8.07
		(21,722.87 -44,625.05)	4.73	(21,725.24 -44,620.96)	7.36	(21,720.53 -44,615.30)	18.18
		(21,705.07 -44,624.86)	9.82	(21,696.84 -44,630.22)	6.61		
114	534	(21,716.44 -44,639.25)	15.87	(21,700.78 -44,636.70)	0.85	(21,700.05 -44,636.27)	6.85
		(21,695.90 -44,630.82)	11.44	(21,686.25 -44,636.96)	12.00	(21,686.51 -44,648.96)	26.17
		(21,712.13 -44,654.31)	15.66				
114	535	(21,712.13 -44,654.31)	26.17	(21,686.51 -44,648.96)	13.20	(21,686.64 -44,662.16)	22.51
		(21,708.43 -44,667.80)	8.01	(21,710.20 -44,659.99)	6.00		
114	532						

地区..003

作業..34 原図番号..N1 34-3

縮尺..1/ 500

基準点..X 21,600.00..Y -44,800.00 測定 年 5 月 2 日

字 地番及び座標 (X; Y) & 座標間距離 (m)

	532-	(	21,708.43	-44,667.80)	22.51	(	21,686.64	-44,662.16)	2.62	(@	21,684.02	-44,662.15)	18.88	
		(	21,685.18	-44,680.99)	13.76	(	21,698.85	-44,679.42)	2.85	(	21,701.68	-44,679.10)	1.37	
		(	21,703.00	-44,678.73)	1.73	(	21,704.33	-44,677.63)	1.92	(	21,705.46	-44,676.08)	1.37	
		(	21,706.03	-44,674.83)	3.52	(	21,707.21	-44,671.51)	3.91					
114	530-	2	(	21,686.51	-44,648.96)	12.00	(@	21,686.25	-44,636.96)	10.36	(	21,677.56	-44,642.60)	6.25
		(	21,677.77	-44,648.85)	8.74									
114	530-	1	(	21,677.77	-44,648.85)	6.25	(@	21,677.56	-44,642.60)	20.84	(	21,660.03	-44,653.87)	1.80
		(	21,658.96	-44,655.32)	1.52	(	21,658.18	-44,656.62)	2.70	(	21,657.28	-44,659.17)	3.44	
		(	21,656.30	-44,662.47)	1.35	(	21,656.34	-44,663.82)	20.66	(	21,661.75	-44,683.76)	3.71	
		(	21,665.45	-44,683.48)	19.89	(	21,685.18	-44,680.99)	18.88	(	21,684.02	-44,662.15)	2.62	
		(	21,686.64	-44,662.16)	13.20	(	21,686.51	-44,648.96)	8.74	(	21,677.77	-44,648.85)	0.00	
114	002-	8	(	21,671.54	-44,637.35)	6.41	(	21,665.20	-44,636.42)	7.33	(	21,658.03	-44,634.92)	9.27
		(	21,648.77	-44,634.43)	1.06	(@	21,647.71	-44,634.43)	1.93	(	21,647.75	-44,636.36)	0.47	
		(	21,648.22	-44,636.31)	2.27	(	21,650.48	-44,636.09)	1.70	(	21,652.18	-44,636.12)	3.80	
		(	21,655.94	-44,636.67)	14.12	(	21,669.95	-44,638.39)	1.90					
114	533-	2	(	21,669.95	-44,638.39)	14.12	(@	21,655.94	-44,636.67)	2.35	(	21,655.83	-44,639.02)	7.24
		(	21,657.88	-44,645.96)	3.92	(	21,661.49	-44,644.43)	10.40	(	21,670.23	-44,638.79)	0.49	
		(	21,657.88	-44,645.96)	7.24	(	21,655.83	-44,639.02)	2.35	(	21,655.94	-44,636.67)	3.80	
		(	21,652.18	-44,636.12)	1.70	(@	21,650.48	-44,636.09)	2.27	(	21,648.22	-44,636.31)	1.85	
		(	21,648.15	-44,638.16)	0.92	(	21,648.35	-44,639.06)	2.94	(	21,649.25	-44,641.86)	2.74	
		(	21,650.48	-44,644.31)	3.04	(	21,652.34	-44,646.72)	1.55	(	21,653.79	-44,647.27)	0.66	
		(	21,654.44	-44,647.37)	1.00	(	21,655.39	-44,647.07)	2.73					
114	001-	9	(	21,661.75	-44,683.76)	20.66	(	21,656.34	-44,663.82)	20.37	(	21,650.48	-44,644.31)	2.74
		(	21,649.25	-44,641.86)	2.94	(	21,648.35	-44,639.06)	0.92	(	21,648.15	-44,638.16)	1.85	
		(	21,648.22	-44,636.31)	0.47	(	21,647.75	-44,636.36)	1.93	(	21,647.71	-44,634.43)	1.06	
		(	21,648.77	-44,634.43)	33.56	(	21,639.06	-44,602.31)	2.01	(@	21,638.50	-44,600.38)	7.67	
		(	21,631.79	-44,604.09)	1.01	(	21,632.04	-44,605.07)	4.75	(	21,632.59	-44,609.79)	20.57	
		(	21,638.56	-44,629.47)	5.20	(	21,640.92	-44,634.10)	1.93	(	21,642.58	-44,635.08)	1.44	
		(	21,642.80	-44,636.50)	0.66	(	21,642.19	-44,636.75)	1.59	(	21,643.18	-44,638.00)	12.00	
		(	21,646.74	-44,649.46)	1.61	(	21,646.94	-44,651.06)	17.43	(	21,652.37	-44,667.62)	17.42	
		(	21,656.99	-44,684.42)	4.81									
114	525-	2	(	21,654.12	-44,685.27)	2.99	(	21,656.99	-44,684.42)	17.42	(	21,652.37	-44,667.62)	2.18
		(	21,650.72	-44,666.19)	1.77	(	21,649.19	-44,665.31)	1.76	(	21,647.52	-44,664.76)	1.13	
		(@	21,646.42	-44,664.51)	1.15	(	21,645.27	-44,664.56)	1.80	(	21,643.49	-44,664.85)	1.57	
		(	21,642.09	-44,665.55)	15.43	(	21,629.41	-44,674.34)	6.15	(	21,635.53	-44,673.69)	13.22	
		(	21,636.99	-44,686.83)	17.20									
114	524-	1	(	21,636.99	-44,686.83)	13.22	(@	21,635.53	-44,673.69)	6.15	(	21,629.41	-44,674.34)	21.12
		(	21,612.19	-44,686.57)	24.80									
114	001-	11	(@	21,646.94	-44,651.06)	1.80	(	21,646.81	-44,652.86)	2.02	(	21,646.28	-44,654.81)	1.59
		(	21,645.53	-44,656.21)	2.27	(	21,644.28	-44,658.11)	28.72	(	21,620.66	-44,674.44)	2.07	
		(	21,618.96	-44,675.62)	20.70	(	21,602.24	-44,687.83)	2.81	(	21,600.00	-44,689.53)	6.43	
		(	21,606.29	-44,690.86)	7.29	(	21,612.19	-44,686.57)	21.12	(	21,629.41	-44,674.34)	15.43	
		(	21,642.09	-44,665.55)	1.57	(	21,643.49	-44,664.85)	1.80	(	21,645.27	-44,664.56)	1.15	

地区..003

作業.. 34 原図番号.. N1 34-3

縮尺..1/ 500

基準点..X 21,600.00..Y -44,800.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,646.42 -44,664.51)	1.13	(21,647.52 -44,664.76)	1.76	(21,649.19 -44,665.31)	1.77
		(21,650.72 -44,666.19)	2.18	(21,652.37 -44,667.62)	17.43		
114	525- 1	(21,646.94 -44,651.06)	1.61	(21,646.74 -44,649.46)	12.00	(21,643.18 -44,638.00)	1.59
		(21,642.19 -44,636.75)	7.94	(21,634.25 -44,636.84)	6.02	(21,628.25 -44,637.29)	10.68
		(21,617.64 -44,638.52)	19.24	(21,617.86 -44,657.76)	0.91	(21,617.88 -44,658.67)	6.18
		(21,618.89 -44,664.77)	9.83	(21,620.66 -44,674.44)	28.72	(21,644.28 -44,658.11)	2.27
		(21,645.53 -44,656.21)	1.59	(21,646.28 -44,654.81)	2.02	(21,646.81 -44,652.86)	1.80
114	522- 2	(21,620.66 -44,674.44)	9.83	(21,618.89 -44,664.77)	6.18	(21,617.88 -44,658.67)	0.91
		(21,617.86 -44,657.76)	2.70	(21,615.18 -44,658.08)	1.18	(21,616.05 -44,658.87)	0.25
		(21,616.30 -44,658.85)	16.98	(21,618.96 -44,675.62)	2.07		