

地区..003

作業..35 原図番号..N1 34-4

縮尺..1/ 500

基準点..X 21,600.00..Y -44,600.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,600.00 -44,600.00)	49.93	(21,649.93 -44,600.09)	50.10	(21,700.03 -44,600.12)	49.90
		(21,749.93 -44,600.21)	50.05	(21,749.96 -44,550.16)	50.00	(21,749.95 -44,500.16)	49.95
		(21,749.99 -44,450.21)	50.00	(21,750.03 -44,400.21)	50.00	(21,700.03 -44,400.12)	50.00
		(21,650.03 -44,400.09)	50.03	(21,600.00 -44,400.05)	50.00	(21,599.94 -44,450.05)	49.95
		(21,599.95 -44,500.00)	50.05	(21,599.91 -44,550.05)	49.95		
133	002- 10	(21,629.05 -44,600.03)	8.73	(21,637.37 -44,597.37)	12.30	(21,648.81 -44,592.84)	8.29
		(21,656.58 -44,589.95)	7.75	(21,664.30 -44,589.26)	9.04	(21,673.33 -44,589.76)	6.97
		(21,680.23 -44,590.77)	9.10	(21,688.94 -44,593.42)	3.18	(21,691.86 -44,594.67)	13.44
		(21,704.31 -44,599.72)	3.79	(21,707.67 -44,597.96)	8.48	(21,714.81 -44,593.39)	4.53
		(21,718.15 -44,590.33)	8.33	(21,714.34 -44,582.92)	8.07	(21,709.52 -44,576.45)	17.42
		(21,697.02 -44,564.31)	12.88	(21,687.87 -44,555.25)	11.67	(21,681.98 -44,545.17)	7.34
		(21,677.34 -44,539.48)	5.15	(21,673.78 -44,535.76)	11.13	(21,664.19 -44,530.11)	2.30
		(21,662.29 -44,528.81)	8.75	(21,655.82 -44,522.92)	4.73	(21,652.81 -44,519.27)	3.79
		(21,651.21 -44,515.83)	6.84	(21,646.52 -44,510.85)	5.06	(21,643.43 -44,506.84)	3.64
		(21,641.11 -44,504.03)	24.70	(21,621.99 -44,488.40)	2.60	(21,620.36 -44,490.42)	25.15
		(21,639.44 -44,506.81)	10.34	(21,646.68 -44,514.19)	4.04	(21,649.81 -44,516.74)	7.24
		(21,652.73 -44,523.36)	6.08	(21,656.91 -44,527.77)	3.37	(21,659.82 -44,529.47)	4.14
		(21,662.40 -44,532.71)	1.51	(21,663.89 -44,532.46)	8.72	(21,671.28 -44,537.09)	5.59
		(21,675.29 -44,540.98)	7.38	(21,680.08 -44,546.59)	11.55	(21,685.81 -44,556.62)	4.18
		(21,688.63 -44,559.70)	7.52	(21,694.30 -44,564.64)	19.23	(21,707.98 -44,578.16)	8.52
		(21,712.77 -44,585.20)	4.52	(21,714.05 -44,589.54)	1.93	(21,713.36 -44,591.34)	8.41
		(21,705.99 -44,595.39)	2.56	(21,703.49 -44,595.92)	5.02	(21,698.81 -44,594.10)	8.46
		(21,691.18 -44,590.44)	11.84	(21,680.04 -44,586.42)	6.23	(21,673.92 -44,585.28)	7.71
		(21,666.22 -44,584.93)	8.66	(21,657.58 -44,585.52)	11.70	(21,646.93 -44,590.37)	11.22
		(21,636.40 -44,594.23)	6.18	(21,630.87 -44,597.00)	1.24	(21,629.64 -44,596.83)	14.18
		(21,615.83 -44,600.06)	13.22				
133	001- 5	(21,615.83 -44,600.06)	14.18	(21,629.64 -44,596.83)	1.24	(21,630.87 -44,597.00)	2.91
		(21,630.28 -44,594.15)	2.10	(21,628.46 -44,595.19)	15.49	(21,613.35 -44,598.62)	4.13
		(21,609.26 -44,599.19)	4.64	(21,604.62 -44,599.36)	3.97	(21,600.65 -44,599.35)	0.63
133	550- 2	(21,600.02 -44,599.40)	0.00	(21,600.02 -44,599.40)	0.60	(21,600.00 -44,600.00)	15.83
		(1/ 4)					
133	549- 1	(21,600.02 -44,599.40)	0.15	(21,600.17 -44,599.40)	0.82	(21,599.97 -44,598.60)	0.80
		(1/ 2)					
		(21,599.97 -44,598.60)	0.82	(21,600.17 -44,599.40)	0.48	(21,600.65 -44,599.35)	3.97
		(21,604.62 -44,599.36)	4.64	(21,609.26 -44,599.19)	25.31	(21,602.97 -44,574.67)	20.42
		(21,622.86 -44,570.06)	14.71	(21,618.73 -44,555.94)	3.29	(21,615.99 -44,557.76)	20.24
		(21,599.91 -44,570.05)	28.55				
133	550- 2	(21,599.91 -44,570.05)	20.24	(21,615.99 -44,557.76)	17.42	(21,606.62 -44,543.08)	3.97
		(21,604.44 -44,539.76)	0.49	(21,604.04 -44,540.04)	6.75	(21,599.98 -44,534.65)	35.40
133	544- 2	(21,599.98 -44,534.65)	6.75	(21,604.04 -44,540.04)	0.49	(21,604.44 -44,539.76)	3.97
		(21,606.62 -44,543.08)	17.42	(21,615.99 -44,557.76)	3.29	(21,618.73 -44,555.94)	38.44
		(21,607.89 -44,519.06)	19.27	(21,602.49 -44,500.56)	3.48	(21,599.96 -44,502.95)	31.70
133	002- 9	(21,599.96 -44,502.95)	3.48	(21,602.49 -44,500.56)	2.87	(21,601.69 -44,497.80)	2.50
		(21,599.95 -44,499.60)	3.35				
133	536- 2	(21,599.95 -44,499.60)	2.50	(21,601.69 -44,497.80)	6.01	(21,599.93 -44,492.05)	7.55
		(1/ 2)					

地区 ..003 作業 .. 35 原図番号 .. N1 34-4 縮尺 ..1/ 500 基準点 ..X 21,600.00..Y -44,600.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

133	001- 6	(21,599.93 -44,492.05)	6.01	(21,601.69 -44,497.80)	2.87	(21,602.49 -44,500.56)	19.27
		(21,607.89 -44,519.06)	38.44	(21,618.73 -44,555.94)	14.71	(21,622.86 -44,570.06)	25.21
		(21,630.28 -44,594.15)	2.91	(21,630.87 -44,597.00)	6.18	(21,636.40 -44,594.23)	16.55
		(21,631.18 -44,578.53)	26.89	(21,623.37 -44,552.80)	58.34	(21,606.59 -44,496.93)	2.80
		(21,605.79 -44,494.25)	21.85	(@ 21,599.95 -44,473.20)	18.85		
133	536- 1	(21,599.95 -44,473.20)	21.85	(21,605.79 -44,494.25)	4.31	(21,608.63 -44,491.01)	37.04
		(21,628.01 -44,459.44)	7.99	(21,632.19 -44,452.63)	4.97	(21,634.06 -44,448.02)	3.55
		(21,634.08 -44,444.47)	2.71	(@ 21,632.72 -44,442.13)	1.10	(21,632.32 -44,443.15)	4.46
		(21,631.58 -44,447.55)	2.46	(21,630.89 -44,449.91)	2.50	(21,629.74 -44,452.13)	2.12
		(21,628.52 -44,453.86)	1.95	(21,627.05 -44,455.14)	2.07	(21,625.38 -44,456.37)	2.45
		(21,623.13 -44,457.35)	2.22	(21,620.96 -44,457.80)	2.60	(21,618.36 -44,457.86)	6.51
		(21,611.85 -44,457.65)	1.37	(21,610.51 -44,457.93)	0.79	(21,609.96 -44,458.50)	8.74
		(21,605.62 -44,466.09)	4.03	(21,603.23 -44,469.34)	5.07		
133	537 (1/ 2)	(21,599.95 -44,473.20)	5.07	(21,603.23 -44,469.34)	4.03	(21,605.62 -44,466.09)	8.74
		(21,609.96 -44,458.50)	0.79	(21,610.51 -44,457.93)	1.37	(21,611.85 -44,457.65)	6.51
		(21,618.36 -44,457.86)	2.60	(21,620.96 -44,457.80)	2.22	(21,623.13 -44,457.35)	2.45
		(21,625.38 -44,456.37)	2.07	(21,627.05 -44,455.14)	1.95	(21,628.52 -44,453.86)	2.12
		(21,629.74 -44,452.13)	2.50	(21,630.89 -44,449.91)	2.46	(21,631.58 -44,447.55)	4.46
		(21,632.32 -44,443.15)	1.10	(21,632.72 -44,442.13)	2.60	(@ 21,632.73 -44,439.53)	6.88
		(21,626.07 -44,441.27)	22.97	(21,604.79 -44,449.91)	4.87	(21,600.64 -44,452.45)	0.82
		(21,599.99 -44,452.95)	20.25				
133	002- 8	(21,599.99 -44,452.95)	0.82	(21,600.64 -44,452.45)	4.87	(21,604.79 -44,449.91)	22.97
		(21,626.07 -44,441.27)	6.88	(21,632.73 -44,439.53)	2.26	(@ 21,633.81 -44,437.54)	3.36
		(21,630.56 -44,438.41)	5.09	(21,625.77 -44,440.14)	13.02	(21,613.68 -44,444.97)	10.19
		(21,604.23 -44,448.77)	4.96	(21,599.99 -44,451.35)	1.60		
132	502- 3 (1/ 2)	(21,599.99 -44,451.35)	4.96	(21,604.23 -44,448.77)	10.19	(21,613.68 -44,444.97)	4.02
		(21,612.22 -44,441.22)	27.46	(21,637.69 -44,430.95)	3.68	(@ 21,636.83 -44,427.37)	24.18
		(21,614.23 -44,435.97)	15.26	(21,599.97 -44,441.40)	9.95		
132	502- 1 (1/ 2)	(21,599.97 -44,441.40)	15.26	(21,614.23 -44,435.97)	24.18	(21,636.83 -44,427.37)	9.86
		(21,633.84 -44,417.97)	11.01	(@ 21,628.89 -44,408.13)	12.33	(21,617.38 -44,412.54)	18.66
		(21,599.97 -44,419.25)	22.15				
132	505- 1 (1/ 3)	(21,599.97 -44,419.25)	18.66	(21,617.38 -44,412.54)	12.33	(21,628.89 -44,408.13)	3.64
		(21,627.86 -44,404.64)	4.55	(21,627.73 -44,400.09)	24.78	(@ 21,602.95 -44,400.04)	3.18
		(21,599.98 -44,401.17)	18.08				
132	001- 10	(21,599.98 -44,401.17)	3.18	(@ 21,602.95 -44,400.04)	2.95	(21,600.00 -44,400.05)	1.12
131	002- 5	(21,627.73 -44,400.09)	4.55	(21,627.86 -44,404.64)	3.64	(21,628.89 -44,408.13)	11.01
		(21,633.84 -44,417.97)	9.86	(21,636.83 -44,427.37)	2.45	(21,638.76 -44,425.86)	8.18
		(21,636.44 -44,418.02)	10.18	(21,632.07 -44,408.83)	4.15	(21,631.46 -44,404.73)	4.70
		(@ 21,631.38 -44,400.03)	3.65				
131	500- 1 (1/ 2)	(@ 21,631.38 -44,400.03)	4.70	(21,631.46 -44,404.73)	4.15	(21,632.07 -44,408.83)	10.18
		(21,636.44 -44,418.02)	8.18	(21,638.76 -44,425.86)	22.59	(21,659.63 -44,417.22)	4.82
		(21,661.13 -44,412.64)	5.40	(21,663.49 -44,407.78)	8.77	(21,667.73 -44,400.10)	36.35

地区 ..003

作業 .. 35

原図番号 .. N1 34-4

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -44,600.00

測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

131	002-	4	(a 21,667.73 -44,400.10)	8.77	(21,663.49 -44,407.78)	5.40	(21,661.13 -44,412.64)	4.82
			(21,659.63 -44,417.22)	3.28	(21,662.66 -44,415.96)	2.61	(21,663.31 -44,413.43)	6.12
			(21,665.79 -44,407.83)	8.96	(21,670.38 -44,400.14)	2.65		
113	002-	3	(a 21,670.38 -44,400.14)	8.96	(21,665.79 -44,407.83)	6.12	(21,663.31 -44,413.43)	2.61
			(21,662.66 -44,415.96)	2.04	(21,662.07 -44,417.91)	4.52	(21,662.23 -44,422.43)	11.58
			(21,665.70 -44,433.48)	6.02	(21,666.69 -44,439.42)	10.38	(21,666.64 -44,449.80)	11.81
			(21,664.86 -44,461.48)	24.92	(21,658.29 -44,485.52)	8.76	(21,656.16 -44,494.02)	6.87
			(21,654.78 -44,500.75)	6.00	(21,653.97 -44,506.70)	9.84	(21,656.06 -44,516.32)	6.60
			(21,655.82 -44,522.92)	8.75	(21,662.29 -44,528.81)	2.30	(21,664.19 -44,530.11)	11.13
			(21,673.78 -44,535.76)	5.15	(21,677.34 -44,539.48)	7.34	(21,681.98 -44,545.17)	11.67
			(21,687.87 -44,555.25)	12.88	(21,697.02 -44,564.31)	17.42	(21,709.52 -44,576.45)	8.07
			(21,714.34 -44,582.92)	8.33	(21,718.15 -44,590.33)	5.00	(21,720.24 -44,585.79)	1.33
			(21,718.99 -44,586.23)	6.58	(21,715.68 -44,580.54)	7.39	(21,711.12 -44,574.72)	15.93
			(21,699.54 -44,563.78)	13.81	(21,690.32 -44,553.50)	11.93	(21,683.57 -44,543.66)	8.05
			(21,678.68 -44,537.27)	4.05	(21,675.95 -44,534.28)	1.52	(21,677.16 -44,533.36)	8.16
			(21,669.42 -44,530.77)	5.36	(21,664.74 -44,528.15)	8.10	(21,659.00 -44,522.44)	3.21
			(21,657.57 -44,519.57)	12.73	(21,655.54 -44,507.00)	3.74	(21,655.78 -44,503.27)	17.88
			(21,660.08 -44,485.91)	26.58	(21,667.21 -44,460.30)	10.83	(21,668.99 -44,449.62)	6.33
			(21,669.07 -44,443.29)	12.37	(21,667.31 -44,431.05)	9.45	(21,664.77 -44,421.95)	3.22
			(21,664.37 -44,418.75)	4.69	(21,665.41 -44,414.18)	7.12	(21,668.37 -44,407.70)	8.80
			(21,672.88 -44,400.14)	2.50				
113	490	(1/ 2)	(21,672.88 -44,400.14)	8.80	(21,668.37 -44,407.70)	7.12	(21,665.41 -44,414.18)	4.69
			(21,664.37 -44,418.75)	3.22	(21,664.77 -44,421.95)	9.45	(21,667.31 -44,431.05)	17.11
			(21,684.40 -44,431.96)	1.02	(21,685.35 -44,432.32)	0.86	(21,685.70 -44,431.53)	3.38
			(21,687.39 -44,428.60)	5.44	(21,689.53 -44,423.60)	2.86	(21,690.61 -44,420.95)	7.52
			(21,695.07 -44,414.90)	14.52	(21,703.63 -44,403.17)	5.75	(21,698.63 -44,400.33)	0.32
			(a 21,698.38 -44,400.13)	25.50				
113	002-	2	(a 21,698.38 -44,400.13)	0.32	(21,698.63 -44,400.33)	5.75	(21,703.63 -44,403.17)	0.61
			(21,704.18 -44,403.44)	8.84	(21,709.57 -44,410.45)	7.89	(21,714.99 -44,416.19)	10.15
			(21,721.50 -44,423.98)	1.88	(21,723.28 -44,424.57)	0.73	(21,723.93 -44,424.24)	1.13
			(21,724.82 -44,423.55)	3.07	(21,721.88 -44,422.68)	13.55	(21,713.25 -44,412.24)	3.32
			(21,710.67 -44,410.15)	3.69	(21,708.44 -44,407.21)	5.13	(21,705.73 -44,402.86)	4.22
			(21,702.48 -44,400.17)	4.10				
131	497		(21,713.61 -44,405.02)	1.21	(21,714.34 -44,405.99)	0.98	(21,714.39 -44,406.97)	2.26
			(21,713.95 -44,409.19)	2.02	(21,714.47 -44,411.14)	13.15	(21,722.35 -44,421.67)	9.16
			(21,730.15 -44,416.87)	4.80	(21,725.81 -44,414.82)	3.80	(21,722.79 -44,412.52)	11.89
			(a 21,713.84 -44,404.69)	0.40				
131	498	(1/ 2)	(21,706.23 -44,400.16)	7.02	(21,709.14 -44,406.55)	3.75	(21,711.52 -44,409.45)	3.40
			(21,714.47 -44,411.14)	2.02	(21,713.95 -44,409.19)	2.26	(21,714.39 -44,406.97)	0.98
			(21,714.34 -44,405.99)	1.21	(21,713.61 -44,405.02)	0.40	(21,713.84 -44,404.69)	2.25
			(21,712.36 -44,403.00)	3.08	(a 21,711.18 -44,400.15)	4.95		
131	496	(1/ 2)	(a 21,711.18 -44,400.15)	3.08	(21,712.36 -44,403.00)	2.25	(21,713.84 -44,404.69)	11.89
			(21,722.79 -44,412.52)	5.92	(21,726.39 -44,407.82)	6.72	(21,730.01 -44,402.16)	2.38
			(21,731.28 -44,400.15)	20.10				
131	483	(3/ 4)						

地区 ..003

作業 .. 35

原図番号 .. N1 34-4

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -44,600.00

測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,750.03 -44,400.21)	18.75	(@ 21,731.28 -44,400.15)	2.38	(21,730.01 -44,402.16)	6.72
		(21,726.39 -44,407.82)	5.92	(21,722.79 -44,412.52)	3.80	(21,725.81 -44,414.82)	4.80
		(21,730.15 -44,416.87)	2.15	(21,731.99 -44,415.75)	8.33	(21,740.26 -44,414.76)	9.02
		(21,748.95 -44,412.34)	1.22	(21,750.00 -44,411.71)	11.50		
131	002- 1	(21,750.00 -44,411.71)	1.22	(21,748.95 -44,412.34)	9.02	(21,740.26 -44,414.76)	8.33
		(21,731.99 -44,415.75)	2.15	(21,730.15 -44,416.87)	9.16	(21,722.35 -44,421.67)	13.15
		(21,714.47 -44,411.14)	3.40	(21,711.52 -44,409.45)	3.75	(21,709.14 -44,406.55)	7.02
		(@ 21,706.23 -44,400.16)	3.75	(21,702.48 -44,400.17)	4.22	(21,705.73 -44,402.86)	5.13
		(21,708.44 -44,407.21)	3.69	(21,710.67 -44,410.15)	3.32	(21,713.25 -44,412.24)	13.55
		(21,721.88 -44,422.68)	3.07	(21,724.82 -44,423.55)	7.94	(21,731.14 -44,418.75)	2.77
		(21,733.84 -44,418.15)	6.46	(21,740.24 -44,417.26)	0.89	(21,741.08 -44,416.98)	8.67
		(21,749.38 -44,414.46)	0.66	(21,750.01 -44,414.26)	2.55		
131	482	(2/ 2)					
		(@ 21,750.01 -44,414.26)	0.66	(21,749.38 -44,414.46)	8.67	(21,741.08 -44,416.98)	15.87
		(21,749.99 -44,430.11)	15.85				
131	481	(2/ 2)					
		(21,749.99 -44,430.11)	15.87	(@ 21,741.08 -44,416.98)	0.89	(21,740.24 -44,417.26)	6.46
		(21,733.84 -44,418.15)	2.77	(21,731.14 -44,418.75)	7.94	(21,724.82 -44,423.55)	13.32
		(21,733.48 -44,433.67)	18.81	(21,745.28 -44,448.32)	7.28	(21,750.00 -44,453.86)	23.75
113	001- 9						
		(21,750.00 -44,453.86)	7.28	(21,745.28 -44,448.32)	18.81	(21,733.48 -44,433.67)	13.32
		(@ 21,724.82 -44,423.55)	1.13	(21,723.93 -44,424.24)	13.49	(21,732.80 -44,434.40)	14.81
		(21,742.03 -44,445.98)	3.92	(21,744.51 -44,449.02)	8.42	(21,750.00 -44,455.41)	1.55
113	493	(2/ 2)					
		(21,750.00 -44,455.41)	8.42	(21,744.51 -44,449.02)	3.92	(@ 21,742.03 -44,445.98)	18.47
		(21,728.94 -44,459.01)	4.53	(21,732.88 -44,461.24)	7.04	(21,738.37 -44,465.64)	4.56
		(21,741.39 -44,462.23)	11.45	(21,750.01 -44,469.76)	14.35		
113	494	(2/ 2)					
		(21,750.01 -44,469.76)	11.45	(@ 21,741.39 -44,462.23)	4.56	(21,738.37 -44,465.64)	16.30
		(21,750.05 -44,477.01)	7.25				
113	502	(2/ 2)					
		(21,750.05 -44,477.01)	16.30	(21,738.37 -44,465.64)	7.04	(@ 21,732.88 -44,461.24)	13.75
		(21,723.42 -44,471.22)	28.03	(21,704.18 -44,491.60)	8.75	(21,710.10 -44,498.05)	23.72
		(21,726.04 -44,515.62)	18.59	(21,739.68 -44,502.99)	8.72	(21,745.52 -44,509.46)	5.03
		(21,747.26 -44,504.74)	4.01	(21,749.95 -44,501.76)	24.75		
113	001- 8						
		(@ 21,749.95 -44,501.76)	4.01	(21,747.26 -44,504.74)	5.03	(21,745.52 -44,509.46)	16.35
		(21,745.01 -44,525.80)	2.64	(21,744.71 -44,528.42)	4.46	(21,742.97 -44,532.53)	10.77
		(21,737.92 -44,542.04)	4.58	(21,735.10 -44,545.65)	15.67	(21,728.08 -44,559.66)	9.59
		(21,724.79 -44,568.67)	0.75	(21,724.58 -44,569.39)	2.70	(21,725.26 -44,572.00)	3.31
		(21,727.11 -44,569.26)	4.40	(21,728.25 -44,565.01)	5.23	(21,729.99 -44,560.08)	7.86
		(21,733.14 -44,552.88)	6.90	(21,736.56 -44,546.89)	5.16	(21,739.75 -44,542.84)	11.11
		(21,745.05 -44,533.07)	7.57	(21,746.96 -44,525.74)	15.77	(21,747.27 -44,509.97)	4.53
		(21,748.95 -44,505.76)	1.68	(21,750.01 -44,504.46)	2.70		
113	496	(2/ 2)					
		(@ 21,750.01 -44,504.46)	1.68	(21,748.95 -44,505.76)	1.39	(21,750.01 -44,504.86)	0.40
114	002- 12						
		(@ 21,750.01 -44,504.86)	1.39	(21,748.95 -44,505.76)	4.53	(21,747.27 -44,509.97)	15.77
		(21,746.96 -44,525.74)	7.57	(21,745.05 -44,533.07)	11.11	(21,739.75 -44,542.84)	5.16
		(21,736.56 -44,546.89)	6.90	(21,733.14 -44,552.88)	7.86	(21,729.99 -44,560.08)	5.23
		(21,728.25 -44,565.01)	4.40	(21,727.11 -44,569.26)	3.31	(21,725.26 -44,572.00)	14.68

地区 ..003

作業 .. 35

原図番号 .. N1 34-4

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -44,600.00

測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,720.24 -44,585.79)	5.00	(21,718.15 -44,590.33)	4.53	(21,714.81 -44,593.39)	8.48
		(21,707.67 -44,597.96)	3.79	(21,704.31 -44,599.72)	0.70	(21,703.73 -44,600.12)	6.15
		(21,709.88 -44,600.13)	2.54	(21,711.91 -44,598.61)	12.90	(21,722.30 -44,590.97)	4.60
		(21,724.77 -44,587.09)	10.78	(21,728.92 -44,577.14)	1.97	(21,730.11 -44,575.57)	16.33
		(21,735.99 -44,560.34)	5.19	(21,738.58 -44,555.84)	10.04	(21,743.48 -44,547.08)	10.09
		(21,748.39 -44,538.27)	4.94	(21,749.98 -44,533.59)	28.73		
114	514- 2	(21,735.99 -44,560.34)	16.33	(21,730.11 -44,575.57)	3.08	(21,732.15 -44,577.88)	2.83
114	001- 3	(21,734.28 -44,579.75)	2.44	(21,736.23 -44,581.21)	18.31	(21,742.83 -44,564.13)	7.82
		(21,728.92 -44,577.14)	6.18	(21,733.40 -44,581.40)	8.53	(21,740.32 -44,586.38)	3.21
		(21,742.45 -44,588.78)	6.35	(21,745.88 -44,594.12)	1.90	(21,747.21 -44,592.77)	5.79
		(21,743.95 -44,587.98)	3.74	(21,741.62 -44,585.06)	6.62	(21,736.23 -44,581.21)	2.44
		(21,734.28 -44,579.75)	2.83	(21,732.15 -44,577.88)	3.08	(21,730.11 -44,575.57)	1.97
114	513- 1	(21,750.00 -44,554.06)	0.76	(21,749.60 -44,554.71)	0.52	(21,750.02 -44,555.01)	0.95
114	514 (3/ 3)	(21,750.02 -44,555.01)	0.52	(21,749.60 -44,554.71)	0.76	(21,750.00 -44,554.06)	20.47
		(21,749.98 -44,533.59)	4.94	(21,748.39 -44,538.27)	10.09	(21,743.48 -44,547.08)	10.04
		(21,738.58 -44,555.84)	5.19	(21,735.99 -44,560.34)	7.82	(21,742.83 -44,564.13)	8.08
114	515 (2/ 2)	(21,749.95 -44,567.96)	12.95				
		(21,749.95 -44,567.96)	8.08	(21,742.83 -44,564.13)	18.31	(21,736.23 -44,581.21)	6.62
		(21,741.62 -44,585.06)	3.74	(21,743.95 -44,587.98)	5.79	(21,747.21 -44,592.77)	4.98
		(21,749.95 -44,588.61)	20.65				
115	001- 1	(21,749.97 -44,598.89)	0.82	(21,749.49 -44,599.55)	0.60	(21,750.02 -44,599.26)	0.37
115	544- 2 (4/ 4)	(21,750.03 -44,600.16)	0.90	(21,750.02 -44,599.26)	0.60	(21,749.49 -44,599.55)	0.80
		(21,748.98 -44,600.16)	1.05				
115	002- 13	(21,748.98 -44,600.16)	0.80	(21,749.49 -44,599.55)	0.82	(21,749.97 -44,598.89)	5.03
		(21,749.99 -44,593.86)	7.84	(21,745.33 -44,600.17)	3.65		
115	001- 2	(21,745.33 -44,600.17)	7.84	(21,749.99 -44,593.86)	5.25	(21,749.95 -44,588.61)	4.98
		(21,747.21 -44,592.77)	1.90	(21,745.88 -44,594.12)	8.67	(21,738.25 -44,598.24)	4.06
		(21,734.65 -44,600.11)	0.00	(21,734.65 -44,600.11)	10.68		
114	517- 1 (2/ 3)	(21,734.65 -44,600.11)	0.00	(21,734.65 -44,600.11)	4.06	(21,738.25 -44,598.24)	8.67
		(21,745.88 -44,594.12)	6.35	(21,742.45 -44,588.78)	3.21	(21,740.32 -44,586.38)	8.53
		(21,733.40 -44,581.40)	15.85	(21,723.19 -44,593.52)	5.60	(21,720.50 -44,598.43)	1.75
		(21,720.08 -44,600.13)	14.57				
114	517- 2 (2/ 2)	(21,720.08 -44,600.13)	1.75	(21,720.50 -44,598.43)	5.60	(21,723.19 -44,593.52)	15.85
		(21,733.40 -44,581.40)	6.18	(21,728.92 -44,577.14)	10.78	(21,724.77 -44,587.09)	4.60
		(21,722.30 -44,590.97)	12.90	(21,711.91 -44,598.61)	1.63	(21,712.43 -44,600.15)	7.65
114	517- 1 (3/ 3)	(21,712.43 -44,600.15)	1.63	(21,711.91 -44,598.61)	2.54	(21,709.88 -44,600.13)	2.55
114	518- 1 (2/ 2)	(21,691.85 -44,600.09)	6.08	(21,686.05 -44,598.26)	6.19	(21,679.97 -44,597.10)	17.76
		(21,662.25 -44,595.91)	4.22	(21,662.68 -44,600.11)	29.17		
114	519- 2 (2/ 2)						

地区 ..003

作業 .. 35

原図番号 .. N1 34-4

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -44,600.00

測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

57-2	(	21,662.68	-44,600.11)	4.22	(@	21,662.25	-44,595.91)	6.71	(	21,655.57	-44,596.50)	4.53
	(	21,651.12	-44,597.33)	6.94	(	21,644.73	-44,600.05)	17.95				
114 001- 4	(	21,644.73	-44,600.05)	6.94	(	21,651.12	-44,597.33)	4.53	(	21,655.57	-44,596.50)	6.71
	(	21,662.25	-44,595.91)	17.76	(	21,679.97	-44,597.10)	6.19	(	21,686.05	-44,598.26)	6.08
	(	21,691.85	-44,600.09)	5.53	(	21,697.38	-44,600.13)	6.15	(	21,691.65	-44,597.89)	5.33
	(	21,686.57	-44,596.28)	6.58	(	21,680.11	-44,595.04)	17.95	(@	21,662.21	-44,593.73)	6.92
	(	21,655.34	-44,594.53)	5.06	(	21,650.36	-44,595.44)	11.96	(	21,639.33	-44,600.06)	5.40
114 002- 11	(	21,639.33	-44,600.06)	11.96	(	21,650.36	-44,595.44)	5.06	(	21,655.34	-44,594.53)	6.92
	(	21,662.21	-44,593.73)	17.95	(	21,680.11	-44,595.04)	6.58	(	21,686.57	-44,596.28)	5.33
	(	21,691.65	-44,597.89)	6.15	(	21,697.38	-44,600.13)	6.35	(	21,703.73	-44,600.12)	0.70
	(	21,704.31	-44,599.72)	13.44	(	21,691.86	-44,594.67)	3.18	(	21,688.94	-44,593.42)	9.10
	(	21,680.23	-44,590.77)	6.97	(	21,673.33	-44,589.76)	9.04	(@	21,664.30	-44,589.26)	7.75
	(	21,656.58	-44,589.95)	8.29	(	21,648.81	-44,592.84)	12.30	(	21,637.37	-44,597.37)	8.73
	(	21,629.05	-44,600.03)	10.28								
133 549- 5	(@	21,622.86	-44,570.06)	20.42	(	21,602.97	-44,574.67)	25.31	(	21,609.26	-44,599.19)	4.13
	(	21,613.35	-44,598.62)	15.49	(	21,628.46	-44,595.19)	2.10	(	21,630.28	-44,594.15)	25.21
133 549- 2	(	21,623.37	-44,552.80)	26.89	(	21,631.18	-44,578.53)	8.23	(	21,636.46	-44,572.22)	5.43
	(	21,640.23	-44,568.31)	3.95	(	21,642.15	-44,564.86)	3.19	(	21,643.21	-44,561.85)	7.91
	(	21,644.80	-44,554.10)	2.86	(	21,646.52	-44,551.82)	2.45	(	21,647.36	-44,549.52)	3.24
	(@	21,647.59	-44,546.29)	1.67	(	21,645.95	-44,546.60)	23.42				
133 544- 1	(	21,645.95	-44,546.60)	1.67	(	21,647.59	-44,546.29)	3.22	(	21,648.87	-44,543.34)	5.83
	(	21,652.94	-44,539.16)	12.84	(	21,663.89	-44,532.46)	1.51	(	21,662.40	-44,532.71)	4.14
	(	21,659.82	-44,529.47)	3.37	(	21,656.91	-44,527.77)	6.08	(	21,652.73	-44,523.36)	7.24
	(	21,649.81	-44,516.74)	4.04	(	21,646.68	-44,514.19)	10.34	(	21,639.44	-44,506.81)	25.15
	(	21,620.36	-44,490.42)	0.38	(	21,620.08	-44,490.68)	7.02	(@	21,614.70	-44,486.17)	13.47
	(	21,606.59	-44,496.93)	58.34	(	21,623.37	-44,552.80)	23.42				
133 546- 1	(	21,685.81	-44,556.62)	11.55	(	21,680.08	-44,546.59)	7.38	(	21,675.29	-44,540.98)	5.59
	(	21,671.28	-44,537.09)	8.72	(@	21,663.89	-44,532.46)	12.84	(	21,652.94	-44,539.16)	5.83
	(	21,648.87	-44,543.34)	3.22	(	21,647.59	-44,546.29)	3.24	(	21,647.36	-44,549.52)	2.45
	(	21,646.52	-44,551.82)	2.86	(	21,644.80	-44,554.10)	7.91	(	21,643.21	-44,561.85)	3.19
	(	21,642.15	-44,564.86)	3.95	(	21,640.23	-44,568.31)	5.43	(	21,636.46	-44,572.22)	8.23
	(	21,631.18	-44,578.53)	16.55	(	21,636.40	-44,594.23)	11.22	(	21,646.93	-44,590.37)	11.70
	(	21,657.58	-44,585.52)	40.40								
133 547	(	21,657.58	-44,585.52)	8.66	(	21,666.22	-44,584.93)	7.71	(	21,673.92	-44,585.28)	6.23
	(	21,680.04	-44,586.42)	11.84	(	21,691.18	-44,590.44)	8.46	(	21,698.81	-44,594.10)	5.02
	(	21,703.49	-44,595.92)	2.56	(	21,705.99	-44,595.39)	8.41	(	21,713.36	-44,591.34)	1.93
	(	21,714.05	-44,589.54)	4.52	(	21,712.77	-44,585.20)	8.52	(	21,707.98	-44,578.16)	19.23
	(	21,694.30	-44,564.64)	7.52	(	21,688.63	-44,559.70)	4.18	(@	21,685.81	-44,556.62)	40.40
113 506	(	21,692.12	-44,530.39)	15.13	(	21,701.10	-44,542.57)	4.82	(	21,704.10	-44,546.34)	5.27
	(	21,707.68	-44,550.21)	12.19	(	21,716.64	-44,541.94)	31.76	(	21,693.45	-44,520.24)	16.88
	(	21,703.28	-44,506.52)	17.17	(	21,688.12	-44,498.45)	8.38	(	21,680.62	-44,494.72)	7.33
	(@	21,674.15	-44,491.28)	11.13	(	21,675.18	-44,502.36)	5.30	(	21,676.47	-44,507.50)	3.55
	(	21,677.85	-44,510.77)	6.05	(	21,680.94	-44,515.97)	5.45	(	21,684.10	-44,520.41)	5.80
	(	21,687.71	-44,524.95)	7.00								

地区 ..003

作業 .. 35

原図番号 .. N1 34-4

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -44,600.00

測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

113	488	(21,687.71 -44,524.95)	5.80	(21,684.10 -44,520.41)	5.45	(21,680.94 -44,515.97)	6.05
		(21,677.85 -44,510.77)	3.55	(21,676.47 -44,507.50)	5.30	(21,675.18 -44,502.36)	11.13
		(21,674.15 -44,491.28)	2.79	(21,671.65 -44,490.04)	12.29	(@ 21,660.08 -44,485.91)	17.88
		(21,655.78 -44,503.27)	3.74	(21,655.54 -44,507.00)	12.73	(21,657.57 -44,519.57)	3.21
		(21,659.00 -44,522.44)	8.10	(21,664.74 -44,528.15)	5.36	(21,669.42 -44,530.77)	8.16
		(21,677.16 -44,533.36)	13.49				
113	487	(21,677.16 -44,533.36)	1.52	(21,675.95 -44,534.28)	4.05	(21,678.68 -44,537.27)	8.05
		(21,683.57 -44,543.66)	11.93	(21,690.32 -44,553.50)	13.81	(21,699.54 -44,563.78)	15.93
		(21,711.12 -44,574.72)	7.39	(21,715.68 -44,580.54)	6.58	(21,718.99 -44,586.23)	1.33
		(21,720.24 -44,585.79)	14.68	(21,725.26 -44,572.00)	2.70	(21,724.58 -44,569.39)	0.75
		(21,724.79 -44,568.67)	25.17	(21,707.68 -44,550.21)	5.27	(21,704.10 -44,546.34)	4.82
		(21,701.10 -44,542.57)	15.13	(21,692.12 -44,530.39)	7.00	(@ 21,687.71 -44,524.95)	13.49
113	510	(@ 21,723.00 -44,536.17)	8.59	(21,716.64 -44,541.94)	12.19	(21,707.68 -44,550.21)	25.17
		(21,724.79 -44,568.67)	9.59	(21,728.08 -44,559.66)	15.67	(21,735.10 -44,545.65)	3.43
		(21,732.65 -44,543.25)	4.11	(21,729.34 -44,540.81)	3.93	(21,726.14 -44,538.52)	3.92
113	509	(21,726.14 -44,538.52)	3.93	(21,729.34 -44,540.81)	4.11	(21,732.65 -44,543.25)	3.43
		(21,735.10 -44,545.65)	4.58	(21,737.92 -44,542.04)	10.77	(21,742.97 -44,532.53)	2.09
		(21,742.37 -44,530.53)	20.55	(@ 21,725.94 -44,518.18)	4.08	(21,724.15 -44,521.85)	2.95
		(21,723.01 -44,524.57)	2.68	(21,722.34 -44,527.17)	4.24	(21,721.82 -44,531.38)	4.93
		(21,723.00 -44,536.17)	3.92				
113	507	(21,723.00 -44,536.17)	4.93	(21,721.82 -44,531.38)	4.24	(21,722.34 -44,527.17)	2.68
		(21,723.01 -44,524.57)	2.95	(21,724.15 -44,521.85)	4.08	(21,725.94 -44,518.18)	1.77
		(21,724.79 -44,516.84)	23.83	(@ 21,708.75 -44,499.21)	9.13	(21,703.28 -44,506.52)	16.88
		(21,693.45 -44,520.24)	31.76	(21,716.64 -44,541.94)	8.59		
113	503	(21,727.34 -44,517.04)	19.34	(21,742.86 -44,528.58)	1.86	(21,744.71 -44,528.42)	2.64
		(21,745.01 -44,525.80)	16.35	(21,745.52 -44,509.46)	8.72	(@ 21,739.68 -44,502.99)	18.59
		(21,726.04 -44,515.62)	1.93				
113	001- 7	(21,744.71 -44,528.42)	1.86	(21,742.86 -44,528.58)	19.34	(21,727.34 -44,517.04)	1.93
		(21,726.04 -44,515.62)	23.72	(21,710.10 -44,498.05)	8.75	(21,704.18 -44,491.60)	35.77
		(21,680.00 -44,465.24)	1.52	(21,679.62 -44,463.77)	30.40	(21,685.84 -44,434.01)	1.71
		(21,686.15 -44,432.33)	0.80	(21,685.35 -44,432.32)	1.02	(@ 21,684.40 -44,431.96)	34.01
		(21,677.36 -44,465.23)	18.56	(21,689.97 -44,478.85)	27.70	(21,708.75 -44,499.21)	23.83
		(21,724.79 -44,516.84)	1.77	(21,725.94 -44,518.18)	20.55	(21,742.37 -44,530.53)	2.09
		(21,742.97 -44,532.53)	4.46				
113	491	(21,728.94 -44,459.01)	18.47	(21,742.03 -44,445.98)	14.81	(21,732.80 -44,434.40)	13.49
		(21,723.93 -44,424.24)	0.73	(21,723.28 -44,424.57)	1.88	(21,721.50 -44,423.98)	10.15
		(21,714.99 -44,416.19)	7.89	(21,709.57 -44,410.45)	8.84	(21,704.18 -44,403.44)	0.61
		(@ 21,703.63 -44,403.17)	14.52	(21,695.07 -44,414.90)	28.92	(21,715.58 -44,435.29)	7.47
		(21,710.32 -44,440.60)	26.18				
113	499- 3	(21,710.32 -44,440.60)	7.47	(21,715.58 -44,435.29)	28.92	(@ 21,695.07 -44,414.90)	7.52
		(21,690.61 -44,420.95)	27.83				
113	499- 2	(@ 21,690.61 -44,420.95)	2.86	(21,689.53 -44,423.60)	5.44	(21,687.39 -44,428.60)	3.38

地区 ..003 作業 .. 35 原図番号 .. N1 34-4 縮尺 ..1/ 500 基準点 ..X 21,600.00..Y -44,600.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,685.70 -44,431.53)	0.86	(21,685.35 -44,432.32)	0.80	(21,686.15 -44,432.33)	1.71
		(21,685.84 -44,434.01)	21.96	(21,701.49 -44,449.41)	12.47	(21,710.32 -44,440.60)	27.83
113	501- 3	(21,710.32 -44,440.60)	12.47	(21,701.49 -44,449.41)	30.93	(21,723.42 -44,471.22)	13.75
		(21,732.88 -44,461.24)	4.53	(21,728.94 -44,459.01)	26.18		
113	499- 1	(21,723.42 -44,471.22)	30.93	(21,701.49 -44,449.41)	21.96	(21,685.84 -44,434.01)	30.40
		(21,679.62 -44,463.77)	1.52	(21,680.00 -44,465.24)	35.77	(21,704.18 -44,491.60)	28.03
113	505- 1	(21,680.62 -44,494.72)	8.38	(21,688.12 -44,498.45)	17.17	(21,703.28 -44,506.52)	9.13
		(21,708.75 -44,499.21)	27.70	(21,689.97 -44,478.85)	18.42		
113	505- 2	(21,689.97 -44,478.85)	18.56	(21,677.36 -44,465.23)	25.46	(21,671.65 -44,490.04)	2.79
		(21,674.15 -44,491.28)	7.33	(21,680.62 -44,494.72)	18.42		
113	489	(21,671.65 -44,490.04)	25.46	(21,677.36 -44,465.23)	34.01	(21,684.40 -44,431.96)	17.11
		(21,667.31 -44,431.05)	12.37	(21,669.07 -44,443.29)	6.33	(21,668.99 -44,449.62)	10.83
		(21,667.21 -44,460.30)	26.58	(21,660.08 -44,485.91)	12.29	(21,671.65 -44,490.04)	0.00
133	002- 6	(21,655.82 -44,522.92)	6.60	(21,656.06 -44,516.32)	9.84	(21,653.97 -44,506.70)	6.00
		(21,654.78 -44,500.75)	6.87	(21,656.16 -44,494.02)	8.76	(21,658.29 -44,485.52)	24.92
		(21,664.86 -44,461.48)	11.81	(21,666.64 -44,449.80)	10.38	(21,666.69 -44,439.42)	6.02
		(21,665.70 -44,433.48)	11.58	(21,662.23 -44,422.43)	4.52	(21,662.07 -44,417.91)	2.04
		(21,662.66 -44,415.96)	3.28	(21,659.63 -44,417.22)	6.10	(21,659.55 -44,423.32)	6.18
		(21,661.84 -44,429.06)	7.25	(21,664.22 -44,435.91)	3.88	(21,664.79 -44,439.75)	10.68
		(21,664.21 -44,450.41)	12.06	(21,662.42 -44,462.34)	16.66	(21,658.43 -44,478.52)	15.72
		(21,653.94 -44,493.58)	5.52	(21,652.80 -44,498.98)	1.49	(21,652.63 -44,500.46)	5.65
		(21,652.41 -44,506.11)	4.81	(21,653.90 -44,510.68)	5.88	(21,655.11 -44,516.43)	2.35
		(21,654.42 -44,518.68)	1.71	(21,652.81 -44,519.27)	4.73		
133	543	(21,647.41 -44,503.49)	5.20	(21,643.43 -44,506.84)	5.06	(21,646.52 -44,510.85)	6.84
		(21,651.21 -44,515.83)	3.79	(21,652.81 -44,519.27)	1.71	(21,654.42 -44,518.68)	2.35
		(21,655.11 -44,516.43)	5.88	(21,653.90 -44,510.68)	4.81	(21,652.41 -44,506.11)	5.65
		(21,652.63 -44,500.46)	1.49	(21,652.80 -44,498.98)	7.03		
133	542	(21,652.80 -44,498.98)	5.52	(21,653.94 -44,493.58)	15.72	(21,658.43 -44,478.52)	16.66
		(21,662.42 -44,462.34)	16.05	(21,654.30 -44,476.18)	28.17	(21,647.41 -44,503.49)	7.03
133	541	(21,647.41 -44,503.49)	28.17	(21,654.30 -44,476.18)	16.05	(21,662.42 -44,462.34)	12.06
		(21,664.21 -44,450.41)	10.68	(21,664.79 -44,439.75)	3.88	(21,664.22 -44,435.91)	67.37
		(21,621.99 -44,488.40)	24.70	(21,641.11 -44,504.03)	3.64	(21,643.43 -44,506.84)	5.20
133	540	(21,620.08 -44,490.68)	0.38	(21,620.36 -44,490.42)	2.60	(21,621.99 -44,488.40)	67.37
		(21,664.22 -44,435.91)	7.25	(21,661.84 -44,429.06)	6.18	(21,659.55 -44,423.32)	6.10
		(21,659.63 -44,417.22)	22.59	(21,638.76 -44,425.86)	5.08	(21,640.19 -44,430.73)	2.58
		(21,640.12 -44,433.31)	3.17	(21,638.46 -44,436.01)	3.54	(21,636.34 -44,438.84)	1.51
		(21,636.02 -44,440.32)	4.43	(21,637.00 -44,444.64)	3.44	(21,636.71 -44,448.07)	3.99
		(21,635.29 -44,451.80)	7.44	(21,631.58 -44,458.25)	31.65	(21,615.27 -44,485.37)	0.98
		(21,614.70 -44,486.17)	7.02				
133	539	(21,612.22 -44,441.22)	4.02	(21,613.68 -44,444.97)	13.02	(21,625.77 -44,440.14)	5.09
		(21,630.56 -44,438.41)	3.36	(21,633.81 -44,437.54)	4.83	(21,636.85 -44,433.79)	2.96

地区 ..003 作業 .. 35 原図番号 .. N1 34-4 縮尺 ..1/ 500 基準点 ..X 21,600.00..Y -44,600.00 測定 年 5 月 2 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

133	002-	(@ 21,637.69 -44,430.95)	27.46							
		(21,636.83 -44,427.37)	3.68	(21,637.69 -44,430.95)	2.96	(21,636.85 -44,433.79)	4.83			
		(21,633.81 -44,437.54)	2.26	(21,632.73 -44,439.53)	2.60	(21,632.72 -44,442.13)	2.71			
		(21,634.08 -44,444.47)	3.55	(21,634.06 -44,448.02)	4.97	(21,632.19 -44,452.63)	7.99			
		(21,628.01 -44,459.44)	37.04	(21,608.63 -44,491.01)	4.31	(21,605.79 -44,494.25)	2.80			
		(21,606.59 -44,496.93)	13.47	(21,614.70 -44,486.17)	0.98	(21,615.27 -44,485.37)	31.65			
		(21,631.58 -44,458.25)	7.44	(21,635.29 -44,451.80)	3.99	(21,636.71 -44,448.07)	3.44			
		(21,637.00 -44,444.64)	4.43	(21,636.02 -44,440.32)	1.51	(21,636.34 -44,438.84)	3.54			
		(21,638.46 -44,436.01)	3.17	(21,640.12 -44,433.31)	2.58	(21,640.19 -44,430.73)	5.08			
		(@ 21,638.76 -44,425.86)	2.45							