

地区 ..003

作業 .. 36 原図番号 .. N1 35-1

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -44,400.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,750.00 -44,400.00)	50.00	(21,800.00 -44,400.07)	50.00	(21,850.00 -44,400.09)	50.05
		(21,900.05 -44,400.11)	49.95	(21,900.07 -44,350.16)	50.00	(21,900.04 -44,300.16)	50.03
		(21,900.08 -44,250.13)	49.97	(21,900.07 -44,200.16)	50.05	(21,850.02 -44,200.14)	50.00
		(21,800.02 -44,200.07)	50.02	(21,750.00 -44,200.05)	49.95	(21,750.01 -44,250.00)	50.00
		(21,750.04 -44,300.00)	50.00	(21,750.02 -44,350.00)	50.00		
131	484	(1/ 2)					
		(21,750.02 -44,350.00)	29.83	(21,750.03 -44,379.83)	17.21	(21,767.17 -44,378.26)	7.65
		(21,772.24 -44,372.53)	6.54	(21,777.09 -44,368.14)	2.38	(21,778.16 -44,366.01)	1.80
		(21,778.06 -44,364.21)	6.22	(21,774.97 -44,358.81)	4.43	(21,773.72 -44,354.56)	8.34
		(21,772.90 -44,346.26)	7.88	(21,772.65 -44,338.38)	7.04	(21,771.33 -44,331.46)	5.21
		(21,770.98 -44,326.26)	10.10	(21,770.83 -44,316.16)	14.48	(21,756.38 -44,317.13)	4.13
		(21,752.26 -44,316.85)	2.40	(21,749.98 -44,317.60)	32.40		
131	001- 7						
		(21,749.98 -44,317.60)	2.40	(21,752.26 -44,316.85)	4.13	(21,756.38 -44,317.13)	14.53
		(21,770.88 -44,316.21)	2.14	(21,770.85 -44,314.07)	15.05	(21,755.83 -44,314.95)	3.66
		(21,752.18 -44,314.73)	2.16	(21,750.03 -44,314.95)	2.65		
131	487	(1/ 2)					
		(21,750.03 -44,314.95)	2.16	(21,752.18 -44,314.73)	3.66	(21,755.83 -44,314.95)	15.05
		(21,770.85 -44,314.07)	6.54	(21,770.63 -44,307.53)	11.46	(21,770.26 -44,296.08)	17.15
		(21,768.62 -44,279.01)	9.61	(21,767.58 -44,269.46)	13.40	(21,758.70 -44,279.50)	4.70
		(21,755.97 -44,283.33)	8.81	(21,749.99 -44,289.80)	25.15		
131	002- 6						
		(21,749.99 -44,289.80)	8.81	(21,755.97 -44,283.33)	4.70	(21,758.70 -44,279.50)	13.40
		(21,767.58 -44,269.46)	4.86	(21,767.82 -44,264.61)	5.49	(21,764.12 -44,268.66)	15.08
		(21,754.56 -44,280.32)	7.26	(21,750.04 -44,286.00)	3.80		
131	488- 2	(1/ 2)					
		(21,750.04 -44,286.00)	7.26	(21,754.56 -44,280.32)	5.47	(21,750.05 -44,277.23)	8.77
131	488- 1	(1/ 2)					
		(21,750.05 -44,277.23)	5.47	(21,754.56 -44,280.32)	15.08	(21,764.12 -44,268.66)	5.49
		(21,767.82 -44,264.61)	2.30	(21,768.48 -44,262.41)	3.66	(21,768.73 -44,258.76)	18.55
		(21,767.61 -44,240.24)	3.55	(21,764.36 -44,238.81)	7.19	(21,757.46 -44,240.83)	2.62
		(21,755.31 -44,242.33)	5.48	(21,752.58 -44,247.08)	4.66	(21,751.83 -44,251.68)	2.18
		(21,750.55 -44,253.45)	0.60	(21,750.00 -44,253.70)	23.53		
131	002- 10						
		(21,750.00 -44,253.70)	0.60	(21,750.55 -44,253.45)	2.18	(21,751.83 -44,251.68)	4.66
		(21,752.58 -44,247.08)	5.48	(21,755.31 -44,242.33)	2.62	(21,757.46 -44,240.83)	7.19
		(21,764.36 -44,238.81)	3.55	(21,767.61 -44,240.24)	7.55	(21,766.10 -44,232.84)	2.08
		(21,765.24 -44,234.73)	3.21	(21,762.26 -44,235.93)	4.73	(21,757.89 -44,237.75)	4.19
		(21,754.31 -44,239.93)	5.37	(21,750.86 -44,244.05)	1.61	(21,750.06 -44,245.45)	8.25
131	001- 8						
		(21,750.06 -44,245.45)	1.61	(21,750.86 -44,244.05)	5.37	(21,754.31 -44,239.93)	4.19
		(21,757.89 -44,237.75)	4.73	(21,762.26 -44,235.93)	3.21	(21,765.24 -44,234.73)	2.08
		(21,766.10 -44,232.84)	12.30	(21,767.50 -44,220.62)	1.68	(21,765.82 -44,220.56)	12.14
		(21,763.54 -44,232.48)	2.68	(21,761.24 -44,233.85)	4.96	(21,756.74 -44,235.93)	4.68
		(21,752.68 -44,238.25)	3.48	(21,750.43 -44,240.90)	0.77	(21,750.01 -44,241.55)	3.90
131	489	(1/ 2)					
		(21,750.01 -44,241.55)	0.77	(21,750.43 -44,240.90)	3.48	(21,752.68 -44,238.25)	2.99
		(21,750.01 -44,236.90)	4.65				
131	471- 1	(1/ 2)					
		(21,750.01 -44,236.90)	2.99	(21,752.68 -44,238.25)	4.68	(21,756.74 -44,235.93)	4.96
		(21,761.24 -44,233.85)	2.68	(21,763.54 -44,232.48)	12.14	(21,765.82 -44,220.56)	1.68

地区..003 作業..36 原図番号..N1 35-1 縮尺..1/ 500 基準点..X 21,750.00..Y -44,400.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,767.50 -44,220.62)	5.64	(21,768.44 -44,215.06)	3.54	(21,769.86 -44,211.82)	5.33
		(21,764.82 -44,213.54)	16.81	(21,753.09 -44,225.58)	5.31	(21,750.01 -44,229.90)	7.00
125	002- 12	(21,750.01 -44,229.90)	5.31	(21,753.09 -44,225.58)	16.81	(21,764.82 -44,213.54)	1.77
		(21,765.62 -44,211.96)	9.05	(21,769.50 -44,203.78)	2.35	(21,768.52 -44,201.64)	1.75
		(21,767.77 -44,200.06)	8.97	(21,758.80 -44,200.05)	4.00	(21,759.69 -44,203.95)	4.91
		(21,760.70 -44,208.75)	2.28	(21,760.12 -44,210.95)	0.73	(21,759.90 -44,211.65)	3.44
		(21,757.14 -44,213.70)	5.11	(21,752.79 -44,216.38)	3.14	(21,750.02 -44,217.85)	12.05
125	288- 2	(1/ 2)					
		(21,750.02 -44,217.85)	3.14	(21,752.79 -44,216.38)	5.11	(21,757.14 -44,213.70)	3.44
		(21,759.90 -44,211.65)	0.73	(21,760.12 -44,210.95)	0.57	(21,759.62 -44,210.68)	6.37
		(21,756.57 -44,205.09)	3.41	(21,753.16 -44,204.95)	8.69	(21,750.02 -44,213.05)	4.80
125	288- 4	(1/ 2)					
		(21,750.02 -44,213.05)	8.69	(21,753.16 -44,204.95)	3.21	(21,750.02 -44,205.60)	7.45
125	288- 6						
		(21,756.42 -44,204.80)	0.33	(21,756.57 -44,205.09)	6.37	(21,759.62 -44,210.68)	0.57
		(21,760.12 -44,210.95)	2.28	(21,760.70 -44,208.75)	4.91	(21,759.69 -44,203.95)	3.38
125	287- 1	(1/ 4)					
		(21,750.00 -44,200.05)	5.55	(21,750.02 -44,205.60)	3.21	(21,753.16 -44,204.95)	3.41
		(21,756.57 -44,205.09)	0.33	(21,756.42 -44,204.80)	3.38	(21,759.69 -44,203.95)	4.00
		(21,758.80 -44,200.05)	8.80				
131	471- 3						
		(21,769.50 -44,203.78)	9.05	(21,765.62 -44,211.96)	1.77	(21,764.82 -44,213.54)	5.33
		(21,769.86 -44,211.82)	4.74	(21,771.05 -44,207.23)	1.92	(21,771.55 -44,205.38)	5.26
		(21,773.42 -44,200.46)	1.91	(21,771.55 -44,200.86)	3.13	(21,768.52 -44,201.64)	2.35
131	471- 2	(1/ 2)					
		(21,767.77 -44,200.06)	1.75	(21,768.52 -44,201.64)	3.13	(21,771.55 -44,200.86)	1.91
		(21,773.42 -44,200.46)	0.40	(21,773.62 -44,200.11)	5.85		
131	002- 11						
		(21,773.62 -44,200.11)	0.40	(21,773.42 -44,200.46)	1.84	(21,775.22 -44,200.06)	1.60
131	470- 3	(1/ 2)					
		(21,775.22 -44,200.06)	6.57	(21,772.90 -44,206.21)	5.25	(21,771.47 -44,211.26)	3.36
		(21,770.88 -44,214.57)	2.36	(21,772.22 -44,212.63)	5.59	(21,776.95 -44,209.66)	2.59
		(21,779.22 -44,208.41)	8.06	(21,786.85 -44,205.81)	6.83	(21,793.64 -44,205.03)	5.29
		(21,795.47 -44,200.07)	20.25				
131	473						
		(21,770.52 -44,242.11)	8.57	(21,771.16 -44,250.66)	8.55	(21,771.23 -44,259.21)	9.06
		(21,770.80 -44,268.26)	11.86	(21,771.19 -44,280.11)	18.95	(21,772.59 -44,299.01)	9.00
		(21,772.88 -44,308.01)	17.70	(21,790.49 -44,306.18)	15.35	(21,787.67 -44,291.09)	7.72
		(21,785.77 -44,283.61)	11.36	(21,781.75 -44,272.99)	6.25	(21,779.77 -44,267.06)	5.68
		(21,778.85 -44,261.46)	5.95	(21,778.75 -44,255.51)	3.92	(21,779.11 -44,251.61)	5.09
		(21,780.76 -44,246.79)	4.86	(21,782.76 -44,242.36)	12.24		
131	472						
		(21,782.76 -44,242.36)	2.03	(21,784.01 -44,240.76)	6.67	(21,786.21 -44,234.46)	8.37
		(21,788.22 -44,226.34)	21.99	(21,793.64 -44,205.03)	6.83	(21,786.85 -44,205.81)	8.06
		(21,779.22 -44,208.41)	2.59	(21,776.95 -44,209.66)	5.59	(21,772.22 -44,212.63)	2.36
		(21,770.88 -44,214.57)	6.55	(21,769.69 -44,221.01)	12.70	(21,769.59 -44,233.71)	8.45
		(21,770.52 -44,242.11)	12.24				
131	474						
		(21,772.88 -44,308.01)	7.52	(21,773.03 -44,315.53)	9.65	(21,773.33 -44,325.18)	5.55
		(21,773.83 -44,330.71)	7.76	(21,775.15 -44,338.36)	7.77	(21,775.42 -44,346.13)	8.16
		(21,776.54 -44,354.21)	4.43	(21,777.87 -44,358.44)	6.05	(21,780.56 -44,363.86)	17.11

地区 ..003

作業 .. 36 原図番号 .. N1 35-1

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -44,400.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,797.36 -44,360.62)	6.40	(21,797.54 -44,354.22)	12.10	(21,797.40 -44,342.12)	6.78
		(21,796.55 -44,335.39)	9.02	(21,794.55 -44,326.59)	10.05	(21,792.58 -44,316.74)	10.76
96	1	(@ 21,790.49 -44,306.18)	17.70				
		(21,805.42 -44,351.27)	17.81	(21,804.89 -44,369.07)	1.52	(21,805.16 -44,370.57)	12.60
		(21,815.69 -44,363.65)	16.54	(21,828.92 -44,353.73)	3.87	(21,831.62 -44,350.96)	2.06
96	001- 3	(21,832.82 -44,349.28)	2.39	(21,833.47 -44,346.98)	1.80	(@ 21,833.71 -44,345.20)	28.93
		(21,875.71 -44,343.50)	4.06	(21,878.32 -44,346.61)	1.96	(21,879.27 -44,348.33)	14.15
		(21,885.51 -44,361.03)	8.33	(21,889.49 -44,368.35)	6.68	(21,893.66 -44,373.57)	2.21
		(21,894.10 -44,371.40)	5.22	(21,890.89 -44,367.28)	7.92	(21,887.09 -44,360.33)	13.16
96	9- 2	(21,881.54 -44,348.40)	3.15	(21,880.10 -44,345.60)	4.87	(@ 21,876.82 -44,342.00)	1.87
		(21,893.01 -44,361.49)	5.05	(21,895.08 -44,366.10)	5.52	(@ 21,896.06 -44,360.67)	3.16
96	000- 1	(21,900.07 -44,350.16)	50.10	(21,900.09 -44,300.06)	49.93	(21,900.08 -44,250.13)	49.97
		(21,900.07 -44,200.16)	50.05	(21,850.02 -44,200.14)	50.00	(@ 21,800.02 -44,200.07)	0.87
		(21,799.15 -44,200.09)	6.40	(21,797.00 -44,206.12)	28.42	(21,789.54 -44,233.54)	8.58
		(21,787.01 -44,241.74)	2.49	(21,785.71 -44,243.86)	4.54	(21,783.88 -44,248.01)	4.52
		(21,782.21 -44,252.21)	3.45	(21,781.65 -44,255.61)	5.65	(21,781.70 -44,261.26)	5.13
		(21,782.83 -44,266.26)	17.37	(21,788.69 -44,282.61)	8.20	(21,790.84 -44,290.52)	15.20
		(21,794.09 -44,305.37)	10.71	(21,795.93 -44,315.92)	10.22	(21,797.93 -44,325.94)	9.03
		(21,799.57 -44,334.82)	7.03	(21,800.92 -44,341.72)	9.55	(21,800.65 -44,351.27)	3.28
		(21,803.93 -44,351.27)	1.49	(21,805.42 -44,351.27)	28.93	(21,833.71 -44,345.20)	2.77
		(21,834.10 -44,342.46)	6.78	(21,835.27 -44,335.78)	16.67	(21,836.01 -44,319.13)	3.32
		(21,836.71 -44,315.88)	1.59	(21,838.25 -44,315.48)	1.96	(21,840.20 -44,315.63)	2.76
		(21,840.48 -44,312.88)	12.61	(21,837.79 -44,300.56)	5.06	(21,835.86 -44,295.88)	5.84
		(21,832.54 -44,291.08)	5.89	(21,828.12 -44,287.18)	6.56	(21,823.39 -44,282.63)	4.96
		(21,825.95 -44,278.38)	1.67	(21,827.42 -44,277.58)	5.23	(21,832.42 -44,279.11)	9.63
		(21,838.59 -44,286.51)	6.95	(21,841.04 -44,293.01)	7.42	(21,845.61 -44,298.86)	11.39
		(21,852.36 -44,308.04)	9.56	(21,858.76 -44,315.14)	7.97	(21,863.85 -44,321.27)	4.30
		(21,866.78 -44,324.42)	9.86	(21,871.43 -44,333.12)	10.16	(21,877.45 -44,341.30)	4.96
		(21,880.57 -44,345.15)	16.29	(21,888.19 -44,359.55)	3.95	(21,890.81 -44,362.50)	2.42
		(21,893.01 -44,361.49)	3.16	(21,896.06 -44,360.67)	4.32	(21,900.07 -44,359.06)	8.90
96	001- 1	(@ 21,900.07 -44,359.06)	4.32	(21,896.06 -44,360.67)	5.52	(21,895.08 -44,366.10)	8.73
		(21,898.81 -44,373.99)	6.51	(21,900.11 -44,367.61)	8.55		
96	10	(3/ 3)					
		(@ 21,900.11 -44,367.61)	6.51	(21,898.81 -44,373.99)	1.94	(21,900.16 -44,375.38)	7.77
96	002- 1	(21,900.16 -44,375.38)	1.94	(21,898.81 -44,373.99)	8.73	(21,895.08 -44,366.10)	5.05
		(21,893.01 -44,361.49)	2.42	(21,890.81 -44,362.50)	3.95	(21,888.19 -44,359.55)	16.29
		(21,880.57 -44,345.15)	4.96	(21,877.45 -44,341.30)	10.16	(21,871.43 -44,333.12)	9.86
		(21,866.78 -44,324.42)	4.30	(21,863.85 -44,321.27)	7.97	(21,858.76 -44,315.14)	9.56
		(21,852.36 -44,308.04)	11.39	(21,845.61 -44,298.86)	7.42	(21,841.04 -44,293.01)	6.95
		(21,838.59 -44,286.51)	9.63	(21,832.42 -44,279.11)	5.23	(@ 21,827.42 -44,277.58)	1.67
		(21,825.95 -44,278.38)	4.96	(21,823.39 -44,282.63)	6.56	(21,828.12 -44,287.18)	5.89
		(21,832.54 -44,291.08)	5.84	(21,835.86 -44,295.88)	5.06	(21,837.79 -44,300.56)	12.61
		(21,840.48 -44,312.88)	2.76	(21,840.20 -44,315.63)	1.76	(21,841.95 -44,315.80)	3.48
		(21,842.58 -44,312.38)	12.76	(21,840.04 -44,299.88)	5.56	(21,837.99 -44,294.71)	6.27
		(21,834.24 -44,289.68)	5.79	(21,830.42 -44,285.33)	5.97	(21,826.02 -44,281.30)	2.60
		(21,827.20 -44,278.98)	4.21	(21,831.27 -44,280.06)	9.73	(21,837.39 -44,287.63)	6.73

地区 ..003

作業 .. 36

原図番号 .. N1 35-1

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -44,400.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,839.94 -44,293.86)	7.44	(21,844.56 -44,299.69)	11.52	(21,851.36 -44,308.99)	9.54
		(21,857.53 -44,316.27)	8.02	(21,862.33 -44,322.69)	4.07	(21,865.28 -44,325.49)	9.86
		(21,869.92 -44,334.19)	10.42	(21,876.82 -44,342.00)	4.87	(21,880.10 -44,345.60)	3.15
		(21,881.54 -44,348.40)	13.16	(21,887.09 -44,360.33)	7.92	(21,890.89 -44,367.28)	5.22
		(21,894.10 -44,371.40)	8.10	(21,897.67 -44,378.67)	12.65	(21,900.10 -44,391.08)	15.70
96	8- 2	(4/ 4)					
		(21,900.15 -44,400.16)	9.08	(21,900.10 -44,391.08)	12.65	(21,897.67 -44,378.67)	19.92
		(21,895.73 -44,398.50)	1.68	(21,895.40 -44,400.15)	4.75		
96	001- 2	(21,895.40 -44,400.15)	1.68	(21,895.73 -44,398.50)	19.92	(21,897.67 -44,378.67)	8.10
		(21,894.10 -44,371.40)	2.21	(21,893.66 -44,373.57)	27.00	(21,888.65 -44,400.10)	6.75
96	7- 1	(2/ 2)					
		(21,888.65 -44,400.10)	27.00	(21,893.66 -44,373.57)	6.68	(21,889.49 -44,368.35)	8.33
		(21,885.51 -44,361.03)	14.15	(21,879.27 -44,348.33)	52.21	(21,872.90 -44,400.15)	15.75
96	001- 4	(21,872.90 -44,400.15)	52.21	(21,879.27 -44,348.33)	1.96	(21,878.32 -44,346.61)	53.92
		(21,871.90 -44,400.15)	1.00				
96	5	(2/ 2)					
		(21,871.90 -44,400.15)	53.92	(21,878.32 -44,346.61)	4.06	(21,875.71 -44,343.50)	16.00
		(21,860.32 -44,347.87)	15.50	(21,845.32 -44,351.76)	2.92	(21,842.53 -44,352.63)	13.31
		(21,848.76 -44,364.39)	11.54	(21,853.96 -44,374.69)	11.68	(21,860.31 -44,384.49)	15.27
		(21,862.19 -44,399.64)	3.79	(21,865.95 -44,400.09)	5.95		
96	4	(2/ 2)					
		(21,865.95 -44,400.09)	3.79	(21,862.19 -44,399.64)	0.45	(21,862.15 -44,400.09)	3.80
96	002- 2	(21,862.15 -44,400.09)	0.45	(21,862.19 -44,399.64)	15.27	(21,860.31 -44,384.49)	11.68
		(21,853.96 -44,374.69)	11.54	(21,848.76 -44,364.39)	13.31	(21,842.53 -44,352.63)	9.18
		(21,841.35 -44,343.53)	6.45	(21,841.35 -44,337.08)	19.42	(21,841.56 -44,317.66)	1.90
		(21,841.95 -44,315.80)	1.76	(21,840.20 -44,315.63)	1.96	(21,838.25 -44,315.48)	15.30
		(21,837.48 -44,330.76)	12.58	(21,836.55 -44,343.31)	7.67	(21,837.07 -44,350.96)	7.13
		(21,839.22 -44,357.76)	20.62	(21,847.23 -44,376.76)	13.52	(21,854.90 -44,387.89)	3.97
		(21,856.33 -44,391.59)	8.52	(21,856.50 -44,400.11)	5.65		
96	3	(2/ 2)					
		(21,856.50 -44,400.11)	8.52	(21,856.33 -44,391.59)	3.97	(21,854.90 -44,387.89)	13.52
		(21,847.23 -44,376.76)	20.62	(21,839.22 -44,357.76)	7.13	(21,837.07 -44,350.96)	7.67
		(21,836.55 -44,343.31)	12.58	(21,837.48 -44,330.76)	15.30	(21,838.25 -44,315.48)	1.59
		(21,836.71 -44,315.88)	3.32	(21,836.01 -44,319.13)	16.67	(21,835.27 -44,335.78)	6.78
		(21,834.10 -44,342.46)	2.77	(21,833.71 -44,345.20)	1.80	(21,833.47 -44,346.98)	2.39
		(21,832.82 -44,349.28)	2.06	(21,831.62 -44,350.96)	3.87	(21,828.92 -44,353.73)	16.54
		(21,815.69 -44,363.65)	12.60	(21,805.16 -44,370.57)	9.51	(21,808.93 -44,379.30)	9.50
		(21,813.55 -44,387.60)	15.78	(21,823.20 -44,400.08)	33.30		
96	001- 5	(21,823.20 -44,400.08)	15.78	(21,813.55 -44,387.60)	9.50	(21,808.93 -44,379.30)	9.51
		(21,805.16 -44,370.57)	1.52	(21,804.89 -44,369.07)	17.81	(21,805.42 -44,351.27)	1.49
		(21,803.93 -44,351.27)	18.37	(21,802.61 -44,369.59)	6.09	(21,804.53 -44,375.37)	14.45
		(21,811.63 -44,387.95)	15.15	(21,820.70 -44,400.08)	2.50		
96	002- 3	(21,820.70 -44,400.08)	15.15	(21,811.63 -44,387.95)	14.45	(21,804.53 -44,375.37)	6.09
		(21,802.61 -44,369.59)	18.37	(21,803.93 -44,351.27)	3.28	(21,800.65 -44,351.27)	18.90
		(21,799.59 -44,370.14)	8.19	(21,802.38 -44,377.84)	13.87	(21,809.05 -44,390.00)	12.62
		(21,816.65 -44,400.08)	4.05				
131	002- 4						

地区..003 作業..36 原図番号..N1 35-1 縮尺..1/ 500 基準点..X 21,750.00..Y -44,400.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,816.65 -44,400.08)	12.62	(21,809.05 -44,390.00)	13.87	(21,802.38 -44,377.84)	8.19
		(21,799.59 -44,370.14)	18.90	(21,800.65 -44,351.27)	9.55	(21,800.92 -44,341.72)	7.03
		(21,799.57 -44,334.82)	9.03	(21,797.93 -44,325.94)	10.22	(21,795.93 -44,315.92)	10.71
		(21,794.09 -44,305.37)	15.20	(21,790.84 -44,290.52)	8.20	(21,788.69 -44,282.61)	17.37
		(21,782.83 -44,266.26)	5.13	(21,781.70 -44,261.26)	5.65	(21,781.65 -44,255.61)	3.45
		(21,782.21 -44,252.21)	4.52	(21,783.88 -44,248.01)	4.54	(21,785.71 -44,243.86)	2.49
		(21,787.01 -44,241.74)	8.58	(21,789.54 -44,233.54)	28.42	(21,797.00 -44,206.12)	6.40
		(21,799.15 -44,200.09)	3.68	(21,795.47 -44,200.07)	5.29	(21,793.64 -44,205.03)	21.99
		(21,788.22 -44,226.34)	8.37	(21,786.21 -44,234.46)	6.67	(21,784.01 -44,240.76)	2.03
		(21,782.76 -44,242.36)	4.86	(21,780.76 -44,246.79)	5.09	(21,779.11 -44,251.61)	3.92
		(21,778.75 -44,255.51)	5.95	(21,778.85 -44,261.46)	5.68	(21,779.77 -44,267.06)	6.25
		(21,781.75 -44,272.99)	11.36	(21,785.77 -44,283.61)	7.72	(21,787.67 -44,291.09)	15.35
		(21,790.49 -44,306.18)	10.76	(21,792.58 -44,316.74)	10.05	(21,794.55 -44,326.59)	9.02
		(21,796.55 -44,335.39)	6.78	(21,797.40 -44,342.12)	12.10	(21,797.54 -44,354.22)	6.45
		(21,797.41 -44,360.67)	9.93	(21,796.66 -44,370.57)	5.47	(21,798.46 -44,375.74)	4.75
		(21,800.13 -44,380.19)	5.96	(21,802.76 -44,385.54)	7.85	(21,806.58 -44,392.40)	9.42
		(21,812.05 -44,400.07)	4.60				
131	476	(21,812.05 -44,400.07)	9.42	(21,806.58 -44,392.40)	7.85	(21,802.76 -44,385.54)	5.96
		(21,800.13 -44,380.19)	4.75	(21,798.46 -44,375.74)	5.47	(21,796.66 -44,370.57)	9.97
		(21,797.36 -44,360.62)	17.11	(21,780.56 -44,363.86)	0.93	(21,780.90 -44,364.73)	1.14
		(21,781.56 -44,365.66)	28.95	(21,785.75 -44,394.31)	5.81	(21,786.10 -44,400.11)	25.95
131	001- 6	(21,786.10 -44,400.11)	5.81	(21,785.75 -44,394.31)	28.95	(21,781.56 -44,365.66)	1.14
		(21,780.90 -44,364.73)	1.46	(21,779.96 -44,365.85)	28.90	(21,784.20 -44,394.44)	5.62
		(21,784.40 -44,400.06)	1.70				
131	475	(21,784.40 -44,400.06)	5.62	(21,784.20 -44,394.44)	28.90	(21,779.96 -44,365.85)	3.43
		(21,779.56 -44,369.26)	11.46	(21,771.46 -44,377.36)	7.93	(21,766.36 -44,383.43)	8.75
		(21,760.68 -44,390.08)	4.34	(21,758.50 -44,393.83)	4.65	(21,757.65 -44,398.40)	1.65
		(21,757.55 -44,400.05)	26.85				
131	002- 5	(21,757.55 -44,400.05)	1.65	(21,757.65 -44,398.40)	4.65	(21,758.50 -44,393.83)	4.34
		(21,760.68 -44,390.08)	8.75	(21,766.36 -44,383.43)	7.93	(21,771.46 -44,377.36)	11.46
		(21,779.56 -44,369.26)	3.43	(21,779.96 -44,365.85)	1.46	(21,780.90 -44,364.73)	0.93
		(21,780.56 -44,363.86)	6.05	(21,777.87 -44,358.44)	4.43	(21,776.54 -44,354.21)	8.16
		(21,775.42 -44,346.13)	7.77	(21,775.15 -44,338.36)	7.76	(21,773.83 -44,330.71)	5.55
		(21,773.33 -44,325.18)	9.65	(21,773.03 -44,315.53)	7.52	(21,772.88 -44,308.01)	9.00
		(21,772.59 -44,299.01)	18.95	(21,771.19 -44,280.11)	11.86	(21,770.80 -44,268.26)	9.06
		(21,771.23 -44,259.21)	8.55	(21,771.16 -44,250.66)	8.57	(21,770.52 -44,242.11)	8.45
		(21,769.59 -44,233.71)	12.70	(21,769.69 -44,221.01)	6.55	(21,770.88 -44,214.57)	3.36
		(21,771.47 -44,211.26)	5.25	(21,772.90 -44,206.21)	6.57	(21,775.22 -44,200.06)	1.84
		(21,773.42 -44,200.46)	5.26	(21,771.55 -44,205.38)	1.92	(21,771.05 -44,207.23)	4.74
		(21,769.86 -44,211.82)	3.54	(21,768.44 -44,215.06)	5.64	(21,767.50 -44,220.62)	12.30
		(21,766.10 -44,232.84)	7.55	(21,767.61 -44,240.24)	18.55	(21,768.73 -44,258.76)	3.66
		(21,768.48 -44,262.41)	2.30	(21,767.82 -44,264.61)	4.86	(21,767.58 -44,269.46)	9.61
		(21,768.62 -44,279.01)	17.15	(21,770.26 -44,296.08)	11.46	(21,770.63 -44,307.53)	6.54
		(21,770.85 -44,314.07)	2.14	(21,770.88 -44,316.21)	10.05	(21,770.98 -44,326.26)	5.21
		(21,771.33 -44,331.46)	7.04	(21,772.65 -44,338.38)	7.88	(21,772.90 -44,346.26)	8.34
		(21,773.72 -44,354.56)	4.43	(21,774.97 -44,358.81)	6.22	(21,778.06 -44,364.21)	1.80
		(21,778.16 -44,366.01)	2.38	(21,777.09 -44,368.14)	6.54	(21,772.24 -44,372.53)	7.65
		(21,767.17 -44,378.26)	15.22	(21,757.73 -44,390.20)	3.72	(21,756.23 -44,393.60)	5.72

地区 ..003 作業 .. 36 原図番号 .. N1 35-1 縮尺 ..1/ 500 基準点 ..X 21,750.00..Y -44,400.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

131	483	(21,755.20 (2 / 4)	-44,399.23)	0.82	(21,755.20	-44,400.05)	2.35		
		(21,755.20	-44,400.05)	0.82	(21,755.20	-44,399.23)	5.72	(21,756.23	-44,393.60) 3.72
		(21,757.73	-44,390.20)	15.22	(21,767.17	-44,378.26)	17.21	(21,750.03	-44,379.83) 20.22
96	6- 1	(21,750.05	-44,400.05)	5.15					
		(21,845.32	-44,351.76)	15.50	(21,860.32	-44,347.87)	16.00	(21,875.71	-44,343.50) 1.87
		(21,876.82	-44,342.00)	10.42	(21,869.92	-44,334.19)	9.86	(21,865.28	-44,325.49) 4.07
		(21,862.33	-44,322.69)	8.02	(21,857.53	-44,316.27)	9.54	(21,851.36	-44,308.99) 11.52
		(21,844.56	-44,299.69)	7.44	(21,839.94	-44,293.86)	6.73	(21,837.39	-44,287.63) 9.73
		(21,831.27	-44,280.06)	4.21	(21,827.20	-44,278.98)	2.60	(21,826.02	-44,281.30) 5.97
		(21,830.42	-44,285.33)	5.79	(21,834.24	-44,289.68)	6.27	(21,837.99	-44,294.71) 5.56
		(21,840.04	-44,299.88)	12.76	(21,842.58	-44,312.38)	3.48	(21,841.95	-44,315.80) 1.90
		(21,841.56	-44,317.66)	19.42	(21,841.35	-44,337.08)	6.45	(21,841.35	-44,343.53) 9.18
		(21,842.53	-44,352.63)	2.92					