

地区 ..003

作業 .. 37 原図番号 .. N1 35-2

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -44,200.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,750.00 -44,200.00)	50.03	(21,800.03 -44,200.06)	50.00	(21,850.03 -44,200.07)	49.97
		(21,900.00 -44,200.09)	50.00	(21,900.01 -44,150.09)	49.98	(21,900.03 -44,100.11)	50.00
		(21,899.99 -44,050.11)	49.97	(21,900.03 -44,000.14)	50.00	(21,850.03 -44,000.12)	50.05
		(21,799.98 -44,000.06)	49.98	(21,750.00 -44,000.07)	50.03	(21,750.01 -44,050.10)	49.45
		(21,750.00 -44,099.55)	50.55	(21,749.99 -44,150.10)	49.90		
125	287-	1 (2/ 4)					
		(21,750.00 -44,200.00)	8.65	(21,758.65 -44,200.04)	11.79	(21,761.56 -44,188.61)	4.24
		(21,763.97 -44,185.12)	7.23	(21,768.70 -44,179.65)	6.38	(21,773.13 -44,175.06)	4.42
		(21,775.12 -44,171.11)	6.21	(21,778.45 -44,165.87)	2.01	(21,780.14 -44,164.79)	1.95
		(21,780.94 -44,163.01)	3.75	(21,780.17 -44,159.34)	5.43	(21,780.13 -44,153.91)	1.89
		(21,779.35 -44,152.19)	6.40	(21,773.02 -44,153.16)	15.17	(21,758.14 -44,156.12)	8.28
		(21,750.02 -44,157.75)	42.25				
125	287-	2 (1/ 2)					
		(21,750.02 -44,157.75)	8.28	(21,758.14 -44,156.12)	15.17	(21,773.02 -44,153.16)	6.40
		(21,779.35 -44,152.19)	1.13	(21,778.82 -44,151.19)	3.12	(21,778.88 -44,148.07)	1.86
		(21,779.14 -44,146.23)	4.57	(21,774.65 -44,147.08)	17.57	(21,757.36 -44,150.22)	7.46
		(21,750.06 -44,151.74)	0.00	(21,750.06 -44,151.74)	6.01		
125	292-	1 (1/ 2)					
		(21,750.06 -44,151.74)	0.00	(21,750.06 -44,151.74)	14.02	(21,754.84 -44,138.56)	4.16
		(21,755.91 -44,134.54)	6.20	(21,749.97 -44,132.75)	18.99		
125	293	(1/ 2)					
		(21,749.97 -44,132.75)	6.20	(21,755.91 -44,134.54)	6.83	(21,756.68 -44,127.75)	0.83
		(21,756.77 -44,126.92)	5.47	(21,756.96 -44,121.45)	3.05	(21,757.02 -44,118.40)	3.18
		(21,756.66 -44,115.24)	6.78	(21,750.00 -44,113.95)	18.80		
125	298	(1/ 2)					
		(21,750.00 -44,113.95)	6.78	(21,756.66 -44,115.24)	5.47	(21,755.84 -44,109.83)	5.15
		(21,754.82 -44,104.78)	5.92	(21,754.35 -44,098.88)	5.16	(21,754.65 -44,093.73)	0.98
		(21,754.91 -44,092.78)	5.54	(21,749.96 -44,090.30)	23.65		
125	295-	2 (1/ 2)					
		(21,749.96 -44,090.30)	5.54	(21,754.91 -44,092.78)	3.83	(21,758.72 -44,093.12)	5.33
		(21,764.02 -44,092.60)	7.58	(21,771.52 -44,091.47)	26.37	(21,760.94 -44,067.32)	13.00
		(21,750.00 -44,074.35)	15.95				
125	296	(1/ 2)					
		(21,750.00 -44,074.35)	13.00	(21,760.94 -44,067.32)	24.33	(21,781.43 -44,054.20)	9.90
		(21,780.12 -44,044.39)	7.90	(21,780.19 -44,036.49)	6.54	(21,778.49 -44,030.17)	13.44
		(21,771.22 -44,018.87)	5.35	(21,768.93 -44,014.03)	2.11	(21,767.22 -44,012.79)	4.73
		(21,764.54 -44,016.69)	12.25	(21,757.17 -44,026.47)	7.71	(21,752.35 -44,032.49)	3.43
		(21,749.96 -44,034.95)	39.40				
126	002-	9					
		(21,749.96 -44,034.95)	3.43	(21,752.35 -44,032.49)	7.71	(21,757.17 -44,026.47)	12.25
		(21,764.54 -44,016.69)	4.73	(21,767.22 -44,012.79)	13.12	(21,772.28 -44,000.68)	0.65
		(21,772.48 -44,000.06)	3.30	(21,769.18 -44,000.08)	3.70	(21,767.84 -44,003.53)	8.21
		(21,764.37 -44,010.97)	2.68	(21,763.40 -44,013.47)	20.68	(21,749.98 -44,029.20)	5.75
126	001-	2					
		(21,749.98 -44,029.20)	20.68	(21,763.40 -44,013.47)	2.68	(21,764.37 -44,010.97)	8.21
		(21,767.84 -44,003.53)	3.70	(21,769.18 -44,000.08)	2.00	(21,767.18 -44,000.08)	3.04
		(21,766.16 -44,002.94)	7.86	(21,762.91 -44,010.10)	5.05	(21,760.25 -44,014.39)	15.85
		(21,749.97 -44,026.45)	2.75				
126	314	(1/ 4)					
		(21,749.97 -44,026.45)	15.85	(21,760.25 -44,014.39)	5.05	(21,762.91 -44,010.10)	7.86
		(21,766.16 -44,002.94)	3.04	(21,767.18 -44,000.08)	17.18	(21,750.00 -44,000.07)	26.38

地区 ..003 作業 .. 37 原図番号 .. N1 35-2 縮尺 ..1/ 500 基準点 ..X 21,750.00..Y -44,200.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

126	002-	8	(a 21,772.70 -44,000.06)	0.75	(21,772.28 -44,000.68)	13.12	(21,767.22 -44,012.79)	8.10
			(21,775.31 -44,013.20)	4.02	(21,775.46 -44,009.18)	5.89	(21,777.49 -44,003.65)	4.72
			(21,780.58 -44,000.08)	7.88				
126	316-	1 (1/ 2)	(a 21,772.48 -44,000.06)	0.65	(21,772.28 -44,000.68)	0.75	(21,772.70 -44,000.06)	0.22
130	001-	1	(a 21,780.58 -44,000.08)	4.72	(21,777.49 -44,003.65)	5.89	(21,775.46 -44,009.18)	4.02
			(21,775.31 -44,013.20)	6.05	(21,777.89 -44,018.67)	7.62	(21,782.17 -44,024.98)	3.94
			(21,784.48 -44,028.17)	3.22	(21,785.79 -44,031.11)	3.66	(21,786.56 -44,034.69)	6.41
			(21,786.83 -44,041.09)	12.22	(21,786.87 -44,053.31)	14.95	(21,789.03 -44,068.10)	6.76
			(21,789.31 -44,074.85)	5.45	(21,790.35 -44,080.20)	2.38	(21,790.82 -44,082.53)	2.25
			(21,793.07 -44,082.47)	3.06	(21,792.90 -44,079.41)	11.61	(21,791.48 -44,067.89)	13.99
			(21,789.83 -44,054.00)	5.17	(21,789.43 -44,048.85)	5.47	(21,789.39 -44,043.38)	6.84
			(21,788.96 -44,036.55)	5.75	(21,788.14 -44,030.86)	2.72	(21,787.28 -44,028.28)	3.89
			(21,785.29 -44,024.94)	10.55	(21,779.44 -44,016.16)	3.70	(21,778.17 -44,012.69)	3.46
			(21,778.43 -44,009.24)	3.47	(21,779.55 -44,005.96)	4.04	(21,782.11 -44,002.83)	2.12
			(21,783.58 -44,001.30)	1.95	(21,785.13 -44,000.12)	4.55		
130	461	(1/ 2)	(21,785.13 -44,000.12)	1.95	(21,783.58 -44,001.30)	2.12	(21,782.11 -44,002.83)	4.04
			(21,779.55 -44,005.96)	3.47	(21,778.43 -44,009.24)	3.46	(21,778.17 -44,012.69)	3.70
			(21,779.44 -44,016.16)	10.55	(21,785.29 -44,024.94)	3.89	(21,787.28 -44,028.28)	2.72
			(21,788.14 -44,030.86)	5.75	(21,788.96 -44,036.55)	6.84	(21,789.39 -44,043.38)	5.47
			(21,789.43 -44,048.85)	5.17	(21,789.83 -44,054.00)	11.25	(21,800.39 -44,050.13)	2.79
			(21,803.11 -44,049.52)	2.86	(21,805.91 -44,050.09)	2.59	(21,808.24 -44,051.21)	0.80
			(21,808.66 -44,050.53)	2.26	(21,810.72 -44,051.45)	2.94	(21,813.64 -44,051.76)	6.10
			(21,819.74 -44,051.89)	3.50	(21,823.23 -44,051.62)	11.74	(21,822.15 -44,039.93)	6.66
			(21,820.60 -44,033.45)	1.20	(21,819.70 -44,032.66)	39.14	(a 21,798.03 -44,000.07)	12.90
130	002-	3	(21,798.03 -44,000.07)	39.14	(21,819.70 -44,032.66)	1.20	(21,820.60 -44,033.45)	1.06
			(21,820.46 -44,032.40)	38.80	(a 21,799.03 -44,000.06)	1.00		
130	460	(1/ 2)	(a 21,799.03 -44,000.06)	38.80	(21,820.46 -44,032.40)	1.62	(21,822.07 -44,032.20)	4.76
			(21,826.82 -44,032.46)	2.89	(21,829.22 -44,034.07)	8.98	(21,834.33 -44,026.68)	9.54
			(21,838.37 -44,018.04)	5.72	(21,840.10 -44,012.59)	7.48	(21,839.97 -44,005.11)	5.37
			(21,837.98 -44,000.12)	38.95				
130	002-	1	(21,837.98 -44,000.12)	5.37	(21,839.97 -44,005.11)	7.48	(21,840.10 -44,012.59)	5.72
			(21,838.37 -44,018.04)	9.54	(21,834.33 -44,026.68)	8.98	(21,829.22 -44,034.07)	2.65
			(21,828.81 -44,036.69)	3.90	(21,827.28 -44,040.28)	3.86	(21,826.82 -44,044.11)	3.14
			(21,827.85 -44,047.08)	11.16	(21,833.79 -44,056.53)	8.16	(21,836.57 -44,064.20)	8.66
			(21,837.45 -44,072.82)	10.86	(21,837.96 -44,083.67)	7.01	(21,837.59 -44,090.67)	7.84
			(21,834.34 -44,097.81)	7.69	(21,830.77 -44,104.62)	9.71	(21,823.89 -44,111.47)	7.71
			(21,820.14 -44,118.21)	14.42	(21,811.46 -44,129.72)	2.56	(21,813.82 -44,130.70)	14.49
			(21,822.82 -44,119.35)	7.67	(21,826.65 -44,112.71)	9.43	(21,833.02 -44,105.76)	7.98
			(21,836.45 -44,098.55)	5.41	(21,839.03 -44,093.79)	2.90	(21,840.09 -44,091.09)	6.29
			(21,840.39 -44,084.81)	12.16	(21,840.02 -44,072.66)	8.98	(21,838.76 -44,063.77)	9.23
			(21,835.38 -44,055.18)	10.31	(21,829.95 -44,046.42)	2.67	(21,829.14 -44,043.88)	3.12
			(21,829.53 -44,040.78)	14.22	(21,836.43 -44,028.35)	9.71	(21,840.70 -44,019.63)	6.77
			(21,843.03 -44,013.27)	9.87	(21,842.74 -44,003.40)	3.62	(a 21,841.23 -44,000.11)	3.25
130	000-	1	(a 21,841.23 -44,000.11)	3.62	(21,842.74 -44,003.40)	9.87	(21,843.03 -44,013.27)	6.77

地区 ..003

作業 .. 37 原図番号 .. N1 35-2

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -44,200.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,840.70 -44,019.63)	9.71	(21,836.43 -44,028.35)	14.22	(21,829.53 -44,040.78)	3.12
		(21,829.14 -44,043.88)	2.67	(21,829.95 -44,046.42)	10.31	(21,835.38 -44,055.18)	9.23
		(21,838.76 -44,063.77)	8.98	(21,840.02 -44,072.66)	12.16	(21,840.39 -44,084.81)	6.29
		(21,840.09 -44,091.09)	2.90	(21,839.03 -44,093.79)	5.41	(21,836.45 -44,098.55)	7.98
		(21,833.02 -44,105.76)	9.43	(21,826.65 -44,112.71)	7.67	(21,822.82 -44,119.35)	14.49
		(21,813.82 -44,130.70)	14.59	(21,811.27 -44,145.07)	4.46	(21,811.49 -44,149.52)	6.98
		(21,812.39 -44,156.44)	9.13	(21,813.60 -44,165.49)	3.80	(21,813.16 -44,169.26)	5.66
		(21,811.48 -44,174.67)	10.64	(21,805.81 -44,183.67)	0.40	(21,805.57 -44,183.99)	8.10
		(21,802.19 -44,191.35)	9.26	(21,799.08 -44,200.07)	50.95	(21,850.03 -44,200.07)	49.97
		(21,900.00 -44,200.09)	50.00	(21,900.01 -44,150.09)	49.98	(21,900.03 -44,100.11)	50.00
		(21,899.99 -44,050.11)	49.97	(21,900.03 -44,000.14)	58.80		
131	002- 5						
		(21,799.08 -44,200.07)	9.26	(21,802.19 -44,191.35)	8.10	(21,805.57 -44,183.99)	0.40
		(21,805.81 -44,183.67)	10.64	(21,811.48 -44,174.67)	5.66	(21,813.16 -44,169.26)	3.80
		(21,813.60 -44,165.49)	9.13	(21,812.39 -44,156.44)	6.98	(21,811.49 -44,149.52)	4.46
		(21,811.27 -44,145.07)	14.59	(21,813.82 -44,130.70)	2.56	(21,811.46 -44,129.72)	10.73
		(21,807.22 -44,139.58)	3.82	(21,807.74 -44,143.36)	0.73	(21,807.01 -44,143.44)	5.73
		(21,807.50 -44,149.15)	4.34	(21,807.80 -44,153.48)	3.76	(21,809.11 -44,157.00)	4.36
		(21,810.68 -44,161.07)	5.44	(21,811.65 -44,166.42)	4.20	(21,811.02 -44,170.57)	5.46
		(21,808.98 -44,175.63)	10.23	(21,802.21 -44,183.30)	1.30	(21,801.54 -44,184.41)	3.67
		(21,799.50 -44,187.46)	2.70	(21,799.19 -44,190.14)	10.59	(21,795.53 -44,200.08)	3.55
131	470- 3	(21,795.53 -44,200.08)	10.59	(21,799.19 -44,190.14)	2.70	(21,799.50 -44,187.46)	3.67
		(21,801.54 -44,184.41)	14.61	(21,787.18 -44,187.11)	1.90	(21,787.08 -44,189.01)	2.56
		(21,786.54 -44,191.51)	4.11	(21,784.41 -44,195.02)	1.83	(21,782.96 -44,196.13)	3.06
		(21,780.42 -44,197.84)	1.16	(21,780.57 -44,198.99)	5.51	(21,775.18 -44,200.11)	20.35
131	002- 6						
		(21,775.18 -44,200.11)	2.24	(21,776.07 -44,198.05)	3.59	(21,777.36 -44,194.70)	17.77
		(21,784.24 -44,178.32)	20.31	(21,792.20 -44,159.64)	9.99	(21,795.89 -44,150.36)	9.06
		(21,799.19 -44,141.92)	23.25	(21,801.70 -44,118.81)	5.58	(21,802.06 -44,113.24)	2.84
		(21,799.62 -44,114.70)	3.89	(21,799.47 -44,118.59)	9.87	(21,798.34 -44,128.40)	5.83
		(21,797.73 -44,134.20)	7.21	(21,796.96 -44,141.37)	1.86	(21,796.76 -44,143.22)	7.43
		(21,794.04 -44,150.13)	10.60	(21,790.18 -44,160.00)	19.79	(21,782.89 -44,178.40)	13.89
		(21,777.09 -44,191.02)	8.38	(21,774.12 -44,198.86)	1.32	(21,773.58 -44,200.06)	1.60
131	471- 2	(21,773.58 -44,200.06)	1.32	(21,774.12 -44,198.86)	8.38	(21,777.09 -44,191.02)	13.89
		(21,782.89 -44,178.40)	19.79	(21,790.18 -44,160.00)	1.67	(21,788.53 -44,160.28)	3.00
		(21,788.14 -44,157.31)	2.67	(21,786.88 -44,154.96)	1.22	(21,785.84 -44,154.33)	11.84
		(21,787.07 -44,166.11)	2.51	(21,786.46 -44,168.54)	20.17	(21,774.99 -44,185.13)	7.32
		(21,770.79 -44,191.12)	5.10	(21,767.71 -44,195.18)	4.24	(21,767.50 -44,199.41)	0.73
		(21,767.78 -44,200.08)	5.80				
125	002- 7						
		(21,767.78 -44,200.08)	0.73	(21,767.50 -44,199.41)	4.24	(21,767.71 -44,195.18)	5.10
		(21,770.79 -44,191.12)	7.32	(21,774.99 -44,185.13)	20.17	(21,786.46 -44,168.54)	2.51
		(21,787.07 -44,166.11)	11.84	(21,785.84 -44,154.33)	3.52	(21,785.52 -44,150.82)	6.84
		(21,786.87 -44,144.11)	1.57	(21,787.51 -44,142.68)	5.97	(21,790.04 -44,137.27)	1.43
		(21,790.74 -44,136.02)	4.44	(21,793.01 -44,132.20)	1.71	(21,792.91 -44,130.49)	2.64
		(21,793.76 -44,127.99)	2.62	(21,794.65 -44,125.53)	6.88	(21,796.07 -44,118.80)	4.14
		(21,796.46 -44,114.68)	2.54	(21,796.72 -44,112.15)	7.08	(21,796.67 -44,105.07)	5.41
		(21,795.70 -44,099.75)	12.92	(21,792.27 -44,087.29)	4.98	(21,790.82 -44,082.53)	2.38
		(21,790.35 -44,080.20)	5.45	(21,789.31 -44,074.85)	6.76	(21,789.03 -44,068.10)	14.95
		(21,786.87 -44,053.31)	12.22	(21,786.83 -44,041.09)	6.41	(21,786.56 -44,034.69)	3.66

地区 ..003

作業 .. 37

原図番号 .. N1 35-2

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -44,200.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,785.79 -44,031.11)	3.22	(21,784.48 -44,028.17)	3.94	(21,782.17 -44,024.98)	7.62
		(21,777.89 -44,018.67)	6.05	(21,775.31 -44,013.20)	8.10	(21,767.22 -44,012.79)	2.11
		(21,768.93 -44,014.03)	5.35	(21,771.22 -44,018.87)	13.44	(21,778.49 -44,030.17)	6.54
		(21,780.19 -44,036.49)	7.90	(21,780.12 -44,044.39)	9.90	(21,781.43 -44,054.20)	5.58
		(21,781.32 -44,059.78)	10.19	(21,783.31 -44,069.77)	15.67	(21,784.75 -44,085.37)	4.04
		(21,785.61 -44,089.32)	12.62	(21,789.63 -44,101.28)	6.25	(21,791.13 -44,107.35)	6.65
		(21,790.30 -44,113.95)	6.85	(21,788.78 -44,120.63)	4.78	(21,787.71 -44,125.29)	3.14
		(21,787.06 -44,128.36)	5.78	(21,783.97 -44,133.25)	3.90	(21,782.59 -44,136.90)	5.88
		(21,779.93 -44,142.14)	2.30	(21,779.44 -44,144.39)	1.86	(21,779.14 -44,146.23)	1.86
		(21,778.88 -44,148.07)	3.12	(21,778.82 -44,151.19)	1.13	(21,779.35 -44,152.19)	1.89
		(21,780.13 -44,153.91)	5.43	(21,780.17 -44,159.34)	3.75	(21,780.94 -44,163.01)	1.95
		(21,780.14 -44,164.79)	2.01	(21,778.45 -44,165.87)	6.21	(21,775.12 -44,171.11)	4.42
		(21,773.13 -44,175.06)	6.38	(21,768.70 -44,179.65)	7.23	(21,763.97 -44,185.12)	4.24
		(21,761.56 -44,188.61)	11.79	(21,758.65 -44,200.04)	9.13		
125	288-	1					
		(21,756.68 -44,127.75)	6.83	(21,755.91 -44,134.54)	4.16	(21,754.84 -44,138.56)	14.02
		(21,750.06 -44,151.74)	7.46	(21,757.36 -44,150.22)	17.57	(21,774.65 -44,147.08)	4.57
		(21,779.14 -44,146.23)	1.86	(21,779.44 -44,144.39)	2.30	(21,779.93 -44,142.14)	5.88
		(21,782.59 -44,136.90)	3.90	(21,783.97 -44,133.25)	5.78	(21,787.06 -44,128.36)	3.14
		(21,787.71 -44,125.29)	3.79	(21,783.93 -44,125.49)	27.20	(21,756.77 -44,126.92)	0.83
125	294-	2					
		(21,756.77 -44,126.92)	27.20	(21,783.93 -44,125.49)	9.96	(21,787.61 -44,116.23)	2.08
		(21,787.83 -44,114.16)	1.36	(21,788.10 -44,112.83)	1.10	(21,788.09 -44,111.73)	1.52
		(21,788.04 -44,110.21)	2.51	(21,787.88 -44,107.71)	2.67	(21,787.59 -44,105.06)	2.13
		(21,787.26 -44,102.96)	3.41	(21,786.40 -44,099.66)	10.49	(21,783.01 -44,089.73)	5.99
		(21,777.12 -44,090.80)	5.64	(21,771.52 -44,091.47)	7.58	(21,764.02 -44,092.60)	5.33
		(21,758.72 -44,093.12)	3.83	(21,754.91 -44,092.78)	0.98	(21,754.65 -44,093.73)	5.16
		(21,754.35 -44,098.88)	5.92	(21,754.82 -44,104.78)	5.15	(21,755.84 -44,109.83)	5.47
		(21,756.66 -44,115.24)	3.18	(21,757.02 -44,118.40)	3.05	(21,756.96 -44,121.45)	5.47
125	294-	1					
		(21,783.01 -44,089.73)	10.49	(21,786.40 -44,099.66)	3.41	(21,787.26 -44,102.96)	2.13
		(21,787.59 -44,105.06)	2.67	(21,787.88 -44,107.71)	2.51	(21,788.04 -44,110.21)	1.52
		(21,788.09 -44,111.73)	1.10	(21,788.10 -44,112.83)	1.36	(21,787.83 -44,114.16)	2.08
		(21,787.61 -44,116.23)	9.96	(21,783.93 -44,125.49)	3.79	(21,787.71 -44,125.29)	4.78
		(21,788.78 -44,120.63)	6.85	(21,790.30 -44,113.95)	6.65	(21,791.13 -44,107.35)	6.25
		(21,789.63 -44,101.28)	12.62	(21,785.61 -44,089.32)	2.63		
125	295-	1					
		(21,785.61 -44,089.32)	4.04	(21,784.75 -44,085.37)	15.67	(21,783.31 -44,069.77)	10.19
		(21,781.32 -44,059.78)	5.58	(21,781.43 -44,054.20)	24.33	(21,760.94 -44,067.32)	26.37
		(21,771.52 -44,091.47)	5.64	(21,777.12 -44,090.80)	5.99	(21,783.01 -44,089.73)	2.63
130	466						
		(21,792.27 -44,087.29)	12.92	(21,795.70 -44,099.75)	5.41	(21,796.67 -44,105.07)	7.08
		(21,796.72 -44,112.15)	2.54	(21,796.46 -44,114.68)	3.16	(21,799.62 -44,114.70)	13.74
		(21,799.75 -44,100.96)	14.17	(21,796.05 -44,087.28)	3.78		
130	002-	4					
		(21,796.05 -44,087.28)	14.17	(21,799.75 -44,100.96)	13.74	(21,799.62 -44,114.70)	2.84
		(21,802.06 -44,113.24)	14.09	(21,802.20 -44,099.15)	13.02	(21,798.50 -44,086.67)	2.51
		(21,797.24 -44,084.50)	2.05	(21,795.59 -44,083.28)	2.65	(21,793.07 -44,082.47)	2.25
		(21,790.82 -44,082.53)	4.98	(21,792.27 -44,087.29)	3.78		
130	462						
		(21,793.07 -44,082.47)	2.65	(21,795.59 -44,083.28)	2.05	(21,797.24 -44,084.50)	2.51
		(21,798.50 -44,086.67)	13.02	(21,802.20 -44,099.15)	14.09	(21,802.06 -44,113.24)	11.56

地区 ..003

作業 .. 37

原図番号 .. N1 35-2

縮尺 ..1/ 500

基準点 ..X 21,750.00..Y -44,200.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,813.60 -44,113.90)	15.38	(21,823.16 -44,101.85)	11.50	(21,829.42 -44,092.20)	4.35
		(21,830.08 -44,087.90)	23.78	(21,826.09 -44,064.46)	13.15	(21,823.23 -44,051.62)	3.50
		(21,819.74 -44,051.89)	6.10	(21,813.64 -44,051.76)	2.94	(21,810.72 -44,051.45)	2.26
		(21,808.66 -44,050.53)	0.80	(21,808.24 -44,051.21)	2.59	(21,805.91 -44,050.09)	2.86
		(@ 21,803.11 -44,049.52)	2.79	(21,800.39 -44,050.13)	11.25	(21,789.83 -44,054.00)	13.99
		(21,791.48 -44,067.89)	11.61	(21,792.90 -44,079.41)	3.06		
130	002- 2	(21,829.22 -44,034.07)	2.89	(21,826.82 -44,032.46)	4.76	(@ 21,822.07 -44,032.20)	1.62
		(21,820.46 -44,032.40)	1.06	(21,820.60 -44,033.45)	6.66	(21,822.15 -44,039.93)	11.74
		(21,823.23 -44,051.62)	13.15	(21,826.09 -44,064.46)	23.78	(21,830.08 -44,087.90)	4.35
		(21,829.42 -44,092.20)	11.50	(21,823.16 -44,101.85)	15.38	(21,813.60 -44,113.90)	3.13
		(21,816.06 -44,115.83)	15.95	(21,825.91 -44,103.29)	12.55	(21,832.62 -44,092.69)	3.78
		(21,833.48 -44,089.01)	25.57	(21,828.91 -44,063.85)	12.68	(21,826.22 -44,051.46)	12.07
		(21,824.82 -44,039.47)	6.16	(21,822.65 -44,033.70)	3.58	(21,826.23 -44,033.71)	2.57
		(21,828.18 -44,035.38)	1.45	(21,828.81 -44,036.69)	2.65		
130	465	(21,828.81 -44,036.69)	1.45	(21,828.18 -44,035.38)	2.57	(21,826.23 -44,033.71)	3.58
		(@ 21,822.65 -44,033.70)	6.16	(21,824.82 -44,039.47)	12.07	(21,826.22 -44,051.46)	12.68
		(21,828.91 -44,063.85)	25.57	(21,833.48 -44,089.01)	3.78	(21,832.62 -44,092.69)	12.55
		(21,825.91 -44,103.29)	15.95	(21,816.06 -44,115.83)	3.13	(21,813.60 -44,113.90)	8.77
		(21,811.98 -44,122.52)	7.03	(21,809.51 -44,129.10)	2.05	(21,811.46 -44,129.72)	14.42
		(21,820.14 -44,118.21)	7.71	(21,823.89 -44,111.47)	9.71	(21,830.77 -44,104.62)	7.69
		(21,834.34 -44,097.81)	7.84	(21,837.59 -44,090.67)	7.01	(21,837.96 -44,083.67)	10.86
		(21,837.45 -44,072.82)	8.66	(21,836.57 -44,064.20)	8.16	(21,833.79 -44,056.53)	11.16
		(21,827.85 -44,047.08)	3.14	(21,826.82 -44,044.11)	3.86	(21,827.28 -44,040.28)	3.90
131	467- 1	(@ 21,802.06 -44,113.24)	5.58	(21,801.70 -44,118.81)	23.25	(21,799.19 -44,141.92)	2.66
		(21,798.92 -44,144.57)	8.17	(21,807.01 -44,143.44)	0.73	(21,807.74 -44,143.36)	3.82
		(21,807.22 -44,139.58)	10.73	(21,811.46 -44,129.72)	2.05	(21,809.51 -44,129.10)	7.03
		(21,811.98 -44,122.52)	8.77	(21,813.60 -44,113.90)	11.56		
131	468- 2	(21,798.34 -44,128.40)	9.87	(21,799.47 -44,118.59)	3.89	(21,799.62 -44,114.70)	3.16
		(@ 21,796.46 -44,114.68)	4.14	(21,796.07 -44,118.80)	6.88	(21,794.65 -44,125.53)	2.62
		(21,793.76 -44,127.99)	4.60				
131	468- 1	(@ 21,793.76 -44,127.99)	2.64	(21,792.91 -44,130.49)	1.71	(21,793.01 -44,132.20)	3.47
		(21,793.23 -44,135.66)	5.52	(21,794.50 -44,141.03)	2.48	(21,796.96 -44,141.37)	7.21
		(21,797.73 -44,134.20)	5.83	(21,798.34 -44,128.40)	4.60		
131	469	(21,790.18 -44,160.00)	10.60	(21,794.04 -44,150.13)	7.43	(21,796.76 -44,143.22)	1.86
		(21,796.96 -44,141.37)	2.48	(21,794.50 -44,141.03)	5.52	(21,793.23 -44,135.66)	3.47
		(@ 21,793.01 -44,132.20)	4.44	(21,790.74 -44,136.02)	1.43	(21,790.04 -44,137.27)	5.97
		(21,787.51 -44,142.68)	1.57	(21,786.87 -44,144.11)	6.84	(21,785.52 -44,150.82)	3.52
		(21,785.84 -44,154.33)	1.22	(21,786.88 -44,154.96)	2.67	(21,788.14 -44,157.31)	3.00
		(21,788.53 -44,160.28)	1.67				
131	470- 6	(21,792.20 -44,159.64)	17.11	(21,809.11 -44,157.00)	3.76	(21,807.80 -44,153.48)	4.34
		(@ 21,807.50 -44,149.15)	11.67	(21,795.89 -44,150.36)	9.99		
131	467- 2	(21,795.89 -44,150.36)	11.67	(21,807.50 -44,149.15)	5.73	(21,807.01 -44,143.44)	8.17
		(21,798.92 -44,144.57)	2.66	(@ 21,799.19 -44,141.92)	9.06		
131	470- 2						

地区 ..003 作業 .. 37 原図番号 .. N1 35-2 縮尺 ..1/ 500 基準点 ..X 21,750.00..Y -44,200.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

(21,792.22	-44,159.64)	20.31	(21,784.24	-44,178.32)	17.77	(21,777.36	-44,194.70)	3.59
(21,776.07	-44,198.05)	2.29	(21,775.18	-44,200.16)	5.52	(21,780.57	-44,198.99)	1.16
(21,780.42	-44,197.84)	3.06	(21,782.96	-44,196.13)	1.83	(21,784.41	-44,195.02)	4.11
(21,786.54	-44,191.51)	2.56	(21,787.08	-44,189.01)	1.90	(21,787.18	-44,187.11)	14.59
(21,801.52	-44,184.41)	1.31	(21,802.21	-44,183.30)	10.23	(21,808.98	-44,175.63)	5.46
(21,811.02	-44,170.57)	4.20	(21,811.65	-44,166.42)	5.44	(21,810.68	-44,161.07)	4.38
(a 21,809.11	-44,156.98)	17.10						