

地区 ..003

作業 .. 38 原図番号 .. N1 35-3

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -44,400.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,600.00 -44,400.00)	50.00	(21,650.00 -44,400.05)	50.00	(21,700.00 -44,400.10)	50.00
		(21,750.00 -44,400.15)	50.00	(21,750.00 -44,350.15)	50.05	(21,750.00 -44,300.10)	50.00
		(21,750.00 -44,250.10)	49.98	(21,750.00 -44,200.12)	49.95	(21,700.05 -44,200.10)	50.07
		(21,649.98 -44,200.05)	49.98	(21,600.00 -44,200.00)	50.00	(21,600.00 -44,250.00)	49.95
		(21,600.00 -44,299.95)	50.05	(21,600.00 -44,350.00)	50.00		
132	505-	1 (2/ 3)					
		(21,627.78 -44,400.02)	3.50	(21,627.75 -44,396.52)	5.82	(21,627.06 -44,390.74)	25.86
		(21,602.92 -44,400.00)	24.86				
132	001-	4					
		(21,600.00 -44,400.00)	2.92	(21,602.92 -44,400.00)	25.86	(21,627.06 -44,390.74)	2.45
		(21,627.07 -44,388.29)	28.98	(21,600.00 -44,398.65)	1.35		
132	507-	1 (1/ 3)					
		(21,600.00 -44,398.65)	28.98	(21,627.07 -44,388.29)	7.90	(21,626.78 -44,380.40)	2.94
		(21,627.38 -44,377.52)	3.55	(21,629.35 -44,374.57)	8.71	(21,634.22 -44,367.35)	35.21
		(21,599.98 -44,375.55)	23.10				
132	508-	1 (1/ 2)					
		(21,599.98 -44,375.55)	35.21	(21,634.22 -44,367.35)	8.71	(21,635.16 -44,358.69)	10.01
		(21,636.92 -44,348.84)	3.56	(21,637.00 -44,345.28)	37.61	(21,600.00 -44,352.00)	23.55
132	508-	4 (1/ 2)					
		(21,600.00 -44,352.00)	37.61	(21,637.00 -44,345.28)	4.97	(21,637.04 -44,340.31)	7.08
		(21,636.83 -44,333.23)	37.19	(21,599.99 -44,338.35)	13.65		
132	510-	1 (1/ 2)					
		(21,599.99 -44,338.35)	37.19	(21,636.83 -44,333.23)	2.32	(21,636.93 -44,330.91)	6.67
		(21,636.70 -44,324.24)	8.90	(21,635.28 -44,315.45)	35.46	(21,599.97 -44,318.75)	19.60
132	511-	1 (1/ 2)					
		(21,599.97 -44,318.75)	35.46	(21,635.28 -44,315.45)	1.17	(21,636.21 -44,314.74)	5.61
		(21,635.11 -44,309.24)	2.38	(21,635.16 -44,306.86)	10.80	(21,637.47 -44,296.31)	5.72
		(21,639.34 -44,290.90)	3.27	(21,636.14 -44,290.24)	6.41	(21,629.76 -44,289.65)	6.30
		(21,623.46 -44,289.58)	8.03	(21,615.47 -44,290.36)	9.45	(21,606.14 -44,291.84)	6.44
		(21,599.99 -44,293.75)	25.00				
132	002-	5					
		(21,599.99 -44,293.75)	6.44	(21,606.14 -44,291.84)	9.45	(21,615.47 -44,290.36)	8.03
		(21,623.46 -44,289.58)	6.30	(21,629.76 -44,289.65)	6.41	(21,636.14 -44,290.24)	3.27
		(21,639.34 -44,290.90)	0.74	(21,639.58 -44,290.20)	3.28	(21,636.34 -44,289.66)	6.38
		(21,629.99 -44,289.07)	6.40	(21,623.59 -44,288.98)	0.85	(21,622.74 -44,289.03)	7.46
		(21,615.31 -44,289.68)	9.69	(21,605.77 -44,291.39)	6.01	(21,599.99 -44,293.05)	0.70
132	001-	5					
		(21,599.99 -44,293.05)	6.01	(21,605.77 -44,291.39)	9.69	(21,615.31 -44,289.68)	7.46
		(21,622.74 -44,289.03)	0.85	(21,623.59 -44,288.98)	6.40	(21,629.99 -44,289.07)	6.38
		(21,636.34 -44,289.66)	3.28	(21,639.58 -44,290.20)	1.95	(21,640.15 -44,288.34)	0.77
		(21,639.39 -44,288.21)	9.80	(21,629.64 -44,287.22)	7.33	(21,622.31 -44,287.13)	1.21
		(21,621.10 -44,287.11)	12.20	(21,608.97 -44,288.46)	3.96	(21,605.14 -44,289.47)	5.43
		(21,599.99 -44,291.20)	1.85				
132	512	(1/ 2)					
		(21,599.99 -44,291.20)	5.43	(21,605.14 -44,289.47)	3.96	(21,608.97 -44,288.46)	10.93
		(21,599.98 -44,282.25)	8.95				
124	002-	4					
		(21,599.98 -44,282.25)	10.93	(21,608.97 -44,288.46)	12.20	(21,621.10 -44,287.11)	4.05
		(21,624.59 -44,285.05)	10.10	(21,633.98 -44,281.32)	5.96	(21,639.75 -44,279.84)	4.92
		(21,644.65 -44,280.32)	22.04	(21,660.97 -44,265.51)	4.26	(21,664.61 -44,263.29)	3.51
		(21,667.99 -44,262.36)	2.55	(21,670.54 -44,262.48)	3.65	(21,673.36 -44,264.80)	3.43

地区 ..003

作業 .. 38

原図番号 .. N1 35-3

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -44,400.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

			(21,676.37 -44,266.45)	3.74	(21,679.97 -44,267.47)	4.32	(21,684.29 -44,267.37)	2.47
			(21,686.57 -44,266.41)	4.43	(21,690.26 -44,263.96)	2.70	(21,691.54 -44,261.58)	11.34
		(@	21,689.60 -44,250.41)	3.12	(21,686.95 -44,252.05)	3.05	(21,686.23 -44,255.01)	4.83
		(	21,683.46 -44,258.97)	1.79	(21,681.91 -44,259.87)	2.75	(21,679.23 -44,259.25)	7.13
		(	21,672.56 -44,256.73)	3.69	(21,668.96 -44,255.93)	5.85	(21,663.13 -44,256.44)	6.09
		(	21,657.56 -44,258.89)	3.87	(21,654.66 -44,261.45)	6.60	(21,650.54 -44,266.60)	5.43
		(	21,645.79 -44,269.23)	18.90	(21,627.83 -44,275.12)	10.19	(21,618.36 -44,278.87)	0.24
		(	21,618.15 -44,278.98)	5.06	(21,613.15 -44,279.76)	6.21	(21,607.43 -44,277.34)	7.20
		(	21,600.96 -44,274.18)	1.08	(21,599.97 -44,274.60)	7.65		
124	282-	1	(1/ 2)					
		(	21,599.97 -44,274.60)	1.08	(21,600.96 -44,274.18)	1.03	(@ 21,599.95 -44,274.00)	0.60
124	280-	1	(1/ 2)					
		(	21,599.95 -44,274.00)	1.03	(21,600.96 -44,274.18)	7.20	(21,607.43 -44,277.34)	6.21
		(	21,613.15 -44,279.76)	5.06	(21,618.15 -44,278.98)	0.24	(21,618.36 -44,278.87)	38.81
		(@	21,617.26 -44,240.08)	3.41	(21,613.99 -44,241.04)	14.56	(21,600.05 -44,245.25)	28.75
124	277-	1	(1/ 2)					
		(	21,600.05 -44,245.25)	14.56	(21,613.99 -44,241.04)	3.41	(21,617.26 -44,240.08)	16.62
		(	21,633.24 -44,235.52)	19.80	(21,652.41 -44,230.57)	19.83	(21,671.74 -44,226.16)	2.54
		(	21,671.17 -44,223.68)	1.72	(@ 21,670.94 -44,221.98)	20.12	(21,651.58 -44,227.47)	19.72
		(	21,632.56 -44,232.67)	16.14	(21,617.04 -44,237.11)	17.78	(21,599.99 -44,242.15)	3.10
124	276	(1/ 4)						
		(	21,599.99 -44,242.15)	17.78	(21,617.04 -44,237.11)	16.14	(21,632.56 -44,232.67)	19.72
		(	21,651.58 -44,227.47)	20.12	(21,670.94 -44,221.98)	14.87	(21,669.03 -44,207.23)	7.16
		(	21,668.75 -44,200.08)	18.77	(21,649.98 -44,200.05)	49.98	(@ 21,600.00 -44,200.00)	42.15
124	002-	2						
		(@	21,668.75 -44,200.08)	7.16	(21,669.03 -44,207.23)	14.87	(21,670.94 -44,221.98)	0.85
		(	21,671.77 -44,221.80)	6.12	(21,671.82 -44,215.68)	0.76	(21,672.56 -44,215.49)	6.49
		(	21,671.53 -44,209.08)	9.01	(21,671.85 -44,200.08)	3.10		
125	287-	1	(3/ 4)					
		(@	21,671.85 -44,200.08)	9.01	(21,671.53 -44,209.08)	6.49	(21,672.56 -44,215.49)	3.34
		(	21,675.79 -44,214.65)	0.22	(21,676.01 -44,214.67)	2.72	(21,676.87 -44,217.25)	2.58
		(	21,679.02 -44,218.67)	2.75	(21,681.67 -44,219.42)	0.67	(21,681.82 -44,220.07)	44.06
		(	21,724.66 -44,209.78)	1.19	(21,725.33 -44,210.76)	25.20	(21,750.01 -44,205.65)	5.53
		(	21,750.00 -44,200.12)	78.15				
125	288-	4	(2/ 2)					
		(@	21,750.01 -44,205.65)	25.20	(21,725.33 -44,210.76)	1.36	(21,725.29 -44,212.12)	1.54
		(	21,724.19 -44,213.20)	3.35	(21,721.00 -44,214.23)	3.23	(21,720.59 -44,217.43)	12.02
		(	21,718.78 -44,229.31)	4.29	(21,718.33 -44,233.58)	7.58	(21,717.93 -44,241.15)	12.91
		(	21,730.79 -44,242.27)	4.37	(21,734.94 -44,240.89)	7.74	(21,738.28 -44,233.91)	14.15
		(	21,746.07 -44,222.10)	3.17	(21,747.53 -44,219.29)	6.62	(21,750.01 -44,213.15)	7.50
125	288-	2	(2/ 2)					
		(@	21,750.01 -44,213.15)	6.62	(21,747.53 -44,219.29)	2.80	(21,750.02 -44,218.00)	4.85
125	002-	1						
		(@	21,750.02 -44,218.00)	2.80	(21,747.53 -44,219.29)	3.17	(21,746.07 -44,222.10)	14.15
		(	21,738.28 -44,233.91)	7.74	(21,734.94 -44,240.89)	4.37	(21,730.79 -44,242.27)	12.91
		(	21,717.93 -44,241.15)	5.22	(21,712.72 -44,241.39)	11.55	(21,701.54 -44,244.30)	6.28
		(	21,695.82 -44,246.90)	7.14	(21,689.60 -44,250.41)	11.34	(21,691.54 -44,261.58)	2.47
		(	21,692.66 -44,259.38)	3.57	(21,693.98 -44,256.06)	5.46	(21,698.03 -44,252.40)	5.93
		(	21,703.45 -44,250.00)	9.80	(21,712.85 -44,247.24)	4.16	(21,717.00 -44,247.53)	7.69
		(	21,724.52 -44,249.13)	4.45	(21,728.88 -44,250.02)	3.35	(21,732.22 -44,249.72)	7.08
		(	21,738.65 -44,246.76)	2.59	(21,740.92 -44,245.51)	11.65	(21,746.65 -44,235.37)	2.40
		(	21,747.68 -44,233.20)	4.01	(21,750.03 -44,229.95)	11.95		

地区..003

作業.. 38

原図番号.. N1 35-3

縮尺..1/ 500

基準点..X 21,600.00..Y -44,400.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

131	471-	1	(2 / 2)										
		(a	21,750.03	-44,229.95)	4.01	(	21,747.68	-44,233.20)	2.40	(	21,746.65	-44,235.37)	3.78
		(	21,750.04	-44,237.05)	7.10								
131	489		(2 / 2)										
		(	21,750.04	-44,237.05)	3.78	(a	21,746.65	-44,235.37)	11.65	(	21,740.92	-44,245.51)	2.59
		(	21,738.65	-44,246.76)	7.08	(	21,732.22	-44,249.72)	3.35	(	21,728.88	-44,250.02)	4.45
		(	21,724.52	-44,249.13)	7.69	(	21,717.00	-44,247.53)	4.16	(	21,712.85	-44,247.24)	9.80
		(	21,703.45	-44,250.00)	5.93	(	21,698.03	-44,252.40)	5.46	(	21,693.98	-44,256.06)	3.57
		(	21,692.66	-44,259.38)	2.47	(	21,691.54	-44,261.58)	17.34	(	21,696.31	-44,278.25)	3.62
		(	21,699.85	-44,277.50)	4.05	(	21,703.53	-44,275.82)	3.62	(	21,706.42	-44,273.64)	7.11
		(	21,711.69	-44,268.86)	4.94	(	21,715.72	-44,266.01)	12.78	(	21,727.09	-44,260.17)	3.33
		(	21,729.86	-44,258.32)	12.63	(	21,741.18	-44,252.71)	3.19	(	21,744.00	-44,251.21)	2.52
		(	21,745.75	-44,249.40)	6.73	(	21,748.79	-44,243.40)	2.25	(	21,749.99	-44,241.50)	4.45
131	001-	1											
		(a	21,749.99	-44,241.50)	2.25	(	21,748.79	-44,243.40)	6.73	(	21,745.75	-44,249.40)	2.52
		(	21,744.00	-44,251.21)	3.19	(	21,741.18	-44,252.71)	12.63	(	21,729.86	-44,258.32)	3.33
		(	21,727.09	-44,260.17)	12.78	(	21,715.72	-44,266.01)	4.94	(	21,711.69	-44,268.86)	7.11
		(	21,706.42	-44,273.64)	3.62	(	21,703.53	-44,275.82)	4.05	(	21,699.85	-44,277.50)	3.62
		(	21,696.31	-44,278.25)	50.60	(	21,646.91	-44,289.20)	2.76	(	21,644.15	-44,289.06)	4.06
		(	21,640.15	-44,288.34)	1.95	(	21,639.58	-44,290.20)	7.16	(	21,646.66	-44,291.30)	33.52
		(	21,679.38	-44,284.02)	21.30	(	21,700.18	-44,279.45)	4.61	(	21,704.43	-44,277.67)	3.91
		(	21,707.48	-44,275.22)	7.33	(	21,712.92	-44,270.31)	4.52	(	21,716.69	-44,267.81)	13.92
		(	21,729.01	-44,261.32)	14.96	(	21,742.30	-44,254.46)	3.41	(	21,745.33	-44,252.90)	3.29
		(	21,747.38	-44,250.33)	5.32	(	21,750.00	-44,245.70)	4.20				
131	002-	8											
		(a	21,750.00	-44,245.70)	5.32	(	21,747.38	-44,250.33)	3.29	(	21,745.33	-44,252.90)	3.41
		(	21,742.30	-44,254.46)	14.96	(	21,729.01	-44,261.32)	13.92	(	21,716.69	-44,267.81)	4.52
		(	21,712.92	-44,270.31)	7.33	(	21,707.48	-44,275.22)	3.91	(	21,704.43	-44,277.67)	4.61
		(	21,700.18	-44,279.45)	21.30	(	21,679.38	-44,284.02)	33.52	(	21,646.66	-44,291.30)	6.11
		(	21,643.16	-44,296.31)	3.68	(	21,646.47	-44,294.70)	17.02	(	21,662.74	-44,289.71)	17.57
		(	21,679.99	-44,286.39)	22.64	(	21,702.08	-44,281.45)	5.12	(	21,706.95	-44,279.87)	7.03
		(	21,711.96	-44,274.94)	4.81	(	21,715.35	-44,271.53)	7.85	(	21,722.17	-44,267.65)	9.01
		(	21,730.23	-44,263.62)	6.61	(	21,735.89	-44,260.21)	15.45	(	21,749.95	-44,253.80)	8.10
131	488-	1	(2 / 2)										
		(a	21,749.95	-44,253.80)	15.45	(	21,735.89	-44,260.21)	6.61	(	21,730.23	-44,263.62)	24.09
		(	21,750.03	-44,277.35)	23.55								
131	488-	2	(2 / 2)										
		(	21,750.03	-44,277.35)	24.09	(a	21,730.23	-44,263.62)	9.01	(	21,722.17	-44,267.65)	7.85
		(	21,715.35	-44,271.53)	4.81	(	21,711.96	-44,274.94)	4.43	(	21,715.13	-44,278.03)	3.26
		(	21,716.96	-44,280.73)	2.56	(	21,718.13	-44,283.01)	2.01	(	21,718.36	-44,285.01)	1.87
		(	21,717.91	-44,286.83)	4.47	(	21,715.38	-44,290.52)	5.10	(	21,719.34	-44,293.73)	3.31
		(	21,722.05	-44,295.63)	6.93	(	21,728.07	-44,299.07)	2.36	(	21,730.07	-44,300.33)	1.01
		(	21,730.95	-44,300.82)	4.08	(	21,734.65	-44,302.54)	2.23	(	21,736.83	-44,303.01)	1.55
		(	21,738.33	-44,302.61)	1.33	(	21,739.35	-44,301.76)	2.87	(	21,740.68	-44,299.22)	15.73
		(	21,749.79	-44,286.40)	0.36	(	21,749.99	-44,286.10)	8.75				
131	002-	9											
		(a	21,749.99	-44,286.10)	0.36	(	21,749.79	-44,286.40)	15.73	(	21,740.68	-44,299.22)	6.01
		(	21,742.75	-44,304.86)	6.54	(	21,744.91	-44,311.03)	3.67	(	21,745.61	-44,314.63)	2.40
		(	21,745.24	-44,317.00)	3.53	(	21,743.07	-44,319.78)	6.32	(	21,737.90	-44,323.41)	11.19
		(	21,727.85	-44,328.32)	22.83	(	21,706.81	-44,337.19)	13.83	(	21,693.84	-44,341.99)	2.18
		(	21,694.94	-44,343.87)	2.43	(	21,697.14	-44,342.83)	38.26	(	21,732.38	-44,327.92)	7.63
		(	21,739.22	-44,324.54)	3.52	(	21,742.20	-44,322.66)	4.69	(	21,745.52	-44,319.35)	4.43

地区 ..003

作業 .. 38

原図番号 .. N1 35-3

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -44,400.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,747.87 -44,315.60)	0.85	(21,748.62 -44,315.20)	5.10	(21,747.39 -44,310.25)	7.96
		(21,744.85 -44,302.71)	4.60	(21,744.65 -44,298.11)	6.81	(21,747.99 -44,292.18)	2.96
131	487	(21,749.99 -44,290.00)	3.90				
		(2/ 2)					
		(@ 21,749.99 -44,290.00)	2.96	(21,747.99 -44,292.18)	6.81	(21,744.65 -44,298.11)	4.60
		(21,744.85 -44,302.71)	7.96	(21,747.39 -44,310.25)	5.10	(21,748.62 -44,315.20)	1.41
131	001- 2	(21,750.02 -44,315.05)	25.05				
		(@ 21,750.02 -44,315.05)	1.41	(21,748.62 -44,315.20)	0.85	(21,747.87 -44,315.60)	4.43
		(21,745.52 -44,319.35)	4.69	(21,742.20 -44,322.66)	3.52	(21,739.22 -44,324.54)	7.63
		(21,732.38 -44,327.92)	38.26	(21,697.14 -44,342.83)	2.43	(21,694.94 -44,343.87)	3.12
		(21,695.92 -44,346.83)	3.39	(21,696.59 -44,350.15)	5.03	(21,697.74 -44,355.05)	0.95
		(21,698.33 -44,355.80)	3.90	(21,699.59 -44,359.49)	1.96	(21,701.44 -44,358.85)	5.19
		(21,699.80 -44,353.93)	7.61	(21,698.27 -44,346.48)	0.97	(21,698.55 -44,345.55)	1.41
		(21,699.17 -44,344.28)	36.96	(21,733.20 -44,329.87)	7.63	(21,740.03 -44,326.48)	3.91
		(21,743.42 -44,324.53)	5.17	(21,747.54 -44,321.40)	3.77	(21,749.17 -44,318.00)	0.95
131	484	(21,750.07 -44,317.70)	2.65				
		(2/ 2)					
		(@ 21,750.07 -44,317.70)	0.95	(21,749.17 -44,318.00)	3.77	(21,747.54 -44,321.40)	2.04
		(21,747.77 -44,323.43)	10.42	(21,748.01 -44,333.85)	13.34	(21,749.00 -44,347.15)	0.60
		(21,748.41 -44,347.25)	5.00	(21,748.43 -44,352.25)	5.61	(21,747.81 -44,357.83)	12.49
		(21,746.07 -44,370.20)	5.63	(21,745.03 -44,375.73)	4.45	(21,743.65 -44,379.96)	0.87
131	483	(21,744.33 -44,380.51)	5.70	(21,750.00 -44,379.92)	62.22		
		(4/ 4)					
		(21,750.05 -44,400.10)	20.18	(@ 21,750.00 -44,379.92)	5.70	(21,744.33 -44,380.51)	0.87
		(21,743.65 -44,379.96)	2.18	(21,742.58 -44,381.86)	9.37	(21,737.54 -44,389.76)	7.98
131	496	(21,733.47 -44,396.62)	4.12	(21,731.30 -44,400.12)	18.75		
		(2/ 2)					
		(21,731.30 -44,400.12)	4.12	(21,733.47 -44,396.62)	7.98	(21,737.54 -44,389.76)	9.37
		(21,742.58 -44,381.86)	2.18	(21,743.65 -44,379.96)	4.45	(21,745.03 -44,375.73)	5.63
		(21,746.07 -44,370.20)	12.49	(21,747.81 -44,357.83)	5.61	(21,748.43 -44,352.25)	5.00
		(@ 21,748.41 -44,347.25)	48.38	(21,701.44 -44,358.85)	1.96	(21,699.59 -44,359.49)	9.75
		(21,703.02 -44,368.62)	7.25	(21,705.98 -44,375.24)	9.61	(21,709.48 -44,384.19)	4.61
		(21,710.59 -44,388.66)	4.47	(21,711.19 -44,393.09)	5.85	(21,711.25 -44,398.94)	1.15
131	498	(21,711.25 -44,400.09)	20.05				
		(2/ 2)					
		(21,711.25 -44,400.09)	1.15	(@ 21,711.25 -44,398.94)	5.30	(21,706.00 -44,399.69)	0.44
		(21,706.18 -44,400.09)	5.07				
131	002- 7	(21,706.18 -44,400.09)	0.44	(21,706.00 -44,399.69)	13.30	(21,695.84 -44,391.10)	3.46
		(21,692.54 -44,390.06)	2.70	(@ 21,689.86 -44,389.76)	6.63	(21,683.24 -44,390.17)	2.77
		(21,680.54 -44,390.77)	6.02	(21,674.69 -44,392.18)	2.84	(21,672.02 -44,393.15)	2.26
		(21,670.57 -44,394.88)	5.92	(21,667.73 -44,400.08)	2.62	(21,670.35 -44,400.08)	5.51
		(21,673.15 -44,395.33)	7.30	(21,680.09 -44,393.07)	4.44	(21,684.44 -44,392.19)	6.51
		(21,690.94 -44,392.48)	2.81	(21,693.72 -44,392.91)	11.31	(21,702.45 -44,400.10)	3.73
113	002- 10	(21,702.45 -44,400.10)	11.31	(21,693.72 -44,392.91)	2.81	(21,690.94 -44,392.48)	6.51
		(@ 21,684.44 -44,392.19)	4.44	(21,680.09 -44,393.07)	7.30	(21,673.15 -44,395.33)	5.51
		(21,670.35 -44,400.08)	2.55	(21,672.90 -44,400.08)	2.80	(21,674.30 -44,397.65)	6.01
		(21,679.85 -44,395.35)	6.05	(21,685.79 -44,394.21)	6.10	(21,691.87 -44,394.71)	8.44
113	490	(21,698.40 -44,400.05)	4.05				
		(2/ 2)					

地区 ..003

作業 .. 38

原図番号 .. N1 35-3

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -44,400.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,698.40 -44,400.05)	8.44	(21,691.87 -44,394.71)	6.10	(21,685.79 -44,394.21)	6.05
		(21,679.85 -44,395.35)	6.01	(21,674.30 -44,397.65)	2.80	(21,672.90 -44,400.08)	25.50
131	500-	1 (2/ 2)					
		(21,667.73 -44,400.08)	5.92	(21,670.57 -44,394.88)	2.26	(21,672.02 -44,393.15)	2.84
		(21,674.69 -44,392.18)	6.02	(21,680.54 -44,390.77)	22.06	(21,671.74 -44,370.54)	7.31
		(21,665.32 -44,374.03)	11.57	(21,654.90 -44,379.05)	26.95	(21,630.10 -44,389.60)	9.04
131	002-	6 (21,631.42 -44,398.54)	1.53	(21,631.45 -44,400.07)	36.28		
		(21,631.45 -44,400.07)	1.53	(21,631.42 -44,398.54)	9.04	(21,630.10 -44,389.60)	2.53
		(21,630.24 -44,387.07)	5.95	(21,630.06 -44,381.12)	0.55	(21,630.33 -44,380.64)	3.44
		(21,631.30 -44,377.34)	5.86	(21,634.77 -44,372.62)	6.09	(21,637.92 -44,367.41)	13.86
		(21,639.90 -44,353.69)	8.06	(21,640.65 -44,345.66)	30.76	(21,639.74 -44,314.91)	1.81
		(21,639.73 -44,313.10)	2.32	(21,639.56 -44,310.79)	5.44	(21,639.18 -44,305.36)	6.95
		(21,641.50 -44,298.81)	3.00	(21,643.16 -44,296.31)	6.11	(21,646.66 -44,291.30)	7.16
		(21,639.58 -44,290.20)	0.74	(21,639.34 -44,290.90)	5.72	(21,637.47 -44,296.31)	10.80
		(21,635.16 -44,306.86)	2.38	(21,635.11 -44,309.24)	5.61	(21,636.21 -44,314.74)	1.17
		(21,635.28 -44,315.45)	8.90	(21,636.70 -44,324.24)	6.67	(21,636.93 -44,330.91)	2.32
		(21,636.83 -44,333.23)	7.08	(21,637.04 -44,340.31)	4.97	(21,637.00 -44,345.28)	3.56
		(21,636.92 -44,348.84)	10.01	(21,635.16 -44,358.69)	8.71	(21,634.22 -44,367.35)	8.71
		(21,629.35 -44,374.57)	3.55	(21,627.38 -44,377.52)	2.94	(21,626.78 -44,380.40)	7.90
		(21,627.07 -44,388.29)	2.45	(21,627.06 -44,390.74)	5.82	(21,627.75 -44,396.52)	3.50
		(21,627.78 -44,400.02)	3.67				
131	494-	1 (21,695.92 -44,346.83)	3.12	(21,694.94 -44,343.87)	2.18	(21,693.84 -44,341.99)	2.75
		(21,692.16 -44,339.81)	5.59	(21,689.24 -44,335.04)	4.77	(21,687.03 -44,330.81)	12.78
		(21,681.97 -44,319.07)	13.73	(21,669.27 -44,324.28)	5.04	(21,664.48 -44,325.84)	2.66
		(21,661.83 -44,326.04)	2.74	(21,659.15 -44,325.47)	2.53	(21,656.82 -44,324.49)	2.98
		(21,654.27 -44,322.95)	10.52	(21,645.70 -44,316.85)	6.24	(21,640.86 -44,312.91)	1.15
		(21,639.73 -44,313.10)	1.81	(21,639.74 -44,314.91)	30.76	(21,640.65 -44,345.66)	8.06
		(21,639.90 -44,353.69)	13.86	(21,637.92 -44,367.41)	6.09	(21,634.77 -44,372.62)	5.86
		(21,631.30 -44,377.34)	3.44	(21,630.33 -44,380.64)	0.55	(21,630.06 -44,381.12)	5.95
		(21,630.24 -44,387.07)	25.45	(21,653.70 -44,377.20)	11.45	(21,664.05 -44,372.31)	7.50
		(21,670.59 -44,368.63)	25.70	(21,692.43 -44,355.08)	3.38	(21,695.30 -44,353.30)	1.54
		(21,696.20 -44,352.05)	1.94	(21,696.59 -44,350.15)	3.39		
131	001-	3 (21,696.59 -44,350.15)	1.94	(21,696.20 -44,352.05)	1.54	(21,695.30 -44,353.30)	3.38
		(21,692.43 -44,355.08)	25.70	(21,670.59 -44,368.63)	7.50	(21,664.05 -44,372.31)	11.45
		(21,653.70 -44,377.20)	25.45	(21,630.24 -44,387.07)	2.53	(21,630.10 -44,389.60)	26.95
		(21,654.90 -44,379.05)	11.57	(21,665.32 -44,374.03)	7.31	(21,671.74 -44,370.54)	27.60
		(21,695.28 -44,356.13)	2.69	(21,697.74 -44,355.05)	5.03		
131	499-	1 (21,698.33 -44,355.80)	0.95	(21,697.74 -44,355.05)	2.69	(21,695.28 -44,356.13)	27.60
		(21,671.74 -44,370.54)	22.06	(21,680.54 -44,390.77)	2.77	(21,683.24 -44,390.17)	6.63
		(21,689.86 -44,389.76)	2.70	(21,692.54 -44,390.06)	3.46	(21,695.84 -44,391.10)	13.30
		(21,706.00 -44,399.69)	5.30	(21,711.25 -44,398.94)	5.85	(21,711.19 -44,393.09)	4.47
		(21,710.59 -44,388.66)	4.61	(21,709.48 -44,384.19)	9.61	(21,705.98 -44,375.24)	7.25
		(21,703.02 -44,368.62)	9.75	(21,699.59 -44,359.49)	3.90		
131	495-	1 (21,701.44 -44,358.85)	48.38	(21,748.41 -44,347.25)	0.60	(21,749.00 -44,347.15)	13.34
		(21,748.01 -44,333.85)	10.42	(21,747.77 -44,323.43)	2.04	(21,747.54 -44,321.40)	5.17
		(21,743.42 -44,324.53)	3.91	(21,740.03 -44,326.48)	7.63	(21,733.20 -44,329.87)	36.96
		(21,699.17 -44,344.28)	1.41	(21,698.55 -44,345.55)	0.97	(21,698.27 -44,346.48)	7.61

地区 ..003 作業 .. 38 原図番号 .. N1 35-3 縮尺 ..1/ 500 基準点 ..X 21,600.00..Y -44,400.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

131	492	(21,699.80 -44,353.93)	5.19						
		(21,730.07 -44,300.33)	2.36	(21,728.07 -44,299.07)	6.93	(21,722.05 -44,295.63)	3.31		
		(21,719.34 -44,293.73)	5.10	(21,715.38 -44,290.52)	1.54	(21,714.14 -44,291.44)	2.86		
		(21,711.62 -44,292.79)	6.50	(21,705.62 -44,295.29)	29.46	(21,677.98 -44,305.47)	34.23		
		(21,645.70 -44,316.85)	10.52	(21,654.27 -44,322.95)	2.98	(21,656.82 -44,324.49)	2.53		
		(21,659.15 -44,325.47)	2.74	(21,661.83 -44,326.04)	2.66	(21,664.48 -44,325.84)	5.04		
		(21,669.27 -44,324.28)	13.73	(21,681.97 -44,319.07)	51.62				
131	491	(21,641.50 -44,298.81)	6.95	(21,639.18 -44,305.36)	5.44	(21,639.56 -44,310.79)	2.32		
		(21,639.73 -44,313.10)	1.15	(21,640.86 -44,312.91)	6.24	(21,645.70 -44,316.85)	34.23		
		(21,677.98 -44,305.47)	29.46	(21,705.62 -44,295.29)	6.50	(21,711.62 -44,292.79)	2.86		
		(21,714.14 -44,291.44)	1.54	(21,715.38 -44,290.52)	4.47	(21,717.91 -44,286.83)	1.87		
		(21,718.36 -44,285.01)	2.01	(21,718.13 -44,283.01)	2.56	(21,716.96 -44,280.73)	3.26		
		(21,715.13 -44,278.03)	4.43	(21,711.96 -44,274.94)	7.03	(21,706.95 -44,279.87)	5.12		
		(21,702.08 -44,281.45)	22.64	(21,679.99 -44,286.39)	17.57	(21,662.74 -44,289.71)	17.02		
		(21,646.47 -44,294.70)	3.68	(21,643.16 -44,296.31)	3.00				
131	490- 2	(21,644.65 -44,280.32)	4.92	(21,639.75 -44,279.84)	5.96	(21,633.98 -44,281.32)	10.10		
		(21,624.59 -44,285.05)	4.05	(21,621.10 -44,287.11)	1.21	(21,622.31 -44,287.13)	7.33		
		(21,629.64 -44,287.22)	9.80	(21,639.39 -44,288.21)	0.77	(21,640.15 -44,288.34)	4.06		
		(21,644.15 -44,289.06)	8.75						
131	490- 1	(21,644.15 -44,289.06)	2.76	(21,646.91 -44,289.20)	50.60	(21,696.31 -44,278.25)	17.34		
		(21,691.54 -44,261.58)	2.70	(21,690.26 -44,263.96)	4.43	(21,686.57 -44,266.41)	2.47		
		(21,684.29 -44,267.37)	4.32	(21,679.97 -44,267.47)	3.74	(21,676.37 -44,266.45)	3.43		
		(21,673.36 -44,264.80)	3.65	(21,670.54 -44,262.48)	2.55	(21,667.99 -44,262.36)	3.51		
		(21,664.61 -44,263.29)	4.26	(21,660.97 -44,265.51)	22.04	(21,644.65 -44,280.32)	8.75		
125	285	(21,689.60 -44,250.41)	7.14	(21,695.82 -44,246.90)	6.28	(21,701.54 -44,244.30)	11.55		
		(21,712.72 -44,241.39)	5.22	(21,717.93 -44,241.15)	7.58	(21,718.33 -44,233.58)	4.29		
		(21,718.78 -44,229.31)	12.02	(21,720.59 -44,217.43)	3.23	(21,721.00 -44,214.23)	0.31		
		(21,720.69 -44,214.28)	36.35	(21,685.30 -44,222.56)	10.60	(21,675.04 -44,225.24)	29.08		
125	286- 3	(21,675.04 -44,225.24)	10.60	(21,685.30 -44,222.56)	36.35	(21,720.69 -44,214.28)	0.31		
		(21,721.00 -44,214.23)	3.35	(21,724.19 -44,213.20)	1.54	(21,725.29 -44,212.12)	1.36		
		(21,725.33 -44,210.76)	1.19	(21,724.66 -44,209.78)	44.06	(21,681.82 -44,220.07)	0.67		
		(21,681.67 -44,219.42)	2.75	(21,679.02 -44,218.67)	2.58	(21,676.87 -44,217.25)	2.72		
		(21,676.01 -44,214.67)	0.22	(21,675.79 -44,214.65)	3.34	(21,672.56 -44,215.49)	6.33		
		(21,673.52 -44,221.75)	3.81						
124	284	(21,671.74 -44,226.16)	19.83	(21,652.41 -44,230.57)	19.80	(21,633.24 -44,235.52)	16.62		
		(21,617.26 -44,240.08)	38.81	(21,618.36 -44,278.87)	10.19	(21,627.83 -44,275.12)	18.90		
		(21,645.79 -44,269.23)	5.43	(21,650.54 -44,266.60)	6.60	(21,654.66 -44,261.45)	3.87		
		(21,657.56 -44,258.89)	6.09	(21,663.13 -44,256.44)	5.85	(21,668.96 -44,255.93)	3.69		
		(21,672.56 -44,256.73)	7.13	(21,679.23 -44,259.25)	2.75	(21,681.91 -44,259.87)	1.79		
		(21,683.46 -44,258.97)	4.83	(21,686.23 -44,255.01)	3.05	(21,686.95 -44,252.05)	10.00		
		(21,681.89 -44,243.42)	20.02						
124	002- 3	(21,681.89 -44,243.42)	10.00	(21,686.95 -44,252.05)	3.12	(21,689.60 -44,250.41)	29.08		
		(21,675.04 -44,225.24)	3.81	(21,673.52 -44,221.75)	6.33	(21,672.56 -44,215.49)	0.76		
		(21,671.82 -44,215.68)	6.12	(21,671.77 -44,221.80)	0.85	(21,670.94 -44,221.98)	1.72		

地区 ..003 作業 .. 38 原図番号 .. N1 35-3 縮尺 ..1/ 500 基準点 ..X 21,600.00..Y -44,400.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

131	493	(21,671.22 -44,223.68)	2.53	(21,671.74 -44,226.16)	20.02				
		(21,681.97 -44,319.07)	12.78	(21,687.03 -44,330.81)	4.77	(21,689.24 -44,335.04)	5.59		
		(21,692.16 -44,339.81)	2.75	(21,693.84 -44,341.99)	13.83	(21,706.81 -44,337.19)	22.83		
		(21,727.85 -44,328.32)	11.19	(21,737.90 -44,323.41)	6.32	(21,743.07 -44,319.78)	3.53		
		(21,745.24 -44,317.00)	2.40	(21,745.61 -44,314.63)	3.67	(21,744.91 -44,311.03)	6.54		
		(21,742.75 -44,304.86)	6.01	(21,740.68 -44,299.22)	2.87	(21,739.35 -44,301.76)	1.33		
		(21,738.33 -44,302.61)	1.55	(21,736.83 -44,303.01)	2.23	(21,734.65 -44,302.54)	4.08		
		(21,730.95 -44,300.82)	1.01	(21,730.07 -44,300.33)	51.62				