

地区 ..003 作業 .. 39 原図番号 .. N1 35-4 縮尺 ..1/ 500 基準点 ..X 21,600.00..Y -44,200.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,600.00 -44,200.00)	50.00	(21,650.00 -44,200.00)	50.03	(21,700.03 -44,200.00)	49.97
		(21,750.00 -44,200.07)	50.02	(21,749.95 -44,150.05)	50.00	(21,749.95 -44,100.05)	49.95
		(21,750.00 -44,050.10)	50.00	(21,750.05 -44,000.10)	50.05	(21,700.00 -44,000.10)	50.00
		(21,650.00 -44,000.05)	50.00	(21,600.00 -44,000.05)	50.00	(21,599.95 -44,050.05)	49.95
		(21,600.00 -44,100.00)	50.00	(21,599.95 -44,150.00)	50.00		
124	276	(2 / 4)					
		(21,600.00 -44,200.00)	50.00	(21,650.00 -44,200.00)	18.75	(21,668.75 -44,200.04)	11.90
		(21,668.16 -44,188.15)	10.49	(21,669.11 -44,177.70)	2.23	(21,666.93 -44,177.22)	2.42
		(21,664.51 -44,177.31)	66.86	(21,599.98 -44,194.80)	5.20		
124	275-	2 (1 / 3)					
		(21,599.98 -44,194.80)	66.86	(21,664.51 -44,177.31)	2.42	(21,666.93 -44,177.22)	2.23
		(21,669.11 -44,177.70)	6.59	(21,669.69 -44,171.14)	9.44	(21,660.57 -44,173.57)	30.06
		(21,631.49 -44,181.18)	32.77	(21,599.97 -44,190.15)	4.65		
124	273	(1 / 3)					
		(21,599.97 -44,190.15)	32.77	(21,631.49 -44,181.18)	30.06	(21,660.57 -44,173.57)	9.44
		(21,669.69 -44,171.14)	3.30	(21,669.99 -44,167.85)	10.10	(21,660.36 -44,170.90)	49.38
		(21,612.65 -44,183.65)	13.21	(21,600.01 -44,187.50)	2.65		
124	272-	1 (1 / 2)					
		(21,600.01 -44,187.50)	13.21	(21,612.65 -44,183.65)	3.85	(21,612.44 -44,179.81)	4.38
		(21,612.78 -44,175.44)	4.12	(21,614.01 -44,171.51)	5.82	(21,616.28 -44,166.15)	16.52
		(21,599.99 -44,163.40)	24.10				
124	272-	2 (1 / 2)					
		(21,599.99 -44,163.40)	16.52	(21,616.28 -44,166.15)	1.75	(21,616.99 -44,164.55)	1.64
		(21,617.10 -44,162.91)	17.12	(21,599.99 -44,162.45)	0.95		
124	269	(1 / 2)					
		(21,599.99 -44,162.45)	17.12	(21,617.10 -44,162.91)	30.87	(21,625.00 -44,133.07)	0.63
		(21,625.05 -44,132.44)	10.87	(21,614.24 -44,131.33)	2.47	(21,611.77 -44,131.26)	3.48
		(21,608.29 -44,131.40)	2.98	(21,605.35 -44,131.88)	4.29	(21,601.35 -44,133.42)	1.63
		(21,599.95 -44,134.25)	28.20				
124	265	(1 / 2)					
		(21,599.95 -44,134.25)	1.63	(21,601.35 -44,133.42)	4.29	(21,605.35 -44,131.88)	2.98
		(21,608.29 -44,131.40)	3.48	(21,611.77 -44,131.26)	2.47	(21,614.24 -44,131.33)	10.87
		(21,625.05 -44,132.44)	27.94	(21,631.32 -44,105.21)	7.62	(21,632.56 -44,097.69)	4.24
		(21,632.43 -44,093.45)	7.99	(21,624.53 -44,092.28)	9.40	(21,615.27 -44,090.68)	6.64
		(21,608.72 -44,089.57)	3.29	(21,605.57 -44,088.63)	2.85	(21,602.96 -44,087.48)	8.83
		(21,599.99 -44,095.80)	38.45				
124	258	(1 / 2)					
		(21,599.99 -44,095.80)	8.83	(21,602.96 -44,087.48)	14.82	(21,607.57 -44,073.40)	6.84
		(21,609.90 -44,066.97)	6.88	(21,611.45 -44,060.27)	3.94	(21,608.41 -44,062.77)	2.82
		(21,605.94 -44,064.13)	3.09	(21,602.94 -44,064.87)	2.99	(21,599.97 -44,065.25)	30.55
124	001-	3					
		(21,599.97 -44,065.25)	2.99	(21,602.94 -44,064.87)	3.09	(21,605.94 -44,064.13)	2.82
		(21,608.41 -44,062.77)	3.94	(21,611.45 -44,060.27)	3.65	(21,613.80 -44,057.48)	3.00
		(21,616.37 -44,055.93)	3.43	(21,619.79 -44,056.14)	20.04	(21,639.42 -44,060.18)	29.71
		(21,668.60 -44,065.79)	0.65	(21,669.25 -44,065.87)	8.14	(21,677.37 -44,066.47)	5.71
		(21,683.07 -44,066.18)	10.83	(21,693.88 -44,065.55)	2.58	(21,696.46 -44,065.44)	1.19
		(21,697.65 -44,065.47)	3.34	(21,700.98 -44,065.77)	3.47	(21,704.39 -44,065.12)	2.58
		(21,704.49 -44,062.54)	2.58	(21,701.99 -44,063.17)	5.80	(21,696.19 -44,063.41)	13.30
		(21,682.94 -44,064.55)	5.85	(21,677.09 -44,064.77)	8.32	(21,668.82 -44,063.84)	29.94
		(21,639.38 -44,058.38)	11.25	(21,628.52 -44,055.46)	12.68	(21,616.00 -44,053.47)	3.79
		(21,612.87 -44,055.61)	4.24	(21,610.10 -44,058.82)	3.49	(21,607.48 -44,061.13)	2.70

地区 ..003

作業 .. 39

原図番号 .. N1 35-4

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -44,200.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

124	257	(21,605.04 (1/ 2)	-44,062.28)	5.12	(21,599.99	-44,063.15)	2.10		
		(21,599.99	-44,063.15)	5.12	(21,605.04	-44,062.28)	2.70	(21,607.48	-44,061.13) 3.49
		(21,610.10	-44,058.82)	4.24	(21,612.87	-44,055.61)	3.79	(21,616.00	-44,053.47) 3.49
126	002- 3	(21,613.05	-44,051.61)	14.01	(21,599.99	-44,046.55)	16.60		
		(21,599.99	-44,046.55)	14.01	(21,613.05	-44,051.61)	3.49	(21,616.00	-44,053.47) 12.68
		(21,628.52	-44,055.46)	11.25	(21,639.38	-44,058.38)	29.94	(21,668.82	-44,063.84) 8.32
		(21,677.09	-44,064.77)	5.85	(21,682.94	-44,064.55)	13.30	(21,696.19	-44,063.41) 5.80
		(21,701.99	-44,063.17)	2.58	(21,704.49	-44,062.54)	4.12	(21,706.39	-44,058.88) 4.51
		(21,702.49	-44,056.61)	6.94	(21,695.81	-44,058.48)	13.38	(21,682.53	-44,060.15) 6.83
		(21,675.71	-44,060.55)	43.15	(21,633.36	-44,052.30)	3.05	(21,630.34	-44,051.91) 11.80
126	301	(21,618.95	-44,048.84)	9.71	(21,610.11	-44,044.82)	10.52	(21,600.03	-44,041.80) 4.75
		(1/ 2)							
		(21,600.03	-44,041.80)	10.52	(21,610.11	-44,044.82)	9.71	(21,618.95	-44,048.84) 11.80
		(21,630.34	-44,051.91)	9.67	(21,633.28	-44,042.70)	11.23	(21,635.75	-44,031.74) 10.52
		(21,637.65	-44,021.39)	9.70	(21,628.06	-44,019.96)	7.15	(21,620.98	-44,018.94) 4.48
		(21,616.60	-44,018.00)	16.90	(21,599.99	-44,014.90)	26.90		
126	302	(1/ 4)							
		(21,599.99	-44,014.90)	16.90	(21,616.60	-44,018.00)	4.48	(21,620.98	-44,018.94) 7.15
		(21,628.06	-44,019.96)	9.70	(21,637.65	-44,021.39)	11.86	(21,639.53	-44,009.68) 5.95
		(21,640.61	-44,003.83)	3.53	(21,641.78	-44,000.50)	0.55	(21,642.05	-44,000.02) 42.05
126	001- 2	(21,600.00	-44,000.05)	14.85					
		(21,642.05	-44,000.02)	0.55	(21,641.78	-44,000.50)	3.53	(21,640.61	-44,003.83) 5.95
		(21,639.53	-44,009.68)	11.86	(21,637.65	-44,021.39)	10.52	(21,635.75	-44,031.74) 11.23
		(21,633.28	-44,042.70)	9.67	(21,630.34	-44,051.91)	3.05	(21,633.36	-44,052.30) 9.26
		(21,635.28	-44,043.24)	11.24	(21,637.65	-44,032.25)	11.42	(21,639.66	-44,021.01) 11.39
		(21,641.53	-44,009.77)	5.44	(21,642.66	-44,004.45)	3.22	(21,643.75	-44,001.42) 1.50
		(21,644.40	-44,000.07)	2.35					
126	303	(1/ 2)							
		(21,644.40	-44,000.07)	1.50	(21,643.75	-44,001.42)	3.22	(21,642.66	-44,004.45) 5.44
		(21,641.53	-44,009.77)	11.39	(21,639.66	-44,021.01)	11.42	(21,637.65	-44,032.25) 28.70
		(21,666.03	-44,036.55)	14.19	(21,668.97	-44,022.67)	10.86	(21,670.74	-44,011.96) 11.06
		(21,672.95	-44,001.12)	2.09	(21,670.87	-44,000.89)	6.62	(21,664.30	-44,000.11) 19.90
126	304	(1/ 2)							
		(21,664.30	-44,000.11)	6.62	(21,670.87	-44,000.89)	0.80	(21,670.90	-44,000.09) 6.60
126	311	(1/ 2)							
		(21,670.90	-44,000.09)	0.80	(21,670.87	-44,000.89)	2.09	(21,672.95	-44,001.12) 31.02
		(21,703.78	-44,004.59)	4.12	(21,703.38	-44,000.49)	0.40	(21,703.40	-44,000.09) 32.50
126	002- 2	(21,703.40	-44,000.09)	0.40	(21,703.38	-44,000.49)	4.12	(21,703.78	-44,004.59) 7.12
		(21,704.34	-44,011.69)	11.37	(21,704.09	-44,023.06)	20.38	(21,700.98	-44,043.20) 16.13
		(21,695.81	-44,058.48)	6.94	(21,702.49	-44,056.61)	20.49	(21,706.89	-44,036.60) 15.73
		(21,708.91	-44,021.00)	20.94	(21,708.30	-44,000.07)	4.90		
126	313	(1/ 2)							
		(21,708.30	-44,000.07)	20.94	(21,708.91	-44,021.00)	15.73	(21,706.89	-44,036.60) 20.49
		(21,702.49	-44,056.61)	4.51	(21,706.39	-44,058.88)	2.98	(21,708.62	-44,056.90) 9.09
		(21,715.70	-44,051.20)	6.11	(21,720.74	-44,047.74)	4.90	(21,724.99	-44,045.31) 46.58
		(21,736.15	-44,000.09)	27.85					
126	314	(3/ 4)							
		(21,736.15	-44,000.09)	46.58	(21,724.99	-44,045.31)	14.97	(21,737.86	-44,037.66) 6.05

地区 ..003

作業 .. 39

原図番号 .. N1 35-4

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -44,200.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,742.68 -44,034.00)	6.71	(21,747.59 -44,029.43)	3.81	(21,750.03 -44,026.50)	26.40
		(21,750.05 -44,000.10)	13.90				
126	001-	1					
		(21,750.03 -44,026.50)	3.81	(21,747.59 -44,029.43)	6.71	(21,742.68 -44,034.00)	6.05
		(21,737.86 -44,037.66)	14.97	(21,724.99 -44,045.31)	4.90	(21,720.74 -44,047.74)	6.11
		(21,715.70 -44,051.20)	9.09	(21,708.62 -44,056.90)	2.98	(21,706.39 -44,058.88)	4.12
		(21,704.49 -44,062.54)	2.58	(21,704.39 -44,065.12)	2.82	(21,706.34 -44,063.08)	3.37
		(21,708.06 -44,060.18)	2.72	(21,710.05 -44,058.32)	9.07	(21,717.11 -44,052.62)	5.72
		(21,721.85 -44,049.41)	4.83	(21,726.09 -44,047.10)	14.71	(21,738.67 -44,039.48)	6.53
		(21,743.86 -44,035.52)	6.77	(21,748.62 -44,030.70)	2.10	(21,750.04 -44,029.15)	2.65
126	002-	1					
		(21,750.04 -44,029.15)	2.10	(21,748.62 -44,030.70)	6.77	(21,743.86 -44,035.52)	6.53
		(21,738.67 -44,039.48)	14.71	(21,726.09 -44,047.10)	4.83	(21,721.85 -44,049.41)	5.72
		(21,717.11 -44,052.62)	9.07	(21,710.05 -44,058.32)	2.72	(21,708.06 -44,060.18)	3.37
		(21,706.34 -44,063.08)	2.82	(21,704.39 -44,065.12)	1.26	(21,704.13 -44,066.35)	8.47
		(21,711.79 -44,062.74)	3.19	(21,714.33 -44,060.81)	14.98	(21,726.28 -44,051.77)	10.91
		(21,735.44 -44,045.84)	10.62	(21,744.57 -44,040.42)	7.75	(21,750.01 -44,034.90)	5.75
125	296	(2 / 2)					
		(21,750.01 -44,034.90)	7.75	(21,744.57 -44,040.42)	10.62	(21,735.44 -44,045.84)	7.02
		(21,739.41 -44,051.63)	25.62	(21,718.30 -44,066.14)	14.26	(21,728.08 -44,076.52)	10.37
		(21,735.85 -44,083.39)	16.81	(21,750.02 -44,074.35)	39.45		
125	295-	2					
		(21,750.02 -44,074.35)	16.81	(21,735.85 -44,083.39)	15.88	(21,750.02 -44,090.55)	16.20
125	298	(2 / 2)					
		(21,750.02 -44,090.55)	15.88	(21,735.85 -44,083.39)	10.37	(21,728.08 -44,076.52)	14.26
		(21,718.30 -44,066.14)	6.65	(21,714.33 -44,060.81)	3.19	(21,711.79 -44,062.74)	8.47
		(21,704.13 -44,066.35)	4.06	(21,702.06 -44,069.84)	5.93	(21,698.10 -44,074.26)	6.08
		(21,695.74 -44,079.86)	5.95	(21,694.46 -44,085.67)	11.23	(21,692.44 -44,096.72)	6.40
		(21,691.16 -44,102.99)	59.84	(21,749.99 -44,113.95)	23.40		
125	293	(2 / 2)					
		(21,749.99 -44,113.95)	59.84	(21,691.16 -44,102.99)	11.46	(21,687.73 -44,113.92)	65.04
		(21,749.95 -44,132.85)	18.90				
125	292-	1					
		(21,749.95 -44,132.85)	65.04	(21,687.73 -44,113.92)	9.59	(21,686.12 -44,123.37)	5.55
		(21,684.94 -44,128.79)	7.55	(21,682.32 -44,135.87)	17.81	(21,699.40 -44,140.93)	17.72
		(21,716.22 -44,146.49)	21.34	(21,735.93 -44,154.66)	1.24	(21,737.14 -44,154.39)	13.15
		(21,750.01 -44,151.70)	18.85				
125	287-	2					
		(21,750.01 -44,151.70)	13.15	(21,737.14 -44,154.39)	1.24	(21,735.93 -44,154.66)	20.50
		(21,715.88 -44,158.93)	4.30	(21,711.68 -44,159.85)	14.73	(21,697.34 -44,163.23)	20.52
		(21,677.33 -44,167.79)	2.39	(21,675.01 -44,168.36)	1.18	(21,673.85 -44,168.13)	13.34
		(21,672.81 -44,181.43)	2.56	(21,675.29 -44,180.80)	4.53	(21,675.15 -44,176.27)	2.19
		(21,676.70 -44,174.72)	1.80	(21,678.30 -44,173.89)	0.92	(21,679.17 -44,173.59)	0.61
		(21,679.77 -44,173.49)	60.36	(21,738.61 -44,160.01)	11.64	(21,750.02 -44,157.70)	6.00
125	287-	1					
		(21,750.02 -44,157.70)	11.64	(21,738.61 -44,160.01)	60.36	(21,679.77 -44,173.49)	0.61
		(21,679.17 -44,173.59)	0.92	(21,678.30 -44,173.89)	1.80	(21,676.70 -44,174.72)	2.19
		(21,675.15 -44,176.27)	4.53	(21,675.29 -44,180.80)	2.56	(21,672.81 -44,181.43)	8.87
		(21,672.17 -44,190.28)	9.80	(21,671.88 -44,200.08)	28.15	(21,700.03 -44,200.00)	49.97
		(21,750.00 -44,200.07)	42.37				
124	002-	5					
		(21,671.88 -44,200.08)	9.80	(21,672.17 -44,190.28)	8.87	(21,672.81 -44,181.43)	1.46

地区 ..003

作業 .. 39

原図番号 .. N1 35-4

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -44,200.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,671.40 -44,181.79)	3.65	(21,671.23 -44,178.14)	1.57	(21,669.66 -44,178.14)	0.70
		(@ 21,669.11 -44,177.70)	10.49	(21,668.16 -44,188.15)	11.90	(21,668.75 -44,200.04)	3.13
124	271- 1	(@ 21,616.99 -44,164.55)	1.75	(21,616.28 -44,166.15)	5.82	(21,614.01 -44,171.51)	4.12
		(21,612.78 -44,175.44)	4.38	(21,612.44 -44,179.81)	3.85	(21,612.65 -44,183.65)	49.38
		(21,660.36 -44,170.90)	43.83				
124	270- 1	(21,617.10 -44,162.91)	1.64	(21,616.99 -44,164.55)	43.83	(21,660.36 -44,170.90)	10.10
		(21,669.99 -44,167.85)	0.84	(21,670.80 -44,167.61)	8.05	(21,671.48 -44,159.59)	5.19
		(21,672.33 -44,154.47)	10.04	(21,662.34 -44,153.46)	5.60	(21,656.88 -44,152.20)	5.81
		(21,651.67 -44,149.62)	8.59	(21,644.92 -44,144.31)	4.29	(21,641.62 -44,141.57)	10.54
		(21,632.41 -44,136.45)	4.68	(21,628.25 -44,134.31)	3.48	(@ 21,625.00 -44,133.07)	30.87
124	264	(21,625.00 -44,133.07)	3.48	(21,628.25 -44,134.31)	4.68	(21,632.41 -44,136.45)	10.54
		(21,641.62 -44,141.57)	4.29	(21,644.92 -44,144.31)	25.23	(21,650.68 -44,119.75)	18.38
		(21,654.57 -44,101.79)	22.39	(@ 21,632.56 -44,097.69)	7.62	(21,631.32 -44,105.21)	27.94
		(21,625.05 -44,132.44)	0.63				
124	263	(@ 21,650.68 -44,119.75)	25.23	(21,644.92 -44,144.31)	8.59	(21,651.67 -44,149.62)	5.81
		(21,656.88 -44,152.20)	5.60	(21,662.34 -44,153.46)	10.04	(21,672.33 -44,154.47)	13.36
		(21,676.25 -44,141.70)	15.00	(21,681.53 -44,127.66)	31.85		
124	262	(21,681.53 -44,127.66)	15.33	(21,684.11 -44,112.55)	0.84	(21,683.44 -44,112.05)	14.72
		(21,687.48 -44,097.90)	32.29	(@ 21,655.68 -44,092.28)	9.57	(21,654.57 -44,101.79)	18.38
		(21,650.66 -44,119.75)	31.87				
124	261- 1	(21,655.68 -44,092.28)	32.29	(21,687.48 -44,097.90)	8.91	(21,689.07 -44,089.13)	10.87
		(21,691.46 -44,078.53)	5.17	(21,692.72 -44,073.52)	8.90	(@ 21,696.46 -44,065.44)	2.58
		(21,693.88 -44,065.55)	0.64	(21,693.85 -44,066.19)	10.77	(21,683.10 -44,066.78)	5.72
		(21,677.38 -44,066.97)	8.17	(21,669.22 -44,066.59)	2.78	(21,666.45 -44,066.77)	3.22
		(21,663.71 -44,068.46)	4.04	(21,661.16 -44,071.59)	6.11	(21,659.13 -44,077.35)	15.32
124	260	(21,655.68 -44,092.28)	15.32	(21,659.13 -44,077.35)	6.11	(21,661.16 -44,071.59)	4.04
		(21,663.71 -44,068.46)	3.22	(21,666.45 -44,066.77)	2.78	(21,669.22 -44,066.59)	8.17
		(21,677.38 -44,066.97)	5.72	(21,683.10 -44,066.78)	10.77	(21,693.85 -44,066.19)	0.64
		(21,693.88 -44,065.55)	10.83	(21,683.07 -44,066.18)	5.71	(21,677.37 -44,066.47)	8.14
		(21,669.25 -44,065.87)	0.65	(21,668.60 -44,065.79)	29.71	(@ 21,639.42 -44,060.18)	34.00
		(21,632.43 -44,093.45)	4.24	(21,632.56 -44,097.69)	22.39	(21,654.57 -44,101.79)	9.57
124	259	(21,632.43 -44,093.45)	34.00	(21,639.42 -44,060.18)	20.04	(21,619.79 -44,056.14)	3.43
		(@ 21,616.37 -44,055.93)	3.00	(21,613.80 -44,057.48)	3.65	(21,611.45 -44,060.27)	6.88
		(21,609.90 -44,066.97)	6.84	(21,607.57 -44,073.40)	14.82	(21,602.96 -44,087.48)	2.85
		(21,605.57 -44,088.63)	3.29	(21,608.72 -44,089.57)	6.64	(21,615.27 -44,090.68)	9.40
		(21,624.53 -44,092.28)	7.99				
124	261- 2	(@ 21,697.65 -44,065.47)	3.23	(21,696.56 -44,068.51)	2.63	(21,695.39 -44,070.86)	4.91
		(21,699.15 -44,067.70)	2.66	(21,700.98 -44,065.77)	3.34		
124	002- 4	(21,700.98 -44,065.77)	2.66	(21,699.15 -44,067.70)	4.91	(21,695.39 -44,070.86)	2.63
		(21,696.56 -44,068.51)	3.23	(21,697.65 -44,065.47)	1.19	(@ 21,696.46 -44,065.44)	8.90
		(21,692.72 -44,073.52)	5.17	(21,691.46 -44,078.53)	10.87	(21,689.07 -44,089.13)	8.91
		(21,687.48 -44,097.90)	14.72	(21,683.44 -44,112.05)	0.84	(21,684.11 -44,112.55)	15.33

地区 ..003

作業 .. 39

原図番号 .. N1 35-4

縮尺 ..1/ 500

基準点 ..X 21,600.00..Y -44,200.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,681.53 -44,127.66)	15.00	(21,676.25 -44,141.70)	13.36	(21,672.33 -44,154.47)	5.19
		(21,671.48 -44,159.59)	8.05	(21,670.80 -44,167.61)	0.84	(21,669.99 -44,167.85)	9.89
		(21,669.11 -44,177.70)	0.70	(21,669.66 -44,178.14)	1.57	(21,671.23 -44,178.14)	3.65
		(21,671.40 -44,181.79)	1.46	(21,672.81 -44,181.43)	13.34	(21,673.85 -44,168.13)	0.87
		(21,673.00 -44,167.96)	2.74	(21,673.17 -44,165.23)	6.60	(21,673.73 -44,158.65)	9.98
		(21,675.95 -44,148.92)	4.66	(21,677.38 -44,144.49)	9.78	(21,680.46 -44,135.21)	7.63
		(21,683.11 -44,128.05)	5.17	(21,684.09 -44,122.97)	9.47	(21,685.69 -44,113.64)	11.48
		(21,689.26 -44,102.73)	6.62	(21,690.59 -44,096.25)	10.86	(21,692.46 -44,085.55)	6.30
		(21,693.91 -44,079.42)	4.99	(21,695.22 -44,074.61)	1.72	(21,696.02 -44,073.09)	6.24
		(21,700.46 -44,068.70)	2.98	(21,700.98 -44,065.77)	0.00		
124	001- 4	(21,700.98 -44,065.77)	2.98	(21,700.46 -44,068.70)	6.24	(21,696.02 -44,073.09)	1.72
		(21,695.22 -44,074.61)	4.99	(21,693.91 -44,079.42)	6.30	(21,692.46 -44,085.55)	10.86
		(21,690.59 -44,096.25)	6.62	(21,689.26 -44,102.73)	11.48	(21,685.69 -44,113.64)	9.47
		(21,684.09 -44,122.97)	5.17	(21,683.11 -44,128.05)	7.63	(21,680.46 -44,135.21)	9.78
		(21,677.38 -44,144.49)	4.66	(21,675.95 -44,148.92)	9.98	(21,673.73 -44,158.65)	6.60
		(21,673.17 -44,165.23)	2.74	(21,673.00 -44,167.96)	0.87	(21,673.85 -44,168.13)	1.18
		(21,675.01 -44,168.36)	3.16	(21,675.07 -44,165.20)	6.28	(21,675.68 -44,158.95)	9.66
		(21,677.85 -44,149.54)	10.95	(21,681.24 -44,139.13)	3.43	(21,682.32 -44,135.87)	7.55
		(21,684.94 -44,128.79)	5.55	(21,686.12 -44,123.37)	9.59	(21,687.73 -44,113.92)	11.46
		(21,691.16 -44,102.99)	6.40	(21,692.44 -44,096.72)	11.23	(21,694.46 -44,085.67)	5.95
		(21,695.74 -44,079.86)	6.08	(21,698.10 -44,074.26)	5.93	(21,702.06 -44,069.84)	4.06
		(21,704.13 -44,066.35)	1.26	(21,704.39 -44,065.12)	3.47		
125	297- 1	(21,718.30 -44,066.14)	25.62	(21,739.41 -44,051.63)	7.02	(21,735.44 -44,045.84)	10.91
		(21,726.28 -44,051.77)	14.98	(21,714.33 -44,060.81)	6.65		
125	289	(21,711.68 -44,159.85)	4.30	(21,715.88 -44,158.93)	20.50	(21,735.93 -44,154.66)	21.34
		(21,716.22 -44,146.49)	14.11				
125	291- 1	(21,716.22 -44,146.49)	17.72	(21,699.40 -44,140.93)	17.81	(21,682.32 -44,135.87)	3.43
		(21,681.24 -44,139.13)	10.95	(21,677.85 -44,149.54)	9.66	(21,675.68 -44,158.95)	6.28
		(21,675.07 -44,165.20)	3.16	(21,675.01 -44,168.36)	2.39	(21,677.33 -44,167.79)	20.52
		(21,697.34 -44,163.23)	14.73	(21,711.68 -44,159.85)	14.11		
126	300	(21,695.81 -44,058.48)	16.13	(21,700.98 -44,043.20)	20.38	(21,704.09 -44,023.06)	11.37
		(21,704.34 -44,011.69)	7.12	(21,703.78 -44,004.59)	31.02	(21,672.95 -44,001.12)	11.06
		(21,670.74 -44,011.96)	10.86	(21,668.97 -44,022.67)	14.19	(21,666.03 -44,036.55)	28.70
		(21,637.65 -44,032.25)	11.24	(21,635.28 -44,043.24)	9.26	(21,633.36 -44,052.30)	43.15
		(21,675.71 -44,060.55)	6.83	(21,682.53 -44,060.15)	13.38		