

地区 ..003

作業 .. 40 原図番号 .. N1 41-1

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -46,000.00 測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,450.00 -46,000.00)	50.02	(21,500.02 -46,000.01)	50.00	(21,550.02 -46,000.03)	50.00
		(21,600.02 -46,000.09)	50.00	(21,600.04 -45,950.09)	50.00	(21,600.00 -45,900.09)	50.00
		(21,599.96 -45,850.09)	50.00	(21,600.00 -45,800.09)	50.03	(21,549.97 -45,800.02)	49.90
		(21,500.07 -45,800.01)	50.07	(21,450.00 -45,800.00)	50.00	(21,449.96 -45,850.00)	50.00
		(21,449.95 -45,900.00)	49.95	(21,449.99 -45,949.95)	50.05		
42	002- 9	(21,450.00 -46,000.00)	3.70	(21,453.70 -45,999.95)	6.04	(21,459.28 -45,997.65)	4.87
		(21,463.88 -45,996.05)	7.45	(21,471.16 -45,994.46)	3.94	(21,474.69 -45,992.72)	16.47
		(21,489.00 -45,984.56)	10.76	(21,499.33 -45,981.56)	4.81	(21,499.28 -45,976.75)	3.68
		(21,495.66 -45,977.41)	9.03	(21,487.03 -45,980.06)	1.25	(21,486.28 -45,981.06)	15.65
		(21,472.50 -45,988.48)	10.53	(21,462.75 -45,992.45)	5.31	(21,457.70 -45,994.08)	6.41
		(21,451.41 -45,995.32)	1.46	(21,449.98 -45,995.62)	4.38		
42	002- 10	(21,449.98 -45,995.62)	1.46	(21,451.41 -45,995.32)	3.24	(21,450.63 -45,992.18)	10.98
		(21,453.14 -45,981.49)	3.04	(21,453.93 -45,978.55)	8.06	(21,456.26 -45,970.83)	19.01
		(21,459.99 -45,952.19)	9.78	(21,462.66 -45,942.78)	9.82	(21,465.49 -45,933.38)	8.84
		(21,467.72 -45,924.83)	7.47	(21,475.04 -45,926.31)	28.10	(21,502.94 -45,929.66)	1.31
		(21,502.84 -45,928.35)	27.83	(21,475.24 -45,924.76)	9.15	(21,466.34 -45,922.63)	0.82
		(21,466.31 -45,923.45)	19.27	(21,461.00 -45,941.97)	10.09	(21,457.91 -45,951.58)	20.00
		(21,453.46 -45,971.08)	5.96	(21,451.78 -45,976.80)	6.35	(21,450.03 -45,982.90)	12.72
		(21,450.03 -45,982.90)	6.35	(21,451.78 -45,976.80)	5.96	(21,453.46 -45,971.08)	20.00
		(21,457.91 -45,951.58)	10.09	(21,461.00 -45,941.97)	11.83	(21,449.99 -45,946.30)	36.60
42	722	(21,449.99 -45,946.30)	11.83	(21,461.00 -45,941.97)	19.27	(21,466.31 -45,923.45)	3.82
		(21,462.49 -45,923.64)	6.53	(21,456.29 -45,925.70)	7.20	(21,449.94 -45,929.10)	17.20
42	725- 1	(21,449.94 -45,929.10)	7.20	(21,456.29 -45,925.70)	6.53	(21,462.49 -45,923.64)	10.73
		(21,460.15 -45,913.17)	0.63	(21,459.52 -45,913.15)	0.40	(21,459.37 -45,912.78)	2.76
		(21,458.86 -45,910.07)	9.18	(21,449.95 -45,912.27)	16.83		
42	727	(21,449.95 -45,912.27)	9.18	(21,458.86 -45,910.07)	1.11	(21,459.07 -45,908.98)	12.91
		(21,457.63 -45,896.15)	9.12	(21,456.20 -45,887.14)	2.33	(21,454.05 -45,888.05)	4.45
		(21,450.00 -45,889.90)	22.37				
42	728	(21,450.00 -45,889.90)	4.45	(21,454.05 -45,888.05)	2.33	(21,456.20 -45,887.14)	3.20
		(21,455.45 -45,884.03)	6.78	(21,453.46 -45,877.55)	7.39	(21,450.81 -45,870.65)	0.94
		(21,449.96 -45,871.05)	18.85				
42	002- 11	(21,449.96 -45,871.05)	0.94	(21,450.81 -45,870.65)	34.18	(21,482.06 -45,856.81)	2.19
		(21,480.33 -45,855.46)	32.37	(21,450.81 -45,868.73)	0.93	(21,449.96 -45,869.10)	1.95
42	706- 1	(21,449.96 -45,869.10)	0.93	(21,450.81 -45,868.73)	32.37	(21,480.33 -45,855.46)	2.13
		(21,478.44 -45,854.48)	10.80	(21,468.76 -45,849.68)	6.34	(21,463.34 -45,846.40)	16.14
		(21,449.97 -45,837.35)	31.75				
41	001- 3	(21,449.97 -45,837.35)	16.14	(21,463.34 -45,846.40)	6.34	(21,468.76 -45,849.68)	10.80
		(21,478.44 -45,854.48)	2.13	(21,480.33 -45,855.46)	2.19	(21,482.06 -45,856.81)	2.65
		(21,484.36 -45,858.13)	3.28	(21,486.96 -45,860.13)	3.65	(21,490.24 -45,861.73)	0.84
		(21,491.07 -45,861.86)	5.34	(21,496.38 -45,862.41)	5.01	(21,501.38 -45,862.06)	9.21
		(21,510.48 -45,860.67)	17.00	(21,527.19 -45,857.52)	4.82	(21,532.01 -45,857.47)	4.16

地区 ..003

作業 .. 40

原図番号 .. N1 41-1

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -46,000.00

測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,536.11 -45,858.15)	5.56	(21,541.41 -45,859.82)	1.95	(21,541.53 -45,857.87)	4.79
		(21,536.96 -45,856.42)	4.76	(21,532.26 -45,855.65)	5.30	(21,526.96 -45,855.74)	17.12
		(21,510.14 -45,858.94)	8.91	(21,501.31 -45,860.16)	4.71	(21,496.61 -45,860.51)	5.43
		(21,491.21 -45,859.96)	3.98	(21,487.59 -45,858.31)	4.16	(21,484.16 -45,855.96)	2.46
		(21,482.21 -45,854.46)	0.77	(21,481.56 -45,854.04)	2.45	(21,479.44 -45,852.81)	10.77
		(21,469.76 -45,848.10)	6.35	(21,464.34 -45,844.80)	17.45	(21,449.99 -45,834.87)	2.48
41	692	(21,487.59 -45,858.31)	3.98	(21,491.21 -45,859.96)	5.43	(21,496.61 -45,860.51)	4.71
		(21,501.31 -45,860.16)	8.91	(21,510.14 -45,858.94)	17.12	(21,526.96 -45,855.74)	5.30
		(21,532.26 -45,855.65)	4.76	(21,536.96 -45,856.42)	4.79	(21,541.53 -45,857.87)	14.33
		(21,542.41 -45,843.57)	21.26	(21,521.96 -45,849.37)	30.14	(21,493.34 -45,858.81)	1.75
		(21,491.59 -45,858.71)	6.99	(21,485.16 -45,855.96)	1.00	(21,484.16 -45,855.96)	4.16
41	002- 3	(21,484.16 -45,855.96)	1.00	(21,485.16 -45,855.96)	6.99	(21,491.59 -45,858.71)	1.75
		(21,493.34 -45,858.81)	30.14	(21,521.96 -45,849.37)	21.26	(21,542.41 -45,843.57)	2.23
		(21,541.96 -45,841.39)	12.81	(21,529.66 -45,844.98)	8.65	(21,521.36 -45,847.42)	27.78
		(21,495.09 -45,856.46)	2.38	(21,492.76 -45,856.96)	2.50	(21,490.36 -45,856.26)	7.25
		(21,483.71 -45,853.36)	1.86	(21,482.21 -45,854.46)	2.46		
41	691	(21,482.21 -45,854.46)	1.86	(21,483.71 -45,853.36)	7.25	(21,490.36 -45,856.26)	2.50
		(21,492.76 -45,856.96)	2.38	(21,495.09 -45,856.46)	27.78	(21,521.36 -45,847.42)	8.65
		(21,529.66 -45,844.98)	11.72	(21,526.37 -45,833.73)	5.20	(21,521.49 -45,835.52)	10.94
		(21,511.22 -45,839.29)	13.99	(21,498.01 -45,843.91)	4.39	(21,493.94 -45,845.56)	5.47
		(21,488.79 -45,847.41)	5.10	(21,484.29 -45,849.81)	2.29	(21,482.94 -45,851.66)	2.75
		(21,481.56 -45,854.04)	0.77				
41	697	(1/ 4)					
		(21,450.00 -45,800.00)	34.87	(21,449.99 -45,834.87)	17.45	(21,464.34 -45,844.80)	6.35
		(21,469.76 -45,848.10)	10.77	(21,479.44 -45,852.81)	2.45	(21,481.56 -45,854.04)	2.75
		(21,482.94 -45,851.66)	2.29	(21,484.29 -45,849.81)	5.10	(21,488.79 -45,847.41)	5.47
		(21,493.94 -45,845.56)	4.39	(21,498.01 -45,843.91)	45.78	(21,485.02 -45,800.01)	35.02
41	688	(1/ 2)					
		(21,485.02 -45,800.01)	45.78	(21,498.01 -45,843.91)	13.99	(21,511.22 -45,839.29)	10.94
		(21,521.49 -45,835.52)	5.20	(21,526.37 -45,833.73)	1.85	(21,528.12 -45,833.12)	6.36
		(21,534.22 -45,831.31)	32.60	(21,525.07 -45,800.02)	40.05		
41	690- 1	(1/ 2)					
		(21,525.07 -45,800.02)	32.60	(21,534.22 -45,831.31)	2.39	(21,536.39 -45,830.32)	1.62
		(21,537.79 -45,829.50)	1.95	(21,539.22 -45,828.17)	4.51	(21,542.87 -45,825.52)	1.87
		(21,544.47 -45,824.55)	6.21	(21,550.32 -45,822.48)	23.48	(21,543.32 -45,800.07)	18.25
52	843	(1/ 2)					
		(21,543.32 -45,800.07)	23.48	(21,550.32 -45,822.48)	3.94	(21,554.09 -45,821.35)	9.45
		(21,562.75 -45,817.58)	10.91	(21,572.85 -45,813.46)	1.54	(21,574.39 -45,813.37)	6.84
		(21,572.37 -45,806.83)	5.16	(21,571.00 -45,801.86)	1.84	(21,570.52 -45,800.08)	27.20
52	842- 1	(1/ 2)					
		(21,570.52 -45,800.08)	1.84	(21,571.00 -45,801.86)	5.16	(21,572.37 -45,806.83)	6.84
		(21,574.39 -45,813.37)	2.95	(21,577.12 -45,814.48)	1.31	(21,578.17 -45,815.26)	0.73
		(21,578.37 -45,815.96)	3.37	(21,578.27 -45,819.33)	2.11	(21,578.49 -45,821.43)	0.95
		(21,578.79 -45,822.33)	1.03	(21,579.47 -45,823.10)	0.71	(21,579.87 -45,822.51)	5.40
		(21,581.32 -45,817.31)	3.42	(21,582.57 -45,814.13)	15.52	(21,589.17 -45,800.08)	18.65
52	002- 1						
		(21,589.17 -45,800.08)	15.52	(21,582.57 -45,814.13)	3.42	(21,581.32 -45,817.31)	5.40
		(21,579.87 -45,822.51)	0.71	(21,579.47 -45,823.10)	0.61	(21,579.09 -45,823.58)	10.81
		(21,577.88 -45,834.32)	0.96	(21,578.80 -45,834.03)	11.62	(21,580.77 -45,822.58)	5.08

地区 ..003

作業 .. 40

原図番号 .. N1 41-1

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -46,000.00

測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

52	001-	2	(21,582.12 -45,817.68)	3.35	(21,583.45 -45,814.61)	16.02	(21,590.22 -45,800.09)	1.05
		(@	21,590.22 -45,800.09)	16.02	(21,583.45 -45,814.61)	3.35	(21,582.12 -45,817.68)	5.08
		(	21,580.77 -45,822.58)	11.62	(21,578.80 -45,834.03)	3.24	(21,578.27 -45,837.23)	5.42
		(	21,577.39 -45,842.58)	15.20	(21,574.64 -45,857.53)	6.28	(21,573.36 -45,863.68)	2.41
		(	21,572.58 -45,865.96)	1.35	(21,571.31 -45,866.43)	5.00	(21,576.31 -45,866.47)	1.66
		(	21,575.06 -45,865.38)	22.81	(21,579.73 -45,843.05)	22.31	(21,583.22 -45,821.01)	5.55
		(	21,585.07 -45,815.78)	17.38	(21,592.55 -45,800.09)	2.33		
52	837-	1	(3/ 4)					
		(	21,600.00 -45,800.09)	7.45	(@ 21,592.55 -45,800.09)	17.38	(21,585.07 -45,815.78)	5.55
		(	21,583.22 -45,821.01)	22.31	(21,579.73 -45,843.05)	11.60	(21,591.24 -45,841.59)	8.84
		(	21,600.01 -45,840.49)	40.40				
52	836-	1	(2/ 2)					
		(@	21,600.01 -45,840.49)	8.84	(21,591.24 -45,841.59)	11.60	(21,579.73 -45,843.05)	22.81
		(	21,575.06 -45,865.38)	1.66	(21,576.31 -45,866.47)	23.72	(21,600.01 -45,867.39)	26.90
52	001-	1						
		(	21,600.01 -45,867.39)	23.72	(21,576.31 -45,866.47)	5.00	(21,571.31 -45,866.43)	2.25
		(	21,569.06 -45,866.33)	6.73	(21,562.36 -45,865.68)	4.89	(21,557.71 -45,864.18)	15.83
		(	21,542.96 -45,858.42)	1.53	(@ 21,541.53 -45,857.87)	1.95	(21,541.41 -45,859.82)	1.03
		(	21,542.38 -45,860.17)	15.69	(21,556.96 -45,865.98)	4.40	(21,561.19 -45,867.19)	0.98
		(	21,562.13 -45,867.48)	8.76	(21,570.86 -45,868.23)	4.43	(21,575.29 -45,868.37)	24.74
		(	21,600.01 -45,869.29)	1.90				
50	826-	1	(2/ 2)					
		(	21,600.01 -45,869.29)	24.74	(@ 21,575.29 -45,868.37)	1.56	(21,574.01 -45,869.26)	6.70
		(	21,572.46 -45,875.78)	16.78	(21,585.75 -45,886.03)	8.38	(21,591.42 -45,892.20)	10.89
		(	21,600.00 -45,885.49)	16.20				
50	822	(2/ 2)						
		(@	21,600.00 -45,885.49)	10.89	(21,591.42 -45,892.20)	23.45	(21,572.70 -45,906.33)	29.99
		(	21,590.54 -45,930.44)	3.99	(21,592.97 -45,933.61)	9.00	(21,600.04 -45,928.04)	42.55
50	821	(2/ 2)						
		(@	21,600.04 -45,928.04)	9.00	(21,592.97 -45,933.61)	11.99	(21,600.04 -45,943.29)	15.25
50	819	(2/ 2)						
		(	21,600.04 -45,943.29)	11.99	(@ 21,592.97 -45,933.61)	8.39	(21,586.36 -45,938.78)	12.15
		(	21,576.84 -45,946.33)	2.89	(21,579.64 -45,947.03)	3.72	(21,583.09 -45,948.41)	6.73
		(	21,588.41 -45,952.53)	6.52	(21,593.30 -45,956.84)	9.86	(21,600.03 -45,964.04)	20.75
50	811	(3/ 3)						
		(	21,600.03 -45,964.04)	9.86	(@ 21,593.30 -45,956.84)	4.00	(21,590.66 -45,959.84)	2.48
		(	21,589.33 -45,961.93)	3.40	(21,587.83 -45,964.98)	2.26	(21,587.23 -45,967.16)	5.02
		(	21,586.00 -45,972.03)	6.85	(21,583.93 -45,978.56)	3.74	(21,582.08 -45,981.81)	4.81
		(	21,579.43 -45,985.83)	5.30	(21,576.56 -45,990.28)	16.80	(21,592.60 -45,995.29)	7.61
		(	21,599.48 -45,998.54)	0.61	(21,600.05 -45,998.76)	34.72		
50	002-	6						
		(	21,600.02 -46,000.09)	1.33	(21,600.05 -45,998.76)	0.61	(21,599.48 -45,998.54)	7.61
		(	21,592.60 -45,995.29)	16.80	(21,576.56 -45,990.28)	2.85	(21,573.79 -45,989.62)	0.92
		(	21,572.88 -45,989.48)	6.76	(21,566.13 -45,989.85)	6.31	(21,559.91 -45,988.78)	2.44
		(	21,558.03 -45,987.23)	9.49	(21,549.20 -45,983.75)	9.96	(21,539.73 -45,980.65)	12.62
		(	21,527.41 -45,977.92)	12.92	(21,514.53 -45,976.87)	12.25	(21,502.28 -45,976.71)	2.08
		(@	21,500.20 -45,976.66)	0.92	(21,499.28 -45,976.75)	4.81	(21,499.33 -45,981.56)	1.02
		(	21,500.28 -45,981.19)	5.85	(21,506.10 -45,980.61)	8.10	(21,514.20 -45,980.59)	10.65
		(	21,524.80 -45,981.67)	12.22	(21,536.71 -45,984.39)	4.16	(21,540.78 -45,985.27)	5.92
		(	21,546.33 -45,987.32)	4.79	(21,550.80 -45,989.03)	7.16	(21,557.33 -45,991.96)	2.17
		(	21,559.23 -45,993.01)	4.91	(21,563.34 -45,995.69)	8.07	(21,571.00 -45,998.22)	5.84

地区..003 作業.. 40 原図番号.. N1 41-1 縮尺..1/ 500 基準点..X 21,450.00..Y -46,000.00 測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,576.83 -45,998.48)	6.20	(21,582.93 -45,999.58)	1.94	(21,584.80 -46,000.08)	15.22
		(21,600.02 -46,000.09)	0.00				
47	789	(21,584.80 -46,000.08)	1.94	(21,582.93 -45,999.58)	6.20	(21,576.83 -45,998.48)	5.84
		(21,571.00 -45,998.22)	0.51	(21,571.03 -45,998.73)	1.77	(21,569.30 -45,999.08)	1.69
		(21,567.70 -45,999.63)	0.92	(21,566.87 -46,000.03)	17.93		
48	001- 7	(21,566.87 -46,000.03)	0.92	(21,567.70 -45,999.63)	1.69	(21,569.30 -45,999.08)	1.77
		(21,571.03 -45,998.73)	0.51	(21,571.00 -45,998.22)	1.89	(21,569.13 -45,998.48)	1.76
		(21,567.48 -45,999.08)	2.02	(21,565.72 -46,000.08)	1.15		
48	002- 7	(21,565.72 -46,000.08)	2.02	(21,567.48 -45,999.08)	1.76	(21,569.13 -45,998.48)	1.89
		(21,571.00 -45,998.22)	8.07	(21,563.34 -45,995.69)	1.45	(21,563.75 -45,997.08)	4.71
		(21,560.12 -46,000.08)	5.60				
48	799- 2	(21,560.12 -46,000.08)	4.71	(21,563.75 -45,997.08)	1.45	(21,563.34 -45,995.69)	4.91
		(21,559.23 -45,993.01)	7.10	(21,558.17 -46,000.03)	1.95		
48	001- 8	(21,558.17 -46,000.03)	7.10	(21,559.23 -45,993.01)	2.17	(21,557.33 -45,991.96)	8.18
		(21,556.02 -46,000.03)	2.15				
48	799- 1	(21,556.02 -46,000.03)	8.18	(21,557.33 -45,991.96)	7.16	(21,550.80 -45,989.03)	4.79
		(21,546.33 -45,987.32)	5.92	(21,540.78 -45,985.27)	4.16	(21,536.71 -45,984.39)	3.54
		(21,535.38 -45,987.67)	5.83	(21,540.08 -45,991.12)	6.08	(21,544.08 -45,995.70)	3.62
		(21,546.98 -45,997.87)	4.80	(21,551.27 -46,000.03)	4.75		
48	002- 8	(21,551.27 -46,000.03)	4.80	(21,546.98 -45,997.87)	3.62	(21,544.08 -45,995.70)	6.08
		(21,540.08 -45,991.12)	5.83	(21,535.38 -45,987.67)	4.08	(21,531.40 -45,986.75)	3.61
		(21,527.80 -45,986.49)	4.95	(21,523.00 -45,987.69)	7.35	(21,517.23 -45,992.24)	7.40
		(21,510.60 -45,995.52)	0.90	(21,509.81 -45,995.96)	6.16	(21,505.17 -46,000.01)	3.00
		(21,508.17 -46,000.01)	0.36	(21,508.43 -45,999.76)	4.04	(21,511.83 -45,997.57)	6.82
		(21,517.80 -45,994.27)	3.28	(21,520.73 -45,992.79)	5.61	(21,525.10 -45,989.27)	5.91
		(21,531.00 -45,988.92)	3.00	(21,533.85 -45,989.87)	3.68	(21,537.03 -45,991.72)	7.78
		(21,542.58 -45,997.17)	4.25	(21,545.98 -45,999.72)	0.75	(21,546.67 -46,000.02)	4.60
48	790	(21,546.67 -46,000.02)	0.75	(21,545.98 -45,999.72)	4.25	(21,542.58 -45,997.17)	7.78
		(21,537.03 -45,991.72)	3.68	(21,533.85 -45,989.87)	3.00	(21,531.00 -45,988.92)	5.91
		(21,525.10 -45,989.27)	5.61	(21,520.73 -45,992.79)	3.28	(21,517.80 -45,994.27)	6.82
		(21,511.83 -45,997.57)	4.04	(21,508.43 -45,999.76)	0.36	(21,508.17 -46,000.01)	38.50
48	797	(21,505.17 -46,000.01)	6.16	(21,509.81 -45,995.96)	3.77	(21,506.45 -45,994.24)	2.31
		(21,504.88 -45,992.54)	2.62	(21,503.53 -45,990.29)	9.69	(21,499.33 -45,981.56)	10.76
		(21,489.00 -45,984.56)	16.47	(21,474.69 -45,992.72)	2.40	(21,476.49 -45,994.31)	4.32
		(21,480.05 -45,996.76)	4.15	(21,483.25 -45,999.41)	1.14	(21,484.22 -46,000.01)	20.95
48	796- 1	(21,484.22 -46,000.01)	1.14	(21,483.25 -45,999.41)	4.15	(21,480.05 -45,996.76)	4.32
		(21,476.49 -45,994.31)	5.63	(21,471.06 -45,995.79)	4.32	(21,470.12 -46,000.01)	14.10
48	794	(21,470.12 -46,000.01)	4.32	(21,471.06 -45,995.79)	1.33	(21,471.16 -45,994.46)	7.45
		(21,463.88 -45,996.05)	4.87	(21,459.28 -45,997.65)	6.04	(21,453.70 -45,999.95)	16.42
48	795- 1	(21,474.69 -45,992.72)	3.94	(21,471.16 -45,994.46)	1.33	(21,471.06 -45,995.79)	5.63

地区 ..003 作業 .. 40 原図番号 .. N1 41-1 縮尺 ..1/ 500 基準点 ..X 21,450.00..Y -46,000.00 測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

48	798	(21,476.49 -45,994.31)	2.40						
		(21,503.53 -45,990.29)	2.62	(21,504.88 -45,992.54)	2.31	(21,506.45 -45,994.24)	3.77		
		(21,509.81 -45,995.96)	0.90	(21,510.60 -45,995.52)	7.40	(21,517.23 -45,992.24)	7.35		
		(21,523.00 -45,987.69)	4.95	(21,527.80 -45,986.49)	3.61	(21,531.40 -45,986.75)	4.08		
		(21,535.38 -45,987.67)	3.54	(21,536.71 -45,984.39)	12.22	(21,524.80 -45,981.67)	10.65		
		(@ 21,514.20 -45,980.59)	8.10	(21,506.10 -45,980.61)	5.85	(21,500.28 -45,981.19)	1.02		
		(21,499.33 -45,981.56)	9.69						
42	715	(21,453.14 -45,981.49)	10.98	(21,450.63 -45,992.18)	3.24	(21,451.41 -45,995.32)	6.41		
		(21,457.70 -45,994.08)	5.31	(21,462.75 -45,992.45)	10.53	(21,472.50 -45,988.48)	15.65		
		(21,486.28 -45,981.06)	1.25	(21,487.03 -45,980.06)	9.92	(@ 21,484.53 -45,970.46)	33.27		
42	711	(21,484.53 -45,970.46)	9.92	(21,487.03 -45,980.06)	9.03	(21,495.66 -45,977.41)	3.68		
		(21,499.28 -45,976.75)	4.45	(21,499.03 -45,972.31)	3.37	(21,499.08 -45,968.94)	3.78		
		(21,499.18 -45,965.16)	2.75	(21,499.33 -45,962.41)	2.43	(21,499.71 -45,960.01)	2.85		
		(21,500.61 -45,957.31)	2.53	(21,501.76 -45,955.06)	3.67	(@ 21,504.24 -45,952.35)	1.27		
		(21,503.01 -45,952.66)	5.66	(21,497.41 -45,953.51)	4.48	(21,492.94 -45,953.86)	2.63		
		(21,490.31 -45,953.84)	7.30	(21,483.11 -45,952.61)	0.61	(21,483.00 -45,953.21)	5.58		
		(21,482.41 -45,958.76)	4.05	(21,482.53 -45,962.81)	6.07	(21,483.73 -45,968.76)	1.88		
42	712	(21,484.53 -45,970.46)	1.88	(21,483.73 -45,968.76)	6.07	(21,482.53 -45,962.81)	4.05		
		(21,482.41 -45,958.76)	5.58	(21,483.00 -45,953.21)	23.03	(@ 21,459.99 -45,952.19)	19.01		
		(21,456.26 -45,970.83)	8.06	(21,453.93 -45,978.55)	3.04	(21,453.14 -45,981.49)	33.27		
42	710	(21,465.49 -45,933.38)	9.82	(21,462.66 -45,942.78)	9.78	(21,459.99 -45,952.19)	23.03		
		(21,483.00 -45,953.21)	0.61	(21,483.11 -45,952.61)	7.30	(21,490.31 -45,953.84)	2.63		
		(21,492.94 -45,953.86)	4.48	(21,497.41 -45,953.51)	5.66	(21,503.01 -45,952.66)	1.27		
		(21,504.24 -45,952.35)	2.57	(21,506.24 -45,950.74)	2.31	(21,507.59 -45,948.86)	2.10		
		(21,508.64 -45,947.04)	1.96	(21,509.19 -45,945.16)	7.10	(21,510.24 -45,938.14)	7.96		
		(21,511.71 -45,930.32)	1.98	(21,509.74 -45,930.51)	6.85	(21,502.94 -45,929.66)	28.10		
		(21,475.04 -45,926.31)	7.47	(@ 21,467.72 -45,924.83)	8.84				
42	708	(21,460.15 -45,913.17)	10.73	(21,462.49 -45,923.64)	3.82	(21,466.31 -45,923.45)	0.82		
		(21,466.34 -45,922.63)	9.15	(21,475.24 -45,924.76)	27.83	(21,502.84 -45,928.35)	18.95		
		(@ 21,501.30 -45,909.46)	41.32						
42	707	(21,501.30 -45,909.46)	6.13	(21,500.30 -45,903.41)	10.30	(21,498.65 -45,893.24)	4.90		
		(21,497.65 -45,888.44)	7.55	(21,496.05 -45,881.06)	5.92	(21,494.46 -45,875.36)	5.57		
		(21,492.91 -45,870.01)	8.70	(21,490.24 -45,861.73)	3.65	(21,486.96 -45,860.13)	3.28		
		(21,484.36 -45,858.13)	2.65	(@ 21,482.06 -45,856.81)	34.18	(21,450.81 -45,870.65)	7.39		
		(21,453.46 -45,877.55)	6.78	(21,455.45 -45,884.03)	3.20	(21,456.20 -45,887.14)	9.12		
		(21,457.63 -45,896.15)	12.91	(21,459.07 -45,908.98)	1.11	(21,458.86 -45,910.07)	2.76		
		(21,459.37 -45,912.78)	0.40	(21,459.52 -45,913.15)	0.63	(21,460.15 -45,913.17)	41.32		
50	001- 6	(21,511.71 -45,930.32)	7.96	(21,510.24 -45,938.14)	7.10	(21,509.19 -45,945.16)	1.96		
		(21,508.64 -45,947.04)	2.10	(21,507.59 -45,948.86)	2.31	(21,506.24 -45,950.74)	2.57		
		(21,504.24 -45,952.35)	3.67	(21,501.76 -45,955.06)	2.53	(21,500.61 -45,957.31)	2.85		
		(21,499.71 -45,960.01)	2.43	(21,499.33 -45,962.41)	2.75	(21,499.18 -45,965.16)	3.78		
		(21,499.08 -45,968.94)	3.37	(21,499.03 -45,972.31)	4.45	(21,499.28 -45,976.75)	0.92		
		(21,500.20 -45,976.66)	4.38	(21,499.93 -45,972.29)	4.05	(21,499.91 -45,968.24)	3.06		
		(21,500.13 -45,965.19)	2.68	(21,500.26 -45,962.51)	2.22	(21,500.58 -45,960.31)	2.73		

地区 ..003

作業 .. 40

原図番号 .. N1 41-1

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -46,000.00

測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

50	814	(21,501.49 -45,957.74)	2.48	(21,502.54 -45,955.49)	3.33	(21,504.81 -45,953.06)	2.71
		(21,506.84 -45,951.26)	2.47	(21,508.36 -45,949.31)	2.30	(21,509.46 -45,947.29)	1.94
		(21,510.04 -45,945.44)	7.14	(21,511.19 -45,938.39)	8.30	(@ 21,512.63 -45,930.22)	0.93
50	814	(21,512.63 -45,930.22)	8.30	(21,511.19 -45,938.39)	7.14	(21,510.04 -45,945.44)	1.94
		(21,509.46 -45,947.29)	2.30	(21,508.36 -45,949.31)	2.47	(21,506.84 -45,951.26)	2.71
		(21,504.81 -45,953.06)	3.33	(21,502.54 -45,955.49)	2.48	(21,501.49 -45,957.74)	2.73
		(21,500.58 -45,960.31)	2.22	(21,500.26 -45,962.51)	2.68	(21,500.13 -45,965.19)	3.06
		(21,499.91 -45,968.24)	4.05	(21,499.93 -45,972.29)	4.38	(21,500.20 -45,976.66)	2.08
		(21,502.28 -45,976.71)	12.25	(21,514.53 -45,976.87)	12.92	(21,527.41 -45,977.92)	12.62
		(21,539.73 -45,980.65)	9.96	(21,549.20 -45,983.75)	9.49	(21,558.03 -45,987.23)	23.23
		(21,558.82 -45,964.01)	1.22	(21,557.81 -45,963.33)	1.61	(21,557.68 -45,961.73)	14.20
		(21,557.89 -45,947.53)	6.76	(21,551.14 -45,947.20)	5.09	(21,546.21 -45,945.92)	5.40
		(21,541.16 -45,944.00)	4.81	(21,536.51 -45,942.77)	10.00	(21,527.74 -45,937.97)	7.21
		(21,521.04 -45,935.32)	5.12	(21,516.49 -45,932.97)	4.38	(@ 21,513.12 -45,930.17)	0.49
50	002- 5	(21,502.94 -45,929.66)	6.85	(21,509.74 -45,930.51)	1.98	(21,511.71 -45,930.32)	0.93
		(21,512.63 -45,930.22)	0.49	(21,513.12 -45,930.17)	4.38	(21,516.49 -45,932.97)	5.12
		(21,521.04 -45,935.32)	7.21	(21,527.74 -45,937.97)	10.00	(21,536.51 -45,942.77)	4.81
		(21,541.16 -45,944.00)	5.40	(21,546.21 -45,945.92)	5.09	(21,551.14 -45,947.20)	6.76
		(21,557.89 -45,947.53)	14.20	(21,557.68 -45,961.73)	1.61	(21,557.81 -45,963.33)	1.22
		(21,558.82 -45,964.01)	2.73	(21,558.93 -45,961.28)	16.11	(21,559.72 -45,945.19)	6.00
		(21,553.74 -45,945.63)	2.98	(21,550.76 -45,945.68)	4.16	(21,546.79 -45,944.45)	5.61
		(21,541.54 -45,942.47)	3.84	(21,537.86 -45,941.37)	11.04	(21,528.17 -45,936.07)	7.14
		(21,521.52 -45,933.47)	4.19	(21,517.87 -45,931.42)	4.76	(@ 21,514.49 -45,928.07)	2.33
		(21,512.24 -45,928.68)	2.49	(21,509.82 -45,929.26)	7.04	(21,502.84 -45,928.35)	1.31
50	001- 4	(21,512.14 -45,927.87)	2.31	(21,509.89 -45,928.39)	6.31	(21,503.64 -45,927.54)	18.15
		(21,502.25 -45,909.44)	6.26	(21,501.23 -45,903.26)	10.30	(21,499.50 -45,893.11)	4.83
		(21,498.60 -45,888.36)	7.81	(21,496.90 -45,880.74)	5.91	(21,495.26 -45,875.06)	5.58
		(21,493.66 -45,869.71)	8.27	(21,491.07 -45,861.86)	0.84	(@ 21,490.24 -45,861.73)	8.70
		(21,492.91 -45,870.01)	5.57	(21,494.46 -45,875.36)	5.92	(21,496.05 -45,881.06)	7.55
		(21,497.65 -45,888.44)	4.90	(21,498.65 -45,893.24)	10.30	(21,500.30 -45,903.41)	6.13
		(21,501.30 -45,909.46)	18.95	(21,502.84 -45,928.35)	7.04	(21,509.82 -45,929.26)	2.49
		(21,512.24 -45,928.68)	0.82				
50	816	(21,502.25 -45,909.44)	18.15	(21,503.64 -45,927.54)	6.31	(21,509.89 -45,928.39)	2.31
		(21,512.14 -45,927.87)	0.82	(21,512.24 -45,928.68)	2.33	(21,514.49 -45,928.07)	4.76
		(21,517.87 -45,931.42)	4.19	(21,521.52 -45,933.47)	7.14	(21,528.17 -45,936.07)	11.04
		(21,537.86 -45,941.37)	3.84	(21,541.54 -45,942.47)	5.61	(21,546.79 -45,944.45)	4.16
		(21,550.76 -45,945.68)	2.98	(21,553.74 -45,945.63)	6.00	(21,559.72 -45,945.19)	4.36
		(21,560.14 -45,940.85)	7.46	(21,556.42 -45,934.38)	21.74	(21,561.45 -45,913.23)	7.07
		(21,554.70 -45,911.13)	14.42	(21,540.80 -45,907.30)	16.35	(21,525.05 -45,902.92)	5.63
		(@ 21,519.47 -45,902.17)	18.27	(21,501.23 -45,903.26)	6.26		
50	826- 3	(21,571.86 -45,869.78)	1.84	(21,570.86 -45,868.23)	8.76	(21,562.13 -45,867.48)	0.98
		(@ 21,561.19 -45,867.19)	11.96	(21,570.71 -45,874.43)	4.79		
50	824	(21,570.71 -45,874.43)	11.96	(21,561.19 -45,867.19)	4.40	(21,556.96 -45,865.98)	15.69
		(21,542.38 -45,860.17)	1.03	(21,541.41 -45,859.82)	5.56	(21,536.11 -45,858.15)	4.16
		(@ 21,532.01 -45,857.47)	4.82	(21,527.19 -45,857.52)	17.00	(21,510.48 -45,860.67)	9.21
		(21,501.38 -45,862.06)	5.01	(21,496.38 -45,862.41)	5.34	(21,491.07 -45,861.86)	8.27

地区 ..003

作業 .. 40

原図番号 .. N1 41-1

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -46,000.00

測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,493.66 -45,869.71)	5.58	(21,495.26 -45,875.06)	5.91	(21,496.90 -45,880.74)	7.81
		(21,498.60 -45,888.36)	4.83	(21,499.50 -45,893.11)	10.30	(21,501.23 -45,903.26)	18.27
		(21,519.47 -45,902.17)	5.63	(21,525.05 -45,902.92)	16.35	(21,540.80 -45,907.30)	14.42
		(21,554.70 -45,911.13)	7.07	(21,561.45 -45,913.23)	39.89		
50	818- 2	(21,584.02 -45,935.58)	3.96	(21,586.36 -45,938.78)	8.39	(21,592.97 -45,933.61)	3.99
		(@ 21,590.54 -45,930.44)	8.30				
50	813- 3	(@ 21,574.63 -45,984.98)	4.72	(21,573.79 -45,989.62)	2.85	(21,576.56 -45,990.28)	5.30
		(21,579.43 -45,985.83)	4.87				
50	813- 2	(21,579.43 -45,985.83)	4.81	(21,582.08 -45,981.81)	3.74	(21,583.93 -45,978.56)	6.85
		(21,586.00 -45,972.03)	9.02	(@ 21,577.22 -45,969.98)	2.52	(21,576.82 -45,972.47)	12.70
		(21,574.63 -45,984.98)	4.87				
50	813- 1	(21,559.91 -45,988.78)	6.31	(21,566.13 -45,989.85)	6.76	(21,572.88 -45,989.48)	0.92
		(21,573.79 -45,989.62)	4.72	(21,574.63 -45,984.98)	12.70	(21,576.82 -45,972.47)	10.47
		(21,567.03 -45,968.75)	6.95	(@ 21,560.85 -45,965.58)	23.22		
50	002- 4	(21,560.85 -45,965.58)	6.95	(21,567.03 -45,968.75)	10.47	(21,576.82 -45,972.47)	2.52
		(21,577.22 -45,969.98)	10.06	(21,567.63 -45,966.93)	7.50	(@ 21,560.90 -45,963.61)	1.97
50	812- 1	(21,560.90 -45,963.61)	7.50	(21,567.63 -45,966.93)	10.06	(21,577.22 -45,969.98)	9.02
		(21,586.00 -45,972.03)	5.02	(21,587.23 -45,967.16)	2.26	(21,587.83 -45,964.98)	3.40
		(21,589.33 -45,961.93)	2.48	(21,590.66 -45,959.84)	4.00	(21,593.30 -45,956.84)	6.52
		(21,588.41 -45,952.53)	6.73	(21,583.09 -45,948.41)	3.72	(21,579.64 -45,947.03)	2.89
		(21,576.84 -45,946.33)	2.50	(21,574.39 -45,945.83)	7.63	(21,566.79 -45,945.18)	4.20
		(21,562.59 -45,945.13)	0.80	(@ 21,561.79 -45,945.13)	18.50		
50	818- 1	(21,558.79 -45,933.30)	7.74	(21,562.04 -45,940.33)	4.81	(21,561.79 -45,945.13)	0.80
		(21,562.59 -45,945.13)	4.20	(21,566.79 -45,945.18)	7.63	(21,574.39 -45,945.83)	2.50
		(21,576.84 -45,946.33)	12.15	(21,586.36 -45,938.78)	3.96	(21,584.02 -45,935.58)	8.30
		(21,590.54 -45,930.44)	29.99	(@ 21,572.70 -45,906.33)	12.18	(21,563.30 -45,914.08)	19.74
50	825- 1	(21,563.30 -45,914.08)	12.18	(21,572.70 -45,906.33)	23.45	(21,591.42 -45,892.20)	8.38
		(21,585.75 -45,886.03)	16.78	(@ 21,572.46 -45,875.78)	39.38		
50	001- 5	(@ 21,570.86 -45,868.23)	1.84	(21,571.86 -45,869.78)	4.79	(21,570.71 -45,874.43)	39.89
		(21,561.45 -45,913.23)	21.74	(21,556.42 -45,934.38)	7.46	(21,560.14 -45,940.85)	4.36
		(21,559.72 -45,945.19)	16.11	(21,558.93 -45,961.28)	2.73	(21,558.82 -45,964.01)	23.23
		(21,558.03 -45,987.23)	2.44	(21,559.91 -45,988.78)	23.22	(21,560.85 -45,965.58)	1.97
		(21,560.90 -45,963.61)	18.50	(21,561.79 -45,945.13)	4.81	(21,562.04 -45,940.33)	7.74
		(21,558.79 -45,933.30)	19.74	(21,563.30 -45,914.08)	39.38	(21,572.46 -45,875.78)	6.70
		(21,574.01 -45,869.26)	1.56	(21,575.29 -45,868.37)	4.43		
52	839- 1	(21,579.09 -45,823.58)	0.61	(21,579.47 -45,823.10)	1.03	(21,578.79 -45,822.33)	0.95
		(21,578.49 -45,821.43)	2.11	(21,578.27 -45,819.33)	3.37	(21,578.37 -45,815.96)	0.73
		(21,578.17 -45,815.26)	1.31	(21,577.12 -45,814.48)	2.95	(@ 21,574.39 -45,813.37)	1.54
		(21,572.85 -45,813.46)	10.91	(21,562.75 -45,817.58)	9.45	(21,554.09 -45,821.35)	3.94
		(21,550.32 -45,822.48)	6.21	(21,544.47 -45,824.55)	1.87	(21,542.87 -45,825.52)	4.51
		(21,539.22 -45,828.17)	1.95	(21,537.79 -45,829.50)	1.62	(21,536.39 -45,830.32)	2.39
		(21,534.22 -45,831.31)	6.36	(21,528.12 -45,833.12)	1.85	(21,526.37 -45,833.73)	11.72

地区 ..003 作業 .. 40 原図番号 .. N1 41-1 縮尺 ..1/ 500 基準点 ..X 21,450.00..Y -46,000.00 測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,529.66 -45,844.98)	12.81	(21,541.96 -45,841.39)	4.21	(21,546.04 -45,840.35)	6.18
		(21,552.09 -45,839.10)	2.74	(21,554.74 -45,839.78)	9.90	(21,564.22 -45,836.93)	7.66
52	002- 2	(21,571.77 -45,835.63)	6.25	(21,577.88 -45,834.32)	10.81		
		(21,578.80 -45,834.03)	0.96	(21,577.88 -45,834.32)	6.25	(21,571.77 -45,835.63)	7.66
		(21,564.22 -45,836.93)	9.90	(21,554.74 -45,839.78)	2.74	(21,552.09 -45,839.10)	6.18
		(21,546.04 -45,840.35)	4.21	(21,541.96 -45,841.39)	2.23	(21,542.41 -45,843.57)	4.24
		(21,546.56 -45,842.72)	5.15	(21,551.64 -45,841.90)	2.62	(21,554.19 -45,842.48)	11.31
52	838	(21,565.14 -45,839.63)	7.32	(21,572.34 -45,838.31)	6.03	(21,578.27 -45,837.23)	3.24
		(21,578.27 -45,837.23)	6.03	(21,572.34 -45,838.31)	7.32	(21,565.14 -45,839.63)	11.31
		(21,554.19 -45,842.48)	2.62	(21,551.64 -45,841.90)	5.15	(21,546.56 -45,842.72)	4.24
		(21,542.41 -45,843.57)	14.33	(21,541.53 -45,857.87)	1.53	(21,542.96 -45,858.42)	15.83
		(21,557.71 -45,864.18)	4.89	(21,562.36 -45,865.68)	6.73	(21,569.06 -45,866.33)	2.25
		(21,571.31 -45,866.43)	1.35	(21,572.58 -45,865.96)	2.41	(21,573.36 -45,863.68)	6.28
		(21,574.64 -45,857.53)	15.20	(21,577.39 -45,842.58)	5.42		