

地区 ..003

作業 .. 41 原図番号 .. N1 41-2

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -45,800.00 測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,450.00 -45,800.00)	50.02	(21,500.02 -45,800.06)	50.00	(21,550.02 -45,800.11)	50.00
		(21,600.02 -45,800.17)	50.00	(21,600.03 -45,750.17)	50.00	(21,600.04 -45,700.17)	50.00
		(21,600.04 -45,650.17)	50.00	(21,600.05 -45,600.17)	50.05	(21,550.00 -45,600.11)	49.95
		(21,500.05 -45,600.11)	50.05	(21,450.00 -45,600.05)	49.89	(21,450.03 -45,649.94)	50.11
		(21,449.99 -45,700.05)	49.95	(21,450.03 -45,750.00)	50.00		
41	697	(2/ 4)					
		(21,450.00 -45,800.00)	35.00	(21,485.00 -45,800.03)	4.22	(21,483.87 -45,795.96)	30.00
		(21,454.44 -45,790.12)	4.55	(21,449.98 -45,789.20)	10.80		
41	700-	(1/ 2)					
	4	(21,449.98 -45,789.20)	4.55	(21,454.44 -45,790.12)	27.87	(21,459.63 -45,762.74)	9.67
		(21,450.03 -45,763.90)	25.30				
41	701-	(1/ 2)					
	2	(21,450.03 -45,763.90)	9.67	(21,459.63 -45,762.74)	5.13	(21,464.68 -45,761.85)	30.71
		(21,460.70 -45,731.40)	1.79	(21,458.91 -45,731.38)	6.34	(21,452.58 -45,731.80)	2.67
		(21,449.98 -45,732.40)	31.50				
40	001-	8					
		(21,449.98 -45,732.40)	2.67	(21,452.58 -45,731.80)	6.34	(21,458.91 -45,731.38)	1.79
		(21,460.70 -45,731.40)	7.48	(21,468.18 -45,731.30)	10.97	(21,479.08 -45,730.10)	3.56
		(21,482.61 -45,729.65)	6.44	(21,489.05 -45,729.40)	7.03	(21,496.08 -45,729.56)	3.83
		(21,499.88 -45,730.06)	6.11	(21,505.83 -45,731.43)	6.27	(21,511.81 -45,733.33)	5.44
		(21,517.06 -45,734.76)	3.56	(21,520.53 -45,735.56)	2.82	(21,521.88 -45,733.08)	4.12
		(21,517.81 -45,732.46)	5.88	(21,512.13 -45,730.93)	6.18	(21,506.33 -45,728.81)	6.68
		(21,499.77 -45,727.57)	3.97	(21,495.81 -45,727.33)	6.78	(21,489.03 -45,727.20)	6.63
		(21,482.43 -45,727.78)	14.57	(21,467.96 -45,729.48)	9.00	(21,458.96 -45,729.40)	6.93
		(21,452.03 -45,729.65)	2.05	(21,450.03 -45,730.08)	2.32		
40	682-	(1/ 2)					
	1	(21,450.03 -45,730.08)	2.05	(21,452.03 -45,729.65)	6.93	(21,458.96 -45,729.40)	9.00
		(21,467.96 -45,729.48)	14.57	(21,482.43 -45,727.78)	6.63	(21,489.03 -45,727.20)	6.78
		(21,495.81 -45,727.33)	3.97	(21,499.77 -45,727.57)	9.04	(21,500.76 -45,718.58)	14.34
		(21,501.59 -45,704.26)	6.29	(21,502.34 -45,698.01)	4.57	(21,502.81 -45,693.46)	5.03
		(21,503.01 -45,688.43)	3.83	(21,502.69 -45,684.61)	5.63	(21,502.12 -45,679.01)	0.57
		(21,502.67 -45,678.86)	7.63	(21,510.12 -45,677.23)	1.32	(21,509.76 -45,675.96)	39.56
		(21,470.37 -45,679.58)	7.43	(21,462.96 -45,680.15)	8.15	(21,454.89 -45,681.30)	5.17
		(21,449.99 -45,682.95)	47.13				
93	002-	10					
		(21,449.99 -45,682.95)	5.17	(21,454.89 -45,681.30)	3.12	(21,457.36 -45,679.40)	5.55
		(21,462.62 -45,677.63)	6.09	(21,468.16 -45,675.10)	2.58	(21,466.53 -45,673.10)	8.50
		(21,458.56 -45,676.05)	4.26	(21,454.59 -45,677.60)	4.85	(21,449.99 -45,679.15)	3.80
93	1526-	(1/ 2)					
	1	(21,449.99 -45,679.15)	4.85	(21,454.59 -45,677.60)	4.26	(21,458.56 -45,676.05)	12.21
		(21,449.99 -45,667.35)	11.80				
94	1528	(1/ 2)					
		(21,449.99 -45,667.35)	12.21	(21,458.56 -45,676.05)	8.50	(21,466.53 -45,673.10)	0.87
		(21,467.09 -45,672.44)	8.26	(21,469.34 -45,664.49)	24.18	(21,450.03 -45,649.94)	17.41
94	1529-	(1/ 2)					
	3	(21,450.03 -45,649.94)	24.18	(21,469.34 -45,664.49)	18.12	(21,474.34 -45,647.07)	18.02
		(21,479.30 -45,629.75)	30.98	(21,450.05 -45,619.55)	30.39		
94	001-	13					
		(21,450.05 -45,619.55)	30.98	(21,479.30 -45,629.75)	15.91	(21,494.45 -45,634.61)	7.71
		(21,501.75 -45,637.09)	7.10	(21,508.55 -45,639.14)	1.73	(21,510.20 -45,639.66)	4.57
		(21,512.00 -45,635.46)	2.44	(21,509.71 -45,634.61)	20.97	(21,489.71 -45,628.30)	41.71

地区 ..003 作業 .. 41 原図番号 .. N1 41-2 縮尺 ..1/ 500 基準点 ..X 21,450.00..Y -45,800.00 測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

94	002-	(a	21,450.07	-45,615.33)	4.22								
94	1529-	(a	21,450.05	-45,600.00)	2.90	(	21,450.07	-45,602.90)	3.75	(	21,452.45	-45,600.00)	2.40
		(	(1/ 3)										
		(a	21,452.45	-45,600.00)	3.75	(	21,450.07	-45,602.90)	8.35	(	21,450.07	-45,611.25)	13.91
		(	21,458.25	-45,600.00)	5.80								
94	1529-	(	(1/ 3)										
		(a	21,458.25	-45,600.00)	13.91	(	21,450.07	-45,611.25)	4.08	(	21,450.07	-45,615.33)	41.71
		(	21,489.71	-45,628.30)	21.62	(	21,497.31	-45,608.06)	8.57	(	21,489.62	-45,604.28)	9.16
		(	21,481.50	-45,600.05)	23.25								
94	001-	12											
		(a	21,481.50	-45,600.05)	9.16	(	21,489.62	-45,604.28)	8.57	(	21,497.31	-45,608.06)	20.80
		(	21,515.68	-45,617.81)	2.38	(	21,517.75	-45,618.99)	7.77	(	21,519.66	-45,611.46)	3.74
		(	21,516.26	-45,609.91)	7.36	(	21,509.78	-45,606.42)	13.74	(	21,497.60	-45,600.06)	16.10
94	1529-	9	(1/ 2)										
		(a	21,497.60	-45,600.06)	13.74	(	21,509.78	-45,606.42)	6.53	(	21,511.45	-45,600.11)	13.85
94	1527-	6	(1/ 2)										
		(a	21,511.45	-45,600.11)	6.53	(	21,509.78	-45,606.42)	7.36	(	21,516.26	-45,609.91)	10.02
		(	21,518.35	-45,600.11)	6.90								
94	002-	6											
		(a	21,518.35	-45,600.11)	10.02	(	21,516.26	-45,609.91)	3.74	(	21,519.66	-45,611.46)	10.55
		(	21,521.73	-45,601.11)	1.01	(	21,521.85	-45,600.11)	3.50				
40	685-	4	(1/ 2)										
		(a	21,521.85	-45,600.11)	1.01	(	21,521.73	-45,601.11)	4.23	(	21,525.95	-45,601.37)	1.26
		(	21,525.85	-45,600.11)	4.00								
62	1000-	1	(1/ 2)										
		(a	21,525.85	-45,600.11)	1.26	(	21,525.95	-45,601.37)	1.62	(	21,527.17	-45,602.43)	3.39
		(	21,528.70	-45,605.46)	3.95	(	21,530.32	-45,609.06)	3.84	(	21,531.65	-45,612.66)	6.66
		(	21,532.75	-45,619.23)	0.32	(	21,533.04	-45,619.36)	22.78	(	21,555.60	-45,616.21)	16.57
		(	21,559.50	-45,600.11)	33.65								
62	999-	1	(1/ 2)										
		(a	21,559.50	-45,600.11)	16.57	(	21,555.60	-45,616.21)	22.78	(	21,533.04	-45,619.36)	34.76
		(	21,563.05	-45,636.91)	2.39	(	21,565.05	-45,638.21)	20.55	(	21,579.42	-45,623.52)	12.21
		(	21,591.07	-45,627.17)	3.22	(	21,592.65	-45,624.37)	1.86	(	21,593.60	-45,622.77)	6.64
		(	21,588.75	-45,618.24)	7.71	(	21,582.77	-45,613.37)	7.85	(	21,576.60	-45,608.52)	4.55
		(	21,579.05	-45,604.69)	4.03	(	21,581.01	-45,601.17)	4.04	(	21,577.10	-45,600.17)	17.60
62	1001-	2	(1/ 2)										
		(a	21,577.10	-45,600.17)	4.04	(	21,581.01	-45,601.17)	1.09	(	21,581.45	-45,600.17)	4.35
62	991		(3/ 4)										
		(	21,600.05	-45,600.17)	18.60	(a	21,581.45	-45,600.17)	1.09	(	21,581.01	-45,601.17)	4.03
		(	21,579.05	-45,604.69)	4.55	(	21,576.60	-45,608.52)	7.85	(	21,582.77	-45,613.37)	7.71
		(	21,588.75	-45,618.24)	6.64	(	21,593.60	-45,622.77)	1.86	(	21,592.65	-45,624.37)	7.38
		(	21,598.50	-45,628.87)	0.42	(	21,598.20	-45,629.17)	0.42	(	21,598.48	-45,629.48)	0.55
		(	21,598.85	-45,629.07)	1.70	(	21,600.05	-45,627.87)	27.70				
62	990		(2/ 2)										
		(a	21,600.05	-45,627.87)	1.70	(	21,598.85	-45,629.07)	0.55	(	21,598.48	-45,629.48)	2.13
		(	21,600.05	-45,630.92)	3.05								
62	999-	4	(2/ 2)										
		(	21,600.05	-45,630.92)	2.13	(	21,598.48	-45,629.48)	0.42	(	21,598.20	-45,629.17)	0.42
		(	21,598.50	-45,628.87)	7.38	(	21,592.65	-45,624.37)	3.22	(	21,591.07	-45,627.17)	12.21
		(a	21,579.42	-45,623.52)	20.55	(	21,565.05	-45,638.21)	7.83	(	21,571.64	-45,642.43)	17.47
		(	21,589.11	-45,642.17)	2.20	(	21,590.97	-45,640.99)	12.94	(	21,600.05	-45,631.77)	0.85

地区 ..003

作業 .. 41 原図番号 .. N1 41-2

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -45,800.00 測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

61	002- 1	(@ 21,600.05 -45,631.77)	12.94	(21,590.97 -45,640.99)	2.20	(21,589.11 -45,642.17)	4.88
		(21,584.83 -45,644.52)	4.50	(21,581.97 -45,647.99)	2.23	(21,583.89 -45,649.12)	0.86
		(21,584.51 -45,648.52)	3.86	(21,587.19 -45,645.74)	5.43	(21,591.54 -45,642.49)	8.52
		(21,597.41 -45,636.32)	1.23	(21,598.25 -45,635.42)	2.44	(21,600.05 -45,633.77)	2.00
61	974- 5	(2/ 2)					
		(@ 21,600.05 -45,633.77)	2.44	(21,598.25 -45,635.42)	1.23	(21,597.41 -45,636.32)	3.32
		(21,600.10 -45,638.27)	4.50				
61	972- 1	(2/ 2)					
		(21,600.10 -45,638.27)	3.32	(@ 21,597.41 -45,636.32)	8.52	(21,591.54 -45,642.49)	5.43
		(21,587.19 -45,645.74)	3.86	(21,584.51 -45,648.52)	0.73	(21,585.17 -45,648.84)	17.88
		(21,600.04 -45,658.77)	20.50				
61	971- 1	(2/ 2)					
		(21,600.04 -45,658.77)	17.88	(21,585.17 -45,648.84)	0.73	(@ 21,584.51 -45,648.52)	0.86
		(21,583.89 -45,649.12)	19.40	(21,600.04 -45,659.87)	1.10		
61	001- 3						
		(21,600.04 -45,659.87)	19.40	(21,583.89 -45,649.12)	2.23	(@ 21,581.97 -45,647.99)	7.13
		(21,577.67 -45,653.68)	1.83	(21,579.18 -45,654.72)	12.51	(21,589.84 -45,661.27)	0.64
		(21,589.49 -45,661.80)	7.22	(21,593.36 -45,667.90)	7.44	(21,600.04 -45,671.17)	11.30
61	971- 3	(2/ 2)					
		(21,600.04 -45,671.17)	7.44	(@ 21,593.36 -45,667.90)	5.77	(21,590.74 -45,673.04)	10.82
		(21,600.04 -45,678.57)	7.40				
61	969- 2	(2/ 2)					
		(21,600.04 -45,678.57)	10.82	(21,590.74 -45,673.04)	5.77	(21,593.36 -45,667.90)	5.03
		(21,588.84 -45,665.69)	6.09	(@ 21,583.04 -45,663.83)	5.25	(21,580.72 -45,668.54)	0.65
		(21,581.09 -45,669.07)	4.53	(21,579.09 -45,673.14)	4.97	(21,583.37 -45,675.67)	16.03
		(21,574.75 -45,689.18)	10.41	(21,584.46 -45,692.92)	7.09	(21,590.96 -45,695.74)	3.71
		(21,594.29 -45,697.37)	4.25	(21,597.95 -45,699.53)	4.00	(21,600.04 -45,696.12)	17.55
61	969- 1	(2/ 2)					
		(@ 21,600.04 -45,696.12)	4.00	(21,597.95 -45,699.53)	2.38	(21,600.04 -45,700.67)	4.55
61	962	(2/ 2)					
		(21,600.04 -45,700.67)	2.38	(21,597.95 -45,699.53)	4.25	(21,594.29 -45,697.37)	3.71
		(21,590.96 -45,695.74)	7.09	(21,584.46 -45,692.92)	10.41	(21,574.75 -45,689.18)	2.38
		(21,572.59 -45,688.17)	3.40	(21,569.66 -45,686.44)	1.67	(@ 21,568.09 -45,685.86)	4.48
		(21,568.79 -45,690.29)	4.17	(21,568.89 -45,694.46)	4.85	(21,568.19 -45,699.26)	1.78
		(21,567.84 -45,701.01)	2.94	(21,566.95 -45,703.81)	2.30	(21,565.59 -45,705.66)	30.11
		(21,591.83 -45,720.42)	9.60	(21,600.03 -45,725.42)	24.75		
61	963- 1	(2/ 2)					
		(21,600.03 -45,725.42)	9.60	(@ 21,591.83 -45,720.42)	18.93	(21,582.30 -45,736.78)	20.62
		(21,600.08 -45,747.22)	21.80				
61	964	(2/ 2)					
		(21,600.08 -45,747.22)	20.62	(21,582.30 -45,736.78)	29.87	(@ 21,556.68 -45,721.43)	3.57
		(21,554.82 -45,724.48)	4.70	(21,552.36 -45,728.49)	5.04	(21,549.23 -45,732.44)	3.43
		(21,547.00 -45,735.05)	0.20	(21,547.18 -45,735.14)	0.64	(21,547.58 -45,735.64)	6.61
		(21,553.46 -45,738.66)	28.47	(21,578.41 -45,752.37)	8.98	(21,587.11 -45,754.59)	10.25
		(21,597.36 -45,754.79)	2.67	(21,600.03 -45,754.67)	7.45		
61	001- 6						
		(21,600.03 -45,754.67)	2.67	(21,597.36 -45,754.79)	10.25	(21,587.11 -45,754.59)	8.98
		(21,578.41 -45,752.37)	28.47	(21,553.46 -45,738.66)	6.61	(21,547.58 -45,735.64)	0.64
		(21,547.18 -45,735.14)	0.20	(21,547.00 -45,735.05)	4.21	(21,542.98 -45,733.81)	6.89
		(21,536.11 -45,733.31)	9.29	(21,526.82 -45,733.17)	4.94	(@ 21,521.88 -45,733.08)	2.82
		(21,520.53 -45,735.56)	6.15	(21,526.68 -45,735.56)	9.95	(21,536.63 -45,735.66)	4.51

地区 ..003

作業 .. 41

原図番号 .. N1 41-2

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -45,800.00

測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

52	844	(21,541.13 -45,735.91)	2.44	(21,543.53 -45,736.35)	3.75	(21,547.06 -45,737.61)	5.34
		(21,551.78 -45,740.11)	12.33	(21,562.61 -45,746.01)	17.01	(21,577.55 -45,754.15)	9.86
		(21,587.08 -45,756.67)	10.23	(21,597.31 -45,756.77)	2.72	(21,600.03 -45,756.67)	2.00
52	844	(21,562.61 -45,746.01)	12.33	(21,551.78 -45,740.11)	5.34	(21,547.06 -45,737.61)	3.75
		(21,543.53 -45,736.35)	19.56	(21,535.96 -45,754.39)	5.16	(21,533.48 -45,758.91)	3.32
		(21,532.43 -45,762.06)	11.03	(21,534.53 -45,772.89)	6.85	(21,535.58 -45,779.66)	4.76
		(21,537.14 -45,784.16)	19.36	(21,555.78 -45,778.94)	5.37	(21,560.83 -45,777.11)	4.41
		(21,564.83 -45,775.25)	6.58	(21,568.45 -45,769.76)	0.55	(21,568.98 -45,769.91)	17.94
		(21,577.55 -45,754.15)	17.01				
52	845- 1	(21,600.03 -45,756.67)	2.72	(21,597.31 -45,756.77)	10.23	(21,587.08 -45,756.67)	9.86
		(21,577.55 -45,754.15)	17.94	(21,568.98 -45,769.91)	31.55	(21,599.34 -45,778.48)	1.90
		(21,600.05 -45,776.72)	20.05				
52	837- 1	(21,600.02 -45,800.17)	15.85	(21,600.05 -45,784.32)	17.51	(21,592.62 -45,800.17)	7.40
52	001- 7	(21,592.62 -45,800.17)	17.51	(21,600.05 -45,784.32)	5.08	(21,600.08 -45,779.24)	4.90
		(21,597.98 -45,783.67)	18.21	(21,590.27 -45,800.17)	2.35		
52	002- 4	(21,590.27 -45,800.17)	18.21	(21,597.98 -45,783.67)	4.90	(21,600.08 -45,779.24)	2.52
		(21,600.05 -45,776.72)	1.90	(21,599.34 -45,778.48)	5.28	(21,597.13 -45,783.27)	18.61
		(21,589.22 -45,800.12)	1.05				
52	842- 1	(21,589.22 -45,800.12)	18.61	(21,597.13 -45,783.27)	5.28	(21,599.34 -45,778.48)	31.55
		(21,568.98 -45,769.91)	0.55	(21,568.45 -45,769.76)	6.58	(21,564.83 -45,775.25)	5.75
		(21,566.68 -45,780.69)	3.77	(21,567.63 -45,784.34)	2.11	(21,568.03 -45,786.41)	3.48
		(21,568.60 -45,789.84)	3.10	(21,569.03 -45,792.91)	3.82	(21,569.75 -45,796.66)	3.56
		(21,570.57 -45,800.12)	18.65				
		(21,570.57 -45,800.12)	3.56	(21,569.75 -45,796.66)	3.82	(21,569.03 -45,792.91)	3.10
52	843	(21,568.60 -45,789.84)	3.48	(21,568.03 -45,786.41)	2.11	(21,567.63 -45,784.34)	3.77
		(21,566.68 -45,780.69)	5.75	(21,564.83 -45,775.25)	4.41	(21,560.83 -45,777.11)	5.37
		(21,555.78 -45,778.94)	19.36	(21,537.14 -45,784.16)	11.73	(21,541.83 -45,794.91)	5.42
		(21,543.37 -45,800.11)	27.20				
		(21,543.37 -45,800.11)	5.42	(21,541.83 -45,794.91)	11.73	(21,537.14 -45,784.16)	16.05
		(21,521.81 -45,788.91)	11.62	(21,525.07 -45,800.06)	18.30		
41	688	(21,525.07 -45,800.06)	11.62	(21,521.81 -45,788.91)	1.44	(21,520.43 -45,789.31)	16.32
		(21,504.38 -45,792.24)	20.84	(21,483.87 -45,795.96)	4.22	(21,485.00 -45,800.03)	40.07
41	695- 2	(21,483.87 -45,795.96)	20.84	(21,504.38 -45,792.24)	24.69	(21,506.70 -45,767.66)	20.01
		(21,486.78 -45,765.80)	30.30				
41	701- 1	(21,468.18 -45,731.30)	7.48	(21,460.70 -45,731.40)	30.71	(21,464.68 -45,761.85)	12.60
		(21,477.18 -45,760.25)	30.21	(21,479.08 -45,730.10)	10.97		
41	694	(21,482.61 -45,729.65)	3.56	(21,479.08 -45,730.10)	30.21	(21,477.18 -45,760.25)	12.60
		(21,464.68 -45,761.85)	5.13	(21,459.63 -45,762.74)	27.87	(21,454.44 -45,790.12)	30.00
		(21,483.87 -45,795.96)	30.30	(21,486.78 -45,765.80)	20.01	(21,506.70 -45,767.66)	24.69
		(21,504.38 -45,792.24)	16.32	(21,520.43 -45,789.31)	30.59	(21,522.38 -45,758.78)	4.86

地区 ..003

作業 .. 41 原図番号 .. N1 41-2

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -45,800.00

測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,520.26 -45,754.41)	8.57	(21,520.47 -45,745.84)	31.62	(21,488.93 -45,743.65)	7.26
		(21,489.33 -45,736.40)	7.01	(@ 21,489.05 -45,729.40)	6.44		
41	687	(21,520.53 -45,735.56)	3.56	(21,517.06 -45,734.76)	5.44	(21,511.81 -45,733.33)	6.27
		(21,505.83 -45,731.43)	6.11	(21,499.88 -45,730.06)	3.83	(21,496.08 -45,729.56)	7.03
		(@ 21,489.05 -45,729.40)	7.01	(21,489.33 -45,736.40)	7.26	(21,488.93 -45,743.65)	31.62
		(21,520.47 -45,745.84)	10.28				
41	686	(21,520.47 -45,745.84)	8.57	(21,520.26 -45,754.41)	4.86	(21,522.38 -45,758.78)	30.59
		(21,520.43 -45,789.31)	1.44	(21,521.81 -45,788.91)	16.05	(21,537.14 -45,784.16)	4.76
		(21,535.58 -45,779.66)	6.85	(21,534.53 -45,772.89)	11.03	(21,532.43 -45,762.06)	3.32
		(21,533.48 -45,758.91)	5.16	(21,535.96 -45,754.39)	19.56	(21,543.53 -45,736.35)	2.44
		(21,541.13 -45,735.91)	4.51	(21,536.63 -45,735.66)	9.95	(21,526.68 -45,735.56)	6.15
		(@ 21,520.53 -45,735.56)	10.28				
61	963-	2					
		(21,582.30 -45,736.78)	18.93	(21,591.83 -45,720.42)	30.11	(@ 21,565.59 -45,705.66)	0.64
		(21,565.19 -45,706.16)	6.68	(21,561.79 -45,711.91)	10.80	(21,556.68 -45,721.43)	29.87
61	965-	1					
		(@ 21,529.38 -45,722.44)	2.33	(21,528.46 -45,724.58)	8.36	(21,526.31 -45,732.66)	0.72
		(21,526.82 -45,733.17)	9.29	(21,536.11 -45,733.31)	6.89	(21,542.98 -45,733.81)	4.21
		(21,547.00 -45,735.05)	3.43	(21,549.23 -45,732.44)	5.04	(21,552.36 -45,728.49)	4.70
		(21,554.82 -45,724.48)	25.52				
61	965-	2					
		(21,554.82 -45,724.48)	3.57	(21,556.68 -45,721.43)	10.80	(21,561.79 -45,711.91)	6.68
		(21,565.19 -45,706.16)	0.64	(21,565.59 -45,705.66)	2.30	(21,566.95 -45,703.81)	6.34
		(21,560.61 -45,703.59)	5.51	(21,555.11 -45,703.24)	7.54	(21,547.59 -45,702.66)	8.04
		(@ 21,539.60 -45,701.78)	6.03	(21,537.19 -45,707.31)	3.89	(21,535.31 -45,710.71)	10.23
		(21,530.59 -45,719.79)	2.91	(21,529.38 -45,722.44)	25.52		
61	966-	1					
		(@ 21,540.54 -45,694.41)	4.36	(21,540.19 -45,698.76)	3.08	(21,539.60 -45,701.78)	8.04
		(21,547.59 -45,702.66)	7.54	(21,555.11 -45,703.24)	5.51	(21,560.61 -45,703.59)	6.34
		(21,566.95 -45,703.81)	2.94	(21,567.84 -45,701.01)	1.78	(21,568.19 -45,699.26)	4.85
		(21,568.89 -45,694.46)	28.35				
61	967-	1					
		(21,568.89 -45,694.46)	4.17	(21,568.79 -45,690.29)	4.48	(21,568.09 -45,685.86)	6.35
		(21,566.74 -45,679.66)	11.68	(@ 21,564.69 -45,668.16)	12.07	(21,553.44 -45,672.54)	15.83
		(21,537.63 -45,673.31)	16.91	(21,540.09 -45,690.04)	4.39	(21,540.54 -45,694.41)	28.35
61	001-	5					
		(21,537.63 -45,671.65)	1.98	(@ 21,537.49 -45,669.67)	2.19	(21,535.37 -45,670.22)	1.99
		(21,535.44 -45,672.21)	18.25	(21,537.94 -45,690.29)	3.83	(21,538.39 -45,694.09)	4.33
		(21,538.06 -45,698.41)	3.24	(21,537.21 -45,701.54)	5.00	(21,535.31 -45,706.16)	4.01
		(21,533.44 -45,709.71)	10.29	(21,528.54 -45,718.76)	5.62	(21,526.33 -45,723.93)	9.42
		(21,522.66 -45,732.61)	0.91	(21,521.88 -45,733.08)	4.94	(21,526.82 -45,733.17)	0.72
		(21,526.31 -45,732.66)	8.36	(21,528.46 -45,724.58)	2.33	(21,529.38 -45,722.44)	2.91
		(21,530.59 -45,719.79)	10.23	(21,535.31 -45,710.71)	3.89	(21,537.19 -45,707.31)	6.03
		(21,539.60 -45,701.78)	3.08	(21,540.19 -45,698.76)	4.36	(21,540.54 -45,694.41)	4.39
		(21,540.09 -45,690.04)	16.91	(21,537.63 -45,673.31)	1.66		
61	002-	3					
		(21,537.63 -45,673.31)	15.83	(21,553.44 -45,672.54)	12.07	(21,564.69 -45,668.16)	11.31
		(21,573.16 -45,660.67)	1.89	(@ 21,571.39 -45,660.02)	9.74	(21,564.39 -45,666.79)	12.05
		(21,553.17 -45,671.19)	12.29	(21,540.88 -45,671.51)	3.25	(21,537.63 -45,671.65)	1.66
61	967-	2					

地区 ..003

作業 .. 41

原図番号 .. N1 41-2

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -45,800.00

測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

61	968	(21,537.63 -45,671.65)	3.25	(21,540.88 -45,671.51)	3.86	(@ 21,537.49 -45,669.67)	1.98
		(21,564.69 -45,668.16)	11.68	(21,566.74 -45,679.66)	6.35	(21,568.09 -45,685.86)	1.67
		(21,569.66 -45,686.44)	3.40	(21,572.59 -45,688.17)	2.38	(21,574.75 -45,689.18)	16.03
		(21,583.37 -45,675.67)	4.97	(21,579.09 -45,673.14)	4.53	(21,581.09 -45,669.07)	0.65
		(21,580.72 -45,668.54)	5.25	(21,583.04 -45,663.83)	10.37	(@ 21,573.16 -45,660.67)	11.31
61	001- 4	(21,571.39 -45,660.02)	1.89	(21,573.16 -45,660.67)	10.37	(21,583.04 -45,663.83)	6.09
		(21,588.84 -45,665.69)	5.03	(21,593.36 -45,667.90)	7.22	(21,589.49 -45,661.80)	13.42
		(21,576.79 -45,657.45)	2.02	(@ 21,574.87 -45,656.82)	4.73		
61	971- 6	(21,589.49 -45,661.80)	0.64	(21,589.84 -45,661.27)	12.51	(@ 21,579.18 -45,654.72)	3.63
		(21,576.79 -45,657.45)	13.42				
61	002- 2	(21,576.79 -45,657.45)	3.63	(21,579.18 -45,654.72)	1.83	(@ 21,577.67 -45,653.68)	4.21
		(21,574.87 -45,656.82)	2.02				
62	997- 6	(21,581.97 -45,647.99)	4.50	(@ 21,584.83 -45,644.52)	7.96	(21,576.89 -45,645.08)	5.85
62	994- 1	(21,576.89 -45,645.08)	7.96	(21,584.83 -45,644.52)	4.88	(@ 21,589.11 -45,642.17)	17.47
		(21,571.64 -45,642.43)	5.88				
62	995	(21,548.02 -45,644.51)	4.28	(21,543.78 -45,645.08)	5.43	(21,548.89 -45,646.93)	9.73
		(21,558.59 -45,646.23)	2.83	(@ 21,558.39 -45,643.41)	10.43		
62	997- 1	(21,574.87 -45,656.82)	4.21	(21,577.67 -45,653.68)	14.71	(@ 21,565.34 -45,645.66)	6.77
		(21,558.59 -45,646.23)	9.73	(21,548.89 -45,646.93)	3.66	(21,545.24 -45,647.21)	31.15
62	996- 1	(21,545.24 -45,647.21)	3.66	(21,548.89 -45,646.93)	5.43	(@ 21,543.78 -45,645.08)	3.45
		(21,540.36 -45,645.51)	5.17				
62	999- 2	(21,540.36 -45,645.51)	3.45	(21,543.78 -45,645.08)	4.28	(21,548.02 -45,644.51)	10.43
		(21,558.39 -45,643.41)	2.84	(21,561.19 -45,642.96)	1.08	(21,560.29 -45,642.36)	29.48
		(@ 21,534.45 -45,628.16)	15.44	(21,534.93 -45,643.59)	5.76		
62	994- 3	(@ 21,561.19 -45,642.96)	2.84	(21,558.39 -45,643.41)	2.83	(21,558.59 -45,646.23)	6.77
		(21,565.34 -45,645.66)	4.95				
62	001- 1	(21,581.97 -45,647.99)	5.85	(21,576.89 -45,645.08)	5.88	(21,571.64 -45,642.43)	7.83
		(21,565.05 -45,638.21)	2.39	(21,563.05 -45,636.91)	34.76	(@ 21,533.04 -45,619.36)	8.91
		(21,534.45 -45,628.16)	29.48	(21,560.29 -45,642.36)	1.08	(21,561.19 -45,642.96)	4.95
		(21,565.34 -45,645.66)	14.71	(21,577.67 -45,653.68)	7.13		
62	001- 2	(21,574.87 -45,656.82)	31.15	(21,545.24 -45,647.21)	5.17	(21,540.36 -45,645.51)	5.76
		(@ 21,534.93 -45,643.59)	4.62	(21,535.66 -45,648.15)	37.65	(21,571.39 -45,660.02)	4.73
62	997- 3	(21,571.39 -45,660.02)	37.65	(@ 21,535.66 -45,648.15)	21.60	(21,537.49 -45,669.67)	3.86
		(21,540.88 -45,671.51)	12.29	(21,553.17 -45,671.19)	12.05	(21,564.39 -45,666.79)	9.74
40	685- 6	(21,532.75 -45,619.23)	6.66	(21,531.65 -45,612.66)	3.84	(21,530.32 -45,609.06)	3.95
		(21,528.70 -45,605.46)	3.39	(21,527.17 -45,602.43)	1.62	(21,525.95 -45,601.37)	4.23
		(@ 21,521.73 -45,601.11)	10.55	(21,519.66 -45,611.46)	15.22		

地区 ..003

作業 .. 41 原図番号 .. N1 41-2

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -45,800.00

測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

40	001- 11	(@ 21,519.66 -45,611.46)	7.77	(21,517.75 -45,618.99)	19.05	(21,534.45 -45,628.16)	8.91
		(21,533.04 -45,619.36)	0.32	(21,532.75 -45,619.23)	15.22		
40	685- 1	(21,534.45 -45,628.16)	19.05	(@ 21,517.75 -45,618.99)	17.44	(21,512.00 -45,635.46)	24.33
		(21,534.93 -45,643.59)	15.44				
40	001- 10	(21,534.93 -45,643.59)	24.33	(@ 21,512.00 -45,635.46)	4.57	(21,510.20 -45,639.66)	24.64
		(21,533.59 -45,647.40)	2.20	(21,535.66 -45,648.15)	4.62		
40	001- 9	(21,535.66 -45,648.15)	2.20	(@ 21,533.59 -45,647.40)	2.97	(21,533.78 -45,650.36)	6.67
		(21,534.27 -45,657.01)	5.15	(21,534.72 -45,662.14)	8.11	(21,535.37 -45,670.22)	2.19
		(21,537.49 -45,669.67)	21.60				
40	685- 3	(21,533.78 -45,650.36)	2.97	(21,533.59 -45,647.40)	24.64	(@ 21,510.20 -45,639.66)	4.28
		(21,509.24 -45,643.83)	3.33	(21,508.74 -45,647.12)	25.25		
40	684- 1	(@ 21,508.74 -45,647.12)	4.47	(21,508.04 -45,651.53)	3.55	(21,505.84 -45,654.31)	19.94
		(21,509.53 -45,673.91)	6.46	(21,515.99 -45,673.93)	8.47	(21,524.42 -45,673.16)	5.60
		(21,529.59 -45,671.01)	2.71	(21,532.22 -45,670.36)	3.15	(21,535.37 -45,670.22)	8.11
		(21,534.72 -45,662.14)	5.15	(21,534.27 -45,657.01)	6.67	(21,533.78 -45,650.36)	25.25
40	684- 3	(@ 21,505.84 -45,654.31)	0.97	(21,505.22 -45,655.06)	2.84	(21,503.79 -45,657.51)	4.24
		(21,500.87 -45,660.58)	2.48	(21,498.61 -45,661.59)	8.96	(21,490.47 -45,665.33)	22.13
		(21,470.32 -45,674.49)	3.55	(21,471.77 -45,677.73)	26.15	(21,497.82 -45,675.41)	11.30
		(21,509.02 -45,673.91)	0.51	(21,509.53 -45,673.91)	19.94		
40	682- 2	(@ 21,468.16 -45,675.10)	6.09	(21,462.62 -45,677.63)	5.55	(21,457.36 -45,679.40)	12.33
		(21,469.59 -45,677.85)	3.10				
40	002- 5	(@ 21,535.37 -45,670.22)	3.15	(21,532.22 -45,670.36)	2.71	(21,529.59 -45,671.01)	5.60
		(21,524.42 -45,673.16)	8.47	(21,515.99 -45,673.93)	6.46	(21,509.53 -45,673.91)	0.51
		(21,509.02 -45,673.91)	11.30	(21,497.82 -45,675.41)	26.15	(21,471.77 -45,677.73)	3.55
		(21,470.32 -45,674.49)	2.24	(21,468.16 -45,675.10)	3.10	(21,469.59 -45,677.85)	12.33
		(21,457.36 -45,679.40)	3.12	(21,454.89 -45,681.30)	8.15	(21,462.96 -45,680.15)	7.43
		(21,470.37 -45,679.58)	39.56	(21,509.76 -45,675.96)	5.93	(21,515.69 -45,676.06)	9.47
		(21,525.09 -45,674.91)	5.44	(21,530.14 -45,672.89)	5.34	(21,535.44 -45,672.21)	1.99
40	683- 1	(@ 21,535.44 -45,672.21)	5.34	(21,530.14 -45,672.89)	5.44	(21,525.09 -45,674.91)	9.47
		(21,515.69 -45,676.06)	5.93	(21,509.76 -45,675.96)	1.32	(21,510.12 -45,677.23)	7.63
		(21,502.67 -45,678.86)	0.57	(21,502.12 -45,679.01)	5.63	(21,502.69 -45,684.61)	3.83
		(21,503.01 -45,688.43)	5.03	(21,502.81 -45,693.46)	4.57	(21,502.34 -45,698.01)	6.29
		(21,501.59 -45,704.26)	14.34	(21,500.76 -45,718.58)	9.04	(21,499.77 -45,727.57)	6.68
		(21,506.33 -45,728.81)	6.18	(21,512.13 -45,730.93)	5.88	(21,517.81 -45,732.46)	4.12
		(21,521.88 -45,733.08)	0.91	(21,522.66 -45,732.61)	9.42	(21,526.33 -45,723.93)	5.62
		(21,528.54 -45,718.76)	10.29	(21,533.44 -45,709.71)	4.01	(21,535.31 -45,706.16)	5.00
		(21,537.21 -45,701.54)	3.24	(21,538.06 -45,698.41)	4.33	(21,538.39 -45,694.09)	3.83
		(21,537.94 -45,690.29)	18.25				
94	002- 7	(21,512.00 -45,635.46)	17.44	(21,517.75 -45,618.99)	2.38	(@ 21,515.68 -45,617.81)	17.83
		(21,509.71 -45,634.61)	2.44				
94	1527- 1						

地区 ..003

作業 .. 41

原図番号 .. N1 41-2

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -45,800.00

測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,509.71 -45,634.61)	17.83	(21,515.68 -45,617.81)	20.80	(21,497.31 -45,608.06)	21.62
		(21,489.71 -45,628.30)	20.97				
94	1529-	5					
		(21,479.30 -45,629.75)	18.02	(21,474.34 -45,647.07)	17.16	(21,491.09 -45,650.79)	16.53
		(21,494.45 -45,634.61)	15.91				
94	1529-	6					
		(21,494.45 -45,634.61)	16.53	(21,491.09 -45,650.79)	2.52	(21,490.59 -45,653.26)	0.64
		(21,491.14 -45,652.93)	7.37	(21,496.34 -45,647.71)	3.68	(21,498.57 -45,644.78)	8.32
		(21,501.75 -45,637.09)	7.71				
94	1527-	4					
		(21,501.75 -45,637.09)	8.32	(21,498.57 -45,644.78)	3.68	(21,496.34 -45,647.71)	7.37
		(21,491.14 -45,652.93)	0.64	(21,490.59 -45,653.26)	12.32	(21,480.44 -45,660.25)	5.13
		(21,475.64 -45,658.45)	4.38	(21,473.29 -45,662.15)	4.79	(21,478.07 -45,662.40)	10.15
		(21,488.14 -45,661.10)	8.93	(21,497.02 -45,660.16)	3.33	(21,500.04 -45,658.76)	4.38
		(21,502.74 -45,655.31)	6.32	(21,506.69 -45,650.38)	6.84	(21,507.44 -45,643.58)	4.58
		(21,508.55 -45,639.14)	7.10				
94	002-	8					
		(21,508.55 -45,639.14)	4.58	(21,507.44 -45,643.58)	6.84	(21,506.69 -45,650.38)	6.32
		(21,502.74 -45,655.31)	4.38	(21,500.04 -45,658.76)	3.33	(21,497.02 -45,660.16)	8.93
		(21,488.14 -45,661.10)	10.15	(21,478.07 -45,662.40)	4.79	(21,473.29 -45,662.15)	0.60
		(21,472.69 -45,662.13)	5.75	(21,469.72 -45,667.05)	6.00	(21,467.09 -45,672.44)	0.87
		(21,466.53 -45,673.10)	2.58	(21,468.16 -45,675.10)	2.24	(21,470.32 -45,674.49)	1.96
		(21,470.19 -45,672.53)	8.49	(21,474.07 -45,664.98)	14.27	(21,488.19 -45,662.95)	10.51
		(21,498.61 -45,661.59)	2.48	(21,500.87 -45,660.58)	4.24	(21,503.79 -45,657.51)	2.84
		(21,505.22 -45,655.06)	0.97	(21,505.84 -45,654.31)	3.55	(21,508.04 -45,651.53)	4.47
		(21,508.74 -45,647.12)	3.33	(21,509.24 -45,643.83)	4.28	(21,510.20 -45,639.66)	1.73
94	1529-	11					
		(21,474.34 -45,647.07)	18.12	(21,469.34 -45,664.49)	8.26	(21,467.09 -45,672.44)	6.00
		(21,469.72 -45,667.05)	5.75	(21,472.69 -45,662.13)	0.60	(21,473.29 -45,662.15)	4.38
		(21,475.64 -45,658.45)	5.13	(21,480.44 -45,660.25)	12.32	(21,490.59 -45,653.26)	2.52
		(21,491.09 -45,650.79)	17.16				
94	1527-	7					
		(21,490.47 -45,665.33)	8.96	(21,498.61 -45,661.59)	10.51	(21,488.19 -45,662.95)	14.27
		(21,474.07 -45,664.98)	8.49	(21,470.19 -45,672.53)	1.96	(21,470.32 -45,674.49)	22.13