

地区..003 作業.. 42 原図番号.. N1 41-3 縮尺..1/ 500 基準点..X 21,300.00..Y -46,000.00 測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,300.00 -46,000.00)	50.00	(21,350.00 -46,000.08)	50.00	(21,400.00 -46,000.06)	50.03
		(21,450.03 -46,000.09)	49.95	(21,450.03 -45,950.14)	50.05	(21,449.96 -45,900.09)	49.95
		(21,449.94 -45,850.14)	50.00	(21,449.97 -45,800.14)	50.05	(21,399.92 -45,800.11)	49.95
		(21,349.97 -45,800.08)	49.97	(21,300.00 -45,800.06)	49.99	(21,299.94 -45,850.05)	49.95
		(21,299.96 -45,900.00)	50.00	(21,299.98 -45,950.00)	50.00		
45	753	(2 / 4)					
		(21,300.00 -46,000.00)	22.60	(21,322.60 -46,000.07)	1.32	(21,321.40 -45,999.52)	2.19
		(21,320.45 -45,997.55)	16.51	(21,317.02 -45,981.40)	6.16	(21,315.32 -45,975.48)	15.32
		(21,300.02 -45,976.17)	23.83				
45	749	(1 / 2)					
		(21,300.02 -45,976.17)	15.32	(21,315.32 -45,975.48)	1.09	(21,315.01 -45,974.43)	5.98
		(21,314.41 -45,968.48)	17.01	(21,309.63 -45,952.16)	5.11	(21,307.63 -45,947.46)	3.24
		(21,305.65 -45,944.89)	4.02	(21,302.34 -45,942.60)	2.47	(21,299.97 -45,941.90)	34.27
45	002- 5						
		(21,299.97 -45,941.90)	2.47	(21,302.34 -45,942.60)	4.02	(21,305.65 -45,944.89)	3.24
		(21,307.63 -45,947.46)	5.11	(21,309.63 -45,952.16)	17.01	(21,314.41 -45,968.48)	5.98
		(21,315.01 -45,974.43)	1.09	(21,315.32 -45,975.48)	6.16	(21,317.02 -45,981.40)	16.51
		(21,320.45 -45,997.55)	2.19	(21,321.40 -45,999.52)	1.32	(21,322.60 -46,000.07)	3.95
		(21,326.55 -46,000.06)	1.87	(21,325.22 -45,998.74)	2.94	(21,322.70 -45,997.22)	2.03
		(21,321.67 -45,995.47)	14.67	(21,318.95 -45,981.05)	7.13	(21,318.11 -45,973.97)	5.92
		(21,316.58 -45,968.25)	10.67	(21,313.19 -45,958.13)	3.96	(21,312.26 -45,954.28)	2.65
		(21,312.18 -45,951.63)	1.62	(21,311.18 -45,950.36)	5.52	(21,309.37 -45,945.14)	3.68
		(21,306.42 -45,942.94)	5.65	(21,301.14 -45,940.92)	1.19	(21,299.97 -45,940.70)	1.20
45	001- 3						
		(21,299.97 -45,940.70)	1.19	(21,301.14 -45,940.92)	5.65	(21,306.42 -45,942.94)	3.68
		(21,309.37 -45,945.14)	5.52	(21,311.18 -45,950.36)	1.67	(21,312.21 -45,951.68)	1.18
		(21,312.18 -45,950.50)	6.20	(21,310.16 -45,944.64)	4.12	(21,306.89 -45,942.14)	6.02
		(21,301.26 -45,940.00)	1.32	(21,299.96 -45,939.75)	0.95		
43	737	(1 / 2)					
		(21,299.96 -45,939.75)	1.32	(21,301.26 -45,940.00)	6.02	(21,306.89 -45,942.14)	4.12
		(21,310.16 -45,944.64)	2.13	(21,309.42 -45,942.64)	3.58	(21,308.66 -45,939.14)	3.25
		(21,308.48 -45,935.89)	2.56	(21,308.65 -45,933.34)	4.88	(21,309.23 -45,928.49)	4.24
		(21,305.17 -45,929.72)	3.29	(21,301.88 -45,929.90)	1.91	(21,299.97 -45,929.80)	9.95
43	002- 7						
		(21,299.97 -45,929.80)	1.91	(21,301.88 -45,929.90)	3.29	(21,305.17 -45,929.72)	4.24
		(21,309.23 -45,928.49)	38.71	(21,346.62 -45,918.45)	17.73	(21,363.63 -45,913.46)	28.59
		(21,389.64 -45,901.59)	2.04	(21,388.56 -45,899.86)	28.09	(21,362.80 -45,911.06)	17.54
		(21,345.96 -45,915.96)	42.67	(21,304.85 -45,927.39)	4.20	(21,300.66 -45,927.63)	0.71
		(21,299.95 -45,927.63)	2.17				
43	002- 6						
		(21,299.95 -45,927.63)	0.71	(21,300.66 -45,927.63)	6.31	(21,305.09 -45,923.14)	2.74
		(21,305.39 -45,920.42)	3.63	(21,304.56 -45,916.89)	9.56	(21,299.97 -45,908.50)	19.13
43	730	(1 / 2)					
		(21,299.97 -45,908.50)	9.56	(21,304.56 -45,916.89)	3.63	(21,305.39 -45,920.42)	2.74
		(21,305.09 -45,923.14)	6.31	(21,300.66 -45,927.63)	4.20	(21,304.85 -45,927.39)	42.67
		(21,345.96 -45,915.96)	17.54	(21,362.80 -45,911.06)	28.09	(21,388.56 -45,899.86)	9.97
		(21,383.27 -45,891.41)	13.79	(21,376.84 -45,879.21)	80.76	(21,299.96 -45,903.95)	4.55
43	731	(1 / 2)					
		(21,299.96 -45,903.95)	80.76	(21,376.84 -45,879.21)	7.57	(21,373.24 -45,872.55)	30.71
		(21,359.71 -45,844.98)	5.76	(21,354.23 -45,846.75)	12.05	(21,342.81 -45,850.59)	15.32
		(21,328.22 -45,855.26)	10.52	(21,318.25 -45,858.62)	19.24	(21,299.96 -45,864.60)	39.35

地区 ..003 作業 .. 42 原図番号 .. N1 41-3 縮尺 ..1/ 500 基準点 ..X 21,300.00..Y -46,000.00 測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

43	733	(1/ 3)									
		(21,299.96	-45,864.60)	19.24	(21,318.25	-45,858.62)	10.52	(21,328.22	-45,855.26)	15.32	
		(21,342.81	-45,850.59)	12.05	(21,354.23	-45,846.75)	5.76	(21,359.71	-45,844.98)	6.57	
		(21,357.17	-45,838.92)	4.69	(21,356.04	-45,834.37)	11.05	(21,355.87	-45,823.32)	12.12	
		(21,356.88	-45,811.24)	2.69	(21,357.51	-45,808.62)	28.93	(21,329.78	-45,800.39)	19.15	
		(21,314.31	-45,811.68)	3.80	(21,311.64	-45,814.38)	6.98	(21,306.54	-45,819.14)	7.15	
		(21,301.98	-45,824.65)	3.66	(21,299.98	-45,827.72)	18.28	(21,299.96	-45,846.00)	2.41	
		(21,300.13	-45,848.40)	0.32	(21,299.93	-45,848.65)	15.95				
43	002- 8										
		(21,299.93	-45,848.65)	0.32	(21,300.13	-45,848.40)	2.41	(21,299.96	-45,846.00)	2.65	
39	672	(1/ 2)									
		(21,299.97	-45,821.27)	5.94	(21,303.84	-45,816.77)	6.93	(21,308.66	-45,811.79)	3.07	
		(21,310.98	-45,809.78)	8.39	(21,305.32	-45,803.59)	6.71	(21,299.98	-45,807.65)	13.62	
39	671	(1/ 3)									
		(21,299.97	-45,802.47)	2.01	(21,301.60	-45,801.30)	2.02	(21,300.00	-45,800.06)	2.41	
39	664	(1/ 3)									
		(21,300.00	-45,800.06)	2.02	(21,301.60	-45,801.30)	2.12	(21,303.31	-45,800.05)	3.31	
39	002- 10										
		(21,303.31	-45,800.05)	2.12	(21,301.60	-45,801.30)	2.01	(21,299.97	-45,802.47)	5.18	
		(21,299.98	-45,807.65)	6.71	(21,305.32	-45,803.59)	5.82	(21,309.97	-45,800.09)	6.66	
39	675	(1/ 2)									
		(21,309.97	-45,800.09)	5.82	(21,305.32	-45,803.59)	8.39	(21,310.98	-45,809.78)	15.98	
		(21,323.67	-45,800.07)	13.70							
43	002- 9										
		(21,323.67	-45,800.07)	15.98	(21,310.98	-45,809.78)	3.07	(21,308.66	-45,811.79)	6.93	
		(21,303.84	-45,816.77)	5.94	(21,299.97	-45,821.27)	6.45	(21,299.98	-45,827.72)	3.66	
		(21,301.98	-45,824.65)	7.15	(21,306.54	-45,819.14)	6.98	(21,311.64	-45,814.38)	3.80	
		(21,314.31	-45,811.68)	19.15	(21,329.78	-45,800.39)	0.40	(21,330.07	-45,800.11)	6.40	
43	735	(1/ 2)									
		(21,330.07	-45,800.11)	0.40	(21,329.78	-45,800.39)	28.93	(21,357.51	-45,808.62)	3.38	
		(21,358.25	-45,805.32)	4.13	(21,359.34	-45,801.34)	1.45	(21,360.02	-45,800.06)	29.95	
43	001- 2										
		(21,360.02	-45,800.06)	1.45	(21,359.34	-45,801.34)	4.13	(21,358.25	-45,805.32)	3.38	
		(21,357.51	-45,808.62)	2.69	(21,356.88	-45,811.24)	12.12	(21,355.87	-45,823.32)	11.05	
		(21,356.04	-45,834.37)	4.69	(21,357.17	-45,838.92)	6.57	(21,359.71	-45,844.98)	30.71	
		(21,373.24	-45,872.55)	7.57	(21,376.84	-45,879.21)	13.79	(21,383.27	-45,891.41)	9.97	
		(21,388.56	-45,899.86)	2.04	(21,389.64	-45,901.59)	10.50	(21,395.17	-45,910.51)	10.37	
		(21,400.60	-45,919.34)	4.78	(21,402.67	-45,923.65)	3.06	(21,403.66	-45,926.55)	2.28	
		(21,405.46	-45,925.15)	2.32	(21,404.58	-45,923.00)	0.44	(21,404.39	-45,922.60)	4.87	
		(21,402.23	-45,918.23)	8.91	(21,397.62	-45,910.61)	11.83	(21,391.44	-45,900.52)	2.20	
		(21,390.29	-45,898.64)	14.03	(21,383.12	-45,886.58)	17.19	(21,374.89	-45,871.49)	19.74	
		(21,366.31	-45,853.71)	10.76	(21,361.60	-45,844.04)	6.38	(21,359.09	-45,838.17)	4.56	
		(21,357.89	-45,833.77)	10.55	(21,357.87	-45,823.22)	11.95	(21,358.98	-45,811.32)	5.67	
		(21,359.97	-45,805.74)	4.11	(21,361.17	-45,801.81)	1.99	(21,362.12	-45,800.06)	2.10	
42	705- 1	(1/ 2)									
		(21,362.12	-45,800.06)	1.99	(21,361.17	-45,801.81)	4.11	(21,359.97	-45,805.74)	5.67	
		(21,358.98	-45,811.32)	11.95	(21,357.87	-45,823.22)	10.55	(21,357.89	-45,833.77)	4.56	
		(21,359.09	-45,838.17)	6.38	(21,361.60	-45,844.04)	10.76	(21,366.31	-45,853.71)	67.39	
		(21,428.40	-45,827.52)	0.35	(21,428.75	-45,827.57)	3.82	(21,431.60	-45,825.03)	21.98	
		(21,413.58	-45,812.44)	10.42	(21,404.72	-45,806.95)	5.06	(21,400.30	-45,804.48)	4.65	
		(21,396.02	-45,802.66)	5.55	(21,390.77	-45,800.85)	2.69	(21,388.19	-45,800.10)	26.07	
41	702	(1/ 2)									

地区 ..003

作業 .. 42 原図番号 .. N1 41-3

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -46,000.00

測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(@ 21,396.09 -45,800.11)	0.81	(21,396.87 -45,800.34)	4.73	(21,401.19 -45,802.26)	5.00
		(21,405.47 -45,804.85)	9.56	(21,413.88 -45,809.39)	1.56	(21,414.50 -45,810.82)	10.77
41	700- 2	(21,415.82 -45,800.13)	19.73				
		(1/ 2)					
		(21,415.82 -45,800.13)	10.77	(21,414.50 -45,810.82)	23.90	(21,434.08 -45,824.53)	3.38
		(21,437.10 -45,826.05)	19.04	(21,441.88 -45,807.62)	7.74	(@ 21,443.79 -45,800.12)	27.97
41	697	(3/ 4)					
		(21,449.97 -45,800.14)	6.18	(@ 21,443.79 -45,800.12)	7.74	(21,441.88 -45,807.62)	19.04
		(21,437.10 -45,826.05)	15.70	(21,449.97 -45,835.04)	34.90		
41	001- 1						
		(21,449.97 -45,835.04)	15.70	(21,437.10 -45,826.05)	3.38	(21,434.08 -45,824.53)	23.90
		(21,414.50 -45,810.82)	1.56	(21,413.88 -45,809.39)	9.56	(21,405.47 -45,804.85)	5.00
		(21,401.19 -45,802.26)	4.73	(21,396.87 -45,800.34)	0.81	(21,396.09 -45,800.11)	7.90
		(@ 21,388.19 -45,800.10)	2.69	(21,390.77 -45,800.85)	5.55	(21,396.02 -45,802.66)	4.65
		(21,400.30 -45,804.48)	5.06	(21,404.72 -45,806.95)	10.42	(21,413.58 -45,812.44)	21.98
		(21,431.60 -45,825.03)	1.81	(21,433.09 -45,826.05)	20.40	(21,449.97 -45,837.51)	2.47
42	706- 1	(2/ 2)					
		(21,449.97 -45,837.51)	20.40	(@ 21,433.09 -45,826.05)	5.44	(21,428.78 -45,829.37)	5.36
		(21,425.76 -45,833.80)	8.50	(21,419.72 -45,839.78)	7.48	(21,415.55 -45,845.99)	35.16
		(21,428.78 -45,878.57)	23.12	(21,449.96 -45,869.29)	31.78		
42	002- 2						
		(@ 21,449.96 -45,869.29)	23.12	(21,428.78 -45,878.57)	42.08	(21,391.47 -45,898.02)	1.33
		(21,390.29 -45,898.64)	2.20	(21,391.44 -45,900.52)	42.89	(21,429.35 -45,880.47)	22.65
		(21,449.97 -45,871.09)	1.80				
42	728	(2/ 2)					
		(@ 21,449.97 -45,871.09)	22.65	(21,429.35 -45,880.47)	42.89	(21,391.44 -45,900.52)	11.83
		(21,397.62 -45,910.61)	17.78	(21,413.89 -45,903.44)	7.89	(21,421.21 -45,900.50)	8.38
		(21,429.10 -45,897.67)	1.47	(21,429.81 -45,898.96)	22.08	(21,449.99 -45,890.01)	18.92
42	727	(2/ 2)					
		(@ 21,449.99 -45,890.01)	22.08	(21,429.81 -45,898.96)	1.47	(21,429.10 -45,897.67)	8.38
		(21,421.21 -45,900.50)	7.89	(21,413.89 -45,903.44)	17.78	(21,397.62 -45,910.61)	8.91
		(21,402.23 -45,918.23)	4.87	(21,404.39 -45,922.60)	0.44	(21,404.58 -45,923.00)	5.85
		(21,409.91 -45,920.59)	11.20	(21,420.73 -45,917.70)	8.88	(21,429.47 -45,916.13)	4.14
		(21,433.58 -45,915.66)	3.43	(21,436.90 -45,914.78)	4.11	(21,440.98 -45,914.25)	4.83
		(21,445.75 -45,913.49)	4.37	(21,449.98 -45,912.39)	22.38		
42	725- 1	(2/ 2)					
		(@ 21,449.98 -45,912.39)	4.37	(21,445.75 -45,913.49)	4.83	(21,440.98 -45,914.25)	4.11
		(21,436.90 -45,914.78)	3.43	(21,433.58 -45,915.66)	4.14	(21,429.47 -45,916.13)	20.10
		(21,433.57 -45,935.81)	5.26	(21,438.76 -45,934.95)	1.48	(21,439.16 -45,936.37)	5.19
		(21,443.13 -45,933.02)	7.93	(21,450.05 -45,929.14)	16.75		
42	722	(2/ 2)					
		(@ 21,450.05 -45,929.14)	7.93	(21,443.13 -45,933.02)	5.19	(21,439.16 -45,936.37)	7.19
		(21,437.82 -45,943.43)	2.96	(21,437.32 -45,946.35)	4.43	(21,436.55 -45,950.71)	1.89
		(21,435.96 -45,952.51)	1.42	(21,435.16 -45,953.68)	1.85	(21,433.99 -45,955.11)	2.02
		(21,432.36 -45,956.31)	2.20	(21,430.49 -45,957.46)	2.21	(21,428.42 -45,958.22)	5.80
		(21,422.82 -45,959.72)	4.26	(21,418.84 -45,961.23)	6.04	(21,413.22 -45,963.44)	2.42
		(21,410.92 -45,964.19)	2.97	(21,407.95 -45,964.25)	3.72	(21,407.40 -45,967.93)	24.49
		(21,431.26 -45,973.46)	7.03	(21,435.60 -45,967.93)	6.63	(21,439.47 -45,962.55)	1.32
		(21,440.02 -45,961.35)	4.70	(21,441.66 -45,956.95)	4.89	(21,442.83 -45,952.20)	1.25
		(21,443.33 -45,951.05)	2.95	(21,445.00 -45,948.62)	1.82	(21,446.53 -45,947.64)	2.72
		(21,449.11 -45,946.79)	0.95	(21,450.00 -45,946.46)	17.32		
42	002- 3						

地区..003 作業..42 原図番号..N1 41-3 縮尺..1/ 500 基準点..X 21,300.00..Y -46,000.00 測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,450.03 -46,000.09)	17.08	(@ 21,450.03 -45,983.01)	3.86	(21,448.93 -45,986.71)	11.14
		(21,446.12 -45,997.49)	3.77	(21,443.40 -46,000.10)	6.63		
42	716	(3/ 3)					
		(21,443.40 -46,000.10)	3.77	(21,446.12 -45,997.49)	11.14	(21,448.93 -45,986.71)	3.86
		(21,450.03 -45,983.01)	36.55	(@ 21,450.00 -45,946.46)	0.95	(21,449.11 -45,946.79)	51.28
		(21,436.37 -45,996.46)	12.48	(21,424.33 -45,999.74)	1.19	(21,423.20 -46,000.10)	20.20
42	720-	2 (2/ 2)					
		(21,423.20 -46,000.10)	1.19	(21,424.33 -45,999.74)	4.47	(@ 21,420.03 -45,998.53)	1.96
		(21,421.23 -46,000.08)	1.97				
42	721						
		(21,424.33 -45,999.74)	12.48	(21,436.37 -45,996.46)	51.28	(@ 21,449.11 -45,946.79)	2.72
		(21,446.53 -45,947.64)	1.82	(21,445.00 -45,948.62)	2.95	(21,443.33 -45,951.05)	1.25
		(21,442.83 -45,952.20)	4.89	(21,441.66 -45,956.95)	4.70	(21,440.02 -45,961.35)	1.32
		(21,439.47 -45,962.55)	6.63	(21,435.60 -45,967.93)	7.03	(21,431.26 -45,973.46)	24.49
		(21,407.40 -45,967.93)	4.49	(21,406.06 -45,972.22)	2.16	(21,405.86 -45,974.37)	3.63
		(21,406.02 -45,978.00)	4.08	(21,406.82 -45,982.00)	3.98	(21,408.98 -45,985.34)	10.50
		(21,416.04 -45,993.11)	6.73	(21,420.03 -45,998.53)	4.47		
44	001-	5					
		(21,421.23 -46,000.08)	1.96	(21,420.03 -45,998.53)	6.73	(21,416.04 -45,993.11)	10.50
		(21,408.98 -45,985.34)	3.98	(21,406.82 -45,982.00)	4.08	(21,406.02 -45,978.00)	3.63
		(21,405.86 -45,974.37)	2.16	(21,406.06 -45,972.22)	4.49	(21,407.40 -45,967.93)	3.72
		(21,407.95 -45,964.25)	9.82	(21,409.39 -45,954.54)	4.93	(21,409.68 -45,949.62)	9.44
		(21,408.93 -45,940.21)	15.45	(@ 21,405.46 -45,925.15)	2.28	(21,403.66 -45,926.55)	14.79
		(21,406.72 -45,941.02)	8.70	(21,407.33 -45,949.70)	4.80	(21,407.24 -45,954.50)	13.00
		(21,405.15 -45,967.33)	4.93	(21,404.00 -45,972.12)	2.48	(21,403.90 -45,974.60)	3.63
		(21,404.02 -45,978.23)	4.45	(21,404.85 -45,982.60)	3.74	(21,406.50 -45,985.96)	1.11
		(21,407.01 -45,986.95)	10.31	(21,414.04 -45,994.49)	2.98	(21,415.85 -45,996.86)	4.08
		(21,418.35 -46,000.08)	2.88				
44	747	(2/ 2)					
		(21,418.35 -46,000.08)	4.08	(21,415.85 -45,996.86)	2.98	(21,414.04 -45,994.49)	10.31
		(21,407.01 -45,986.95)	1.11	(21,406.50 -45,985.96)	10.56	(21,396.01 -45,987.16)	4.35
		(21,393.20 -45,983.84)	2.76	(21,391.47 -45,981.69)	2.12	(21,389.65 -45,980.61)	4.76
		(21,384.97 -45,979.73)	3.98	(@ 21,381.00 -45,979.48)	5.75	(21,375.27 -45,979.97)	3.97
		(21,371.37 -45,980.70)	3.61	(21,367.87 -45,981.60)	9.05	(21,359.38 -45,984.74)	8.82
		(21,351.08 -45,987.73)	1.30	(21,349.93 -45,988.33)	1.11	(21,349.28 -45,989.23)	3.64
		(21,349.84 -45,992.83)	6.52	(21,351.85 -45,999.03)	0.53	(21,352.35 -45,998.85)	2.56
		(21,354.77 -45,999.67)	0.44	(21,354.95 -46,000.07)	63.40		
44	002-	4					
		(21,354.95 -46,000.07)	0.44	(21,354.77 -45,999.67)	2.56	(@ 21,352.35 -45,998.85)	0.53
		(21,351.85 -45,999.03)	3.27	(21,348.75 -46,000.08)	6.20		
44	748	(2/ 2)					
		(21,348.75 -46,000.08)	3.27	(21,351.85 -45,999.03)	6.52	(21,349.84 -45,992.83)	3.64
		(21,349.28 -45,989.23)	1.11	(21,349.93 -45,988.33)	1.30	(21,351.08 -45,987.73)	8.82
		(21,359.38 -45,984.74)	9.05	(21,367.87 -45,981.60)	3.61	(21,371.37 -45,980.70)	3.97
		(21,375.27 -45,979.97)	5.75	(21,381.00 -45,979.48)	3.98	(21,384.97 -45,979.73)	4.76
		(21,389.65 -45,980.61)	8.11	(21,389.09 -45,972.52)	2.96	(21,388.58 -45,969.60)	1.89
		(21,387.65 -45,967.95)	2.51	(21,385.50 -45,966.65)	6.31	(21,379.38 -45,965.11)	8.07
		(21,371.46 -45,963.57)	16.67	(21,355.33 -45,967.77)	15.03	(21,352.53 -45,953.00)	8.83
		(21,343.89 -45,954.84)	6.39	(21,337.56 -45,955.70)	6.48	(21,331.26 -45,957.21)	3.41
		(21,327.89 -45,957.74)	2.54	(21,325.37 -45,958.06)	2.38	(21,322.99 -45,958.04)	1.52
		(21,321.49 -45,957.79)	3.39	(21,318.21 -45,956.92)	2.32	(21,316.24 -45,955.70)	1.83
		(21,314.76 -45,954.63)	1.65	(21,313.63 -45,953.43)	2.31	(@ 21,312.18 -45,951.63)	2.65

地区..003

作業..42

原図番号..N1 41-3

縮尺..1/ 500

基準点..X 21,300.00..Y -46,000.00

測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

44	739-	1	(21,312.26 -45,954.28)	3.96	(21,313.19 -45,958.13)	10.67	(21,316.58 -45,968.25)	5.92
			(21,318.11 -45,973.97)	7.13	(21,318.95 -45,981.05)	14.67	(21,321.67 -45,995.47)	2.03
			(21,322.70 -45,997.22)	2.94	(21,325.22 -45,998.74)	1.87	(21,326.55 -46,000.06)	22.20
44	739-	2	(21,355.33 -45,967.77)	16.67	(21,371.46 -45,963.57)	5.87	(21,366.02 -45,961.36)	11.43
			(21,355.76 -45,956.32)	2.56	(21,353.74 -45,954.75)	2.13	(21,352.53 -45,953.00)	15.03
			(21,352.53 -45,953.00)	2.13	(21,353.74 -45,954.75)	2.56	(21,355.76 -45,956.32)	11.43
44	740		(21,366.02 -45,961.36)	5.87	(21,371.46 -45,963.57)	11.88	(21,367.71 -45,952.30)	0.72
			(21,367.03 -45,952.05)	2.94	(21,364.13 -45,951.58)	4.83	(21,359.31 -45,951.82)	2.54
			(21,356.81 -45,952.29)	3.26	(21,353.56 -45,952.57)	1.12		
			(21,405.15 -45,967.33)	13.00	(21,407.24 -45,954.50)	4.80	(21,407.33 -45,949.70)	8.70
			(21,406.72 -45,941.02)	14.79	(21,403.66 -45,926.55)	30.84	(21,379.77 -45,946.06)	12.70
			(21,368.53 -45,951.97)	11.30	(21,372.22 -45,962.65)	0.75	(21,372.87 -45,963.02)	6.78
			(21,379.55 -45,964.19)	6.61	(21,385.95 -45,965.85)	2.64	(21,388.18 -45,967.27)	2.50
			(21,389.61 -45,969.32)	3.18	(21,390.06 -45,972.47)	5.55	(21,390.24 -45,978.02)	0.91
			(21,391.14 -45,977.87)	4.93	(21,395.52 -45,975.61)	4.28	(21,399.39 -45,973.78)	4.90
44	001-	4	(21,404.00 -45,972.12)	4.93				
			(21,404.00 -45,972.12)	4.90	(21,399.39 -45,973.78)	4.28	(21,395.52 -45,975.61)	4.93
			(21,391.14 -45,977.87)	0.91	(21,390.24 -45,978.02)	5.55	(21,390.06 -45,972.47)	3.18
			(21,389.61 -45,969.32)	2.50	(21,388.18 -45,967.27)	2.64	(21,385.95 -45,965.85)	6.61
			(21,379.55 -45,964.19)	6.78	(21,372.87 -45,963.02)	0.75	(21,372.22 -45,962.65)	11.30
			(21,368.53 -45,951.97)	1.48	(21,367.33 -45,951.10)	3.15	(21,364.20 -45,950.71)	4.87
			(21,359.33 -45,950.87)	2.63	(21,356.73 -45,951.27)	3.32	(21,353.45 -45,951.76)	1.42
			(21,352.06 -45,952.05)	8.55	(21,343.73 -45,953.96)	6.45	(21,337.34 -45,954.85)	6.54
			(21,330.96 -45,956.31)	3.22	(21,327.79 -45,956.86)	2.66	(21,325.14 -45,957.11)	2.13
			(21,323.01 -45,957.07)	1.53	(21,321.49 -45,956.87)	3.15	(21,318.46 -45,956.02)	2.05
			(21,316.69 -45,954.98)	1.86	(21,315.23 -45,953.83)	1.56	(21,314.16 -45,952.70)	2.96
			(21,312.18 -45,950.50)	1.18	(21,312.21 -45,951.68)	2.25	(21,313.63 -45,953.43)	1.65
			(21,314.76 -45,954.63)	1.83	(21,316.24 -45,955.70)	2.32	(21,318.21 -45,956.92)	3.39
			(21,321.49 -45,957.79)	1.52	(21,322.99 -45,958.04)	2.38	(21,325.37 -45,958.06)	2.54
			(21,327.89 -45,957.74)	3.41	(21,331.26 -45,957.21)	6.48	(21,337.56 -45,955.70)	6.39
			(21,343.89 -45,954.84)	8.83	(21,352.53 -45,953.00)	1.12	(21,353.56 -45,952.57)	3.26
			(21,356.81 -45,952.29)	2.54	(21,359.31 -45,951.82)	4.83	(21,364.13 -45,951.58)	2.94
			(21,367.03 -45,952.05)	0.72	(21,367.71 -45,952.30)	11.88	(21,371.46 -45,963.57)	8.07
			(21,379.38 -45,965.11)	6.31	(21,385.50 -45,966.65)	2.51	(21,387.65 -45,967.95)	1.89
			(21,388.58 -45,969.60)	2.96	(21,389.09 -45,972.52)	5.56	(21,389.47 -45,978.07)	2.55
			(21,389.65 -45,980.61)	2.72	(21,392.02 -45,979.27)	4.67	(21,396.19 -45,977.16)	4.14
44	741-	2	(21,399.94 -45,975.41)	3.53	(21,403.31 -45,974.35)	0.64	(21,403.90 -45,974.60)	2.48
			(21,403.90 -45,974.60)	0.64	(21,403.31 -45,974.35)	3.53	(21,399.94 -45,975.41)	4.14
			(21,396.19 -45,977.16)	4.67	(21,392.02 -45,979.27)	2.72	(21,389.65 -45,980.61)	2.12
			(21,391.47 -45,981.69)	2.76	(21,393.20 -45,983.84)	4.35	(21,396.01 -45,987.16)	10.56
			(21,406.50 -45,985.96)	3.74	(21,404.85 -45,982.60)	4.45	(21,404.02 -45,978.23)	3.63
42	725-	3	(21,408.93 -45,940.21)	9.44	(21,409.68 -45,949.62)	4.93	(21,409.39 -45,954.54)	9.82
			(21,407.95 -45,964.25)	2.97	(21,410.92 -45,964.19)	2.42	(21,413.22 -45,963.44)	6.04
			(21,418.84 -45,961.23)	4.26	(21,422.82 -45,959.72)	5.80	(21,428.42 -45,958.22)	2.21
			(21,430.49 -45,957.46)	2.20	(21,432.36 -45,956.31)	2.02	(21,433.99 -45,955.11)	1.85
			(21,435.16 -45,953.68)	1.42	(21,435.96 -45,952.51)	1.89	(21,436.55 -45,950.71)	4.43

地区..003

作業.. 42 原図番号.. N1 41-3

縮尺..1/ 500

基準点..X 21,300.00..Y -46,000.00 測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,437.32 -45,946.35)	2.96	(21,437.82 -45,943.43)	7.19	(21,439.16 -45,936.37)	1.48
		(@ 21,438.76 -45,934.95)	5.26	(21,433.57 -45,935.81)	25.03		
42	725-	2					
		(21,433.57 -45,935.81)	20.10	(@ 21,429.47 -45,916.13)	8.88	(21,420.73 -45,917.70)	11.20
		(21,409.91 -45,920.59)	5.85	(21,404.58 -45,923.00)	2.32	(21,405.46 -45,925.15)	15.45
		(21,408.93 -45,940.21)	25.03				
42	706-	3					
		(21,428.78 -45,878.57)	35.16	(@ 21,415.55 -45,845.99)	8.17	(21,410.94 -45,852.74)	43.29
		(21,384.91 -45,887.33)	12.54	(21,391.47 -45,898.02)	42.08		
42	002-	1					
		(21,390.29 -45,898.64)	1.33	(21,391.47 -45,898.02)	12.54	(21,384.91 -45,887.33)	43.29
		(21,410.94 -45,852.74)	8.17	(21,415.55 -45,845.99)	7.48	(21,419.72 -45,839.78)	8.50
		(21,425.76 -45,833.80)	5.36	(21,428.78 -45,829.37)	5.44	(21,433.09 -45,826.05)	1.81
		(@ 21,431.60 -45,825.03)	3.82	(21,428.75 -45,827.57)	1.15	(21,427.88 -45,828.32)	5.66
		(21,424.59 -45,832.92)	8.31	(21,418.75 -45,838.83)	15.77	(21,409.76 -45,851.79)	43.82
		(21,383.12 -45,886.58)	14.03				
42	705-	2					
		(21,383.12 -45,886.58)	43.82	(21,409.76 -45,851.79)	15.77	(21,418.75 -45,838.83)	8.31
		(21,424.59 -45,832.92)	5.66	(21,427.88 -45,828.32)	1.15	(21,428.75 -45,827.57)	0.35
		(@ 21,428.40 -45,827.52)	67.39	(21,366.31 -45,853.71)	19.74	(21,374.89 -45,871.49)	17.19
43	738-	1					
		(@ 21,346.62 -45,918.45)	38.71	(21,309.23 -45,928.49)	4.88	(21,308.65 -45,933.34)	2.56
		(21,308.48 -45,935.89)	3.25	(21,308.66 -45,939.14)	3.58	(21,309.42 -45,942.64)	2.13
		(21,310.16 -45,944.64)	41.09	(21,349.81 -45,933.84)	15.72		
43	738-	2					
		(@ 21,349.81 -45,933.84)	41.09	(21,310.16 -45,944.64)	6.20	(21,312.18 -45,950.50)	2.96
		(21,314.16 -45,952.70)	1.56	(21,315.23 -45,953.83)	1.86	(21,316.69 -45,954.98)	2.05
		(21,318.46 -45,956.02)	3.15	(21,321.49 -45,956.87)	1.53	(21,323.01 -45,957.07)	2.13
		(21,325.14 -45,957.11)	2.66	(21,327.79 -45,956.86)	3.22	(21,330.96 -45,956.31)	6.54
		(21,337.34 -45,954.85)	6.45	(21,343.73 -45,953.96)	8.55	(21,352.06 -45,952.05)	1.42
		(21,353.45 -45,951.76)	6.88	(21,352.22 -45,944.99)	11.41		
43	729-	1					
		(21,352.22 -45,944.99)	6.88	(21,353.45 -45,951.76)	3.32	(21,356.73 -45,951.27)	2.63
		(21,359.33 -45,950.87)	4.87	(21,364.20 -45,950.71)	3.15	(21,367.33 -45,951.10)	1.48
		(21,368.53 -45,951.97)	12.70	(21,379.77 -45,946.06)	30.84	(21,403.66 -45,926.55)	3.06
		(21,402.67 -45,923.65)	4.78	(@ 21,400.60 -45,919.34)	54.76		
43	729-	3					
		(21,395.17 -45,910.51)	10.50	(@ 21,389.64 -45,901.59)	28.59	(21,363.63 -45,913.46)	17.73
		(21,346.62 -45,918.45)	15.72	(21,349.81 -45,933.84)	51.01		
43	729-	2					
		(21,349.81 -45,933.84)	11.41	(21,352.22 -45,944.99)	54.76	(21,400.60 -45,919.34)	10.37
		(@ 21,395.17 -45,910.51)	51.01				