

地区 ..003 作業 .. 44 原図番号 .. N1 42-1 縮尺 ..1/ 500 基準点 ..X 21,450.00..Y -45,600.00 測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,450.00 -45,600.00)	50.05	(21,500.05 -45,600.06)	50.00	(21,550.05 -45,600.12)	49.98
		(21,600.03 -45,600.19)	50.00	(21,600.01 -45,550.19)	50.00	(21,600.03 -45,500.19)	50.05
		(21,600.04 -45,450.14)	49.95	(21,600.05 -45,400.19)	49.90	(21,550.15 -45,400.12)	50.05
		(21,500.10 -45,400.06)	50.10	(21,450.00 -45,400.02)	50.03	(21,450.04 -45,450.05)	49.95
		(21,449.97 -45,500.00)	50.00	(21,450.01 -45,550.00)	50.00		
95	1559- 2	(1/ 2)					
		(21,450.01 -45,576.20)	9.84	(21,458.91 -45,580.39)	17.61	(21,464.65 -45,563.74)	11.40
		(21,453.75 -45,560.39)	8.94	(21,449.99 -45,568.50)	7.70		
95	1557- 1	(1/ 2)					
		(21,449.99 -45,568.50)	8.94	(21,453.75 -45,560.39)	3.89	(21,450.03 -45,559.25)	9.25
95	1559- 1	(1/ 2)					
		(21,450.03 -45,559.25)	3.89	(21,453.75 -45,560.39)	11.40	(21,464.65 -45,563.74)	6.04
		(21,466.73 -45,558.07)	12.47	(21,472.68 -45,547.11)	2.67	(21,474.55 -45,545.21)	26.52
		(21,450.01 -45,535.15)	24.10				
95	1564	(1/ 2)					
		(21,450.01 -45,535.15)	26.52	(21,474.55 -45,545.21)	9.37	(21,479.06 -45,537.00)	9.25
		(21,479.22 -45,527.75)	48.40	(21,505.85 -45,487.33)	4.21	(21,506.65 -45,483.20)	4.57
		(21,505.24 -45,478.85)	2.85	(21,504.83 -45,476.03)	3.70	(21,503.85 -45,472.46)	1.15
		(21,503.45 -45,471.38)	5.94	(21,497.52 -45,470.97)	13.35	(21,484.30 -45,469.09)	8.63
		(21,475.69 -45,468.50)	6.71	(21,469.07 -45,467.42)	4.59	(21,464.77 -45,465.81)	6.69
		(21,461.75 -45,471.78)	2.32	(21,459.45 -45,471.48)	1.64	(21,458.03 -45,472.30)	3.57
		(21,456.53 -45,475.54)	5.65	(21,454.41 -45,480.78)	5.61	(21,451.90 -45,485.80)	2.83
		(21,450.00 -45,487.90)	47.25				
95	1567- 2	(1/ 2)					
		(21,450.00 -45,487.90)	2.83	(21,451.90 -45,485.80)	5.61	(21,454.41 -45,480.78)	4.71
		(21,449.99 -45,479.15)	8.75				
95	1569- 1	(1/ 2)					
		(21,449.99 -45,479.15)	4.71	(21,454.41 -45,480.78)	5.65	(21,456.53 -45,475.54)	3.57
		(21,458.03 -45,472.30)	8.48	(21,459.91 -45,464.03)	10.01	(21,450.01 -45,462.57)	16.58
95	1563- 2						
		(21,458.03 -45,472.30)	1.64	(21,459.45 -45,471.48)	2.32	(21,461.75 -45,471.78)	6.69
		(21,464.77 -45,465.81)	5.18	(21,459.91 -45,464.03)	8.48		
95	002- 3						
		(21,450.01 -45,462.57)	10.01	(21,459.91 -45,464.03)	5.18	(21,464.77 -45,465.81)	4.59
		(21,469.07 -45,467.42)	6.71	(21,475.69 -45,468.50)	8.63	(21,484.30 -45,469.09)	13.35
		(21,497.52 -45,470.97)	5.94	(21,503.45 -45,471.38)	1.15	(21,503.85 -45,472.46)	3.70
		(21,504.83 -45,476.03)	2.85	(21,505.24 -45,478.85)	4.57	(21,506.65 -45,483.20)	4.21
		(21,505.85 -45,487.33)	48.40	(21,479.22 -45,527.75)	9.25	(21,479.06 -45,537.00)	9.37
		(21,474.55 -45,545.21)	2.67	(21,472.68 -45,547.11)	12.47	(21,466.73 -45,558.07)	6.04
		(21,464.65 -45,563.74)	17.61	(21,458.91 -45,580.39)	4.17	(21,462.63 -45,582.28)	18.78
		(21,469.54 -45,564.82)	5.67	(21,471.65 -45,559.56)	11.11	(21,478.06 -45,550.48)	12.90
		(21,484.59 -45,539.36)	11.12	(21,485.17 -45,528.26)	43.66	(21,509.41 -45,491.95)	1.19
		(21,510.17 -45,491.04)	3.98	(21,512.82 -45,488.07)	4.89	(21,513.20 -45,483.19)	4.83
		(21,511.89 -45,478.54)	5.50	(21,511.19 -45,473.08)	4.18	(21,508.07 -45,470.30)	3.34
		(21,505.22 -45,468.55)	3.54	(21,501.84 -45,467.51)	4.26	(21,497.64 -45,466.82)	13.27
		(21,484.46 -45,465.24)	7.50	(21,477.11 -45,463.75)	5.72	(21,471.63 -45,462.11)	7.39
		(21,464.87 -45,459.12)	4.36	(21,460.54 -45,458.63)	5.68	(21,454.90 -45,459.27)	1.68
		(21,453.23 -45,459.14)	3.24	(21,450.00 -45,458.90)	3.67		
82	1310- 1	(1/ 2)					
		(21,450.00 -45,456.55)	1.68	(21,451.67 -45,456.75)	3.60	(21,455.27 -45,456.92)	2.76
		(21,458.02 -45,456.64)	2.24	(21,460.02 -45,455.63)	2.60	(21,462.24 -45,454.28)	12.26

基準点..X 21,450.00..Y -45,600.00 測定 年 4 月 29 日

44 N1 42-1

地区 ..003

作業 .. 44 原図番号 .. N1 42-1

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -45,600.00 測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

63	1015	(21,567.40 (1/ 2)	-45,401.44)	10.43	(21,577.75 (1/ 2)	-45,400.18)	52.82		
		(21,577.75	-45,400.18)	10.43	(21,567.40	-45,401.44)	23.10	(21,544.30	-45,401.25) 3.00
		(21,543.26	-45,404.06)	2.97	(21,542.89	-45,407.01)	2.58	(21,542.88	-45,409.59) 7.72
		(21,550.59	-45,409.87)	3.94	(21,554.53	-45,410.03)	8.74	(21,563.27	-45,410.30) 21.65
		(21,584.90	-45,411.11)	2.04	(21,585.87	-45,409.31)	9.15	(21,585.90	-45,400.16) 8.15
63	1017	(3/ 4)							
		(21,600.05	-45,400.19)	14.15	(21,585.90	-45,400.16)	9.15	(21,585.87	-45,409.31) 2.04
		(21,584.90	-45,411.11)	17.82	(21,582.77	-45,428.80)	9.61	(21,592.34	-45,429.72) 7.75
		(21,600.05	-45,430.54)	30.35					
63	1018	(2/ 2)							
		(21,600.05	-45,430.54)	7.75	(21,592.34	-45,429.72)	43.56	(21,590.19	-45,473.23) 10.11
		(21,600.03	-45,475.54)	45.00					
63	1021	(2/ 2)							
		(21,600.03	-45,475.54)	10.11	(21,590.19	-45,473.23)	48.93	(21,587.93	-45,522.11) 3.88
		(21,591.81	-45,522.18)	4.15	(21,595.68	-45,523.69)	4.45	(21,600.04	-45,522.79) 47.25
64	1030	(2/ 2)							
		(21,600.04	-45,522.79)	4.45	(21,595.68	-45,523.69)	4.33	(21,598.97	-45,526.51) 1.34
		(21,600.02	-45,527.34)	4.55					
62	001- 5								
		(21,600.02	-45,527.34)	1.34	(21,598.97	-45,526.51)	4.33	(21,595.68	-45,523.69) 4.15
		(21,591.81	-45,522.18)	3.88	(21,587.93	-45,522.11)	4.60	(21,583.42	-45,523.02) 4.35
		(21,579.19	-45,524.02)	4.66	(21,574.57	-45,524.63)	2.98	(21,571.62	-45,524.24) 3.68
		(21,568.07	-45,523.27)	5.40	(21,563.29	-45,520.75)	7.43	(21,557.05	-45,516.71) 5.76
		(21,552.17	-45,513.65)	6.77	(21,545.99	-45,510.88)	9.89	(21,536.76	-45,507.32) 5.58
		(21,531.78	-45,504.81)	3.12	(21,529.38	-45,502.81)	2.79	(21,529.66	-45,505.59) 1.81
		(21,531.19	-45,506.56)	0.58	(21,531.69	-45,506.86)	5.04	(21,536.22	-45,509.07) 9.82
		(21,545.40	-45,512.56)	6.78	(21,551.55	-45,515.42)	5.64	(21,556.36	-45,518.36) 7.33
		(21,562.46	-45,522.43)	5.57	(21,567.44	-45,524.92)	4.18	(21,571.47	-45,526.04) 3.70
		(21,575.15	-45,526.41)	4.47	(21,579.57	-45,525.77)	4.32	(21,583.77	-45,524.77) 4.17
		(21,587.87	-45,524.01)	3.52	(21,591.39	-45,524.00)	3.05	(21,594.22	-45,525.15) 4.33
		(21,597.65	-45,527.79)	2.95	(21,600.03	-45,529.54)	2.20		
62	1002	(2/ 2)							
		(21,600.03	-45,529.54)	2.95	(21,597.65	-45,527.79)	4.33	(21,594.22	-45,525.15) 3.05
		(21,591.39	-45,524.00)	3.52	(21,587.87	-45,524.01)	4.17	(21,583.77	-45,524.77) 4.32
		(21,579.57	-45,525.77)	4.47	(21,575.15	-45,526.41)	3.70	(21,571.47	-45,526.04) 4.18
		(21,567.44	-45,524.92)	5.57	(21,562.46	-45,522.43)	7.33	(21,556.36	-45,518.36) 5.64
		(21,551.55	-45,515.42)	6.78	(21,545.40	-45,512.56)	9.82	(21,536.22	-45,509.07) 5.04
		(21,531.69	-45,506.86)	0.58	(21,531.19	-45,506.56)	1.81	(21,529.66	-45,505.59) 0.82
		(21,529.64	-45,506.41)	2.95	(21,529.74	-45,509.36)	4.84	(21,530.90	-45,514.06) 6.51
		(21,533.11	-45,520.18)	4.09	(21,534.17	-45,524.13)	2.87	(21,534.72	-45,526.95) 2.24
		(21,534.88	-45,529.18)	2.95	(21,534.93	-45,532.13)	8.34	(21,534.15	-45,540.43) 9.82
		(21,533.59	-45,550.23)	5.74	(21,532.90	-45,555.93)	19.85	(21,528.91	-45,575.37) 1.35
		(21,530.23	-45,575.08)	8.98	(21,537.27	-45,569.50)	7.61	(21,543.29	-45,564.84) 3.09
		(21,545.91	-45,563.21)	2.12	(21,547.88	-45,562.43)	1.10	(21,548.98	-45,562.48) 1.85
		(21,550.79	-45,562.87)	1.95	(21,552.59	-45,563.62)	4.02	(21,556.16	-45,565.46) 4.31
		(21,559.87	-45,567.66)	19.11	(21,575.76	-45,578.28)	6.32	(21,581.19	-45,581.52) 5.95
		(21,586.45	-45,584.31)	3.98	(21,589.98	-45,586.15)	5.41	(21,594.26	-45,589.46) 3.03
		(21,595.78	-45,586.84)	9.18	(21,600.01	-45,578.69)	49.15		
61	987	(3/ 3)							
		(21,600.01	-45,578.69)	9.18	(21,595.78	-45,586.84)	3.03	(21,594.26	-45,589.46) 7.69
		(21,599.99	-45,594.59)	15.90					

地区 ..003

作業 .. 44 原図番号 .. N1 42-1

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -45,600.00

測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

61	001-	7	(21,599.99 -45,594.59)	7.69	(@ 21,594.26 -45,589.46)	1.02	(21,593.82 -45,590.38)	8.31
			(21,600.02 -45,595.91)	1.32				
62	991	(4/ 4)	(21,600.03 -45,600.19)	4.28	(21,600.02 -45,595.91)	8.31	(21,593.82 -45,590.38)	5.56
			(21,589.50 -45,586.88)	2.10	(@ 21,587.64 -45,585.91)	4.46	(21,585.88 -45,590.01)	5.42
62	1001-	2	(21,583.69 -45,594.97)	5.63	(21,581.45 -45,600.14)	18.58		
		(2/ 2)	(21,581.45 -45,600.14)	5.63	(21,583.69 -45,594.97)	5.42	(21,585.88 -45,590.01)	4.46
			(21,587.64 -45,585.91)	1.84	(21,586.02 -45,585.04)	5.94	(21,580.77 -45,582.27)	6.36
			(21,575.31 -45,579.01)	19.15	(@ 21,559.38 -45,568.39)	26.59	(21,552.98 -45,594.20)	7.72
			(21,560.49 -45,595.97)	17.37	(21,577.35 -45,600.13)	4.10		
62	999-	1	(21,577.35 -45,600.13)	17.37	(@ 21,560.49 -45,595.97)	4.26	(21,559.50 -45,600.11)	17.85
		(2/ 2)	(21,559.50 -45,600.11)	4.26	(21,560.49 -45,595.97)	7.72	(21,552.98 -45,594.20)	26.59
62	1000-	1	(@ 21,527.11 -45,588.07)	10.99	(21,525.72 -45,598.97)	1.11	(21,525.85 -45,600.07)	33.65
40	685-	4	(21,525.85 -45,600.07)	1.11	(21,525.72 -45,598.97)	10.99	(21,527.11 -45,588.07)	11.10
		(@ 21,527.80 -45,576.99)	1.60	(21,526.91 -45,578.32)	4.54	(21,525.62 -45,582.67)	4.75	
		(21,524.53 -45,587.29)	4.71	(21,523.69 -45,591.92)	0.99	(21,522.71 -45,591.82)	8.29	
		(21,521.85 -45,600.07)	4.00					
94	002-	6	(21,521.85 -45,600.07)	8.29	(21,522.71 -45,591.82)	2.51	(@ 21,520.24 -45,591.38)	8.89
		(21,518.40 -45,600.08)	3.45					
94	1527-	6	(21,518.40 -45,600.08)	8.89	(21,520.24 -45,591.38)	6.40	(@ 21,513.95 -45,590.19)	10.17
		(21,511.40 -45,600.04)	7.00					
94	1529-	9	(21,511.40 -45,600.04)	10.17	(21,513.95 -45,590.19)	39.81	(21,474.49 -45,584.91)	1.61
		(@ 21,472.91 -45,584.59)	2.55	(21,471.74 -45,586.86)	4.85	(21,476.13 -45,588.93)	24.23	
		(21,497.65 -45,600.07)	13.75					
94	001-	8	(21,497.65 -45,600.07)	24.23	(21,476.13 -45,588.93)	4.85	(21,471.74 -45,586.86)	10.20
		(@ 21,462.63 -45,582.28)	7.21	(21,460.10 -45,589.03)	5.13	(21,464.68 -45,591.34)	19.03	
		(21,481.60 -45,600.04)	16.05					
94	1529-	1	(21,481.60 -45,600.04)	19.03	(@ 21,464.68 -45,591.34)	10.79	(21,458.30 -45,600.04)	23.30
94	1529-	4	(21,458.30 -45,600.04)	10.79	(21,464.68 -45,591.34)	5.13	(@ 21,460.10 -45,589.03)	5.56
		(21,457.49 -45,593.94)	7.91	(21,452.43 -45,600.02)	5.87			
94	002-	7	(21,450.00 -45,600.00)	2.43	(21,452.43 -45,600.02)	7.91	(21,457.49 -45,593.94)	5.56
		(21,460.10 -45,589.03)	7.21	(21,462.63 -45,582.28)	4.17	(@ 21,458.91 -45,580.39)	6.77	
		(21,456.59 -45,586.75)	6.60	(21,452.69 -45,592.07)	4.24	(21,450.02 -45,595.37)	4.63	
94	1530-	2	(21,450.02 -45,595.37)	4.24	(21,452.69 -45,592.07)	6.60	(21,456.59 -45,586.75)	7.40
		(@ 21,450.02 -45,583.35)	12.02					
94	001-	9	(21,450.02 -45,583.35)	7.40	(21,456.59 -45,586.75)	6.77	(21,458.91 -45,580.39)	9.84
		(@ 21,450.01 -45,576.20)	7.15					
95	002-	5						

地区 ..003

作業 .. 44 原図番号 .. N1 42-1

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -45,600.00 測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,478.47 -45,584.62)	3.83	(@ 21,474.69 -45,584.01)	0.92	(21,474.49 -45,584.91)	39.81
		(21,513.95 -45,590.19)	6.40	(21,520.24 -45,591.38)	2.51	(21,522.71 -45,591.82)	0.87
		(21,522.85 -45,590.96)	8.81	(21,514.18 -45,589.39)	36.03		
95	001- 4	(21,523.69 -45,591.92)	4.71	(21,524.53 -45,587.29)	4.75	(21,525.62 -45,582.67)	4.54
		(21,526.91 -45,578.32)	1.60	(21,527.80 -45,576.99)	1.96	(@ 21,528.91 -45,575.37)	0.47
		(21,528.46 -45,575.49)	1.64	(21,527.06 -45,576.34)	1.83	(21,526.06 -45,577.87)	4.63
		(21,524.77 -45,582.32)	4.94	(21,523.60 -45,587.12)	3.91	(21,522.85 -45,590.96)	0.87
		(21,522.71 -45,591.82)	0.99				
95	1562	(21,514.18 -45,589.39)	8.81	(21,522.85 -45,590.96)	3.91	(21,523.60 -45,587.12)	4.94
		(21,524.77 -45,582.32)	4.63	(21,526.06 -45,577.87)	1.83	(21,527.06 -45,576.34)	1.64
		(21,528.46 -45,575.49)	0.47	(21,528.91 -45,575.37)	19.85	(21,532.90 -45,555.93)	5.74
		(21,533.59 -45,550.23)	9.82	(21,534.15 -45,540.43)	8.34	(21,534.93 -45,532.13)	2.95
		(21,534.88 -45,529.18)	2.24	(21,534.72 -45,526.95)	2.87	(21,534.17 -45,524.13)	4.09
		(21,533.11 -45,520.18)	6.51	(21,530.90 -45,514.06)	4.84	(21,529.74 -45,509.36)	2.95
		(21,529.64 -45,506.41)	0.82	(21,529.66 -45,505.59)	2.50	(21,527.81 -45,503.91)	3.94
		(21,525.43 -45,500.77)	5.66	(21,522.52 -45,495.92)	9.14	(@ 21,518.50 -45,487.71)	104.85
		(21,478.47 -45,584.62)	36.03				
95	1561- 1	(21,478.47 -45,584.62)	104.85	(21,518.50 -45,487.71)	16.35	(@ 21,511.19 -45,473.08)	5.50
		(21,511.89 -45,478.54)	4.83	(21,513.20 -45,483.19)	4.89	(21,512.82 -45,488.07)	2.70
		(21,513.66 -45,490.64)	1.65	(21,513.74 -45,492.29)	24.06	(21,503.72 -45,514.16)	75.64
		(21,474.69 -45,584.01)	3.83				
95	002- 4	(21,474.49 -45,584.91)	0.92	(21,474.69 -45,584.01)	75.64	(21,503.72 -45,514.16)	24.06
		(21,513.74 -45,492.29)	1.65	(21,513.66 -45,490.64)	2.70	(@ 21,512.82 -45,488.07)	3.98
		(21,510.17 -45,491.04)	1.35	(21,511.04 -45,492.07)	25.00	(21,501.45 -45,515.16)	75.08
		(21,472.67 -45,584.51)	0.25	(21,472.91 -45,584.59)	1.61		
95	1560- 1	(21,471.74 -45,586.86)	2.55	(21,472.91 -45,584.59)	0.25	(21,472.67 -45,584.51)	75.08
		(21,501.45 -45,515.16)	25.00	(21,511.04 -45,492.07)	1.35	(@ 21,510.17 -45,491.04)	1.19
		(21,509.41 -45,491.95)	43.66	(21,485.17 -45,528.26)	11.12	(21,484.59 -45,539.36)	12.90
		(21,478.06 -45,550.48)	11.11	(21,471.65 -45,559.56)	5.67	(21,469.54 -45,564.82)	18.78
		(21,462.63 -45,582.28)	10.20				
62	1001- 1	(21,527.11 -45,588.07)	26.59	(21,552.98 -45,594.20)	26.59	(21,559.38 -45,568.39)	4.18
		(21,555.79 -45,566.24)	3.94	(21,552.31 -45,564.40)	1.92	(21,550.51 -45,563.72)	1.56
		(21,548.99 -45,563.38)	0.88	(@ 21,548.11 -45,563.33)	1.98	(21,546.24 -45,563.98)	2.85
		(21,543.89 -45,565.59)	7.40	(21,538.02 -45,570.10)	9.21	(21,530.81 -45,575.83)	1.92
		(21,528.96 -45,576.36)	1.32	(21,527.80 -45,576.99)	11.10		
62	001- 6	(21,527.80 -45,576.99)	1.32	(21,528.96 -45,576.36)	1.92	(21,530.81 -45,575.83)	9.21
		(21,538.02 -45,570.10)	7.40	(21,543.89 -45,565.59)	2.85	(21,546.24 -45,563.98)	1.98
		(21,548.11 -45,563.33)	0.88	(21,548.99 -45,563.38)	1.56	(21,550.51 -45,563.72)	1.92
		(21,552.31 -45,564.40)	3.94	(21,555.79 -45,566.24)	4.18	(21,559.38 -45,568.39)	19.15
		(21,575.31 -45,579.01)	6.36	(21,580.77 -45,582.27)	5.94	(21,586.02 -45,585.04)	1.84
		(21,587.64 -45,585.91)	2.10	(21,589.50 -45,586.88)	5.56	(21,593.82 -45,590.38)	1.02
		(21,594.26 -45,589.46)	5.41	(21,589.98 -45,586.15)	3.98	(21,586.45 -45,584.31)	5.95
		(21,581.19 -45,581.52)	6.32	(21,575.76 -45,578.28)	19.11	(21,559.87 -45,567.66)	4.31
		(21,556.16 -45,565.46)	4.02	(21,552.59 -45,563.62)	1.95	(21,550.79 -45,562.87)	1.85
		(21,548.98 -45,562.48)	1.10	(@ 21,547.88 -45,562.43)	2.12	(21,545.91 -45,563.21)	3.09

地区..003

作業.. 44 原図番号.. N1 42-1

縮尺..1/ 500

基準点..X 21,450.00..Y -45,600.00 測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,543.29 -45,564.84)	7.61	(21,537.27 -45,569.50)	8.98	(21,530.23 -45,575.08)	1.35
		(21,528.91 -45,575.37)	1.96				
95	001- 3	(21,529.38 -45,502.81)	4.05	(21,526.82 -45,499.67)	14.57	(21,520.00 -45,486.80)	12.22
		(21,515.13 -45,475.59)	4.12	(21,513.04 -45,472.04)	1.75	(21,511.87 -45,470.74)	2.19
		(21,510.27 -45,469.24)	1.50	(21,509.09 -45,468.32)	3.34	(21,506.14 -45,466.75)	4.22
		(21,502.09 -45,465.56)	4.08	(21,498.06 -45,464.92)	13.24	(21,484.91 -45,463.36)	7.74
		(21,477.36 -45,461.65)	5.56	(21,472.08 -45,459.91)	6.53	(21,466.38 -45,456.72)	2.84
		(21,464.87 -45,459.12)	7.39	(21,471.63 -45,462.11)	5.72	(21,477.11 -45,463.75)	7.50
		(21,484.46 -45,465.24)	13.27	(21,497.64 -45,466.82)	4.26	(21,501.84 -45,467.51)	3.54
		(21,505.22 -45,468.55)	3.34	(21,508.07 -45,470.30)	4.18	(21,511.19 -45,473.08)	16.35
		(21,518.50 -45,487.71)	9.14	(21,522.52 -45,495.92)	5.66	(21,525.43 -45,500.77)	3.94
		(21,527.81 -45,503.91)	2.50	(21,529.66 -45,505.59)	2.79		
63	1019	(21,577.57 -45,471.19)	8.55	(21,586.05 -45,472.26)	4.25	(21,590.19 -45,473.23)	43.56
		(21,592.34 -45,429.72)	9.61	(21,582.77 -45,428.80)	42.71		
63	1016	(21,582.77 -45,428.80)	17.82	(21,584.90 -45,411.11)	21.65	(21,563.27 -45,410.30)	34.20
		(21,558.85 -45,444.21)	6.60	(21,558.01 -45,450.76)	15.34	(21,555.47 -45,465.89)	5.57
		(21,553.85 -45,471.22)	3.63	(21,552.57 -45,474.62)	12.77	(21,564.90 -45,477.95)	5.57
		(21,565.53 -45,472.42)	1.28	(21,565.92 -45,471.20)	0.43	(21,566.12 -45,470.82)	0.34
		(21,566.32 -45,470.55)	1.85	(21,568.17 -45,470.59)	9.42	(21,577.57 -45,471.19)	42.71
63	1020	(21,577.57 -45,471.19)	9.42	(21,568.17 -45,470.59)	1.85	(21,566.32 -45,470.55)	0.34
		(21,566.12 -45,470.82)	0.43	(21,565.92 -45,471.20)	1.28	(21,565.53 -45,472.42)	5.57
		(21,564.90 -45,477.95)	10.91	(21,564.41 -45,488.85)	3.99	(21,564.14 -45,492.83)	5.34
		(21,563.30 -45,498.10)	4.21	(21,562.15 -45,502.15)	15.43	(21,557.05 -45,516.71)	7.43
		(21,563.29 -45,520.75)	5.40	(21,568.07 -45,523.27)	3.68	(21,571.62 -45,524.24)	2.98
		(21,574.57 -45,524.63)	4.66	(21,579.19 -45,524.02)	4.35	(21,583.42 -45,523.02)	4.60
		(21,587.93 -45,522.11)	48.93	(21,590.19 -45,473.23)	4.25	(21,586.05 -45,472.26)	8.55
63	1004	(21,552.57 -45,474.62)	4.10	(21,551.16 -45,478.47)	6.58	(21,549.77 -45,484.90)	14.13
		(21,547.75 -45,498.88)	12.13	(21,545.99 -45,510.88)	6.77	(21,552.17 -45,513.65)	5.76
		(21,557.05 -45,516.71)	15.43	(21,562.15 -45,502.15)	4.21	(21,563.30 -45,498.10)	5.34
		(21,564.14 -45,492.83)	3.99	(21,564.41 -45,488.85)	10.91	(21,564.90 -45,477.95)	12.77
63	1006	(21,531.02 -45,496.52)	33.49	(21,516.55 -45,466.32)	4.43	(21,514.92 -45,470.44)	2.47
		(21,513.04 -45,472.04)	4.12	(21,515.13 -45,475.59)	12.22	(21,520.00 -45,486.80)	14.57
		(21,526.82 -45,499.67)	4.05	(21,529.38 -45,502.81)	6.50		
63	1005	(21,529.38 -45,502.81)	3.12	(21,531.78 -45,504.81)	5.58	(21,536.76 -45,507.32)	9.89
		(21,545.99 -45,510.88)	12.13	(21,547.75 -45,498.88)	14.13	(21,549.77 -45,484.90)	6.58
		(21,551.16 -45,478.47)	4.10	(21,552.57 -45,474.62)	3.63	(21,553.85 -45,471.22)	5.57
		(21,555.47 -45,465.89)	15.34	(21,558.01 -45,450.76)	6.60	(21,558.85 -45,444.21)	34.20
		(21,563.27 -45,410.30)	8.74	(21,554.53 -45,410.03)	89.63	(21,531.02 -45,496.52)	6.50
63	1007	(21,531.02 -45,496.52)	89.63	(21,554.53 -45,410.03)	3.94	(21,550.59 -45,409.87)	7.72
		(21,542.88 -45,409.59)	3.57	(21,543.47 -45,413.11)	1.10	(21,543.57 -45,414.21)	2.45
		(21,543.88 -45,416.64)	3.46	(21,543.61 -45,420.09)	4.18	(21,542.59 -45,424.14)	3.99
		(21,540.87 -45,427.74)	3.13	(21,539.20 -45,430.39)	5.45	(21,536.09 -45,434.87)	2.82
		(21,534.37 -45,437.10)	1.22	(21,533.22 -45,437.50)	0.95	(21,532.92 -45,438.40)	1.94
		(21,532.00 -45,440.11)	5.48	(21,529.35 -45,444.91)	6.42	(21,526.06 -45,450.42)	3.98

地区 ..003

作業 .. 44 原図番号 .. N1 42-1

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -45,600.00 測定 年 4 月 29 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

	(21,523.74 -45,453.65)	1.50	(21,522.67 -45,454.70)	3.43	(21,520.43 -45,457.30)	2.68
	(21,519.05 -45,459.60)	3.79	(21,517.44 -45,463.03)	3.41	(21,516.55 -45,466.32)	33.49
63 〇 1013-	1					
	(21,528.89 -45,401.86)	12.18	(21,516.86 -45,403.77)	5.98	(21,515.93 -45,409.68)	12.08
	(21,527.97 -45,410.61)	8.80				
63 〇 1012						
	(21,527.97 -45,410.61)	12.08	(21,515.93 -45,409.68)	9.54	(21,513.85 -45,418.99)	14.45
	(21,528.28 -45,419.80)	9.20				
63 〇 1008						
	(21,528.28 -45,419.80)	14.45	(21,513.85 -45,418.99)	6.20	(21,512.09 -45,424.94)	5.42
	(21,510.55 -45,430.14)	6.56	(21,506.69 -45,435.45)	7.94	(21,499.24 -45,438.21)	21.55
	(21,480.44 -45,448.75)	16.16	(21,466.38 -45,456.72)	6.53	(21,472.08 -45,459.91)	5.56
	(21,477.36 -45,461.65)	7.74	(21,484.91 -45,463.36)	13.24	(21,498.06 -45,464.92)	4.08
	(21,502.09 -45,465.56)	4.22	(21,506.14 -45,466.75)	3.34	(21,509.09 -45,468.32)	1.50
	(21,510.27 -45,469.24)	2.19	(21,511.87 -45,470.74)	1.75	(21,513.04 -45,472.04)	2.47
	(21,514.92 -45,470.44)	4.43	(21,516.55 -45,466.32)	3.41	(21,517.44 -45,463.03)	3.79
	(21,519.05 -45,459.60)	2.68	(21,520.43 -45,457.30)	3.43	(21,522.67 -45,454.70)	1.50
	(21,523.74 -45,453.65)	3.98	(21,526.06 -45,450.42)	6.42	(21,529.35 -45,444.91)	5.48
	(21,532.00 -45,440.11)	1.94	(21,532.92 -45,438.40)	0.95	(21,533.22 -45,437.50)	1.56
	(21,531.96 -45,436.58)	1.96	(21,530.79 -45,435.01)	2.50	(21,529.71 -45,432.76)	3.00
	(21,529.28 -45,429.79)	10.04				
63 1011						
	(21,529.28 -45,429.79)	3.00	(21,529.71 -45,432.76)	2.50	(21,530.79 -45,435.01)	1.96
	(21,531.96 -45,436.58)	1.56	(21,533.22 -45,437.50)	1.22	(21,534.37 -45,437.10)	2.82
	(21,536.09 -45,434.87)	5.45	(21,539.20 -45,430.39)	3.13	(21,540.87 -45,427.74)	3.99
	(21,542.59 -45,424.14)	4.18	(21,543.61 -45,420.09)	3.46	(21,543.88 -45,416.64)	2.45
	(21,543.57 -45,414.21)	1.10	(21,543.47 -45,413.11)	3.57	(21,542.88 -45,409.59)	2.58
	(21,542.89 -45,407.01)	2.97	(21,543.26 -45,404.06)	3.00	(21,544.30 -45,401.25)	9.66
	(21,534.65 -45,401.60)	5.77	(21,528.89 -45,401.86)	8.80	(21,527.97 -45,410.61)	9.20
	(21,528.28 -45,419.80)	10.04				