

地区 ..003

作業 .. 46 原図番号 .. N1 42-3

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -45,600.00 測定 年 4 月 30 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,300.00 -45,600.00)	50.00	(21,350.00 -45,600.05)	50.00	(21,400.00 -45,600.12)	50.03
		(21,450.03 -45,600.15)	50.00	(21,450.03 -45,550.15)	50.00	(21,450.00 -45,500.15)	50.00
		(21,450.03 -45,450.15)	50.00	(21,450.05 -45,400.15)	50.05	(21,400.00 -45,400.12)	49.95
		(21,350.05 -45,400.05)	50.05	(21,300.00 -45,400.02)	50.05	(21,299.98 -45,450.07)	49.95
		(21,300.00 -45,500.02)	50.01	(21,299.98 -45,550.03)	49.97		
D 92	002- 5	(21,312.53 -45,600.02)	3.36	(21,315.32 -45,598.14)	4.60	(21,318.77 -45,595.09)	7.56
		(21,323.79 -45,589.44)	1.49	(21,323.98 -45,587.96)	20.92	(21,327.88 -45,567.41)	9.28
		(21,329.58 -45,558.29)	6.14	(21,330.43 -45,552.21)	16.27	(21,334.30 -45,536.41)	3.30
		(21,334.67 -45,533.13)	3.40	(21,331.37 -45,532.32)	4.24	(21,330.89 -45,536.53)	10.53
		(21,328.61 -45,546.81)	12.79	(21,325.78 -45,559.28)	23.75	(21,321.19 -45,582.58)	5.36
		(21,320.14 -45,587.84)	16.42	(21,308.28 -45,599.19)	1.53	(21,307.00 -45,600.02)	5.53
92	1495- 3	(21,300.00 -45,600.00)	7.00	(21,307.00 -45,600.02)	1.53	(21,308.28 -45,599.19)	8.34
		(21,300.00 -45,598.23)	1.77				
92	1495- 4	(21,300.00 -45,598.23)	8.34	(21,308.28 -45,599.19)	16.42	(21,320.14 -45,587.84)	5.36
		(21,321.19 -45,582.58)	21.37	(21,299.99 -45,579.88)	18.35		
92	1495- 2	(21,299.99 -45,579.88)	21.37	(21,321.19 -45,582.58)	23.75	(21,325.78 -45,559.28)	20.54
		(21,305.44 -45,556.44)	5.51	(21,299.98 -45,555.68)	24.20		
92	1495- 10	(21,299.98 -45,555.68)	5.51	(21,305.44 -45,556.44)	25.11	(21,307.58 -45,531.42)	7.61
		(21,299.97 -45,531.23)	24.45				
92	001- 7	(21,299.97 -45,531.23)	7.61	(21,307.58 -45,531.42)	12.00	(21,319.58 -45,531.72)	5.86
		(21,325.44 -45,531.91)	5.94	(21,331.37 -45,532.32)	3.40	(21,334.67 -45,533.13)	7.17
		(21,337.54 -45,526.56)	1.85	(21,335.75 -45,526.11)	2.97	(21,332.81 -45,525.71)	12.71
		(21,320.11 -45,525.28)	17.72	(21,302.40 -45,524.77)	2.44	(21,299.96 -45,524.68)	6.55
92	001- 5	(21,299.96 -45,524.68)	2.44	(21,302.40 -45,524.77)	1.27	(21,301.56 -45,523.82)	0.62
		(21,301.70 -45,523.22)	12.62	(21,303.31 -45,510.70)	8.16	(21,305.00 -45,502.72)	5.58
		(21,305.82 -45,497.20)	14.37	(21,304.91 -45,482.86)	1.94	(21,302.98 -45,483.04)	14.46
		(21,303.97 -45,497.47)	4.92	(21,303.13 -45,502.32)	7.91	(21,301.43 -45,510.05)	7.10
		(21,300.54 -45,517.09)	4.38	(21,299.96 -45,521.43)	3.25		
92	1483- 1	(21,299.96 -45,521.43)	4.38	(21,300.54 -45,517.09)	0.53	(21,300.01 -45,517.02)	4.41
92	1485- 3	(21,300.01 -45,517.02)	0.53	(21,300.54 -45,517.09)	7.10	(21,301.43 -45,510.05)	7.91
		(21,303.13 -45,502.32)	4.92	(21,303.97 -45,497.47)	14.46	(21,302.98 -45,483.04)	2.84
		(21,301.42 -45,480.67)	1.43	(21,299.99 -45,480.77)	36.25		
92	1474- 1	(21,299.99 -45,480.77)	1.43	(21,301.42 -45,480.67)	2.84	(21,302.98 -45,483.04)	1.94
		(21,304.91 -45,482.86)	8.06	(21,312.94 -45,482.19)	7.04	(21,317.50 -45,476.82)	14.49
		(21,320.08 -45,462.56)	19.95	(21,300.18 -45,461.17)	0.15	(21,300.03 -45,461.17)	19.60
92	1475	(21,300.03 -45,461.17)	0.15	(21,300.18 -45,461.17)	21.48	(21,301.62 -45,439.74)	1.67
		(21,299.97 -45,439.47)	21.70				
92	002- 6	(21,299.97 -45,439.47)	1.67	(21,301.62 -45,439.74)	21.11	(21,322.47 -45,443.06)	12.84
		(21,335.14 -45,445.14)	14.49	(21,349.45 -45,447.43)	1.28	(21,350.47 -45,448.20)	2.45

地区 ..003

作業 .. 46

原図番号 .. N1 42-3

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -45,600.00

測定 年 4 月 30 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,352.71 -45,449.20)	1.89	(21,354.57 -45,449.53)	2.06	(21,354.89 -45,447.50)	3.76
		(21,351.17 -45,446.97)	50.18	(21,301.62 -45,439.07)	1.62	(21,300.02 -45,438.82)	0.65
83	001- 3	(21,300.02 -45,438.82)	1.62	(21,301.62 -45,439.07)	50.18	(21,351.17 -45,446.97)	3.76
		(21,354.89 -45,447.50)	46.70	(21,401.10 -45,454.22)	12.75	(21,413.78 -45,455.55)	2.29
		(21,414.04 -45,453.27)	1.56	(21,413.33 -45,451.88)	8.04	(21,405.48 -45,450.16)	3.08
		(21,402.40 -45,450.17)	47.41	(21,355.51 -45,443.20)	0.90	(21,354.62 -45,443.05)	42.58
		(21,312.58 -45,436.32)	12.67	(21,300.02 -45,434.67)	4.15		
83	1322- 1	(1/ 2)					
		(21,300.02 -45,434.67)	12.67	(21,312.58 -45,436.32)	6.20	(21,312.30 -45,430.13)	0.74
		(21,312.24 -45,429.39)	5.35	(21,312.79 -45,424.07)	0.59	(21,312.21 -45,423.98)	12.25
		(21,299.99 -45,423.07)	11.60				
83	1323	(1/ 4)					
		(21,299.99 -45,423.07)	12.25	(21,312.21 -45,423.98)	5.55	(21,312.46 -45,418.44)	4.82
		(21,312.36 -45,413.62)	5.29	(21,311.68 -45,408.37)	4.11	(21,311.00 -45,404.32)	4.34
		(21,310.10 -45,400.07)	10.10	(21,300.00 -45,400.02)	23.05		
83	1319	(1/ 2)					
		(21,310.10 -45,400.07)	4.34	(21,311.00 -45,404.32)	4.11	(21,311.68 -45,408.37)	5.29
		(21,312.36 -45,413.62)	4.82	(21,312.46 -45,418.44)	5.55	(21,312.21 -45,423.98)	0.59
		(21,312.79 -45,424.07)	5.35	(21,312.24 -45,429.39)	0.74	(21,312.30 -45,430.13)	44.67
		(21,356.82 -45,433.75)	4.94	(21,357.41 -45,428.85)	6.05	(21,357.59 -45,422.80)	3.61
		(21,357.81 -45,419.20)	7.80	(21,357.88 -45,411.40)	9.51	(21,358.35 -45,401.90)	1.81
		(21,358.55 -45,400.10)	48.45				
83	001- 4						
		(21,358.55 -45,400.10)	1.81	(21,358.35 -45,401.90)	9.51	(21,357.88 -45,411.40)	7.80
		(21,357.81 -45,419.20)	3.61	(21,357.59 -45,422.80)	6.05	(21,357.41 -45,428.85)	4.94
		(21,356.82 -45,433.75)	3.75	(21,356.04 -45,437.42)	5.81	(21,354.62 -45,443.05)	0.90
		(21,355.51 -45,443.20)	5.63	(21,356.82 -45,437.72)	4.11	(21,357.67 -45,433.70)	4.83
		(21,358.19 -45,428.90)	5.90	(21,358.48 -45,423.01)	3.75	(21,358.68 -45,419.27)	8.07
		(21,358.91 -45,411.20)	9.31	(21,359.30 -45,401.90)	1.86	(21,359.45 -45,400.05)	0.90
83	1314	(1/ 2)					
		(21,359.45 -45,400.05)	1.86	(21,359.30 -45,401.90)	9.31	(21,358.91 -45,411.20)	8.07
		(21,358.68 -45,419.27)	3.75	(21,358.48 -45,423.01)	43.09	(21,401.50 -45,425.42)	25.30
		(21,401.00 -45,400.12)	41.55				
83	1312- 1	(1/ 2)					
		(21,401.00 -45,400.12)	25.30	(21,401.50 -45,425.42)	2.74	(21,404.24 -45,425.37)	5.17
		(21,409.36 -45,424.67)	10.43	(21,419.73 -45,423.58)	2.34	(21,420.06 -45,421.26)	4.76
		(21,420.41 -45,416.51)	2.85	(21,420.41 -45,413.66)	13.55	(21,419.80 -45,400.12)	18.80
83	001- 2						
		(21,419.80 -45,400.12)	13.55	(21,420.41 -45,413.66)	2.85	(21,420.41 -45,416.51)	4.76
		(21,420.06 -45,421.26)	2.34	(21,419.73 -45,423.58)	2.74	(21,419.21 -45,426.27)	4.41
		(21,418.04 -45,430.52)	2.95	(21,417.02 -45,433.29)	14.14	(21,411.12 -45,446.14)	2.26
		(21,409.72 -45,447.92)	4.80	(21,405.48 -45,450.16)	8.04	(21,413.33 -45,451.88)	2.17
		(21,414.26 -45,449.92)	2.39	(21,415.30 -45,447.77)	0.51	(21,414.85 -45,447.52)	11.84
		(21,419.92 -45,436.82)	2.54	(21,420.92 -45,434.49)	3.44	(21,422.04 -45,431.24)	3.12
		(21,422.96 -45,428.26)	2.68	(21,423.60 -45,425.66)	3.03	(21,424.04 -45,422.66)	2.68
		(21,424.31 -45,419.99)	3.03	(21,424.48 -45,416.96)	3.75	(21,424.58 -45,413.21)	13.09
		(21,423.95 -45,400.14)	4.15				
82	1308- 1	(3/ 4)					
		(21,450.05 -45,400.15)	26.10	(21,423.95 -45,400.14)	13.09	(21,424.58 -45,413.21)	3.75
		(21,424.48 -45,416.96)	3.03	(21,424.31 -45,419.99)	2.68	(21,424.04 -45,422.66)	3.03
		(21,423.60 -45,425.66)	2.05	(21,425.64 -45,425.86)	2.27	(21,427.91 -45,425.94)	2.08

地区 ..003

作業 .. 46 原図番号 .. N1 42-3

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -45,600.00

測定 年 4 月 30 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,429.99 -45,426.01)	7.26	(21,437.24 -45,425.61)	9.53	(21,446.71 -45,424.50)	3.37
		(21,450.06 -45,424.15)	24.00				
82	1309-	1 (2/ 2)					
		(@ 21,450.06 -45,424.15)	3.37	(21,446.71 -45,424.50)	9.53	(21,437.24 -45,425.61)	7.26
		(21,429.99 -45,426.01)	2.08	(21,427.91 -45,425.94)	2.27	(21,425.64 -45,425.86)	2.05
		(21,423.60 -45,425.66)	2.68	(21,422.96 -45,428.26)	3.12	(21,422.04 -45,431.24)	3.44
		(21,420.92 -45,434.49)	2.54	(21,419.92 -45,436.82)	11.84	(21,414.85 -45,447.52)	0.51
		(21,415.30 -45,447.77)	2.39	(21,414.26 -45,449.92)	35.93	(21,450.03 -45,453.35)	29.20
82	1310-	1 (2/ 2)					
		(21,450.03 -45,453.35)	35.93	(@ 21,414.26 -45,449.92)	2.17	(21,413.33 -45,451.88)	1.56
		(21,414.04 -45,453.27)	4.46	(21,418.50 -45,453.47)	11.75	(21,430.18 -45,454.71)	19.94
		(21,450.03 -45,456.65)	3.30				
82	001-	1					
		(21,450.03 -45,456.65)	19.94	(21,430.18 -45,454.71)	11.75	(21,418.50 -45,453.47)	4.46
		(@ 21,414.04 -45,453.27)	2.29	(21,413.78 -45,455.55)	2.36	(21,416.13 -45,455.79)	6.17
		(21,422.28 -45,456.26)	7.60	(21,429.88 -45,456.49)	14.67	(21,444.40 -45,458.55)	5.66
		(21,450.03 -45,459.10)	2.45				
95	002-	1					
		(21,450.03 -45,459.10)	5.66	(21,444.40 -45,458.55)	14.67	(21,429.88 -45,456.49)	7.60
		(21,422.28 -45,456.26)	6.17	(21,416.13 -45,455.79)	2.36	(21,413.78 -45,455.55)	12.75
		(21,401.10 -45,454.22)	46.70	(@ 21,354.89 -45,447.50)	2.06	(21,354.57 -45,449.53)	25.48
		(21,379.63 -45,454.14)	10.39	(21,389.93 -45,455.51)	10.62	(21,400.48 -45,456.77)	8.84
		(21,409.23 -45,458.02)	4.22	(21,413.44 -45,458.27)	6.71	(21,420.10 -45,459.09)	6.26
		(21,426.34 -45,459.58)	3.34	(21,429.68 -45,459.71)	20.56	(21,450.03 -45,462.65)	3.55
95	1569-	1 (2/ 2)					
		(21,450.03 -45,462.65)	20.56	(21,429.68 -45,459.71)	3.34	(@ 21,426.34 -45,459.58)	29.93
		(21,423.74 -45,489.40)	18.31	(21,441.01 -45,495.48)	18.28	(21,447.74 -45,478.48)	2.46
		(21,450.04 -45,479.35)	16.70				
95	1567-	2 (2/ 2)					
		(21,450.04 -45,479.35)	2.46	(@ 21,447.74 -45,478.48)	18.28	(21,441.01 -45,495.48)	9.05
		(21,448.25 -45,490.05)	2.68	(21,450.04 -45,488.05)	8.70		
95	1564	(2/ 2)					
		(@ 21,450.04 -45,488.05)	2.68	(21,448.25 -45,490.05)	9.05	(21,441.01 -45,495.48)	8.79
		(21,449.45 -45,497.95)	3.42	(21,448.45 -45,501.22)	22.78	(21,441.76 -45,523.00)	1.80
		(21,440.70 -45,524.45)	6.41	(21,439.78 -45,530.79)	1.01	(21,440.65 -45,531.30)	10.13
		(21,450.02 -45,535.15)	47.10				
95	1559-	1 (2/ 2)					
		(21,450.02 -45,535.15)	10.13	(@ 21,440.65 -45,531.30)	19.78	(21,434.63 -45,550.14)	3.07
		(21,434.48 -45,553.21)	3.70	(21,437.38 -45,555.51)	13.26	(21,450.03 -45,559.50)	24.35
(95)	1557-	1 (2/ 2)					
		(21,450.03 -45,559.50)	13.26	(21,437.38 -45,555.51)	3.70	(21,434.48 -45,553.21)	3.07
		(21,434.63 -45,550.14)	5.71	(@ 21,429.15 -45,548.54)	2.49	(21,428.23 -45,550.85)	14.17
		(21,422.98 -45,564.01)	9.27	(21,431.41 -45,567.86)	5.33	(21,436.29 -45,570.01)	11.88
		(21,447.04 -45,575.07)	7.13	(21,450.03 -45,568.60)	9.10		
95	1559-	2 (2/ 2)					
		(@ 21,450.03 -45,568.60)	7.13	(21,447.04 -45,575.07)	3.26	(21,449.99 -45,576.45)	7.85
94	001-	9					
		(21,449.99 -45,576.45)	3.26	(21,447.04 -45,575.07)	11.88	(21,436.29 -45,570.01)	5.33
		(21,431.41 -45,567.86)	9.27	(21,422.98 -45,564.01)	7.27	(21,416.35 -45,561.02)	7.37
		(21,409.64 -45,557.97)	8.02	(21,402.34 -45,554.66)	8.48	(21,394.63 -45,551.13)	2.53
		(21,392.28 -45,550.19)	19.86	(21,374.12 -45,542.14)	11.79	(21,366.20 -45,533.41)	4.16
		(21,362.08 -45,532.86)	11.15	(21,351.27 -45,530.13)	14.19	(@ 21,337.54 -45,526.56)	7.17

地区 ..003

作業 .. 46

原図番号 .. N1 42-3

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -45,600.00

測定 年 4 月 30 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,334.67 -45,533.13)	6.84	(21,341.24 -45,535.05)	13.79	(21,353.90 -45,540.52)	5.06
		(21,358.47 -45,542.70)	1.66	(21,359.97 -45,543.40)	2.64	(21,362.27 -45,544.69)	0.43
		(21,362.42 -45,544.29)	10.80	(21,372.20 -45,548.86)	1.93	(21,373.73 -45,550.04)	17.70
		(21,389.26 -45,558.53)	13.59	(21,402.03 -45,563.17)	21.01	(21,421.77 -45,570.35)	3.70
		(21,425.19 -45,571.76)	15.89	(21,439.64 -45,578.36)	4.85	(21,443.99 -45,580.50)	5.18
		(21,448.63 -45,582.80)	1.55	(21,449.99 -45,583.55)	7.10		
94	1530- 2	(21,449.99 -45,583.55)	1.55	(21,448.63 -45,582.80)	12.72	(21,440.75 -45,592.78)	9.16
		(21,448.85 -45,597.05)	1.93	(21,450.00 -45,595.50)	11.95		
94	002- 2	(21,450.03 -45,600.15)	4.65	(21,450.00 -45,595.50)	1.93	(21,448.85 -45,597.05)	3.89
		(21,446.50 -45,600.15)	3.53				
94	1531- 1	(21,446.50 -45,600.15)	3.89	(21,448.85 -45,597.05)	9.16	(21,440.75 -45,592.78)	12.72
		(21,448.63 -45,582.80)	5.18	(21,443.99 -45,580.50)	4.85	(21,439.64 -45,578.36)	15.89
		(21,425.19 -45,571.76)	3.70	(21,421.77 -45,570.35)	0.84	(21,421.99 -45,571.16)	1.22
		(21,422.19 -45,572.36)	3.38	(21,421.76 -45,575.71)	20.63	(21,414.36 -45,594.97)	6.92
		(21,418.98 -45,600.12)	27.52				
94	001- 10	(21,418.98 -45,600.12)	6.92	(21,414.36 -45,594.97)	18.79	(21,401.99 -45,580.82)	7.18
		(21,397.54 -45,575.18)	10.52	(21,391.48 -45,566.58)	5.61	(21,388.16 -45,562.06)	3.70
		(21,389.26 -45,558.53)	17.70	(21,373.73 -45,550.04)	9.85	(21,379.48 -45,558.04)	11.85
		(21,386.52 -45,567.57)	13.65	(21,394.45 -45,578.68)	7.10	(21,398.97 -45,584.15)	18.98
		(21,411.40 -45,598.49)	2.28	(21,413.00 -45,600.12)	5.98		
94	1533	(21,413.00 -45,600.12)	2.28	(21,411.40 -45,598.49)	18.98	(21,398.97 -45,584.15)	7.10
		(21,394.45 -45,578.68)	22.06	(21,389.30 -45,600.13)	23.70		
94	1532- 3	(21,389.30 -45,600.13)	22.06	(21,394.45 -45,578.68)	13.65	(21,386.52 -45,567.57)	5.14
		(21,384.97 -45,572.47)	18.02	(21,379.84 -45,589.74)	4.26	(21,378.45 -45,593.77)	6.64
		(21,376.40 -45,600.09)	12.90				
94	1540- 1	(21,376.40 -45,600.09)	6.64	(21,378.45 -45,593.77)	13.81	(21,365.17 -45,589.99)	18.63
		(21,348.88 -45,580.95)	1.36	(21,347.68 -45,580.30)	21.12	(21,340.20 -45,600.05)	36.20
94	002- 3	(21,340.20 -45,600.05)	21.12	(21,347.68 -45,580.30)	10.43	(21,351.81 -45,570.72)	6.48
		(21,354.22 -45,564.70)	12.57	(21,358.81 -45,553.00)	9.00	(21,362.27 -45,544.69)	2.64
		(21,359.97 -45,543.40)	1.66	(21,358.47 -45,542.70)	2.82	(21,357.37 -45,545.30)	59.19
		(21,334.90 -45,600.06)	5.30				
94	001- 11	(21,334.90 -45,600.06)	59.19	(21,357.37 -45,545.30)	4.74	(21,353.12 -45,543.20)	30.29
		(21,341.44 -45,571.15)	19.44	(21,333.89 -45,589.06)	11.87	(21,329.30 -45,600.01)	5.60
93	1504- 1	(21,329.30 -45,600.01)	11.87	(21,333.89 -45,589.06)	3.49	(21,330.44 -45,588.56)	6.49
		(21,323.98 -45,587.96)	1.49	(21,323.79 -45,589.44)	7.56	(21,318.77 -45,595.09)	4.60
		(21,315.32 -45,598.14)	3.36	(21,312.53 -45,600.02)	16.77		
94	1544- 1	(21,341.44 -45,571.15)	30.29	(21,353.12 -45,543.20)	13.03	(21,340.99 -45,538.45)	6.99
		(21,334.30 -45,536.41)	16.27	(21,330.43 -45,552.21)	6.14	(21,329.58 -45,558.29)	9.28
		(21,327.88 -45,567.41)	14.07				
94	1539- 1	(21,327.88 -45,567.41)	20.92	(21,323.98 -45,587.96)	6.49	(21,330.44 -45,588.56)	3.49

地区 ..003

作業 .. 46

原図番号 .. N1 42-3

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -45,600.00

測定 年 4 月 30 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

94	002-	4	(21,333.89 -45,589.06)	19.44	(21,341.44 -45,571.15)	14.07				
			(21,358.47 -45,542.70)	5.06	(21,353.90 -45,540.52)	13.79	(21,341.24 -45,535.05)	6.84		
			(21,334.67 -45,533.13)	3.30	(21,334.30 -45,536.41)	6.99	(21,340.99 -45,538.45)	13.03		
94	1541-	3	(21,353.12 -45,543.20)	4.74	(21,357.37 -45,545.30)	2.82				
			(21,355.57 -45,565.08)	1.40	(21,354.22 -45,564.70)	6.48	(21,351.81 -45,570.72)	10.43		
			(21,347.68 -45,580.30)	1.36	(21,348.88 -45,580.95)	10.53	(21,352.99 -45,571.25)	6.69		
94	1541		(21,352.99 -45,571.25)	10.53	(21,348.88 -45,580.95)	18.63	(21,365.17 -45,589.99)	13.81		
			(21,378.45 -45,593.77)	4.26	(21,379.84 -45,589.74)	18.02	(21,384.97 -45,572.47)	30.31		
			(21,355.57 -45,565.08)	6.69						
94	1542-	1	(21,354.22 -45,564.70)	1.40	(21,355.57 -45,565.08)	30.31	(21,384.97 -45,572.47)	5.14		
			(21,386.52 -45,567.57)	11.85	(21,379.48 -45,558.04)	21.28	(21,358.81 -45,553.00)	12.57		
94	1543-	3	(21,358.81 -45,553.00)	21.28	(21,379.48 -45,558.04)	9.85	(21,373.73 -45,550.04)	1.93		
			(21,372.20 -45,548.86)	10.80	(21,362.42 -45,544.29)	0.43	(21,362.27 -45,544.69)	9.00		
94	1532-	4	(21,389.26 -45,558.53)	3.70	(21,388.16 -45,562.06)	5.61	(21,391.48 -45,566.58)	10.52		
			(21,397.54 -45,575.18)	12.82	(21,402.03 -45,563.17)	13.59				
94	1532-	1	(21,402.03 -45,563.17)	12.82	(21,397.54 -45,575.18)	7.18	(21,401.99 -45,580.82)	18.79		
			(21,414.36 -45,594.97)	20.63	(21,421.76 -45,575.71)	3.38	(21,422.19 -45,572.36)	1.22		
			(21,421.99 -45,571.16)	0.84	(21,421.77 -45,570.35)	21.01				
95	1568-	1	(21,423.74 -45,489.40)	29.93	(21,426.34 -45,459.58)	6.26	(21,420.10 -45,459.09)	6.71		
			(21,413.44 -45,458.27)	20.21	(21,414.71 -45,478.44)	1.45	(21,414.71 -45,479.89)	2.02		
			(21,414.32 -45,481.87)	1.63	(21,413.69 -45,483.37)	2.40	(21,412.53 -45,485.47)	11.88		
95	1552-	1	(21,412.53 -45,485.47)	1.89	(21,411.44 -45,487.02)	3.43	(21,409.27 -45,489.67)	2.06		
			(21,407.60 -45,490.87)	3.12	(21,404.95 -45,492.52)	10.14	(21,395.90 -45,497.10)	4.13		
			(21,392.20 -45,498.93)	2.55	(21,389.98 -45,500.18)	4.29	(21,386.30 -45,502.38)	4.41		
			(21,382.70 -45,504.93)	2.99	(21,380.50 -45,506.96)	2.34	(21,379.00 -45,508.75)	24.88		
			(21,402.36 -45,517.32)	33.43						
95	1553-	1	(21,402.36 -45,517.32)	24.88	(21,379.00 -45,508.75)	2.32	(21,377.53 -45,510.54)	2.12		
			(21,376.33 -45,512.29)	1.93	(21,375.36 -45,513.96)	13.65	(21,369.51 -45,526.29)	28.53		
			(21,396.60 -45,535.23)	18.81						
95	1555-	1	(21,396.60 -45,535.23)	28.53	(21,369.51 -45,526.29)	7.85	(21,366.20 -45,533.41)	11.79		
			(21,374.12 -45,542.14)	19.86	(21,392.28 -45,550.19)	10.28	(21,395.36 -45,540.38)	0.36		
			(21,395.02 -45,540.25)	5.26						
95	1556-	3	(21,395.36 -45,540.38)	10.28	(21,392.28 -45,550.19)	2.53	(21,394.63 -45,551.13)	10.47		
			(21,397.72 -45,541.13)	2.48						
95	1556-	4	(21,397.72 -45,541.13)	10.47	(21,394.63 -45,551.13)	8.48	(21,402.34 -45,554.66)	11.52		
			(21,406.99 -45,544.12)	9.74						
95	1556-	5	(21,406.99 -45,544.12)	11.52	(21,402.34 -45,554.66)	8.02	(21,409.64 -45,557.97)	12.50		
			(21,414.67 -45,546.53)	8.05						

地区 ..003

作業 .. 46

原図番号 .. N1 42-3

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -45,600.00

測定 年 4 月 30 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

95	1556-	1	(@ 21,414.67 -45,546.53)	12.50	(21,409.64 -45,557.97)	7.37	(21,416.35 -45,561.02)	13.36
			(21,421.67 -45,548.76)	7.35				
95	1556-	6	(@ 21,421.67 -45,548.76)	13.36	(21,416.35 -45,561.02)	7.27	(21,422.98 -45,564.01)	14.17
			(21,428.23 -45,550.85)	6.88				
95	1567-	1	(21,449.45 -45,497.95)	8.79	(@ 21,441.01 -45,495.48)	3.58	(21,440.68 -45,499.04)	8.07
			(21,448.45 -45,501.22)	3.42				
95	1566-	1	(21,448.45 -45,501.22)	8.07	(@ 21,440.68 -45,499.04)	7.87	(21,440.03 -45,506.88)	10.52
			(21,438.31 -45,517.26)	7.58	(21,440.70 -45,524.45)	1.80	(21,441.76 -45,523.00)	22.78
95	1565-	2	(21,439.78 -45,530.79)	6.41	(21,440.70 -45,524.45)	7.58	(21,438.31 -45,517.26)	4.03
			(@ 21,434.48 -45,516.01)	12.37	(21,432.75 -45,528.26)	7.47		
95	1565-	1	(21,432.75 -45,528.26)	12.37	(21,434.48 -45,516.01)	4.03	(21,438.31 -45,517.26)	10.52
			(21,440.03 -45,506.88)	7.87	(21,440.68 -45,499.04)	3.58	(21,441.01 -45,495.48)	18.31
			(21,423.74 -45,489.40)	11.88	(@ 21,412.53 -45,485.47)	33.43	(21,402.36 -45,517.32)	32.30
95	1558		(@ 21,402.36 -45,517.32)	18.81	(21,396.60 -45,535.23)	5.26	(21,395.02 -45,540.25)	0.36
			(21,395.36 -45,540.38)	2.48	(21,397.72 -45,541.13)	9.74	(21,406.99 -45,544.12)	8.05
			(21,414.67 -45,546.53)	7.35	(21,421.67 -45,548.76)	6.88	(21,428.23 -45,550.85)	2.49
			(21,429.15 -45,548.54)	5.71	(21,434.63 -45,550.14)	19.78	(21,440.65 -45,531.30)	1.01
			(21,439.78 -45,530.79)	7.47	(21,432.75 -45,528.26)	32.30		
95	1546		(21,362.08 -45,532.86)	14.81	(21,368.01 -45,519.29)	12.68	(@ 21,355.51 -45,517.15)	13.65
			(21,351.27 -45,530.13)	11.15				
95	1545-	1	(21,351.27 -45,530.13)	13.65	(21,355.51 -45,517.15)	12.68	(21,368.01 -45,519.29)	7.94
			(21,371.46 -45,512.14)	2.63	(21,372.83 -45,509.89)	2.14	(21,374.04 -45,508.12)	1.08
			(21,373.10 -45,507.59)	7.77	(21,365.49 -45,506.04)	8.30	(21,357.35 -45,504.40)	11.07
			(@ 21,346.40 -45,502.77)	8.56	(21,344.36 -45,511.08)	11.94	(21,340.71 -45,522.45)	5.19
			(21,337.54 -45,526.56)	14.19				
95	1548		(21,346.40 -45,502.77)	11.07	(21,357.35 -45,504.40)	8.30	(21,365.49 -45,506.04)	27.82
			(21,366.61 -45,478.24)	16.26	(@ 21,350.42 -45,476.75)	26.33		
95	1550-	1	(21,380.65 -45,475.55)	10.46	(21,391.11 -45,475.53)	12.65	(21,390.78 -45,462.88)	10.85
			(@ 21,379.93 -45,462.62)	12.95				
95	1551-	1	(21,379.93 -45,462.62)	10.85	(21,390.78 -45,462.88)	12.65	(21,391.11 -45,475.53)	10.46
			(21,380.65 -45,475.55)	16.02	(21,382.55 -45,491.46)	7.56	(21,383.58 -45,498.95)	4.88
			(21,387.82 -45,496.53)	3.31	(21,390.75 -45,494.98)	4.52	(21,394.80 -45,492.98)	5.30
			(21,399.57 -45,490.68)	3.66	(21,402.77 -45,488.90)	2.78	(21,405.12 -45,487.42)	1.54
			(21,406.37 -45,486.52)	2.69	(21,408.14 -45,484.50)	2.20	(21,409.37 -45,482.67)	2.18
			(21,410.24 -45,480.67)	2.64	(21,410.46 -45,478.04)	20.06	(21,409.23 -45,458.02)	8.84
			(21,400.48 -45,456.77)	10.62	(21,389.93 -45,455.51)	10.39	(@ 21,379.63 -45,454.14)	8.49
95	1549-	1	(21,379.63 -45,454.14)	25.48	(@ 21,354.57 -45,449.53)	27.53	(21,350.42 -45,476.75)	16.26
			(21,366.61 -45,478.24)	27.82	(21,365.49 -45,506.04)	7.77	(21,373.10 -45,507.59)	1.08
			(21,374.04 -45,508.12)	3.34	(21,376.03 -45,505.44)	2.48	(21,377.75 -45,503.66)	2.29

地区..003

作業.. 46 原図番号.. N1 42-3

縮尺..1/ 500

基準点..X 21,300.00..Y -45,600.00

測定 年 4 月 30 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,379.43 -45,502.11)	5.22	(21,383.58 -45,498.95)	7.56	(21,382.55 -45,491.46)	16.02
		(21,380.65 -45,475.55)	12.95	(21,379.93 -45,462.62)	8.49		
95	001- 8	(21,409.23 -45,458.02)	20.06	(21,410.46 -45,478.04)	2.64	(21,410.24 -45,480.67)	2.18
		(21,409.37 -45,482.67)	2.20	(21,408.14 -45,484.50)	2.69	(21,406.37 -45,486.52)	1.54
		(21,405.12 -45,487.42)	2.78	(21,402.77 -45,488.90)	3.66	(21,399.57 -45,490.68)	5.30
		(21,394.80 -45,492.98)	4.52	(21,390.75 -45,494.98)	3.31	(21,387.82 -45,496.53)	4.88
		(21,383.58 -45,498.95)	5.22	(21,379.43 -45,502.11)	2.29	(21,377.75 -45,503.66)	2.48
		(21,376.03 -45,505.44)	3.34	(21,374.04 -45,508.12)	2.14	(21,372.83 -45,509.89)	2.63
		(21,371.46 -45,512.14)	7.94	(21,368.01 -45,519.29)	14.81	(21,362.08 -45,532.86)	4.16
		(21,366.20 -45,533.41)	7.85	(21,369.51 -45,526.29)	13.65	(21,375.36 -45,513.96)	1.93
		(21,376.33 -45,512.29)	2.12	(21,377.53 -45,510.54)	2.32	(21,379.00 -45,508.75)	2.34
		(21,380.50 -45,506.96)	2.99	(21,382.70 -45,504.93)	4.41	(21,386.30 -45,502.38)	4.29
		(21,389.98 -45,500.18)	2.55	(21,392.20 -45,498.93)	4.13	(21,395.90 -45,497.10)	10.14
		(21,404.95 -45,492.52)	3.12	(21,407.60 -45,490.87)	2.06	(21,409.27 -45,489.67)	3.43
		(21,411.44 -45,487.02)	1.89	(21,412.53 -45,485.47)	2.40	(21,413.69 -45,483.37)	1.63
		(21,414.32 -45,481.87)	2.02	(21,414.71 -45,479.89)	1.45	(21,414.71 -45,478.44)	20.21
		(21,413.44 -45,458.27)	4.22				
83	1311- 1	(21,358.19 -45,428.90)	4.83	(21,357.67 -45,433.70)	4.11	(21,356.82 -45,437.72)	5.63
		(21,355.51 -45,443.20)	47.41	(21,402.40 -45,450.17)	3.08	(21,405.48 -45,450.16)	4.80
		(21,409.72 -45,447.92)	2.26	(21,411.12 -45,446.14)	14.14	(21,417.02 -45,433.29)	2.95
		(21,418.04 -45,430.52)	4.41	(21,419.21 -45,426.27)	2.74	(21,419.73 -45,423.58)	10.43
		(21,409.36 -45,424.67)	5.17	(21,404.24 -45,425.37)	2.74	(21,401.50 -45,425.42)	43.09
		(21,358.48 -45,423.01)	5.90				
83	1320- 1	(21,354.62 -45,443.05)	5.81	(21,356.04 -45,437.42)	3.75	(21,356.82 -45,433.75)	44.67
		(21,312.30 -45,430.13)	6.20	(21,312.58 -45,436.32)	42.58		
92	1478- 1	(21,348.99 -45,457.65)	9.57	(21,350.47 -45,448.20)	1.28	(21,349.45 -45,447.43)	14.49
		(21,335.14 -45,445.14)	11.45	(21,334.31 -45,456.56)	14.72		
92	1478- 2	(21,334.31 -45,456.56)	11.45	(21,335.14 -45,445.14)	12.84	(21,322.47 -45,443.06)	12.56
		(21,320.93 -45,455.53)	13.42				
92	1476	(21,320.93 -45,455.53)	12.56	(21,322.47 -45,443.06)	21.11	(21,301.62 -45,439.74)	21.49
		(21,300.03 -45,461.17)	20.10	(21,320.08 -45,462.56)	7.08		
92	1479	(21,320.08 -45,462.56)	14.49	(21,317.50 -45,476.82)	10.88	(21,328.37 -45,477.21)	17.43
		(21,345.75 -45,478.50)	21.10	(21,348.99 -45,457.65)	14.72	(21,334.31 -45,456.56)	13.42
		(21,320.93 -45,455.53)	7.08				
92	1480- 1	(21,341.44 -45,505.32)	27.16	(21,345.75 -45,478.50)	17.43	(21,328.37 -45,477.21)	27.30
		(21,323.54 -45,504.08)	17.94				
92	1480- 3	(21,320.70 -45,503.88)	2.85	(21,323.54 -45,504.08)	27.30	(21,328.37 -45,477.21)	10.88
		(21,317.50 -45,476.82)	7.04	(21,312.94 -45,482.19)	8.06	(21,304.91 -45,482.86)	14.37
		(21,305.82 -45,497.20)	5.58	(21,305.00 -45,502.72)	15.74		
92	1482	(21,305.00 -45,502.72)	8.16	(21,303.31 -45,510.70)	12.62	(21,301.70 -45,523.22)	18.42
		(21,320.11 -45,523.73)	19.86	(21,320.70 -45,503.88)	15.74		
92	1481						

地区 ..003

作業 .. 46 原図番号 .. N1 42-3

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -45,600.00 測定 年 4 月 30 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,323.54 -45,504.08)	2.85	(@ 21,320.70 -45,503.88)	19.86	(21,320.11 -45,523.73)	0.55
		(21,320.11 -45,524.28)	13.31	(21,333.41 -45,524.72)	6.69	(21,336.93 -45,519.03)	14.43
92	001- 6	(21,341.44 -45,505.32)	17.94				
		(21,337.54 -45,526.56)	5.19	(21,340.71 -45,522.45)	11.94	(21,344.36 -45,511.08)	8.56
		(21,346.40 -45,502.77)	26.33	(21,350.42 -45,476.75)	27.53	(21,354.57 -45,449.53)	1.89
		(@ 21,352.71 -45,449.20)	28.56	(21,348.49 -45,477.45)	25.09	(21,344.70 -45,502.25)	8.61
		(21,342.61 -45,510.60)	11.68	(21,339.06 -45,521.73)	5.49	(21,335.75 -45,526.11)	1.85
92	002- 7						
		(21,335.75 -45,526.11)	5.49	(21,339.06 -45,521.73)	11.68	(21,342.61 -45,510.60)	8.61
		(21,344.70 -45,502.25)	25.09	(21,348.49 -45,477.45)	28.56	(21,352.71 -45,449.20)	2.45
		(@ 21,350.47 -45,448.20)	9.57	(21,348.99 -45,457.65)	21.10	(21,345.75 -45,478.50)	27.16
		(21,341.44 -45,505.32)	14.43	(21,336.93 -45,519.03)	6.69	(21,333.41 -45,524.72)	1.16
		(21,332.81 -45,525.71)	2.97				
92	1481- 2						
		(21,332.81 -45,525.71)	1.16	(21,333.41 -45,524.72)	13.31	(@ 21,320.11 -45,524.28)	1.00
		(21,320.11 -45,525.28)	12.71				
92	1482- 2						
		(21,320.11 -45,525.28)	1.00	(21,320.11 -45,524.28)	0.55	(21,320.11 -45,523.73)	18.42
		(@ 21,301.70 -45,523.22)	0.62	(21,301.56 -45,523.82)	1.27	(21,302.40 -45,524.77)	17.72
92	1495- 1						
		(@ 21,307.58 -45,531.42)	25.11	(21,305.44 -45,556.44)	20.54	(21,325.78 -45,559.28)	12.79
		(21,328.61 -45,546.81)	11.10	(21,317.60 -45,545.39)	13.81	(21,319.58 -45,531.72)	12.00
92	1502						
		(@ 21,319.58 -45,531.72)	13.81	(21,317.60 -45,545.39)	11.10	(21,328.61 -45,546.81)	10.53
		(21,330.89 -45,536.53)	4.24	(21,331.37 -45,532.32)	5.94	(21,325.44 -45,531.91)	5.86