

地区 ..003

作業 .. 47 原図番号 .. N1 42-4

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -45,400.00 測定 年 4 月 30 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,300.00 -45,400.00)	49.95	(21,349.95 -45,400.04)	50.00	(21,399.95 -45,400.12)	50.02
		(21,449.97 -45,400.14)	49.98	(21,449.99 -45,350.16)	50.05	(21,449.93 -45,300.11)	49.95
		(21,450.01 -45,250.16)	50.00	(21,450.00 -45,200.16)	50.05	(21,399.95 -45,200.12)	49.95
		(21,350.00 -45,200.09)	50.00	(21,300.00 -45,200.00)	50.00	(21,300.01 -45,250.00)	50.05
		(21,299.97 -45,300.05)	49.95	(21,299.94 -45,350.00)	50.00		
83	1323	(2 / 4)					
		(21,300.00 -45,400.00)	10.05	(21,310.05 -45,399.99)	1.87	(21,309.63 -45,398.17)	5.38
		(21,308.41 -45,392.93)	18.86	(21,303.47 -45,374.73)	5.62	(21,302.23 -45,369.25)	5.05
		(21,301.36 -45,364.28)	5.75	(21,300.87 -45,358.55)	1.00	(21,299.92 -45,358.85)	41.15
83	1327	(1 / 2)					
		(21,299.92 -45,358.85)	1.00	(21,300.87 -45,358.55)	10.82	(21,311.38 -45,355.97)	8.13
		(21,319.26 -45,353.98)	5.56	(21,324.66 -45,352.64)	2.97	(21,327.53 -45,351.87)	3.04
		(21,330.39 -45,350.85)	4.92	(21,334.91 -45,348.91)	4.78	(21,339.32 -45,347.07)	7.61
		(21,346.40 -45,344.28)	1.87	(21,345.62 -45,342.58)	11.34	(21,334.48 -45,340.46)	18.29
		(21,316.74 -45,336.00)	2.16	(21,314.59 -45,335.78)	2.03	(21,312.56 -45,335.77)	2.51
		(21,310.06 -45,336.04)	5.15	(21,305.08 -45,337.36)	5.35	(21,299.96 -45,338.90)	19.95
83	002- 5						
		(21,299.96 -45,338.90)	5.35	(21,305.08 -45,337.36)	5.15	(21,310.06 -45,336.04)	2.51
		(21,312.56 -45,335.77)	2.03	(21,314.59 -45,335.78)	2.16	(21,316.74 -45,336.00)	18.29
		(21,334.48 -45,340.46)	11.34	(21,345.62 -45,342.58)	8.53	(21,354.10 -45,343.49)	0.00
		(21,354.10 -45,343.49)	1.46	(21,355.56 -45,343.50)	13.63	(21,368.74 -45,340.02)	4.87
		(21,373.49 -45,341.08)	3.04	(21,376.53 -45,340.98)	2.25	(21,378.70 -45,340.39)	16.10
		(21,393.44 -45,333.91)	0.89	(21,394.22 -45,333.49)	1.90	(21,395.53 -45,332.12)	2.77
		(21,392.94 -45,333.11)	15.99	(21,378.23 -45,339.39)	2.24	(21,376.06 -45,339.96)	2.78
		(21,373.28 -45,340.08)	3.99	(21,369.38 -45,339.22)	5.63	(21,363.86 -45,338.09)	11.86
		(21,352.16 -45,340.04)	9.66	(21,342.58 -45,338.82)	6.47	(21,336.23 -45,337.56)	16.66
		(21,320.02 -45,333.73)	8.15	(21,311.92 -45,332.87)	2.00	(21,309.92 -45,332.83)	10.25
		(21,299.96 -45,335.25)	3.65				
85	1343	(1 / 2)					
		(21,299.96 -45,335.25)	10.25	(21,309.92 -45,332.83)	12.17	(21,299.98 -45,325.80)	9.45
84	001- 2						
		(21,299.98 -45,325.80)	12.17	(21,309.92 -45,332.83)	2.00	(21,311.92 -45,332.87)	8.15
		(21,320.02 -45,333.73)	16.66	(21,336.23 -45,337.56)	6.47	(21,342.58 -45,338.82)	9.66
		(21,352.16 -45,340.04)	11.86	(21,363.86 -45,338.09)	5.63	(21,369.38 -45,339.22)	3.99
		(21,373.28 -45,340.08)	2.78	(21,376.06 -45,339.96)	2.24	(21,378.23 -45,339.39)	15.99
		(21,392.94 -45,333.11)	2.77	(21,395.53 -45,332.12)	2.97	(21,398.31 -45,331.07)	18.73
		(21,416.54 -45,326.75)	1.90	(21,416.52 -45,324.85)	9.81	(21,406.96 -45,327.04)	8.38
		(21,398.81 -45,329.01)	2.24	(21,396.67 -45,329.67)	3.72	(21,393.20 -45,331.01)	12.36
		(21,381.80 -45,335.78)	4.42	(21,377.73 -45,337.51)	5.47	(21,372.27 -45,337.88)	3.59
		(21,368.81 -45,336.92)	5.08	(21,363.79 -45,336.14)	2.79	(21,361.01 -45,336.36)	0.95
		(21,360.06 -45,336.41)	7.02	(21,353.06 -45,336.94)	10.22	(21,342.84 -45,336.82)	6.18
		(21,336.71 -45,336.01)	16.69	(21,320.47 -45,332.16)	9.07	(21,311.45 -45,331.22)	1.81
		(21,309.77 -45,330.54)	12.07	(21,299.93 -45,323.55)	2.25		
84	1333	(1 / 2)					
		(21,299.93 -45,323.55)	12.07	(21,309.77 -45,330.54)	1.81	(21,311.45 -45,331.22)	9.07
		(21,320.47 -45,332.16)	16.69	(21,336.71 -45,336.01)	6.18	(21,342.84 -45,336.82)	10.22
		(21,353.06 -45,336.94)	7.02	(21,360.06 -45,336.41)	17.59	(21,354.87 -45,319.60)	24.37
		(21,348.93 -45,295.96)	9.23	(21,347.60 -45,286.83)	14.29	(21,346.92 -45,272.56)	4.68
		(21,345.54 -45,268.09)	2.20	(21,344.78 -45,270.15)	2.98	(21,344.02 -45,273.03)	3.65
		(21,343.42 -45,276.63)	5.44	(21,342.93 -45,282.05)	8.37	(21,342.67 -45,290.42)	38.38
		(21,304.29 -45,289.86)	6.57	(21,303.13 -45,296.33)	5.43	(21,302.35 -45,301.70)	7.48

地区..003

作業.. 47 原図番号.. N1 42-4

縮尺..1/ 500

基準点..X 21,300.00..Y -45,400.00 測定 年 4 月 30 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

84	1335	(21,301.63 (1/ 2)	-45,309.15)	10.07	(21,300.79 (1/ 2)	-45,319.18)	0.85	(21,299.94 (1/ 2)	-45,319.25)	4.30
		(21,299.94 (1/ 2)	-45,319.25)	0.85	(21,300.79 (1/ 2)	-45,319.18)	10.07	(21,301.63 (1/ 2)	-45,309.15)	7.48
84	1336	(21,302.35 (1/ 2)	-45,301.70)	5.43	(21,303.13 (1/ 2)	-45,296.33)	6.57	(21,304.29 (1/ 2)	-45,289.86)	10.42
		(21,306.43 (1/ 2)	-45,279.66)	6.53	(21,299.96 (1/ 2)	-45,278.75)	40.50			
84	1338	(21,299.96 (1/ 2)	-45,278.75)	6.53	(21,306.43 (1/ 2)	-45,279.66)	8.64	(21,307.28 (1/ 2)	-45,271.06)	7.47
		(21,299.93 (1/ 2)	-45,269.75)	9.00						
		(21,299.93 (1/ 2)	-45,269.75)	7.47	(21,307.28 (1/ 2)	-45,271.06)	13.85	(21,308.35 (1/ 2)	-45,257.25)	1.77
86	002-	(21,306.65 (1/ 2)	-45,256.76)	6.82	(21,299.95 (1/ 2)	-45,255.50)	14.25			
		(21,299.95 (1/ 2)	-45,255.50)	6.82	(21,306.65 (1/ 2)	-45,256.76)	1.77	(21,308.35 (1/ 2)	-45,257.25)	27.10
		(21,334.54 (1/ 2)	-45,264.21)	9.50	(21,343.56 (1/ 2)	-45,267.18)	2.18	(21,345.54 (1/ 2)	-45,268.09)	3.17
86	1369	(21,346.79 (1/ 2)	-45,265.18)	8.77	(21,338.52 (1/ 2)	-45,262.27)	14.39	(21,324.58 (1/ 2)	-45,258.69)	11.21
		(21,313.83 (1/ 2)	-45,255.52)	14.17	(21,300.01 (1/ 2)	-45,252.40)	3.10			
		(21,300.01 (1/ 2)	-45,252.40)	14.17	(21,313.83 (1/ 2)	-45,255.52)	11.21	(21,324.58 (1/ 2)	-45,258.69)	40.74
86	1368-	(21,332.93 (1/ 4)	-45,218.81)	6.43	(21,326.67 (1/ 4)	-45,217.36)	25.14	(21,302.16 (1/ 4)	-45,211.75)	10.30
		(21,299.99 (1/ 4)	-45,221.82)	30.58						
		(21,299.99 (1/ 4)	-45,221.82)	10.30	(21,302.16 (1/ 4)	-45,211.75)	12.00	(21,304.65 (1/ 4)	-45,200.01)	4.65
86	1371-	(21,300.00 (1/ 2)	-45,200.00)	21.82						
		(21,304.65 (1/ 2)	-45,200.01)	12.00	(21,302.16 (1/ 2)	-45,211.75)	25.14	(21,326.67 (1/ 2)	-45,217.36)	17.51
86	1371-	(21,329.30 (1/ 2)	-45,200.05)	24.65						
		(21,329.30 (1/ 2)	-45,200.05)	17.51	(21,326.67 (1/ 2)	-45,217.36)	6.43	(21,332.93 (1/ 2)	-45,218.81)	0.44
		(21,333.34 (1/ 2)	-45,218.98)	3.81	(21,337.12 (1/ 2)	-45,219.46)	3.48	(21,340.57 (1/ 2)	-45,219.90)	12.57
86	1372	(21,353.13 (1/ 2)	-45,219.54)	6.82	(21,353.38 (1/ 2)	-45,212.72)	5.14	(21,353.77 (1/ 2)	-45,207.59)	14.19
		(21,340.09 (1/ 2)	-45,203.82)	6.18	(21,334.22 (1/ 2)	-45,201.88)	4.88	(21,329.70 (1/ 2)	-45,200.05)	0.40
		(21,329.70 (1/ 2)	-45,200.05)	4.88	(21,334.22 (1/ 2)	-45,201.88)	6.18	(21,340.09 (1/ 2)	-45,203.82)	14.19
80	001-	(21,353.77 (1/ 2)	-45,207.59)	7.95	(21,356.35 (1/ 2)	-45,200.07)	26.65			
		(21,356.35 (1/ 2)	-45,200.07)	7.95	(21,353.77 (1/ 2)	-45,207.59)	5.14	(21,353.38 (1/ 2)	-45,212.72)	6.82
		(21,353.13 (1/ 2)	-45,219.54)	4.92	(21,355.56 (1/ 2)	-45,223.82)	3.01	(21,355.75 (1/ 2)	-45,226.82)	1.95
		(21,355.50 (1/ 2)	-45,228.75)	6.26	(21,354.44 (1/ 2)	-45,234.92)	21.18	(21,349.83 (1/ 2)	-45,255.59)	3.33
		(21,348.97 (1/ 2)	-45,258.81)	6.73	(21,346.79 (1/ 2)	-45,265.18)	0.91	(21,347.64 (1/ 2)	-45,265.50)	6.59
		(21,349.75 (1/ 2)	-45,259.26)	3.63	(21,350.65 (1/ 2)	-45,255.74)	21.01	(21,355.31 (1/ 2)	-45,235.25)	6.44
		(21,356.37 (1/ 2)	-45,228.90)	2.15	(21,356.48 (1/ 2)	-45,226.75)	3.02	(21,356.37 (1/ 2)	-45,223.73)	4.96
80	1277	(21,354.09 (1/ 2)	-45,219.32)	6.58	(21,354.15 (1/ 2)	-45,212.74)	4.91	(21,354.61 (1/ 2)	-45,207.85)	8.19
		(21,357.10 (1/ 2)	-45,200.05)	0.75						
		(21,357.10 (1/ 2)	-45,200.05)	8.19	(21,354.61 (1/ 2)	-45,207.85)	4.91	(21,354.15 (1/ 2)	-45,212.74)	6.58
		(21,354.09 (1/ 2)	-45,219.32)	4.96	(21,356.37 (1/ 2)	-45,223.73)	6.81	(21,362.98 (1/ 2)	-45,225.36)	7.96
		(21,370.88 (1/ 2)	-45,226.32)	2.66	(21,373.53 (1/ 2)	-45,226.13)	1.93	(21,375.41 (1/ 2)	-45,225.71)	3.44
80	1283	(21,378.63 (1/ 2)	-45,224.51)	3.77	(21,382.03 (1/ 2)	-45,222.89)	0.82	(21,381.76 (1/ 2)	-45,222.12)	2.49
		(21,381.93 (1/ 2)	-45,219.64)	2.36	(21,379.72 (1/ 2)	-45,218.81)	19.05	(21,376.25 (1/ 2)	-45,200.08)	19.15
		(21,376.25 (1/ 2)	-45,200.08)	19.05	(21,379.72 (1/ 2)	-45,218.81)	2.36	(21,381.93 (1/ 2)	-45,219.64)	4.44
		(21,386.37 (1/ 2)	-45,219.70)	3.11	(21,389.47 (1/ 2)	-45,219.51)	2.49	(21,391.87 (1/ 2)	-45,218.86)	3.26

地区..003

作業.. 47 原図番号.. N1 42-4

縮尺..1/ 500

基準点..X 21,300.00..Y -45,400.00

測定 年 4 月 30 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,394.97 -45,217.84)	3.18	(21,397.80 -45,216.40)	2.79	(21,400.02 -45,214.71)	7.10
		(21,399.24 -45,207.65)	3.59	(21,398.94 -45,204.07)	4.00	(21,398.30 -45,200.12)	22.05
80	1284-	1 (3/ 4)					
		(@ 21,398.30 -45,200.12)	4.00	(21,398.94 -45,204.07)	3.59	(21,399.24 -45,207.65)	7.10
		(21,400.02 -45,214.71)	3.14	(21,402.43 -45,212.70)	2.48	(21,404.43 -45,211.23)	1.86
		(21,406.21 -45,210.69)	3.06	(21,409.26 -45,210.97)	6.42	(21,415.53 -45,212.35)	24.50
		(21,439.55 -45,217.19)	5.99	(21,445.47 -45,218.08)	2.77	(21,448.24 -45,218.11)	1.76
		(21,449.99 -45,217.91)	17.75	(21,450.00 -45,200.16)	51.70		
80	1282-	1 (3/ 3)					
		(21,449.99 -45,217.91)	1.76	(21,448.24 -45,218.11)	2.77	(21,445.47 -45,218.08)	5.99
		(21,439.55 -45,217.19)	24.50	(21,415.53 -45,212.35)	6.42	(21,409.26 -45,210.97)	3.06
		(@ 21,406.21 -45,210.69)	1.86	(21,404.43 -45,211.23)	2.48	(21,402.43 -45,212.70)	3.14
		(21,400.02 -45,214.71)	2.79	(21,397.80 -45,216.40)	3.18	(21,394.97 -45,217.84)	3.26
		(21,391.87 -45,218.86)	2.49	(21,389.47 -45,219.51)	3.11	(21,386.37 -45,219.70)	4.44
		(21,381.93 -45,219.64)	2.49	(21,381.76 -45,222.12)	0.82	(21,382.03 -45,222.89)	1.98
		(21,384.01 -45,222.92)	2.61	(21,386.58 -45,223.35)	3.26	(21,389.78 -45,223.98)	2.16
		(21,391.84 -45,224.63)	2.42	(21,394.21 -45,225.11)	8.10	(21,401.35 -45,228.93)	4.54
		(21,405.57 -45,230.61)	5.50	(21,410.87 -45,232.09)	10.68	(21,421.32 -45,234.31)	6.35
		(21,427.56 -45,235.50)	12.94	(21,440.30 -45,237.75)	5.57	(21,443.69 -45,233.33)	8.06
		(21,448.70 -45,227.01)	1.96	(21,449.96 -45,225.51)	7.60		
80	002-	1					
		(@ 21,449.96 -45,225.51)	1.96	(21,448.70 -45,227.01)	8.06	(21,443.69 -45,233.33)	5.57
		(21,440.30 -45,237.75)	10.19	(21,433.97 -45,245.73)	6.33	(21,430.44 -45,250.98)	6.82
		(21,426.99 -45,256.86)	8.43	(21,423.19 -45,264.39)	12.32	(21,418.32 -45,275.71)	7.07
		(21,415.51 -45,282.20)	6.29	(21,412.05 -45,287.45)	2.98	(21,409.59 -45,289.14)	5.14
		(21,406.04 -45,292.86)	5.87	(21,400.86 -45,295.63)	11.59	(21,390.32 -45,290.81)	5.75
		(21,385.52 -45,287.65)	9.34	(21,378.53 -45,281.46)	12.25	(21,368.92 -45,273.87)	5.92
		(21,363.68 -45,271.11)	6.81	(21,357.20 -45,269.02)	10.19	(21,347.64 -45,265.50)	0.91
		(21,346.79 -45,265.18)	3.17	(21,345.54 -45,268.09)	1.09	(21,346.57 -45,268.45)	18.13
		(21,363.67 -45,274.46)	4.11	(21,367.22 -45,276.54)	9.34	(21,374.27 -45,282.66)	13.16
		(21,384.19 -45,291.30)	6.43	(21,389.56 -45,294.83)	9.57	(21,398.04 -45,299.27)	4.84
		(21,402.56 -45,301.01)	4.32	(21,406.04 -45,298.45)	1.15	(21,406.86 -45,297.64)	9.91
		(21,413.17 -45,290.00)	5.53	(21,416.45 -45,285.55)	3.24	(21,418.01 -45,282.71)	0.70
		(21,417.36 -45,282.46)	18.83	(21,424.94 -45,265.22)	4.15	(21,426.72 -45,261.47)	5.53
		(21,429.30 -45,256.58)	4.98	(21,431.86 -45,252.31)	5.61	(21,434.97 -45,247.64)	5.39
		(21,438.22 -45,243.34)	5.18	(21,441.48 -45,239.32)	5.07	(21,444.64 -45,235.35)	3.93
		(21,447.07 -45,232.26)	3.46	(21,449.17 -45,229.51)	1.30	(21,450.00 -45,228.51)	3.00
81	001-	4					
		(@ 21,450.00 -45,228.51)	1.30	(21,449.17 -45,229.51)	3.46	(21,447.07 -45,232.26)	3.93
		(21,444.64 -45,235.35)	5.07	(21,441.48 -45,239.32)	5.18	(21,438.22 -45,243.34)	5.39
		(21,434.97 -45,247.64)	5.61	(21,431.86 -45,252.31)	4.98	(21,429.30 -45,256.58)	5.53
		(21,426.72 -45,261.47)	4.15	(21,424.94 -45,265.22)	18.83	(21,417.36 -45,282.46)	0.70
		(21,418.01 -45,282.71)	2.55	(21,418.13 -45,285.26)	7.87	(21,417.21 -45,293.08)	9.09
		(21,416.57 -45,302.15)	10.21	(21,416.15 -45,312.35)	4.28	(21,416.35 -45,316.63)	8.22
		(21,416.52 -45,324.85)	1.90	(21,416.54 -45,326.75)	9.36	(21,417.00 -45,336.10)	7.01
		(21,417.26 -45,343.11)	4.07	(21,421.33 -45,343.27)	22.46	(21,420.50 -45,320.83)	10.59
		(21,420.53 -45,310.24)	8.84	(21,420.77 -45,301.40)	1.91	(21,420.91 -45,299.50)	9.34
		(21,421.64 -45,290.19)	6.54	(21,422.53 -45,283.71)	3.19	(21,423.31 -45,280.62)	4.72
		(21,424.87 -45,276.17)	8.05	(21,427.93 -45,268.72)	8.35	(21,431.61 -45,261.23)	6.45
		(21,434.78 -45,255.61)	5.41	(21,437.76 -45,251.09)	5.90	(21,441.27 -45,246.35)	1.42
		(21,442.17 -45,245.25)	9.88	(21,448.32 -45,237.52)	2.65	(21,449.99 -45,235.46)	6.95
81	1285-	1 (2/ 2)					

地区 ..003

作業 .. 47 原図番号 .. N1 42-4

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -45,400.00 測定 年 4 月 30 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

81	1288-	1	(2/ 2)	(@ 21,449.99 -45,235.46)	2.65	(21,448.32 -45,237.52)	1.81	(21,449.99 -45,236.81)	1.35
				(@ 21,449.99 -45,236.81)	1.81	(21,448.32 -45,237.52)	9.88	(21,442.17 -45,245.25)	1.42
				(21,441.27 -45,246.35)	5.90	(21,437.76 -45,251.09)	5.41	(21,434.78 -45,255.61)	6.45
				(21,431.61 -45,261.23)	2.81	(21,434.37 -45,260.68)	9.10	(21,443.02 -45,257.85)	7.09
				(21,449.65 -45,255.34)	0.46	(21,450.05 -45,255.11)	18.30		
81	1290		(2/ 2)	(@ 21,450.05 -45,255.11)	0.46	(21,449.65 -45,255.34)	7.09	(21,443.02 -45,257.85)	9.10
				(21,434.37 -45,260.68)	2.81	(21,431.61 -45,261.23)	8.35	(21,427.93 -45,268.72)	8.05
				(21,424.87 -45,276.17)	4.72	(21,423.31 -45,280.62)	3.19	(21,422.53 -45,283.71)	6.54
				(21,421.64 -45,290.19)	9.34	(21,420.91 -45,299.50)	31.74	(21,450.00 -45,286.81)	31.70
81	001-	5		(@ 21,450.00 -45,286.81)	31.74	(21,420.91 -45,299.50)	1.91	(21,420.77 -45,301.40)	31.91
				(21,450.00 -45,288.61)	1.80				
81	1297-	1	(2/ 2)	(@ 21,450.00 -45,288.61)	31.91	(21,420.77 -45,301.40)	8.84	(21,420.53 -45,310.24)	10.59
				(21,420.50 -45,320.83)	3.59	(21,422.93 -45,323.47)	4.75	(21,425.68 -45,327.34)	1.49
				(21,426.85 -45,328.27)	1.95	(21,428.35 -45,329.52)	3.78	(21,431.44 -45,331.70)	5.44
				(21,436.37 -45,333.99)	5.68	(21,441.61 -45,336.17)	5.52	(21,446.86 -45,337.87)	0.50
				(21,447.33 -45,338.03)	5.08	(21,448.94 -45,333.21)	2.94	(21,449.97 -45,330.46)	41.85
81	1302		(2/ 2)	(@ 21,449.97 -45,330.46)	2.94	(21,448.94 -45,333.21)	5.08	(21,447.33 -45,338.03)	0.50
				(21,446.86 -45,337.87)	5.53	(21,447.81 -45,343.32)	5.06	(21,449.59 -45,348.06)	1.12
				(21,449.99 -45,349.11)	18.65				
82	1303-	1	(2/ 2)	(21,449.99 -45,349.11)	1.12	(21,449.59 -45,348.06)	5.06	(21,447.81 -45,343.32)	4.70
				(21,443.15 -45,343.90)	4.65	(21,438.50 -45,344.07)	5.11	(21,433.40 -45,343.83)	12.08
				(@ 21,421.33 -45,343.27)	43.12	(21,423.27 -45,386.35)	26.72	(21,449.98 -45,385.76)	36.65
82	1308-	1	(4/ 4)	(21,449.97 -45,400.14)	14.38	(@ 21,449.98 -45,385.76)	26.72	(21,423.27 -45,386.35)	13.78
				(21,423.90 -45,400.12)	26.07				
83	001-	6		(21,423.90 -45,400.12)	13.78	(21,423.27 -45,386.35)	43.12	(21,421.33 -45,343.27)	4.07
				(@ 21,417.26 -45,343.11)	48.31	(21,419.43 -45,391.37)	8.75	(21,419.80 -45,400.11)	4.10
83	1312-	1	(2/ 2)	(21,419.80 -45,400.11)	8.75	(@ 21,419.43 -45,391.37)	18.72	(21,400.71 -45,391.53)	8.55
				(21,400.90 -45,400.08)	18.90				
83	1314		(2/ 2)	(21,400.90 -45,400.08)	8.55	(21,400.71 -45,391.53)	19.28	(@ 21,399.80 -45,372.27)	24.68
				(21,375.23 -45,374.60)	15.06	(21,360.24 -45,376.02)	5.80	(21,360.56 -45,381.81)	10.25
				(21,360.29 -45,392.06)	8.04	(21,359.40 -45,400.05)	41.50		
83	001-	7		(21,359.40 -45,400.05)	8.04	(21,360.29 -45,392.06)	10.25	(21,360.56 -45,381.81)	5.80
				(21,360.24 -45,376.02)	26.22	(21,358.69 -45,349.85)	2.59	(21,358.02 -45,347.35)	1.80
				(21,357.30 -45,345.70)	2.09	(21,355.90 -45,344.15)	0.73	(21,355.56 -45,343.50)	1.46
				(@ 21,354.10 -45,343.49)	1.88	(21,355.35 -45,344.90)	1.73	(21,356.47 -45,346.22)	1.62
				(21,357.24 -45,347.65)	2.35	(21,357.81 -45,349.93)	26.22	(21,359.37 -45,376.10)	5.69
				(21,359.63 -45,381.78)	10.18	(21,359.25 -45,391.95)	8.14	(21,358.45 -45,400.05)	0.95
83	1319		(2/ 2)	(21,358.45 -45,400.05)	8.14	(@ 21,359.25 -45,391.95)	9.28	(21,350.31 -45,394.44)	4.14
				(21,346.26 -45,395.28)	4.27	(21,342.03 -45,395.87)	3.67	(21,338.36 -45,395.97)	3.82
				(21,334.56 -45,395.59)	5.76	(21,328.91 -45,394.47)	20.56	(21,308.41 -45,392.93)	5.38

地区 ..003

作業 .. 47 原図番号 .. N1 42-4

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -45,400.00 測定 年 4 月 30 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

83	1317-	2	(21,309.63 -45,398.17)	1.87	(21,310.05 -45,399.99)	48.40			
			(21,346.40 -45,344.28)	2.41	(21,347.39 -45,346.48)	7.35	(21,354.10 -45,343.49)	8.53	
		@	(21,345.62 -45,342.58)	1.87					
83	1318		(21,346.40 -45,344.28)	7.61	(21,339.32 -45,347.07)	4.78	(21,334.91 -45,348.91)	4.92	
			(21,330.39 -45,350.85)	3.04	(21,327.53 -45,351.87)	2.97	(21,324.66 -45,352.64)	5.56	
			(21,319.26 -45,353.98)	8.13	(21,311.38 -45,355.97)	10.82	(21,300.87 -45,358.55)	5.75	
			(21,301.36 -45,364.28)	5.05	(21,302.23 -45,369.25)	5.62	(21,303.47 -45,374.73)	18.86	
			(21,308.41 -45,392.93)	20.56	(21,328.91 -45,394.47)	4.61	(21,328.32 -45,389.90)	4.95	
			(21,327.33 -45,385.05)	4.74	(21,326.18 -45,380.45)	9.95	(21,323.80 -45,370.79)	13.61	
			(21,320.67 -45,357.54)	1.17	(21,321.08 -45,356.44)	1.85	(21,322.75 -45,355.64)	10.43	
			(21,332.38 -45,351.63)	7.85	(21,339.66 -45,348.69)	3.71	(21,343.24 -45,347.70)	4.33	
			(21,347.39 -45,346.48)	2.41					
83	1317-	1	(21,347.39 -45,346.48)	4.33	(21,343.24 -45,347.70)	3.71	(21,339.66 -45,348.69)	7.85	
			(21,332.38 -45,351.63)	10.43	(21,322.75 -45,355.64)	1.85	(21,321.08 -45,356.44)	1.17	
			(21,320.67 -45,357.54)	13.61	(21,323.80 -45,370.79)	9.95	(21,326.18 -45,380.45)	4.74	
			(21,327.33 -45,385.05)	4.95	(21,328.32 -45,389.90)	4.61	(21,328.91 -45,394.47)	5.76	
			(21,334.56 -45,395.59)	3.82	(21,338.36 -45,395.97)	3.67	(21,342.03 -45,395.87)	4.27	
			(21,346.26 -45,395.28)	4.14	(21,350.31 -45,394.44)	9.28	(21,359.25 -45,391.95)	10.18	
			(21,359.63 -45,381.78)	5.69	(21,359.37 -45,376.10)	26.22	(21,357.81 -45,349.93)	2.35	
			(21,357.24 -45,347.65)	1.62	(21,356.47 -45,346.22)	1.73	(21,355.35 -45,344.90)	1.88	
		@	(21,354.10 -45,343.49)	0.00	(21,354.10 -45,343.49)	7.35			
83	1316-	2	(21,355.56 -45,343.50)	7.86	(21,363.40 -45,343.01)	4.30	(21,367.40 -45,341.44)	1.95	
		@	(21,368.74 -45,340.02)	13.63					
83	1316-	1	(21,368.74 -45,340.02)	1.95	(21,367.40 -45,341.44)	4.30	(21,363.40 -45,343.01)	7.86	
			(21,355.56 -45,343.50)	0.73	(21,355.90 -45,344.15)	2.09	(21,357.30 -45,345.70)	1.80	
			(21,358.02 -45,347.35)	2.59	(21,358.69 -45,349.85)	26.22	(21,360.24 -45,376.02)	15.06	
			(21,375.23 -45,374.60)	33.57	(21,373.49 -45,341.08)	4.87			
83	1315		(21,373.49 -45,341.08)	33.57	(21,375.23 -45,374.60)	24.68	(21,399.80 -45,372.27)	19.28	
			(21,400.71 -45,391.53)	18.72	(21,419.43 -45,391.37)	48.31	(21,417.26 -45,343.11)	7.01	
			(21,417.00 -45,336.10)	18.82	(21,398.68 -45,340.42)	9.36	@ (21,398.31 -45,331.07)	2.97	
			(21,395.53 -45,332.12)	1.90	(21,394.22 -45,333.49)	0.89	(21,393.44 -45,333.91)	16.10	
			(21,378.70 -45,340.39)	2.25	(21,376.53 -45,340.98)	3.04			
81	1300-	1	(21,436.37 -45,333.99)	5.44	(21,431.44 -45,331.70)	3.78	(21,428.35 -45,329.52)	1.95	
			(21,426.85 -45,328.27)	1.49	(21,425.68 -45,327.34)	4.75	(21,422.93 -45,323.47)	3.59	
		@	(21,420.50 -45,320.83)	22.46	(21,421.33 -45,343.27)	12.08	(21,433.40 -45,343.83)	10.28	
81	1301		(21,433.40 -45,343.83)	5.11	(21,438.50 -45,344.07)	4.65	(21,443.15 -45,343.90)	4.70	
			(21,447.81 -45,343.32)	5.53	(21,446.86 -45,337.87)	5.52	(21,441.61 -45,336.17)	5.68	
		@	(21,436.37 -45,333.99)	10.28					
84	1328-	1	(21,398.31 -45,331.07)	9.36	(21,398.68 -45,340.42)	18.82	(21,417.00 -45,336.10)	9.36	
		@	(21,416.54 -45,326.75)	18.73					
84	1331-	1	(21,416.52 -45,324.85)	8.22	(21,416.35 -45,316.63)	4.28	(21,416.15 -45,312.35)	10.21	
			(21,416.57 -45,302.15)	9.09	(21,417.21 -45,293.08)	7.87	(21,418.13 -45,285.26)	2.55	

地区..003

作業.. 47 原図番号.. N1 42-4

縮尺..1/ 500

基準点..X 21,300.00..Y -45,400.00 測定 年 4 月 30 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(@ 21,418.01 -45,282.71)	3.24	(21,416.45 -45,285.55)	5.53	(21,413.17 -45,290.00)	9.91
		(21,406.86 -45,297.64)	6.55	(21,407.64 -45,304.14)	3.91	(21,407.86 -45,308.04)	3.52
		(21,407.98 -45,311.56)	3.73	(21,407.82 -45,315.29)	3.07	(21,407.47 -45,318.34)	1.63
		(21,407.04 -45,319.91)	1.39	(21,406.39 -45,321.14)	3.58	(21,404.50 -45,324.18)	3.77
		(21,406.96 -45,327.04)	9.81				
84	1328-	3		(@ 21,404.50 -45,324.18)	4.92	(21,400.83 -45,327.45)	2.55
		(21,398.81 -45,329.01)	8.38				
84	002-	4					
		(21,398.81 -45,329.01)	2.55	(21,400.83 -45,327.45)	4.92	(21,404.50 -45,324.18)	3.58
		(21,406.39 -45,321.14)	1.39	(21,407.04 -45,319.91)	1.63	(21,407.47 -45,318.34)	3.07
		(21,407.82 -45,315.29)	3.73	(21,407.98 -45,311.56)	3.52	(21,407.86 -45,308.04)	3.91
		(21,407.64 -45,304.14)	6.55	(@ 21,406.86 -45,297.64)	1.15	(21,406.04 -45,298.45)	5.68
		(21,406.72 -45,304.09)	3.92	(21,406.96 -45,308.00)	3.89	(21,407.00 -45,311.89)	3.22
		(21,406.97 -45,315.11)	2.85	(21,406.44 -45,317.91)	1.59	(21,406.02 -45,319.44)	1.61
		(21,405.41 -45,320.93)	3.12	(21,403.73 -45,323.56)	4.64	(21,400.30 -45,326.68)	4.70
		(21,396.67 -45,329.67)	2.24				
84	1329						
		(21,381.80 -45,335.78)	12.36	(21,393.20 -45,331.01)	3.72	(21,396.67 -45,329.67)	4.70
		(21,400.30 -45,326.68)	4.64	(21,403.73 -45,323.56)	3.12	(21,405.41 -45,320.93)	1.61
		(21,406.02 -45,319.44)	1.59	(21,406.44 -45,317.91)	2.85	(21,406.97 -45,315.11)	3.22
		(21,407.00 -45,311.89)	3.89	(@ 21,406.96 -45,308.00)	37.48		
84	1330						
		(21,406.96 -45,308.00)	3.92	(21,406.72 -45,304.09)	5.68	(@ 21,406.04 -45,298.45)	4.32
		(21,402.56 -45,301.01)	7.07	(21,397.81 -45,306.25)	6.32	(21,393.26 -45,310.64)	11.29
		(21,385.84 -45,319.15)	11.69	(21,380.57 -45,329.59)	11.73	(21,372.27 -45,337.88)	5.47
		(21,377.73 -45,337.51)	4.42	(21,381.80 -45,335.78)	37.48		
84	002-	3					
		(21,372.27 -45,337.88)	11.73	(21,380.57 -45,329.59)	11.69	(21,385.84 -45,319.15)	11.29
		(21,393.26 -45,310.64)	6.32	(21,397.81 -45,306.25)	7.07	(21,402.56 -45,301.01)	4.84
		(@ 21,398.04 -45,299.27)	8.24	(21,393.16 -45,305.91)	12.75	(21,384.32 -45,315.10)	5.92
		(21,381.39 -45,320.24)	6.28	(21,379.25 -45,326.14)	4.67	(21,376.52 -45,329.93)	10.41
		(21,368.81 -45,336.92)	3.59				
84	1332-	1					
		(21,363.79 -45,336.14)	5.08	(21,368.81 -45,336.92)	10.41	(21,376.52 -45,329.93)	4.67
		(21,379.25 -45,326.14)	6.28	(21,381.39 -45,320.24)	5.92	(21,384.32 -45,315.10)	12.75
		(21,393.16 -45,305.91)	8.24	(21,398.04 -45,299.27)	9.57	(21,389.56 -45,294.83)	6.43
		(21,384.19 -45,291.30)	13.16	(@ 21,374.27 -45,282.66)	25.99	(21,348.58 -45,286.63)	9.42
		(21,349.88 -45,295.96)	24.18	(21,355.62 -45,319.45)	17.75	(21,361.01 -45,336.36)	2.79
84	001-	3					
		(21,361.01 -45,336.36)	17.75	(21,355.62 -45,319.45)	24.18	(21,349.88 -45,295.96)	9.42
		(21,348.58 -45,286.63)	14.29	(21,347.77 -45,272.36)	4.09	(21,346.57 -45,268.45)	1.09
		(@ 21,345.54 -45,268.09)	4.68	(21,346.92 -45,272.56)	14.29	(21,347.60 -45,286.83)	9.23
		(21,348.93 -45,295.96)	24.37	(21,354.87 -45,319.60)	17.59	(21,360.06 -45,336.41)	0.95
84	1332-	2					
		(21,374.27 -45,282.66)	9.34	(21,367.22 -45,276.54)	4.11	(21,363.67 -45,274.46)	18.13
		(@ 21,346.57 -45,268.45)	4.09	(21,347.77 -45,272.36)	14.29	(21,348.58 -45,286.63)	25.99
84	1337						
		(21,343.56 -45,267.18)	9.50	(21,334.54 -45,264.21)	27.10	(@ 21,308.35 -45,257.25)	13.85
		(21,307.28 -45,271.06)	8.64	(21,306.43 -45,279.66)	10.42	(21,304.29 -45,289.86)	38.38
		(21,342.67 -45,290.42)	8.37	(21,342.93 -45,282.05)	5.44	(21,343.42 -45,276.63)	3.65
		(21,344.02 -45,273.03)	2.98	(21,344.78 -45,270.15)	2.20	(21,345.54 -45,268.09)	2.18

地区 ..003

作業 .. 47 原図番号 .. N1 42-4

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -45,400.00 測定 年 4 月 30 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

80 1280

(@ 21,389.56	-45,250.94)	6.92	(21,389.77	-45,257.86)	3.66	(21,390.02	-45,261.51)	3.15
(21,389.94	-45,264.66)	2.17	(21,389.66	-45,266.81)	2.21	(21,388.36	-45,268.60)	4.87
(21,384.03	-45,270.82)	5.02	(21,379.25	-45,272.34)	3.87	(21,375.45	-45,273.08)	6.58
(21,368.92	-45,273.87)	12.25	(21,378.53	-45,281.46)	9.34	(21,385.52	-45,287.65)	5.75
(21,390.32	-45,290.81)	11.59	(21,400.86	-45,295.63)	5.87	(21,406.04	-45,292.86)	5.14
(21,409.59	-45,289.14)	2.98	(21,412.05	-45,287.45)	6.29	(21,415.51	-45,282.20)	7.07
(21,418.32	-45,275.71)	12.32	(21,423.19	-45,264.39)	8.43	(21,426.99	-45,256.86)	37.90

80 1281

(21,426.99	-45,256.86)	6.82	(21,430.44	-45,250.98)	6.33	(21,433.97	-45,245.73)	10.19
(21,440.30	-45,237.75)	12.94	(21,427.56	-45,235.50)	6.35	(21,421.32	-45,234.31)	10.68
(21,410.87	-45,232.09)	5.50	(21,405.57	-45,230.61)	4.54	(21,401.35	-45,228.93)	8.10
(21,394.21	-45,225.11)	2.42	(@ 21,391.84	-45,224.63)	5.78	(21,390.75	-45,230.31)	5.90
(21,389.99	-45,236.16)	7.13	(21,389.62	-45,243.28)	7.66	(21,389.56	-45,250.94)	37.90

80 1279

(21,389.56	-45,250.94)	7.66	(21,389.62	-45,243.28)	7.13	(21,389.99	-45,236.16)	5.90
(21,390.75	-45,230.31)	5.78	(21,391.84	-45,224.63)	2.16	(21,389.78	-45,223.98)	3.26
(21,386.58	-45,223.35)	2.61	(21,384.01	-45,222.92)	1.98	(@ 21,382.03	-45,222.89)	3.77
(21,378.63	-45,224.51)	3.44	(21,375.41	-45,225.71)	1.93	(21,373.53	-45,226.13)	2.66
(21,370.88	-45,226.32)	7.96	(21,362.98	-45,225.36)	6.81	(21,356.37	-45,223.73)	3.02
(21,356.48	-45,226.75)	2.15	(21,356.37	-45,228.90)	6.44	(21,355.31	-45,235.25)	21.01
(21,350.65	-45,255.74)	3.63	(21,349.75	-45,259.26)	6.59	(21,347.64	-45,265.50)	10.19
(21,357.20	-45,269.02)	6.81	(21,363.68	-45,271.11)	5.92	(21,368.92	-45,273.87)	6.58
(21,375.45	-45,273.08)	3.87	(21,379.25	-45,272.34)	5.02	(21,384.03	-45,270.82)	4.87
(21,388.36	-45,268.60)	2.21	(21,389.66	-45,266.81)	2.17	(21,389.94	-45,264.66)	3.15
(21,390.02	-45,261.51)	3.66	(21,389.77	-45,257.86)	6.92	(21,389.56	-45,250.94)	0.00

86 1370

(21,324.58	-45,258.69)	14.39	(21,338.52	-45,262.27)	8.77	(21,346.79	-45,265.18)	6.73
(21,348.97	-45,258.81)	3.33	(21,349.83	-45,255.59)	21.18	(21,354.44	-45,234.92)	6.26
(21,355.50	-45,228.75)	1.95	(21,355.75	-45,226.82)	3.01	(21,355.56	-45,223.82)	4.92
(21,353.13	-45,219.54)	12.57	(21,340.57	-45,219.90)	3.48	(21,337.12	-45,219.46)	3.81
(21,333.34	-45,218.98)	0.44	(@ 21,332.93	-45,218.81)	40.74			