

地区 ..003 作業 .. 48 原図番号 .. N1 43-1 縮尺 ..1/ 500 基準点 ..X 21,450.00..Y -45,200.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,450.00 -45,200.00)	50.05	(21,500.05 -45,200.04)	50.00	(21,550.05 -45,200.03)	50.02
		(21,600.07 -45,200.11)	50.00	(21,600.04 -45,150.11)	50.00	(21,600.02 -45,100.11)	50.00
		(21,600.01 -45,050.11)	50.00	(21,600.02 -45,000.11)	49.97	(21,550.05 -45,000.07)	50.05
		(21,500.00 -45,000.04)	50.00	(21,450.00 -45,000.00)	50.00	(21,450.01 -45,050.00)	50.00
		(21,450.03 -45,100.00)	50.00	(21,449.99 -45,150.00)	50.00		
79	1271	(1/ 2)					
		(21,449.99 -45,150.00)	28.70	(21,450.04 -45,178.70)	8.86	(21,458.90 -45,178.96)	34.46
		(21,459.59 -45,144.51)	9.67	(21,449.99 -45,145.65)	4.35		
79	1269	(1/ 2)					
		(21,449.99 -45,145.65)	9.67	(21,459.59 -45,144.51)	8.15	(21,467.74 -45,144.36)	13.82
		(21,481.54 -45,145.12)	1.32	(21,482.86 -45,145.17)	9.95	(21,482.97 -45,135.22)	8.06
		(21,483.60 -45,127.18)	3.81	(21,483.83 -45,123.38)	6.15	(21,483.94 -45,117.23)	8.31
		(21,483.62 -45,108.93)	6.72	(21,482.74 -45,102.27)	5.65	(21,477.22 -45,103.47)	12.93
		(21,464.62 -45,106.36)	10.18	(21,454.82 -45,109.10)	4.88	(21,450.12 -45,110.40)	10.15
		(21,450.01 -45,120.55)	25.10				
79	1272	(1/ 2)					
		(21,450.01 -45,120.55)	10.15	(21,450.12 -45,110.40)	0.00	(21,450.12 -45,110.40)	10.15
79	002- 6						
		(21,450.12 -45,110.40)	0.00	(21,450.12 -45,110.40)	4.88	(21,454.82 -45,109.10)	10.18
		(21,464.62 -45,106.36)	12.93	(21,477.22 -45,103.47)	5.65	(21,482.74 -45,102.27)	22.51
		(21,503.48 -45,093.52)	3.96	(21,507.28 -45,092.39)	0.57	(21,507.83 -45,092.24)	2.68
		(21,510.48 -45,092.65)	13.92	(21,524.18 -45,095.11)	14.60	(21,538.69 -45,096.77)	1.57
		(21,539.08 -45,095.25)	14.91	(21,524.28 -45,093.41)	13.71	(21,510.83 -45,090.75)	3.88
		(21,506.96 -45,090.49)	4.23	(21,502.88 -45,091.61)	6.13	(21,497.33 -45,094.21)	13.93
		(21,484.39 -45,099.38)	10.82	(21,473.95 -45,102.22)	21.75	(21,452.77 -45,107.15)	2.89
		(21,450.02 -45,108.05)	2.35				
79	1268	(1/ 2)					
		(21,450.02 -45,108.05)	2.89	(21,452.77 -45,107.15)	21.75	(21,473.95 -45,102.22)	10.82
		(21,484.39 -45,099.38)	17.25	(21,481.29 -45,082.41)	5.84	(21,475.84 -45,084.52)	12.85
		(21,463.58 -45,088.36)	14.32	(21,450.03 -45,093.00)	15.05		
79	1267	(1/ 2)					
		(21,450.03 -45,093.00)	14.32	(21,463.58 -45,088.36)	12.85	(21,475.84 -45,084.52)	5.84
		(21,481.29 -45,082.41)	34.73	(21,513.80 -45,070.20)	4.74	(21,513.15 -45,065.50)	4.17
		(21,512.40 -45,061.40)	10.84	(21,502.78 -45,066.39)	11.57	(21,491.85 -45,070.18)	18.78
		(21,474.49 -45,077.34)	23.41	(21,452.66 -45,085.80)	2.76	(21,449.99 -45,086.50)	6.50
102	002- 3						
		(21,449.99 -45,086.50)	2.76	(21,452.66 -45,085.80)	23.41	(21,474.49 -45,077.34)	18.78
		(21,491.85 -45,070.18)	11.57	(21,502.78 -45,066.39)	10.84	(21,512.40 -45,061.40)	8.10
		(21,519.43 -45,057.38)	15.97	(21,534.43 -45,051.91)	5.94	(21,537.70 -45,046.95)	8.11
		(21,530.21 -45,050.06)	14.11	(21,516.86 -45,054.62)	20.04	(21,499.13 -45,063.96)	13.09
		(21,486.76 -45,068.24)	1.05	(21,485.80 -45,068.66)	14.34	(21,472.67 -45,074.42)	22.46
		(21,451.71 -45,082.50)	1.84	(21,449.99 -45,083.15)	3.35		
102	294	(1/ 2)					
		(21,449.99 -45,083.15)	1.84	(21,451.71 -45,082.50)	22.46	(21,472.67 -45,074.42)	14.34
		(21,485.80 -45,068.66)	18.06	(21,482.51 -45,050.90)	13.56	(21,479.52 -45,037.67)	12.06
		(21,476.35 -45,026.03)	1.87	(21,474.50 -45,026.27)	25.36	(21,449.98 -45,032.75)	50.40
102	295	(1/ 3)					
		(21,449.98 -45,032.75)	25.36	(21,474.50 -45,026.27)	6.63	(21,474.61 -45,019.64)	8.55
		(21,474.84 -45,011.09)	6.73	(21,474.40 -45,004.37)	4.48	(21,473.32 -45,000.02)	5.20
		(21,468.12 -45,000.01)	6.71	(21,461.45 -45,000.76)	11.54	(21,449.97 -45,001.95)	30.80
102	309	(1/ 4)					

地区 ..003

作業 .. 48 原図番号 .. N1 43-1

縮尺 .. 1/ 500

基準点 .. X 21,450.00 .. Y -45,200.00 測定

年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

102	001-	2	(@ 21,450.00 -45,000.00)	1.95	(21,449.97 -45,001.95)	11.54	(21,461.45 -45,000.76)	6.71
			(21,468.12 -45,000.01)	18.12				
102	002-	2	(@ 21,473.32 -45,000.02)	4.48	(21,474.40 -45,004.37)	6.73	(21,474.84 -45,011.09)	8.55
			(21,474.61 -45,019.64)	6.63	(21,474.50 -45,026.27)	1.87	(21,476.35 -45,026.03)	4.86
			(21,476.38 -45,021.17)	10.30	(21,476.39 -45,010.87)	6.80	(21,476.42 -45,004.07)	4.10
			(21,475.80 -45,000.02)	2.48				
			(@ 21,475.80 -45,000.02)	4.10	(21,476.42 -45,004.07)	6.80	(21,476.39 -45,010.87)	10.30
102	293	(1/ 2)	(21,476.38 -45,021.17)	4.86	(21,476.35 -45,026.03)	12.06	(21,479.52 -45,037.67)	13.56
			(21,482.51 -45,050.90)	18.06	(21,485.80 -45,068.66)	1.05	(21,486.76 -45,068.24)	6.01
			(21,485.68 -45,062.33)	11.87	(21,483.41 -45,050.68)	13.54	(21,480.52 -45,037.45)	11.83
			(21,477.86 -45,025.92)	4.87	(21,477.43 -45,021.07)	21.07	(21,478.45 -45,000.02)	2.65
			(@ 21,478.45 -45,000.02)	21.07	(21,477.43 -45,021.07)	4.87	(21,477.86 -45,025.92)	11.83
			(21,480.52 -45,037.45)	13.54	(21,483.41 -45,050.68)	11.87	(21,485.68 -45,062.33)	6.01
			(21,486.76 -45,068.24)	13.09	(21,499.13 -45,063.96)	20.04	(21,516.86 -45,054.62)	42.16
			(21,507.38 -45,013.54)	17.80	(21,490.34 -45,008.38)	3.39	(21,487.32 -45,006.85)	3.67
			(21,484.22 -45,004.88)	7.06	(21,479.10 -45,000.02)	0.65		
			(@ 21,479.10 -45,000.02)	7.06	(21,484.22 -45,004.88)	3.67	(21,487.32 -45,006.85)	3.39
102	288	(1/ 2)	(21,490.34 -45,008.38)	17.80	(21,507.38 -45,013.54)	4.34	(21,506.27 -45,009.34)	9.65
			(21,503.70 -45,000.04)	24.60				
78	001-	1	(@ 21,503.70 -45,000.04)	9.65	(21,506.27 -45,009.34)	4.34	(21,507.38 -45,013.54)	29.36
			(21,536.69 -45,015.24)	5.88	(21,541.99 -45,012.70)	11.87	(21,535.07 -45,003.06)	3.41
			(21,533.45 -45,000.06)	29.75				
			(@ 21,533.45 -45,000.06)	3.41	(21,535.07 -45,003.06)	11.87	(21,541.99 -45,012.70)	6.87
			(21,546.39 -45,017.97)	3.67	(21,548.53 -45,020.95)	4.19	(21,550.43 -45,024.68)	3.57
			(21,551.78 -45,027.98)	3.76	(21,552.78 -45,031.60)	3.74	(21,553.35 -45,035.30)	4.13
			(21,553.45 -45,039.43)	1.40	(21,552.97 -45,040.75)	5.27	(21,557.56 -45,043.33)	1.03
			(21,557.67 -45,042.31)	4.65	(21,557.72 -45,037.66)	3.95	(21,557.37 -45,033.73)	3.39
			(21,556.88 -45,030.38)	4.11	(21,555.68 -45,026.45)	3.21	(21,554.53 -45,023.45)	4.20
			(21,552.69 -45,019.68)	4.92	(21,549.99 -45,015.57)	7.50	(21,545.32 -45,009.70)	7.16
78	002-	1	(21,540.90 -45,004.07)	4.38	(21,538.40 -45,000.47)	0.45	(21,538.20 -45,000.07)	4.75
			(@ 21,538.20 -45,000.07)	0.45	(21,538.40 -45,000.47)	4.38	(21,540.90 -45,004.07)	7.16
			(21,545.32 -45,009.70)	7.50	(21,549.99 -45,015.57)	4.92	(21,552.69 -45,019.68)	4.20
			(21,554.53 -45,023.45)	3.21	(21,555.68 -45,026.45)	4.11	(21,556.88 -45,030.38)	3.39
			(21,557.37 -45,033.73)	3.95	(21,557.72 -45,037.66)	4.65	(21,557.67 -45,042.31)	1.03
			(21,557.56 -45,043.33)	2.38	(21,559.67 -45,044.43)	9.65	(21,559.50 -45,034.78)	7.20
			(21,558.03 -45,027.73)	5.20	(21,556.28 -45,022.83)	4.48	(21,554.44 -45,018.75)	4.96
			(21,551.76 -45,014.58)	8.06	(21,546.74 -45,008.27)	6.45	(21,542.90 -45,003.09)	3.68
			(21,540.80 -45,000.07)	2.60				
			(@ 21,540.80 -45,000.07)	3.68	(21,542.90 -45,003.09)	6.45	(21,546.74 -45,008.27)	8.06
78	1257	(3/ 4)	(21,551.76 -45,014.58)	4.96	(21,554.44 -45,018.75)	4.48	(21,556.28 -45,022.83)	5.20
			(21,558.03 -45,027.73)	41.83	(21,599.23 -45,020.51)	9.09	(21,598.69 -45,011.44)	11.36
			(21,597.80 -45,000.11)	57.00				
			(21,600.02 -45,000.11)	2.22	(@ 21,597.80 -45,000.11)	11.36	(21,598.69 -45,011.44)	9.09

地区 ..003

作業 .. 48

原図番号 .. N1 43-1

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -45,200.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

78	1256	(21,599.23 (2/ 2)	-45,020.51)	8.10	(21,599.94 (2/ 2)	-45,028.58)	0.00	(21,599.94 (2/ 2)	-45,028.58)	28.47
78	1247	(@ 21,599.94 (2/ 2)	-45,028.58)	0.00	(21,599.94 (2/ 2)	-45,028.58)	1.39	(21,600.08 (2/ 2)	-45,029.96)	1.39
		(21,600.08 (21,558.03	-45,029.96) -45,027.73)	1.39 7.20	(21,599.94 (21,559.50	-45,028.58) -45,034.78)	8.10 9.65	(@ 21,599.23 (21,559.67	-45,020.51) -45,044.43)	41.83 5.86
		(21,561.61 (21,580.14	-45,049.96) -45,078.95)	7.41 12.83	(21,564.36 (21,592.87	-45,056.84) -45,077.33)	9.54 7.21	(21,569.55 (21,600.04	-45,064.84) -45,076.61)	17.64 46.65
78	1248	(2/ 2)								
		(@ 21,600.04 (21,587.23	-45,076.61) -45,090.05)	7.21 12.60	(21,592.87 (21,595.48	-45,077.33) -45,099.58)	12.83 4.60	(21,580.14 (21,598.37	-45,078.95) -45,103.16)	13.17 3.82
		(21,600.02	-45,106.61)	30.00						
77	002- 11	(21,600.02	-45,106.61)	3.82	(21,598.37	-45,103.16)	4.60	(21,595.48	-45,099.58)	12.60
		(21,587.23	-45,090.05)	13.17	(21,580.14	-45,078.95)	17.64	(21,569.55	-45,064.84)	9.54
		(21,564.36	-45,056.84)	7.41	(21,561.61	-45,049.96)	5.86	(@ 21,559.67	-45,044.43)	6.51
		(21,557.93	-45,050.70)	1.68	(21,559.59	-45,050.96)	7.03	(21,562.56	-45,057.33)	9.81
		(21,567.35	-45,065.89)	17.79	(21,577.64	-45,080.40)	13.49	(21,585.38	-45,091.45)	12.64
		(21,593.57	-45,101.08)	4.51	(21,596.22	-45,104.73)	2.61	(21,597.29	-45,107.11)	2.57
		(21,598.37	-45,109.44)	3.56	(21,598.87	-45,112.96)	0.76	(21,599.63	-45,113.03)	0.44
		(21,600.07	-45,113.06)	6.45						
77	1244	(2/ 2)								
		(21,600.07	-45,113.06)	0.44	(@ 21,599.63	-45,113.03)	3.26	(21,599.56	-45,116.29)	3.68
		(21,599.11	-45,119.94)	7.06	(21,598.37	-45,126.96)	1.68	(21,600.05	-45,127.06)	14.00
77	1242	(2/ 2)								
		(21,600.05	-45,127.06)	1.68	(@ 21,598.37	-45,126.96)	6.25	(21,597.27	-45,133.11)	1.23
		(21,598.50	-45,133.14)	1.83	(21,598.82	-45,134.94)	16.92	(21,596.39	-45,151.68)	3.67
		(21,600.05	-45,152.00)	24.94						
76	1233	(2/ 2)								
		(@ 21,600.06	-45,159.49)	11.88	(21,594.89	-45,170.19)	5.52	(21,597.19	-45,175.21)	7.36
		(21,599.89	-45,182.06)	0.73	(21,600.11	-45,182.76)	23.27			
76	1224	(4/ 4)								
		(21,600.07	-45,200.11)	17.35	(21,600.11	-45,182.76)	0.73	(21,599.89	-45,182.06)	7.36
		(21,597.19	-45,175.21)	5.52	(@ 21,594.89	-45,170.19)	6.96	(21,591.57	-45,176.31)	6.47
		(21,587.71	-45,181.50)	3.29	(21,586.31	-45,184.48)	17.20	(21,579.10	-45,200.10)	20.97
77	002- 10									
		(21,579.10	-45,200.10)	17.20	(21,586.31	-45,184.48)	3.29	(21,587.71	-45,181.50)	6.47
		(21,591.57	-45,176.31)	6.96	(21,594.89	-45,170.19)	11.88	(21,600.06	-45,159.49)	7.49
		(@ 21,600.05	-45,152.00)	21.01	(21,589.47	-45,170.15)	4.00	(21,587.42	-45,173.58)	5.05
		(21,584.77	-45,177.88)	10.81	(21,579.83	-45,187.50)	13.50	(21,574.95	-45,200.09)	4.15
77	1241	(2/ 2)								
		(21,574.95	-45,200.09)	13.50	(21,579.83	-45,187.50)	10.81	(21,584.77	-45,177.88)	5.05
		(21,587.42	-45,173.58)	4.00	(21,589.47	-45,170.15)	21.01	(21,600.05	-45,152.00)	3.67
		(21,596.39	-45,151.68)	16.92	(21,598.82	-45,134.94)	1.83	(21,598.50	-45,133.14)	1.23
		(21,597.27	-45,133.11)	2.47	(21,595.07	-45,134.23)	2.63	(21,592.52	-45,134.86)	3.43
		(21,589.10	-45,134.65)	5.76	(21,583.45	-45,133.55)	5.30	(@ 21,578.32	-45,132.20)	10.94
		(21,575.57	-45,142.79)	37.63	(21,566.02	-45,179.19)	13.59	(21,562.56	-45,192.33)	2.82
		(21,565.08	-45,193.59)	2.22	(21,566.05	-45,195.59)	4.74	(21,567.55	-45,200.09)	7.40
77	1238	(2/ 2)								
		(21,567.55	-45,200.09)	4.74	(21,566.05	-45,195.59)	2.22	(21,565.08	-45,193.59)	2.82
		(21,562.56	-45,192.33)	14.81	(@ 21,547.93	-45,190.05)	1.44	(21,547.26	-45,191.32)	4.17
		(21,549.90	-45,194.55)	3.23	(21,549.68	-45,197.77)	2.52	(21,548.65	-45,200.07)	18.90

地区 ..003

作業 .. 48

原図番号 .. N1 43-1

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -45,200.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

77 1240

(@ 21,537.77 -45,123.22)	31.40	(21,529.38 -45,153.48)	13.23	(21,524.49 -45,165.77)	9.22
(21,524.04 -45,174.98)	3.68	(21,524.52 -45,178.63)	3.27	(21,526.24 -45,181.41)	2.88
(21,528.59 -45,183.08)	5.27	(21,533.41 -45,185.21)	4.66	(21,537.68 -45,187.07)	5.05
(21,542.06 -45,189.59)	5.48	(21,547.26 -45,191.32)	1.44	(21,547.93 -45,190.05)	14.81
(21,562.56 -45,192.33)	13.59	(21,566.02 -45,179.19)	37.63	(21,575.57 -45,142.79)	10.94
(21,578.32 -45,132.20)	0.40	(21,578.35 -45,131.80)	41.48		

77 1245

(21,578.35 -45,131.80)	0.40	(21,578.32 -45,132.20)	5.30	(21,583.45 -45,133.55)	5.76
(21,589.10 -45,134.65)	3.43	(21,592.52 -45,134.86)	2.63	(21,595.07 -45,134.23)	2.47
(21,597.27 -45,133.11)	6.25	(21,598.37 -45,126.96)	7.06	(21,599.11 -45,119.94)	3.68
(21,599.56 -45,116.29)	3.26	(21,599.63 -45,113.03)	0.76	(21,598.87 -45,112.96)	3.56
(21,598.37 -45,109.44)	2.57	(21,597.29 -45,107.11)	2.61	(21,596.22 -45,104.73)	4.51
(21,593.57 -45,101.08)	12.64	(21,585.38 -45,091.45)	13.49	(21,577.64 -45,080.40)	17.79
(21,567.35 -45,065.89)	9.81	(21,562.56 -45,057.33)	7.03	(21,559.59 -45,050.96)	1.68
(@ 21,557.93 -45,050.70)	75.27	(21,537.77 -45,123.22)	41.48		

81 002- 9

(21,548.65 -45,200.07)	2.52	(21,549.68 -45,197.77)	3.23	(21,549.90 -45,194.55)	4.17
(21,547.26 -45,191.32)	5.48	(21,542.06 -45,189.59)	5.05	(21,537.68 -45,187.07)	4.66
(21,533.41 -45,185.21)	5.27	(21,528.59 -45,183.08)	2.88	(21,526.24 -45,181.41)	3.27
(21,524.52 -45,178.63)	3.68	(21,524.04 -45,174.98)	9.22	(21,524.49 -45,165.77)	4.09
(@ 21,520.54 -45,164.69)	0.90	(21,519.98 -45,165.40)	2.69	(21,518.32 -45,167.52)	7.20
(21,520.17 -45,174.48)	8.84	(21,523.16 -45,182.80)	5.16	(21,527.16 -45,186.06)	7.14
(21,533.66 -45,189.01)	9.36	(21,542.13 -45,192.99)	0.60	(21,542.66 -45,193.27)	3.79
(21,546.38 -45,194.02)	0.92	(21,546.89 -45,194.79)	1.05	(21,547.50 -45,195.65)	4.68
(21,545.95 -45,200.07)	2.70				

81 1287

(2/ 2)					
(21,545.95 -45,200.07)	4.68	(21,547.50 -45,195.65)	1.05	(@ 21,546.89 -45,194.79)	13.23
(21,534.75 -45,200.06)	11.20				

81 1286- 1

(2/ 2)					
(21,534.75 -45,200.06)	13.23	(21,546.89 -45,194.79)	0.92	(21,546.38 -45,194.02)	3.79
(21,542.66 -45,193.27)	0.60	(21,542.13 -45,192.99)	9.36	(21,533.66 -45,189.01)	7.14
(21,527.16 -45,186.06)	5.16	(21,523.16 -45,182.80)	8.84	(21,520.17 -45,174.48)	7.20
(@ 21,518.32 -45,167.52)	4.88	(21,514.97 -45,171.07)	42.84	(21,483.40 -45,200.03)	51.35

81 001- 6

(21,483.40 -45,200.03)	42.84	(21,514.97 -45,171.07)	4.88	(21,518.32 -45,167.52)	2.69
(21,519.98 -45,165.40)	0.90	(21,520.54 -45,164.69)	3.71	(@ 21,516.94 -45,163.80)	33.90
(21,491.81 -45,186.55)	0.71	(21,491.31 -45,187.06)	14.02	(21,480.95 -45,196.50)	5.25
(21,477.05 -45,200.02)	6.35				

80 002- 8

(21,477.05 -45,200.02)	5.25	(21,480.95 -45,196.50)	14.02	(21,491.31 -45,187.06)	0.71
(21,491.81 -45,186.55)	2.07	(@ 21,489.86 -45,185.86)	13.79	(21,479.55 -45,195.02)	6.80
(21,474.55 -45,199.63)	0.52	(21,474.20 -45,200.02)	2.85		

80 1282- 1

(2/ 3)					
(21,474.20 -45,200.02)	0.52	(21,474.55 -45,199.63)	3.85	(@ 21,471.04 -45,198.05)	2.36
(21,469.72 -45,200.01)	4.48				

80 1284- 2

(21,474.55 -45,199.63)	6.80	(21,479.55 -45,195.02)	4.79	(@ 21,476.19 -45,191.60)	8.25
(21,471.04 -45,198.05)	3.85				

80 1284- 1

(2/ 4)					
(21,450.00 -45,200.00)	19.72	(21,469.72 -45,200.01)	2.36	(21,471.04 -45,198.05)	8.25
(21,476.19 -45,191.60)	4.30	(21,478.68 -45,188.10)	6.15	(21,476.46 -45,182.37)	1.09

地区 ..003 作業 .. 48 原図番号 .. N1 43-1 縮尺 ..1/ 500 基準点 ..X 21,450.00..Y -45,200.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,475.46 -45,181.94)	4.34	(21,471.19 -45,181.17)	12.20	(21,458.99 -45,180.88)	9.03
		(@ 21,449.96 -45,180.65)	19.35				
80	001- 5	(21,449.96 -45,180.65)	9.03	(21,458.99 -45,180.88)	12.20	(21,471.19 -45,181.17)	4.34
		(21,475.46 -45,181.94)	1.09	(21,476.46 -45,182.37)	6.15	(21,478.68 -45,188.10)	4.30
		(21,476.19 -45,191.60)	4.79	(21,479.55 -45,195.02)	13.79	(21,489.86 -45,185.86)	8.72
		(21,481.61 -45,183.04)	1.61	(21,480.15 -45,182.37)	4.89	(21,475.86 -45,180.02)	5.02
		(21,470.92 -45,179.14)	12.02	(21,458.90 -45,178.96)	8.86	(@ 21,450.04 -45,178.70)	1.95
79	1270	(@ 21,467.74 -45,144.36)	8.15	(21,459.59 -45,144.51)	34.46	(21,458.90 -45,178.96)	12.02
		(21,470.92 -45,179.14)	5.02	(21,475.86 -45,180.02)	4.89	(21,480.15 -45,182.37)	2.49
		(21,480.62 -45,179.92)	10.07	(21,480.02 -45,169.87)	9.15	(21,480.03 -45,160.72)	15.67
		(21,481.54 -45,145.12)	13.82				
79	001- 4	(@ 21,481.54 -45,145.12)	15.67	(21,480.03 -45,160.72)	9.15	(21,480.02 -45,169.87)	10.07
		(21,480.62 -45,179.92)	2.49	(21,480.15 -45,182.37)	1.61	(21,481.61 -45,183.04)	3.12
		(21,482.17 -45,179.97)	9.96	(21,481.67 -45,170.02)	9.00	(21,481.65 -45,161.02)	15.85
		(21,483.19 -45,145.25)	0.34	(21,482.86 -45,145.17)	1.32		
79	1265- 1	(21,482.86 -45,145.17)	0.34	(21,483.19 -45,145.25)	15.85	(21,481.65 -45,161.02)	9.00
		(21,481.67 -45,170.02)	9.96	(21,482.17 -45,179.97)	3.12	(21,481.61 -45,183.04)	8.72
		(21,489.86 -45,185.86)	17.84	(21,503.00 -45,173.79)	4.26	(21,504.47 -45,169.79)	4.40
		(21,508.72 -45,168.64)	13.24	(21,518.48 -45,159.70)	0.57	(21,518.89 -45,160.10)	3.05
		(21,520.56 -45,157.55)	3.60	(21,522.26 -45,154.38)	2.87	(21,523.29 -45,151.70)	3.10
		(21,524.12 -45,148.71)	12.86	(21,512.12 -45,144.10)	6.07	(21,506.54 -45,141.72)	1.99
		(21,504.94 -45,140.54)	3.08	(21,503.45 -45,137.84)	2.85	(21,502.90 -45,135.04)	4.03
		(21,502.40 -45,131.04)	7.35	(21,501.91 -45,123.71)	5.28	(21,502.26 -45,118.44)	5.68
		(21,502.82 -45,112.79)	6.84	(21,503.92 -45,106.04)	7.21	(21,505.58 -45,099.02)	3.47
		(21,506.80 -45,095.77)	3.09	(21,508.03 -45,092.94)	0.73	(@ 21,507.83 -45,092.24)	0.57
		(21,507.28 -45,092.39)	3.96	(21,503.48 -45,093.52)	22.51	(21,482.74 -45,102.27)	6.72
		(21,483.62 -45,108.93)	8.31	(21,483.94 -45,117.23)	6.15	(21,483.83 -45,123.38)	3.81
		(21,483.60 -45,127.18)	8.06	(21,482.97 -45,135.22)	9.95		
79	1265- 4	(21,504.47 -45,169.79)	4.26	(21,503.00 -45,173.79)	7.70	(@ 21,508.72 -45,168.64)	4.40
79	002- 7	(@ 21,518.48 -45,159.70)	13.24	(21,508.72 -45,168.64)	7.70	(21,503.00 -45,173.79)	17.84
		(21,489.86 -45,185.86)	2.07	(21,491.81 -45,186.55)	33.90	(21,516.94 -45,163.80)	4.18
		(21,518.89 -45,160.10)	0.57				
79	002- 5	(21,524.49 -45,165.77)	13.23	(21,529.38 -45,153.48)	31.40	(21,537.77 -45,123.22)	75.27
		(21,557.93 -45,050.70)	6.51	(21,559.67 -45,044.43)	2.38	(@ 21,557.56 -45,043.33)	2.52
		(21,557.27 -45,045.83)	5.18	(21,555.91 -45,050.83)	105.31	(21,527.66 -45,152.28)	6.54
		(21,524.83 -45,158.18)	4.90	(21,522.23 -45,162.33)	2.90	(21,520.54 -45,164.69)	4.09
79	001- 3	(21,520.54 -45,164.69)	2.90	(21,522.23 -45,162.33)	4.90	(21,524.83 -45,158.18)	6.54
		(21,527.66 -45,152.28)	105.31	(21,555.91 -45,050.83)	5.18	(21,557.27 -45,045.83)	2.52
		(21,557.56 -45,043.33)	5.27	(@ 21,552.97 -45,040.75)	2.86	(21,551.92 -45,043.41)	3.03
		(21,552.17 -45,046.43)	2.32	(21,552.11 -45,048.75)	48.29	(21,539.08 -45,095.25)	1.57
		(21,538.69 -45,096.77)	53.94	(21,524.12 -45,148.71)	3.10	(21,523.29 -45,151.70)	2.87
		(21,522.26 -45,154.38)	3.60	(21,520.56 -45,157.55)	3.05	(21,518.89 -45,160.10)	4.18
		(21,516.94 -45,163.80)	3.71				
79	1262- 1						

地区 ..003

作業 .. 48

原図番号 .. N1 43-1

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -45,200.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,553.45 -45,039.43)	4.13	(21,553.35 -45,035.30)	3.74	(21,552.78 -45,031.60)	3.76
		(21,551.78 -45,027.98)	3.57	(21,550.43 -45,024.68)	25.65	(21,537.70 -45,046.95)	8.41
		(21,545.44 -45,043.67)	8.08	(21,552.97 -45,040.75)	1.40		
79	002- 4	(21,552.97 -45,040.75)	8.08	(21,545.44 -45,043.67)	8.41	(21,537.70 -45,046.95)	5.94
		(21,534.43 -45,051.91)	16.59	(21,549.47 -45,044.90)	2.87	(21,551.92 -45,043.41)	2.86
79	1263- 1	(21,552.11 -45,048.75)	2.32	(21,552.17 -45,046.43)	3.03	(21,551.92 -45,043.41)	2.87
		(21,549.47 -45,044.90)	16.59	(21,534.43 -45,051.91)	15.97	(21,519.43 -45,057.38)	8.10
		(21,512.40 -45,061.40)	4.17	(21,513.15 -45,065.50)	4.74	(21,513.80 -45,070.20)	2.17
		(21,513.72 -45,072.37)	4.09	(21,513.39 -45,076.45)	6.52	(21,512.24 -45,082.87)	8.01
		(21,510.83 -45,090.75)	13.71	(21,524.28 -45,093.41)	14.91	(21,539.08 -45,095.25)	48.29
79	1264- 1	(21,538.69 -45,096.77)	14.60	(21,524.18 -45,095.11)	13.92	(21,510.48 -45,092.65)	2.68
		(21,507.83 -45,092.24)	0.73	(21,508.03 -45,092.94)	3.09	(21,506.80 -45,095.77)	3.47
		(21,505.58 -45,099.02)	7.21	(21,503.92 -45,106.04)	6.84	(21,502.82 -45,112.79)	5.68
		(21,502.26 -45,118.44)	5.28	(21,501.91 -45,123.71)	7.35	(21,502.40 -45,131.04)	4.03
		(21,502.90 -45,135.04)	2.85	(21,503.45 -45,137.84)	3.08	(21,504.94 -45,140.54)	1.99
		(21,506.54 -45,141.72)	6.07	(21,512.12 -45,144.10)	12.86	(21,524.12 -45,148.71)	53.94
79	1266	(21,481.29 -45,082.41)	17.25	(21,484.39 -45,099.38)	13.93	(21,497.33 -45,094.21)	6.13
		(21,502.88 -45,091.61)	4.23	(21,506.96 -45,090.49)	3.88	(21,510.83 -45,090.75)	8.01
		(21,512.24 -45,082.87)	6.52	(21,513.39 -45,076.45)	4.09	(21,513.72 -45,072.37)	2.17
		(21,513.80 -45,070.20)	34.73				
102	292	(21,530.21 -45,050.06)	8.11	(21,537.70 -45,046.95)	25.65	(21,550.43 -45,024.68)	4.19
		(21,548.53 -45,020.95)	3.67	(21,546.39 -45,017.97)	6.87	(21,541.99 -45,012.70)	5.88
		(21,536.69 -45,015.24)	29.36	(21,507.38 -45,013.54)	42.16	(21,516.86 -45,054.62)	14.11