

地区..003

作業.. 49 原図番号.. N1 43-2

縮尺..1/ 500

基準点..X 21,450.00..Y -45,000.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,450.00 -45,000.00)	50.00	(21,500.00 -45,000.09)	50.00	(21,550.00 -45,000.02)	50.00
		(21,600.00 -45,000.11)	49.95	(21,599.99 -44,950.16)	50.05	(21,599.98 -44,900.11)	50.00
		(21,599.96 -44,850.11)	49.97	(21,600.03 -44,800.14)	50.03	(21,550.00 -44,800.12)	50.00
		(21,500.00 -44,800.09)	50.00	(21,450.00 -44,800.07)	49.98	(21,450.01 -44,850.05)	50.00
		(21,449.98 -44,900.05)	50.00	(21,449.99 -44,950.05)	49.95		
102	309	(2/ 4)					
		(21,450.00 -45,000.00)	19.03	(21,469.03 -45,000.05)	4.19	(21,473.20 -44,999.61)	4.51
		(21,471.72 -44,995.35)	22.42	(21,468.04 -44,973.23)	9.31	(21,465.86 -44,964.18)	15.94
		(21,450.01 -44,965.90)	34.10				
102	308	(1/ 2)					
		(21,450.01 -44,965.90)	15.94	(21,465.86 -44,964.18)	2.88	(21,465.18 -44,961.38)	6.72
		(21,463.94 -44,954.78)	5.33	(21,467.64 -44,950.95)	6.20	(21,472.43 -44,947.02)	0.67
		(21,472.28 -44,946.37)	9.10	(21,463.18 -44,946.33)	13.24	(21,449.98 -44,945.35)	20.55
103	001-	7					
		(21,449.98 -44,945.35)	13.24	(21,463.18 -44,946.33)	9.10	(21,472.28 -44,946.37)	5.30
		(21,477.58 -44,946.17)	10.20	(21,487.08 -44,942.45)	5.37	(21,492.03 -44,940.37)	8.55
		(21,498.99 -44,935.41)	5.91	(21,503.82 -44,932.01)	6.93	(21,509.38 -44,927.88)	4.96
		(21,513.28 -44,924.82)	7.37	(21,519.94 -44,921.66)	4.30	(21,523.85 -44,919.86)	1.22
		(21,524.90 -44,919.24)	2.39	(21,526.15 -44,917.20)	18.29	(21,544.24 -44,914.53)	2.26
		(21,546.44 -44,914.03)	8.61	(21,554.99 -44,913.04)	2.45	(21,556.04 -44,910.83)	5.59
		(21,550.49 -44,911.52)	3.35	(21,547.17 -44,911.93)	3.38	(21,543.84 -44,912.53)	18.90
		(21,525.17 -44,915.46)	1.55	(21,524.35 -44,916.77)	0.96	(21,523.85 -44,917.59)	12.51
		(21,512.53 -44,922.92)	4.37	(21,509.01 -44,925.51)	7.90	(21,502.71 -44,930.28)	5.97
		(21,497.92 -44,933.84)	8.56	(21,490.87 -44,938.70)	5.88	(21,485.48 -44,941.06)	8.75
		(21,477.18 -44,943.82)	5.08	(21,472.13 -44,944.40)	9.00	(21,463.13 -44,944.26)	13.18
		(21,449.98 -44,943.30)	2.05				
103	328	(1/ 2)					
		(21,449.98 -44,943.30)	13.18	(21,463.13 -44,944.26)	9.00	(21,472.13 -44,944.40)	5.08
		(21,477.18 -44,943.82)	9.96	(21,476.47 -44,933.89)	6.09	(21,475.78 -44,927.84)	11.68
		(21,473.85 -44,916.32)	19.45	(21,469.44 -44,897.38)	7.88	(21,467.19 -44,889.83)	3.57
		(21,466.01 -44,886.46)	2.76	(21,464.69 -44,888.88)	1.91	(21,463.51 -44,890.38)	1.32
		(21,462.36 -44,891.03)	2.60	(21,459.79 -44,891.39)	5.91	(21,453.89 -44,891.00)	3.88
		(21,450.01 -44,890.85)	52.45				
103	332-	1					
		(1/ 2)					
		(21,450.01 -44,890.85)	3.88	(21,453.89 -44,891.00)	5.91	(21,459.79 -44,891.39)	2.60
		(21,462.36 -44,891.03)	1.32	(21,463.51 -44,890.38)	1.91	(21,464.69 -44,888.88)	2.76
		(21,466.01 -44,886.46)	3.91	(21,465.20 -44,882.63)	4.00	(21,464.70 -44,878.66)	4.47
		(21,464.27 -44,874.21)	7.27	(21,464.00 -44,866.95)	1.33	(21,462.68 -44,867.13)	21.27
		(21,458.36 -44,846.30)	12.41	(21,449.97 -44,855.45)	35.40		
103	001-	5					
		(21,449.97 -44,855.45)	12.41	(21,458.36 -44,846.30)	14.70	(21,468.17 -44,835.35)	9.77
		(21,474.47 -44,827.88)	28.22	(21,493.56 -44,807.10)	9.37	(21,499.78 -44,800.09)	7.78
		(21,492.00 -44,800.10)	42.39	(21,463.72 -44,831.68)	9.89	(21,457.03 -44,838.96)	10.43
		(21,450.01 -44,846.67)	8.78				
103	333-	1					
		(1/ 2)					
		(21,450.01 -44,846.67)	10.43	(21,457.03 -44,838.96)	7.32	(21,455.72 -44,831.76)	5.81
		(21,449.94 -44,832.35)	14.32				
103	323-	2					
		(1/ 3)					
		(21,449.94 -44,832.35)	5.81	(21,455.72 -44,831.76)	8.00	(21,463.72 -44,831.68)	42.39
		(21,492.00 -44,800.10)	14.50	(21,477.50 -44,800.09)	28.21	(21,450.06 -44,806.65)	25.70
103	001-	6					

地区 ..003 作業 .. 49 原図番号 .. N1 43-2 縮尺 ..1/ 500 基準点 ..X 21,450.00..Y -45,000.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,450.06 -44,806.65)	28.21	(21,477.50 -44,800.09)	9.20	(21,468.30 -44,800.08)	18.85
		(21,450.01 -44,804.65)	2.00				
112	002- 7	(21,450.01 -44,804.65)	18.85	(21,468.30 -44,800.08)	10.55	(21,457.75 -44,800.09)	7.89
		(21,450.05 -44,801.80)	2.85				
112	001- 8	(21,450.05 -44,801.80)	7.89	(21,457.75 -44,800.09)	4.85	(21,452.90 -44,800.10)	2.97
		(21,450.00 -44,800.75)	1.05				
112	479- 1	(1/ 4)					
		(21,450.00 -44,800.75)	2.97	(21,452.90 -44,800.10)	2.90	(21,450.00 -44,800.07)	0.68
103	002- 6	(21,499.78 -44,800.09)	9.37	(21,493.56 -44,807.10)	28.22	(21,474.47 -44,827.88)	0.47
		(21,474.80 -44,828.22)	14.36	(21,484.51 -44,817.64)	13.83	(21,493.91 -44,807.49)	9.18
		(21,499.97 -44,800.59)	0.69	(21,500.45 -44,800.09)	0.67		
103	323- 1	(1/ 2)					
		(21,500.45 -44,800.09)	0.69	(21,499.97 -44,800.59)	9.04	(21,509.00 -44,800.09)	8.55
103	001- 4	(21,509.00 -44,800.09)	0.30	(21,509.18 -44,800.33)	12.38	(21,510.06 -44,812.68)	0.31
		(21,510.37 -44,812.70)	14.10	(21,510.26 -44,826.80)	11.28	(21,511.07 -44,838.05)	15.41
		(21,511.57 -44,853.45)	0.29	(21,511.28 -44,853.47)	3.05	(21,511.07 -44,856.51)	4.64
		(21,511.28 -44,861.15)	4.85	(21,511.43 -44,866.00)	4.30	(21,512.49 -44,870.17)	15.88
		(21,516.32 -44,885.58)	2.35	(21,516.86 -44,887.87)	4.71	(21,517.62 -44,892.52)	3.10
		(21,518.24 -44,895.56)	22.73	(21,523.85 -44,917.59)	0.96	(21,524.35 -44,916.77)	22.63
		(21,518.87 -44,894.81)	2.49	(21,518.32 -44,892.38)	4.79	(21,517.81 -44,887.62)	2.46
		(21,517.03 -44,885.29)	11.31	(21,514.42 -44,874.29)	4.48	(21,513.34 -44,869.94)	0.53
		(21,513.24 -44,869.42)	3.34	(21,512.48 -44,866.17)	5.14	(21,512.08 -44,861.05)	4.74
		(21,511.82 -44,856.32)	2.96	(21,512.02 -44,853.37)	0.52	(21,512.53 -44,853.27)	15.31
		(21,512.10 -44,837.97)	11.35	(21,511.26 -44,826.65)	0.80	(21,512.05 -44,826.52)	13.55
		(21,512.21 -44,812.97)	0.00	(21,512.21 -44,812.97)	12.94	(21,511.20 -44,800.07)	2.20
103	322- 1	(1/ 2)					
		(21,511.20 -44,800.07)	12.94	(21,512.21 -44,812.97)	0.00	(21,512.21 -44,812.97)	21.56
		(21,533.33 -44,808.63)	3.11	(21,532.93 -44,805.55)	19.75	(21,552.40 -44,802.24)	2.12
		(21,552.50 -44,800.12)	41.30				
103	001- 1	(21,552.50 -44,800.12)	2.12	(21,552.40 -44,802.24)	10.01	(21,553.87 -44,812.14)	10.02
		(21,556.25 -44,821.87)	4.07	(21,557.51 -44,825.74)	10.73	(21,561.83 -44,835.56)	5.06
		(21,563.90 -44,840.18)	3.02	(21,564.95 -44,843.01)	4.46	(21,566.16 -44,847.30)	9.28
		(21,568.22 -44,856.35)	12.09	(21,570.84 -44,868.15)	3.08	(21,571.26 -44,871.20)	5.05
		(21,571.40 -44,876.25)	1.86	(21,571.26 -44,878.10)	4.42	(21,570.83 -44,882.50)	1.37
		(21,570.52 -44,883.83)	8.63	(21,575.35 -44,876.68)	6.54	(21,574.76 -44,870.17)	3.40
		(21,574.18 -44,866.82)	20.20	(21,569.66 -44,847.13)	5.28	(21,568.40 -44,842.00)	1.96
		(21,567.80 -44,840.13)	14.38	(21,562.21 -44,826.88)	5.09	(21,560.48 -44,822.09)	3.18
		(21,559.52 -44,819.06)	4.18	(21,558.49 -44,815.01)	6.14	(21,557.26 -44,808.99)	3.72
		(21,556.63 -44,805.32)	3.41	(21,556.38 -44,801.92)	1.80	(21,556.30 -44,800.12)	3.80
116	002- 3	(21,556.30 -44,800.12)	1.80	(21,556.38 -44,801.92)	3.41	(21,556.63 -44,805.32)	3.72
		(21,557.26 -44,808.99)	6.14	(21,558.49 -44,815.01)	4.18	(21,559.52 -44,819.06)	3.18
		(21,560.48 -44,822.09)	5.09	(21,562.21 -44,826.88)	14.38	(21,567.80 -44,840.13)	1.96
		(21,568.40 -44,842.00)	5.28	(21,569.66 -44,847.13)	20.20	(21,574.18 -44,866.82)	3.40
		(21,574.76 -44,870.17)	6.54	(21,575.35 -44,876.68)	0.69	(21,576.04 -44,876.68)	6.53
		(21,575.54 -44,870.17)	3.52	(21,574.86 -44,866.72)	20.31	(21,570.43 -44,846.90)	5.44
		(21,569.08 -44,841.63)	1.82	(21,568.50 -44,839.90)	14.49	(21,562.82 -44,826.57)	4.93

地区 ..003

作業 .. 49

原図番号 .. N1 43-2

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -45,000.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,561.20 -44,821.91)	3.27	(21,560.17 -44,818.81)	4.07	(21,559.19 -44,814.86)	6.21
		(21,558.04 -44,808.76)	3.79	(21,557.41 -44,805.02)	3.33	(21,557.10 -44,801.70)	1.58
		(21,557.05 -44,800.12)	0.75				
116	601- 6	(1/ 2)					
		(21,557.05 -44,800.12)	1.58	(21,557.10 -44,801.70)	12.01	(21,568.92 -44,803.80)	3.79
		(21,569.75 -44,800.10)	12.70				
116	601- 2	(3/ 4)					
		(21,569.75 -44,800.10)	3.79	(21,568.92 -44,803.80)	12.64	(21,581.08 -44,807.26)	12.53
		(21,593.21 -44,810.40)	1.95	(21,593.66 -44,808.50)	6.51	(21,600.04 -44,809.81)	9.67
		(21,600.03 -44,800.14)	30.28				
116	601- 4	(2/ 2)					
		(21,600.04 -44,809.81)	6.51	(21,593.66 -44,808.50)	1.95	(21,593.21 -44,810.40)	12.53
		(21,581.08 -44,807.26)	12.64	(21,568.92 -44,803.80)	12.01	(21,557.10 -44,801.70)	3.33
		(21,557.41 -44,805.02)	3.79	(21,558.04 -44,808.76)	6.21	(21,559.19 -44,814.86)	4.07
		(21,560.17 -44,818.81)	3.27	(21,561.20 -44,821.91)	4.93	(21,562.82 -44,826.57)	14.21
		(21,576.89 -44,828.57)	15.87	(21,579.89 -44,812.99)	20.66	(21,600.02 -44,817.66)	7.85
116	602- 1	(2/ 2)					
		(21,600.02 -44,817.66)	20.66	(21,579.89 -44,812.99)	15.87	(21,576.89 -44,828.57)	14.21
		(21,562.82 -44,826.57)	14.49	(21,568.50 -44,839.90)	16.15	(21,584.30 -44,843.23)	1.16
		(21,585.18 -44,843.98)	8.74	(21,593.66 -44,846.11)	10.06	(21,598.35 -44,837.21)	3.55
		(21,599.99 -44,834.06)	16.40				
116	002- 2						
		(21,599.99 -44,834.06)	3.55	(21,598.35 -44,837.21)	10.06	(21,593.66 -44,846.11)	4.89
		(21,591.61 -44,850.55)	5.60	(21,590.22 -44,855.97)	4.57	(21,586.92 -44,859.13)	7.67
		(21,583.01 -44,865.73)	12.98	(21,576.04 -44,876.68)	3.56	(21,579.03 -44,878.62)	2.81
		(21,581.32 -44,880.24)	13.66	(21,588.39 -44,868.55)	15.49	(21,595.85 -44,854.97)	4.16
		(21,596.55 -44,850.87)	4.17	(21,596.98 -44,846.72)	6.91	(21,600.00 -44,840.51)	6.45
116	606	(3/ 3)					
		(21,600.00 -44,840.51)	6.91	(21,596.98 -44,846.72)	4.17	(21,596.55 -44,850.87)	3.55
		(21,600.01 -44,851.66)	11.15				
101	002- 1						
		(21,600.01 -44,851.66)	3.55	(21,596.55 -44,850.87)	4.16	(21,595.85 -44,854.97)	4.30
		(21,600.02 -44,856.01)	4.35				
101	279	(2/ 2)					
		(21,600.02 -44,856.01)	4.30	(21,595.85 -44,854.97)	15.49	(21,588.39 -44,868.55)	13.66
		(21,581.32 -44,880.24)	5.36	(21,578.36 -44,884.71)	6.20	(21,575.71 -44,890.31)	24.35
		(21,600.01 -44,891.86)	35.85				
101	281	(2/ 2)					
		(21,600.01 -44,891.86)	24.35	(21,575.71 -44,890.31)	23.84	(21,565.40 -44,911.81)	34.74
		(21,600.04 -44,914.41)	22.55				
101	282- 1	(2/ 2)					
		(21,600.04 -44,914.41)	34.74	(21,565.40 -44,911.81)	4.72	(21,563.45 -44,916.11)	3.22
		(21,562.50 -44,919.19)	4.31	(21,566.73 -44,920.00)	15.33	(21,581.95 -44,921.86)	3.81
		(21,585.75 -44,922.18)	4.29	(21,590.03 -44,922.50)	9.33	(21,599.35 -44,922.91)	0.65
		(21,600.00 -44,922.86)	8.45				
100	001- 12						
		(21,600.00 -44,922.86)	0.65	(21,599.35 -44,922.91)	9.33	(21,590.03 -44,922.50)	4.29
		(21,585.75 -44,922.18)	3.81	(21,581.95 -44,921.86)	15.33	(21,566.73 -44,920.00)	4.31
		(21,562.50 -44,919.19)	2.44	(21,560.92 -44,921.05)	5.74	(21,566.58 -44,922.03)	15.40
		(21,581.88 -44,923.81)	1.59	(21,583.46 -44,923.95)	2.63	(21,586.08 -44,924.18)	4.21
		(21,590.28 -44,924.47)	9.19	(21,599.46 -44,924.81)	0.60	(21,600.06 -44,924.81)	1.95
100	227	(2/ 2)					

地区 ..003 作業 .. 49 原図番号 .. N1 43-2 縮尺 ..1/ 500 基準点 ..X 21,450.00..Y -45,000.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,600.06 -44,924.81)	0.60	(21,599.46 -44,924.81)	9.19	(21,590.28 -44,924.47)	4.21
		(21,586.08 -44,924.18)	2.63	(21,583.46 -44,923.95)	18.51	(21,582.74 -44,942.45)	15.99
		(21,584.15 -44,958.38)	1.68	(21,585.80 -44,958.06)	1.81	(21,585.95 -44,959.86)	14.16
		(21,600.00 -44,958.06)	33.25				
100	223	(2/ 2)					
		(21,600.00 -44,958.06)	14.16	(21,585.95 -44,959.86)	23.33	(21,587.93 -44,983.11)	9.41
		(21,597.23 -44,981.67)	0.80	(21,597.88 -44,982.14)	2.38	(21,598.07 -44,984.51)	1.92
		(21,599.98 -44,984.31)	26.25				
78	1259	(3/ 3)					
		(21,599.98 -44,984.31)	1.92	(21,598.07 -44,984.51)	1.55	(21,598.18 -44,986.06)	1.86
		(21,600.03 -44,985.86)	1.55				
78	1257	(4/ 4)					
		(21,600.03 -44,985.86)	1.86	(21,598.18 -44,986.06)	1.76	(21,596.42 -44,986.15)	13.13
		(21,597.72 -44,999.22)	0.90	(21,597.78 -45,000.12)	2.22	(21,600.00 -45,000.11)	14.25
78	1260-	1 (2/ 2)					
		(21,597.78 -45,000.12)	0.90	(21,597.72 -44,999.22)	13.13	(21,596.42 -44,986.15)	2.02
		(21,596.23 -44,984.14)	0.92	(21,595.43 -44,983.69)	7.39	(21,588.13 -44,984.83)	52.11
		(21,536.62 -44,992.69)	5.32	(21,539.02 -44,997.44)	3.16	(21,540.75 -45,000.09)	57.03
78	002-	10					
		(21,540.75 -45,000.09)	3.16	(21,539.02 -44,997.44)	5.32	(21,536.62 -44,992.69)	1.85
		(21,534.79 -44,992.99)	3.92	(21,536.35 -44,996.59)	3.96	(21,538.20 -45,000.09)	2.55
78	001-	11					
		(21,538.20 -45,000.09)	3.96	(21,536.35 -44,996.59)	3.92	(21,534.79 -44,992.99)	4.35
		(21,530.49 -44,993.65)	5.33	(21,532.60 -44,998.55)	1.72	(21,533.45 -45,000.05)	4.75
102	288	(2/ 2)					
		(21,533.45 -45,000.05)	1.72	(21,532.60 -44,998.55)	5.33	(21,530.49 -44,993.65)	3.18
		(21,529.24 -44,990.73)	2.32	(21,528.51 -44,988.53)	9.18	(21,526.27 -44,979.63)	2.10
		(21,525.89 -44,977.56)	3.85	(21,522.07 -44,977.06)	2.55	(21,519.93 -44,975.68)	22.09
		(21,499.03 -44,982.84)	17.86	(21,503.70 -45,000.08)	29.75		
102	(287)	(2/ 2)					
		(21,503.70 -45,000.08)	17.86	(21,499.03 -44,982.84)	38.64	(21,488.02 -44,945.80)	8.10
		(21,480.54 -44,948.91)	7.96	(21,473.64 -44,952.87)	2.95	(21,471.27 -44,954.62)	3.13
		(21,470.30 -44,957.60)	15.14	(21,473.82 -44,972.32)	24.34	(21,478.50 -44,996.21)	3.22
		(21,478.51 -44,999.43)	0.93	(21,479.20 -45,000.06)	24.50		
102	293	(2/ 2)					
		(21,479.20 -45,000.06)	0.93	(21,478.51 -44,999.43)	0.63	(21,478.50 -45,000.06)	0.70
102	002-	8					
		(21,478.50 -45,000.06)	0.63	(21,478.51 -44,999.43)	3.22	(21,478.50 -44,996.21)	24.34
		(21,473.82 -44,972.32)	15.14	(21,470.30 -44,957.60)	3.13	(21,471.27 -44,954.62)	2.95
		(21,473.64 -44,952.87)	7.96	(21,480.54 -44,948.91)	8.10	(21,488.02 -44,945.80)	8.87
		(21,495.85 -44,941.64)	8.74	(21,502.24 -44,935.68)	9.27	(21,509.81 -44,930.33)	6.44
		(21,515.04 -44,926.57)	22.18	(21,536.93 -44,922.99)	14.88	(21,551.69 -44,924.87)	1.14
		(21,552.00 -44,923.77)	1.87	(21,552.75 -44,922.06)	1.93	(21,550.85 -44,922.42)	5.10
		(21,545.90 -44,921.21)	9.12	(21,536.80 -44,920.54)	7.05	(21,529.75 -44,920.80)	9.85
		(21,519.94 -44,921.66)	7.37	(21,513.28 -44,924.82)	4.96	(21,509.38 -44,927.88)	6.93
		(21,503.82 -44,932.01)	5.91	(21,498.99 -44,935.41)	8.55	(21,492.03 -44,940.37)	5.37
		(21,487.08 -44,942.45)	10.20	(21,477.58 -44,946.17)	5.05	(21,473.19 -44,948.67)	6.40
		(21,468.42 -44,952.93)	2.86	(21,466.59 -44,955.13)	6.23	(21,467.43 -44,961.30)	8.05
		(21,469.94 -44,968.95)	25.84	(21,473.82 -44,994.50)	4.73	(21,475.62 -44,998.87)	1.17
		(21,475.85 -45,000.02)	2.65				
102	001-	9					
		(21,475.85 -45,000.02)	1.17	(21,475.62 -44,998.87)	4.73	(21,473.82 -44,994.50)	25.84

地区 ..003

作業 .. 49

原図番号 .. N1 43-2

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -45,000.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,469.94 -44,968.95)	8.05	(21,467.43 -44,961.30)	6.23	(21,466.59 -44,955.13)	2.86
		(21,468.42 -44,952.93)	6.40	(21,473.19 -44,948.67)	5.05	(21,477.58 -44,946.17)	5.30
		(21,472.28 -44,946.37)	0.67	(21,472.43 -44,947.02)	6.20	(21,467.64 -44,950.95)	5.33
		(21,463.94 -44,954.78)	6.72	(21,465.18 -44,961.38)	2.88	(21,465.86 -44,964.18)	9.31
		(21,468.04 -44,973.23)	22.42	(21,471.72 -44,995.35)	4.51	(21,473.20 -44,999.61)	0.47
		(21,473.30 -45,000.07)	2.55				
102	295	(21,473.30 -45,000.07)	0.47	(21,473.20 -44,999.61)	4.19	(21,469.03 -45,000.05)	4.27
102	286-2	(21,499.03 -44,982.84)	22.09	(21,519.93 -44,975.68)	13.12	(21,517.10 -44,962.87)	12.14
		(21,505.26 -44,965.56)	20.03	(21,501.01 -44,945.99)	12.04	(21,512.76 -44,943.37)	13.37
		(21,509.81 -44,930.33)	9.27	(21,502.24 -44,935.68)	8.74	(21,495.85 -44,941.64)	8.87
		(21,488.02 -44,945.80)	38.64				
102	286-1	(21,512.76 -44,943.37)	12.04	(21,501.01 -44,945.99)	20.03	(21,505.26 -44,965.56)	12.14
		(21,517.10 -44,962.87)	19.98				
102	285	(21,517.10 -44,962.87)	13.12	(21,519.93 -44,975.68)	2.55	(21,522.07 -44,977.06)	3.85
		(21,525.89 -44,977.56)	1.45	(21,525.90 -44,976.11)	1.53	(21,526.37 -44,974.65)	3.06
		(21,527.81 -44,971.95)	3.42	(21,525.64 -44,969.31)	3.51	(21,524.26 -44,966.08)	14.87
		(21,519.99 -44,951.84)	12.31	(21,517.12 -44,939.87)	13.46	(21,515.04 -44,926.57)	6.44
		(21,509.81 -44,930.33)	13.37	(21,512.76 -44,943.37)	19.98		
102	284	(21,551.69 -44,924.87)	14.88	(21,536.93 -44,922.99)	22.18	(21,515.04 -44,926.57)	13.46
		(21,517.12 -44,939.87)	12.31	(21,519.99 -44,951.84)	14.87	(21,524.26 -44,966.08)	3.51
		(21,525.64 -44,969.31)	3.42	(21,527.81 -44,971.95)	52.79		
102	001-10	(21,533.29 -44,988.72)	2.47	(21,532.81 -44,986.30)	3.82	(21,532.40 -44,982.50)	3.15
		(21,532.37 -44,979.35)	3.29	(21,532.67 -44,976.07)	2.86	(21,533.17 -44,973.25)	3.92
		(21,534.21 -44,969.47)	4.13	(21,535.76 -44,965.64)	5.21	(21,538.20 -44,961.04)	44.62
		(21,558.53 -44,921.32)	5.83	(21,552.75 -44,922.06)	1.87	(21,552.00 -44,923.77)	1.14
		(21,551.69 -44,924.87)	52.79	(21,527.81 -44,971.95)	3.06	(21,526.37 -44,974.65)	1.53
		(21,525.90 -44,976.11)	1.45	(21,525.89 -44,977.56)	2.10	(21,526.27 -44,979.63)	9.18
		(21,528.51 -44,988.53)	2.32	(21,529.24 -44,990.73)	3.18	(21,530.49 -44,993.65)	4.35
		(21,534.79 -44,992.99)	4.53				
102	002-9	(21,534.79 -44,992.99)	1.85	(21,536.62 -44,992.69)	2.59	(21,535.79 -44,990.24)	3.60
		(21,534.93 -44,986.74)	7.17	(21,534.37 -44,979.59)	5.90	(21,534.97 -44,973.72)	7.99
		(21,537.64 -44,966.19)	29.68	(21,551.11 -44,939.74)	18.17	(21,559.53 -44,923.64)	2.94
		(21,560.92 -44,921.05)	2.41	(21,558.53 -44,921.32)	44.62	(21,538.20 -44,961.04)	5.21
		(21,535.76 -44,965.64)	4.13	(21,534.21 -44,969.47)	3.92	(21,533.17 -44,973.25)	2.86
		(21,532.67 -44,976.07)	3.29	(21,532.37 -44,979.35)	3.15	(21,532.40 -44,982.50)	3.82
		(21,532.81 -44,986.30)	2.47	(21,533.29 -44,988.72)	4.53		
100	224-1	(21,534.97 -44,973.72)	5.90	(21,534.37 -44,979.59)	7.17	(21,534.93 -44,986.74)	3.60
		(21,535.79 -44,990.24)	2.59	(21,536.62 -44,992.69)	52.11	(21,588.13 -44,984.83)	1.73
		(21,587.93 -44,983.11)	23.33	(21,585.95 -44,959.86)	1.81	(21,585.80 -44,958.06)	1.68
		(21,584.15 -44,958.58)	47.16	(21,585.64 -44,966.19)	7.99		
100	225	(21,537.64 -44,966.19)	47.16	(21,584.15 -44,958.38)	15.99	(21,582.74 -44,942.45)	31.75
		(21,551.11 -44,939.74)	29.68				
100	226						

地区 ..003

作業 .. 49

原図番号 .. N1 43-2

縮尺 .. 1/ 500

基準点 .. X 21,450.00 .. Y -45,000.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,551.11 -44,939.74)	31.75	(21,582.74 -44,942.45)	18.51	(21,583.46 -44,923.95)	1.59
		(21,581.88 -44,923.81)	15.40	(21,566.58 -44,922.03)	5.74	(21,560.92 -44,921.05)	2.94
		(21,559.53 -44,923.64)	18.17				
100	222	(21,587.93 -44,983.11)	1.73	(21,588.13 -44,984.83)	7.39	(21,595.43 -44,983.69)	0.92
		(21,596.23 -44,984.14)	2.02	(21,596.42 -44,986.15)	1.76	(21,598.18 -44,986.06)	1.55
		(21,598.07 -44,984.51)	2.38	(21,597.88 -44,982.14)	0.80	(21,597.23 -44,981.67)	9.41
116	604- 1	(21,576.04 -44,876.68)	12.98	(21,583.01 -44,865.73)	7.67	(21,586.92 -44,859.13)	4.57
		(21,590.22 -44,855.97)	5.60	(21,591.61 -44,850.55)	4.89	(21,593.66 -44,846.11)	8.74
		(21,585.18 -44,843.98)	1.16	(21,584.30 -44,843.23)	16.15	(21,568.50 -44,839.90)	1.82
		(21,569.08 -44,841.63)	5.44	(21,570.43 -44,846.90)	20.31	(21,574.86 -44,866.72)	3.52
		(21,575.54 -44,870.17)	6.53				
103	315	(21,571.26 -44,878.10)	1.86	(21,571.40 -44,876.25)	5.05	(21,571.26 -44,871.20)	3.08
		(21,570.84 -44,868.15)	12.09	(21,568.22 -44,856.35)	26.53	(21,542.24 -44,861.73)	2.74
		(21,542.53 -44,864.45)	24.06	(21,546.48 -44,888.18)	19.19	(21,565.61 -44,886.67)	10.26
103	313- 1	(21,565.61 -44,886.67)	19.19	(21,546.48 -44,888.18)	12.67	(21,533.91 -44,889.79)	15.80
		(21,518.32 -44,892.38)	2.49	(21,518.87 -44,894.81)	22.63	(21,524.35 -44,916.77)	1.55
		(21,525.17 -44,915.46)	18.90	(21,543.84 -44,912.53)	3.38	(21,547.17 -44,911.93)	2.85
		(21,549.34 -44,910.08)	3.72	(21,551.78 -44,907.27)	24.81		
103	001- 3	(21,550.49 -44,911.52)	4.69	(21,553.59 -44,908.00)	30.78	(21,570.83 -44,882.50)	4.42
		(21,571.26 -44,878.10)	10.26	(21,565.61 -44,886.67)	24.81	(21,551.78 -44,907.27)	3.72
		(21,549.34 -44,910.08)	2.85	(21,547.17 -44,911.93)	3.35		
103	312- 2	(21,554.99 -44,913.04)	8.61	(21,546.44 -44,914.03)	2.26	(21,544.24 -44,914.53)	18.29
		(21,526.15 -44,917.20)	2.39	(21,524.90 -44,919.24)	29.43	(21,554.04 -44,915.13)	2.30
103	312- 1	(21,554.04 -44,915.13)	29.43	(21,524.90 -44,919.24)	1.22	(21,523.85 -44,919.86)	4.30
		(21,519.94 -44,921.66)	9.85	(21,529.75 -44,920.80)	7.05	(21,536.80 -44,920.54)	9.12
		(21,545.90 -44,921.21)	5.10	(21,550.85 -44,922.42)	7.96		
103	002- 5	(21,550.85 -44,922.42)	1.93	(21,552.75 -44,922.06)	6.55	(21,555.32 -44,916.04)	5.02
		(21,556.74 -44,911.22)	30.72	(21,571.18 -44,884.10)	0.71	(21,570.52 -44,883.83)	30.64
		(21,556.04 -44,910.83)	2.47	(21,554.99 -44,913.07)	2.27	(21,554.04 -44,915.13)	7.96
103	313- 4	(21,556.04 -44,910.83)	30.64	(21,570.52 -44,883.83)	1.37	(21,570.85 -44,882.50)	30.79
		(21,553.59 -44,908.00)	4.69	(21,550.49 -44,911.52)	5.59		
103	001- 2	(21,552.75 -44,922.06)	5.83	(21,558.53 -44,921.32)	3.48	(21,560.10 -44,918.21)	2.49
		(21,561.27 -44,916.01)	35.54	(21,576.66 -44,883.97)	5.85	(21,579.03 -44,878.62)	3.56
		(21,576.04 -44,876.68)	0.69	(21,575.35 -44,876.68)	8.63	(21,570.52 -44,883.83)	0.71
		(21,571.18 -44,884.10)	30.72	(21,556.74 -44,911.22)	5.02	(21,555.32 -44,916.04)	6.55
103	002- 4	(21,558.53 -44,921.32)	2.41	(21,560.92 -44,921.05)	2.44	(21,562.50 -44,919.19)	3.22
		(21,565.45 -44,916.11)	4.72	(21,565.40 -44,911.81)	25.84	(21,575.71 -44,890.51)	6.20
		(21,578.36 -44,884.71)	5.36	(21,581.32 -44,880.24)	2.81	(21,579.03 -44,878.62)	5.85
		(21,576.66 -44,883.97)	35.54	(21,561.27 -44,916.01)	2.49	(21,560.10 -44,918.21)	3.48
103	314	(21,546.48 -44,888.18)	24.06	(21,542.53 -44,864.45)	29.70	(21,513.34 -44,869.94)	4.48

地区 ..003

作業 .. 49

原図番号 .. N1 43-2

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -45,000.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

103	316	(21,514.42 -44,874.29)	11.31	(21,517.03 -44,885.29)	2.46	(21,517.81 -44,887.62)	4.79
		(21,518.32 -44,892.38)	15.80	(21,533.91 -44,889.79)	12.67		
103	317	(21,542.24 -44,861.73)	26.53	(21,568.22 -44,856.35)	9.28	(21,566.16 -44,847.30)	4.46
		(21,564.95 -44,843.01)	3.02	(21,563.90 -44,840.18)	5.06	(21,561.83 -44,835.56)	10.64
		(21,551.47 -44,838.00)	4.30	(21,550.27 -44,833.87)	12.55	(21,538.01 -44,836.57)	10.71
		(21,539.31 -44,847.20)	14.82				
103	318	(21,539.31 -44,847.20)	27.46	(21,512.53 -44,853.27)	0.52	(21,512.02 -44,853.37)	2.96
		(21,511.82 -44,856.32)	4.74	(21,512.08 -44,861.05)	5.14	(21,512.48 -44,866.17)	3.34
		(21,513.24 -44,869.42)	0.53	(21,513.34 -44,869.94)	29.70	(21,542.53 -44,864.45)	2.74
		(21,542.24 -44,861.73)	14.82				
103	319- 1	(21,539.31 -44,847.20)	10.71	(21,538.01 -44,836.57)	13.46	(21,535.50 -44,823.35)	9.97
		(21,525.66 -44,824.93)	0.78	(21,525.56 -44,824.16)	13.71	(21,512.05 -44,826.52)	0.80
		(21,511.26 -44,826.65)	11.35	(21,512.10 -44,837.97)	15.31	(21,512.53 -44,853.27)	27.46
		(21,539.31 -44,847.20)	0.00				
103	321- 2	(21,538.01 -44,836.57)	12.55	(21,550.27 -44,833.87)	4.30	(21,551.47 -44,838.00)	10.64
		(21,561.83 -44,835.56)	10.73	(21,557.51 -44,825.74)	4.07	(21,556.25 -44,821.87)	10.02
		(21,553.87 -44,812.14)	10.01	(21,552.40 -44,802.24)	19.75	(21,532.93 -44,805.55)	3.11
		(21,533.33 -44,808.63)	14.88	(21,535.50 -44,823.35)	13.46		
103	324- 7	(21,535.50 -44,823.35)	14.88	(21,533.33 -44,808.63)	21.56	(21,512.21 -44,812.97)	13.55
		(21,512.05 -44,826.52)	13.71	(21,525.56 -44,824.16)	0.78	(21,525.66 -44,824.93)	9.97
		(21,535.50 -44,823.35)	0.00				
103	324- 6	(21,510.37 -44,812.70)	0.31	(21,510.06 -44,812.68)	14.09	(21,509.98 -44,826.77)	5.33
		(21,510.34 -44,832.09)	6.15	(21,510.80 -44,838.22)	15.26	(21,511.28 -44,853.47)	0.29
		(21,511.57 -44,853.45)	15.41	(21,511.07 -44,838.05)	11.28	(21,510.26 -44,826.80)	14.10
103	324- 1	(21,510.06 -44,812.68)	3.07	(21,506.99 -44,812.53)	14.02	(21,493.91 -44,807.49)	13.83
		(21,484.51 -44,817.64)	14.06	(21,491.19 -44,830.01)	4.20	(21,495.37 -44,830.46)	15.06
		(21,510.34 -44,832.09)	5.33	(21,509.98 -44,826.77)	14.09		
103	325- 8	(21,510.34 -44,832.09)	15.06	(21,495.37 -44,830.46)	29.17	(21,496.54 -44,859.61)	14.86
		(21,511.07 -44,856.51)	3.05	(21,511.28 -44,853.47)	15.26	(21,510.80 -44,838.22)	6.15
103	325- 9	(21,491.19 -44,830.01)	14.06	(21,484.51 -44,817.64)	14.36	(21,474.80 -44,828.22)	16.49
		(21,474.80 -44,828.22)	0.47	(21,474.47 -44,827.88)	9.77	(21,468.17 -44,835.35)	6.69
		(21,474.82 -44,836.12)	13.75	(21,480.56 -44,848.61)	14.14	(21,483.18 -44,862.51)	13.67
103	325- 7	(21,496.54 -44,859.61)	29.17	(21,495.37 -44,830.46)	4.20	(21,491.19 -44,830.01)	16.49
		(21,474.82 -44,836.12)	6.69	(21,468.17 -44,835.35)	14.38	(21,469.69 -44,849.65)	10.92
		(21,480.56 -44,848.61)	13.75				
103	326	(21,480.56 -44,848.61)	10.92	(21,469.69 -44,849.65)	14.38	(21,468.17 -44,855.35)	14.70
		(21,458.36 -44,846.30)	21.27	(21,462.68 -44,867.13)	1.33	(21,464.00 -44,866.95)	13.92
		(21,477.54 -44,863.73)	5.77	(21,483.18 -44,862.51)	14.14		
103	326	(21,483.18 -44,862.51)	5.77	(21,477.54 -44,863.73)	30.40	(21,484.52 -44,893.32)	16.30

地区 ..003 作業 .. 49 原図番号 .. N1 43-2 縮尺 ..1/ 500 基準点 ..X 21,450.00..Y -45,000.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,500.36 -44,889.47)	16.43	(21,516.32 -44,885.58)	15.88	(21,512.49 -44,870.17)	4.30
		(21,511.43 -44,866.00)	4.85	(21,511.28 -44,861.15)	4.64	(21,511.07 -44,856.51)	14.86
		(21,496.54 -44,859.61)	13.67				
103	327	(21,477.54 -44,863.73)	13.92	(21,464.00 -44,866.95)	7.27	(21,464.27 -44,874.21)	4.47
		(21,464.70 -44,878.66)	4.00	(21,465.20 -44,882.63)	3.91	(21,466.01 -44,886.46)	3.57
103	310	(21,467.19 -44,889.83)	7.88	(21,469.44 -44,897.38)	15.62	(21,484.52 -44,893.32)	30.40
		(21,484.52 -44,893.32)	15.62	(21,469.44 -44,897.38)	19.45	(21,473.85 -44,916.32)	11.68
		(21,475.78 -44,927.84)	6.09	(21,476.47 -44,933.89)	9.96	(21,477.18 -44,943.82)	8.75
		(21,485.48 -44,941.06)	5.88	(21,490.87 -44,938.70)	8.56	(21,497.92 -44,933.84)	5.97
		(21,502.71 -44,930.28)	7.90	(21,509.01 -44,925.51)	37.06	(21,500.36 -44,889.47)	16.30
103	311	(21,500.36 -44,889.47)	37.06	(21,509.01 -44,925.51)	4.37	(21,512.53 -44,922.92)	12.51
		(21,523.85 -44,917.59)	22.73	(21,518.24 -44,895.56)	3.10	(21,517.62 -44,892.52)	4.71
		(21,516.86 -44,887.87)	2.35	(21,516.32 -44,885.58)	16.43		
103	325- 3	(21,463.72 -44,831.68)	8.00	(21,455.72 -44,831.76)	7.32	(21,457.03 -44,838.96)	9.89
103	324- 5	(21,493.91 -44,807.49)	14.02	(21,506.99 -44,812.53)	3.07	(21,510.06 -44,812.68)	12.38
		(21,509.18 -44,800.33)	0.30	(21,509.00 -44,800.09)	9.04	(21,499.97 -44,800.59)	9.18