

地区..003 作業..50 原図番号..N1 43-3 縮尺..1/ 500 基準点..X 21,300.00..Y -45,200.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(	21,300.00	-45,200.00)	50.03	(	21,350.03	-45,200.06)	50.00	(	21,400.03	-45,200.05)	49.95	
		(	21,449.98	-45,200.14)	50.00	(	21,450.01	-45,150.14)	50.05	(	21,450.00	-45,100.09)	49.95	
		(	21,449.94	-45,050.14)	50.00	(	21,449.98	-45,000.14)	50.00	(	21,399.98	-45,000.10)	50.00	
		(	21,349.98	-45,000.06)	49.98	(	21,300.00	-45,000.05)	49.97	(	21,299.99	-45,050.02)	49.95	
		(	21,300.00	-45,099.97)	50.05	(	21,300.01	-45,150.02)	49.98					
104	002-	6	(	21,303.23	-45,150.48)	28.66	(	21,329.28	-45,138.52)	6.73	(	21,335.25	-45,135.42)	10.19
		(	21,344.68	-45,131.55)	5.47	(	21,344.54	-45,126.08)	6.41	(	21,339.14	-45,129.53)	40.99	
		(	21,301.96	-45,146.78)	3.91									
104	359-	3	(	1/ 2)										
		(	21,299.99	-45,147.35)	2.05	(	21,301.96	-45,146.78)	40.99	(	21,339.14	-45,129.53)	6.41	
		(	21,344.54	-45,126.08)	3.16	(	21,344.10	-45,122.95)	47.85	(	21,300.04	-45,141.62)	5.73	
104	359-	1	(	1/ 2)										
		(	21,300.04	-45,141.62)	47.85	(	21,344.10	-45,122.95)	17.12	(	21,341.80	-45,105.99)	45.47	
		(	21,299.93	-45,123.72)	17.90									
104	357-	2	(	1/ 2)										
		(	21,299.93	-45,123.72)	45.47	(	21,341.80	-45,105.99)	11.74	(	21,340.24	-45,094.35)	43.70	
		(	21,299.97	-45,111.32)	12.40									
104	357-	1	(	1/ 2)										
		(	21,299.97	-45,111.32)	43.70	(	21,340.24	-45,094.35)	30.73	(	21,346.43	-45,064.25)	0.63	
		(	21,346.27	-45,063.64)	2.57	(	21,343.70	-45,063.79)	0.70	(	21,343.70	-45,064.49)	29.99	
		(	21,313.73	-45,065.50)	32.65	(	21,299.99	-45,095.12)	16.20					
104	355-	1	(	1/ 2)										
		(	21,299.98	-45,081.10)	12.79	(	21,305.35	-45,069.49)	5.43	(	21,299.98	-45,070.32)	10.78	
104	354-	3	(	1/ 2)										
		(	21,299.98	-45,070.32)	5.43	(	21,305.35	-45,069.49)	4.13	(	21,307.09	-45,065.74)	7.11	
		(	21,299.99	-45,066.12)	4.20									
104	353-	2	(	1/ 2)										
		(	21,299.99	-45,066.12)	7.11	(	21,307.09	-45,065.74)	19.26	(	21,315.19	-45,048.27)	15.21	
		(	21,299.99	-45,048.92)	17.20									
104	351-	1	(	1/ 2)										
		(	21,299.99	-45,048.92)	15.21	(	21,315.19	-45,048.27)	35.39	(	21,329.52	-45,015.91)	29.60	
		(	21,299.95	-45,017.27)	31.65									
104	344-	1	(	1/ 4)										
		(	21,300.00	-45,000.05)	1.07	(	21,300.00	-45,001.12)	1.19	(	21,300.48	-45,000.03)	0.48	
104	002-	8	(	21,300.48	-45,000.03)	1.19	(	21,300.00	-45,001.12)	2.63	(	21,299.99	-45,003.75)	4.09
		(	21,301.68	-45,000.03)	1.20									
104	352-	1	(	1/ 3)										
		(	21,301.68	-45,000.03)	4.09	(	21,299.99	-45,003.75)	13.52	(	21,299.95	-45,017.27)	29.60	
		(	21,329.52	-45,015.91)	17.46	(	21,336.88	-45,000.08)	35.20					
104	001-	3	(	21,336.88	-45,000.08)	17.46	(	21,329.52	-45,015.91)	35.39	(	21,315.19	-45,048.27)	19.26
		(	21,307.09	-45,065.74)	4.13	(	21,305.35	-45,069.49)	12.79	(	21,299.98	-45,081.10)	14.02	
		(	21,299.99	-45,095.12)	32.65	(	21,313.73	-45,065.50)	72.06	(	21,343.98	-45,000.10)	7.10	
104	353-	1	(	1/ 2)										
		(	21,343.98	-45,000.10)	72.06	(	21,313.73	-45,065.50)	29.99	(	21,343.70	-45,064.49)	0.70	
		(	21,343.70	-45,063.79)	6.00	(	21,343.67	-45,057.79)	1.40	(	21,343.67	-45,056.39)	4.60	
		(	21,344.41	-45,051.85)	7.41	(	21,347.43	-45,045.08)	5.88	(	21,348.57	-45,039.31)	9.08	
		(	21,348.69	-45,030.23)	11.45	(	21,347.92	-45,018.81)	4.04	(	21,347.63	-45,014.78)	6.09	
		(	21,346.75	-45,008.75)	8.98	(	21,344.53	-45,000.05)	0.55					

地区 ..003 作業 .. 50 原図番号 .. N1 43-3 縮尺 ..1/ 500 基準点 ..X 21,300.00..Y -45,200.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

104	002- 7	(@ 21,344.53 -45,000.05)	8.98	(21,346.75 -45,008.75)	6.09	(21,347.63 -45,014.78)	4.04
		(21,347.92 -45,018.81)	11.45	(21,348.69 -45,030.23)	9.08	(21,348.57 -45,039.31)	5.88
		(21,347.43 -45,045.08)	7.41	(21,344.41 -45,051.85)	4.60	(21,343.67 -45,056.39)	1.40
		(21,343.67 -45,057.79)	6.00	(21,343.70 -45,063.79)	2.57	(21,346.27 -45,063.64)	7.04
		(21,346.27 -45,056.60)	5.14	(21,347.21 -45,051.55)	7.71	(21,349.85 -45,044.31)	2.64
		(21,350.84 -45,041.86)	6.05	(21,351.08 -45,035.81)	16.19	(21,349.62 -45,019.69)	8.56
		(21,348.89 -45,011.16)	7.32	(21,348.21 -45,003.87)	3.81	(21,348.38 -45,000.06)	3.85
102	305	(1/ 2)					
		(@ 21,348.38 -45,000.06)	3.81	(21,348.21 -45,003.87)	5.31	(21,353.49 -45,004.47)	2.25
		(21,355.74 -45,004.45)	5.36	(21,360.92 -45,003.09)	7.60	(21,368.37 -45,001.59)	0.93
102	304	(1/ 2)					
		(@ 21,373.33 -45,000.08)	4.25	(21,369.26 -45,001.31)	25.81	(21,376.65 -45,026.04)	4.45
		(21,377.96 -45,030.29)	48.62	(21,423.67 -45,013.71)	9.39	(21,421.34 -45,004.61)	4.88
102	002- 1	(21,419.48 -45,000.10)	46.15				
		(@ 21,419.48 -45,000.10)	4.88	(21,421.34 -45,004.61)	9.39	(21,423.67 -45,013.71)	4.02
		(21,424.90 -45,017.54)	12.23	(21,429.60 -45,028.83)	4.97	(21,430.70 -45,033.68)	23.04
102	309	(21,435.47 -45,056.22)	2.46	(21,436.82 -45,058.28)	2.47	(21,438.96 -45,059.51)	23.35
		(21,442.92 -45,082.52)	2.36	(21,442.71 -45,084.87)	4.37	(21,447.01 -45,084.08)	2.38
		(21,446.00 -45,081.93)	23.55	(21,441.26 -45,058.86)	22.94	(21,435.22 -45,036.73)	6.86
		(21,434.37 -45,029.92)	5.85	(21,432.71 -45,024.31)	9.42	(21,428.56 -45,015.85)	11.68
		(21,424.98 -45,004.73)	3.83	(21,423.87 -45,001.06)	1.05	(21,423.43 -45,000.11)	3.95
		(@ 21,423.43 -45,000.11)	1.05	(21,423.87 -45,001.06)	3.83	(21,424.98 -45,004.73)	25.14
		(21,449.99 -45,002.14)	2.00	(21,449.98 -45,000.14)	26.55		
102	295	(3/ 3)					
		(@ 21,449.99 -45,002.14)	25.14	(21,424.98 -45,004.73)	11.68	(21,428.56 -45,015.85)	9.42
		(21,432.71 -45,024.31)	5.85	(21,434.37 -45,029.92)	6.86	(21,435.22 -45,036.73)	15.27
102	294	(21,449.99 -45,032.84)	30.70				
		(2/ 2)					
		(@ 21,449.99 -45,032.84)	15.27	(21,435.22 -45,036.73)	22.94	(21,441.26 -45,058.86)	23.55
102	002- 2	(21,446.00 -45,081.93)	2.38	(21,447.01 -45,084.08)	1.97	(21,448.92 -45,083.61)	1.18
		(21,450.00 -45,083.14)	50.30				
		(@ 21,450.00 -45,083.14)	1.18	(21,448.92 -45,083.61)	1.97	(21,447.01 -45,084.08)	4.37
		(21,442.71 -45,084.87)	31.24	(21,415.13 -45,099.54)	4.79	(21,410.68 -45,101.31)	37.56
		(21,375.86 -45,115.38)	1.24	(21,374.69 -45,115.80)	31.85	(21,344.54 -45,126.08)	5.47
		(21,344.68 -45,131.55)	13.53	(21,357.57 -45,127.43)	0.90	(21,358.43 -45,127.15)	4.92
		(21,363.13 -45,125.70)	6.04	(21,368.81 -45,123.64)	40.99	(21,406.56 -45,107.67)	29.35
79	1267	(21,432.59 -45,094.11)	10.87	(21,442.03 -45,088.72)	8.23	(21,449.99 -45,086.64)	3.50
		(2/ 2)					
		(@ 21,449.99 -45,086.64)	8.23	(21,442.03 -45,088.72)	10.87	(21,432.59 -45,094.11)	29.35
		(21,406.56 -45,107.67)	9.50	(21,409.62 -45,116.66)	7.08	(21,414.97 -45,112.02)	6.24
		(21,420.18 -45,108.58)	20.25	(21,437.83 -45,098.65)	8.78	(21,445.62 -45,094.60)	4.62
		(21,449.97 -45,093.04)	6.40				
		(2/ 2)					
79	1268	(@ 21,449.97 -45,093.04)	4.62	(21,445.62 -45,094.60)	8.78	(21,437.83 -45,098.65)	20.25
		(21,420.18 -45,108.58)	6.24	(21,414.97 -45,112.02)	7.08	(21,409.62 -45,116.66)	4.73
		(21,411.16 -45,121.13)	30.12	(21,439.74 -45,111.61)	10.86	(21,450.03 -45,108.14)	15.10
79	002- 3						

地区..003 作業.. 50 原図番号.. N1 43-3 縮尺..1/ 500 基準点..X 21,300.00..Y -45,200.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(@ 21,450.03 -45,108.14)	10.86	(21,439.74 -45,111.61)	30.12	(21,411.16 -45,121.13)	4.70
		(21,406.86 -45,123.02)	7.14	(21,400.13 -45,125.40)	16.74	(21,383.89 -45,129.48)	10.26
		(21,373.96 -45,132.08)	10.64	(21,363.65 -45,134.72)	3.11	(21,360.54 -45,134.84)	0.97
		(21,359.57 -45,134.87)	1.61	(21,359.07 -45,136.40)	0.64	(21,358.82 -45,136.99)	1.42
		(21,360.21 -45,137.28)	1.07	(21,361.26 -45,137.48)	13.81	(21,374.58 -45,133.83)	9.99
		(21,384.21 -45,131.18)	16.00	(21,399.77 -45,127.45)	9.46	(21,408.77 -45,124.52)	33.53
79	1272	(21,440.54 -45,113.81)	10.01	(21,450.02 -45,110.59)	2.45		
		(2 / 2)					
		(@ 21,450.02 -45,110.59)	10.01	(21,440.54 -45,113.81)	33.53	(21,408.77 -45,124.52)	9.78
		(21,409.33 -45,134.28)	1.65	(21,409.30 -45,135.93)	2.35	(21,409.27 -45,138.28)	5.51
		(21,408.81 -45,143.77)	3.72	(21,408.11 -45,147.42)	5.28	(21,413.29 -45,148.44)	3.89
		(21,417.17 -45,148.65)	3.32	(21,420.49 -45,148.63)	8.05	(21,428.52 -45,148.00)	21.27
79	1269	(21,449.67 -45,145.77)	18.28	(21,449.93 -45,127.49)	16.90		
		(2 / 2)					
79	1271	(@ 21,449.93 -45,127.49)	18.28	(21,449.67 -45,145.77)	0.35	(21,450.02 -45,145.74)	18.25
		(2 / 2)					
		(@ 21,450.02 -45,145.74)	0.35	(21,449.67 -45,145.77)	21.27	(21,428.52 -45,148.00)	8.05
		(21,420.49 -45,148.63)	3.32	(21,417.17 -45,148.65)	3.89	(21,413.29 -45,148.44)	5.28
		(21,408.11 -45,147.42)	18.10	(21,403.95 -45,165.04)	5.43	(21,402.51 -45,170.28)	3.94
		(21,401.22 -45,174.00)	3.78	(21,399.80 -45,177.50)	50.23	(21,450.01 -45,178.84)	33.10
80	001- 1						
		(21,450.01 -45,178.84)	50.23	(@ 21,399.80 -45,177.50)	4.32	(21,397.48 -45,181.14)	5.76
		(21,394.04 -45,185.76)	3.73	(21,391.38 -45,188.38)	2.52	(21,389.35 -45,189.87)	3.89
		(21,385.97 -45,191.79)	2.62	(21,383.55 -45,192.80)	2.10	(21,381.52 -45,193.35)	4.62
		(21,376.94 -45,193.94)	4.50	(21,372.44 -45,193.85)	4.73	(21,367.72 -45,194.16)	4.49
		(21,363.36 -45,195.25)	5.97	(21,357.65 -45,196.98)	0.96	(21,356.77 -45,197.37)	1.94
		(21,356.45 -45,199.28)	0.78	(21,356.23 -45,200.03)	0.77	(21,357.00 -45,200.06)	1.08
		(21,357.33 -45,199.03)	6.46	(21,363.43 -45,196.90)	4.93	(21,368.24 -45,195.81)	2.71
		(21,370.94 -45,195.57)	4.49	(21,375.42 -45,195.87)	5.05	(21,380.46 -45,195.62)	2.71
		(21,383.09 -45,194.95)	2.95	(21,385.87 -45,193.96)	2.80	(21,388.37 -45,192.69)	2.74
		(21,390.70 -45,191.25)	5.96	(21,395.29 -45,187.45)	5.95	(21,398.70 -45,182.57)	3.95
		(21,401.31 -45,179.60)	1.19	(21,402.48 -45,179.36)	47.52	(21,449.98 -45,180.74)	1.90
80	1284- 1	(4 / 4)					
		(21,449.98 -45,200.14)	19.40	(21,449.98 -45,180.74)	47.52	(@ 21,402.48 -45,179.36)	1.19
		(21,401.31 -45,179.60)	3.95	(21,398.70 -45,182.57)	5.95	(21,395.29 -45,187.45)	1.97
		(21,396.08 -45,189.26)	4.56	(21,397.24 -45,193.67)	6.46	(21,398.23 -45,200.05)	51.75
80	1283	(2 / 2)					
		(21,398.23 -45,200.05)	6.46	(21,397.24 -45,193.67)	4.56	(21,396.08 -45,189.26)	1.97
		(@ 21,395.29 -45,187.45)	5.96	(21,390.70 -45,191.25)	2.74	(21,388.37 -45,192.69)	2.80
		(21,385.87 -45,193.96)	2.95	(21,383.09 -45,194.95)	2.71	(21,380.46 -45,195.62)	5.05
		(21,375.42 -45,195.87)	4.23	(21,376.18 -45,200.03)	22.05		
80	1277	(2 / 2)					
		(21,376.18 -45,200.03)	4.23	(21,375.42 -45,195.87)	4.49	(@ 21,370.94 -45,195.57)	2.71
		(21,368.24 -45,195.81)	4.93	(21,363.43 -45,196.90)	6.46	(21,357.33 -45,199.03)	1.08
		(21,357.00 -45,200.06)	19.18				
86	1372	(2 / 2)					
		(21,356.23 -45,200.03)	0.78	(21,356.45 -45,199.28)	1.94	(21,356.77 -45,197.37)	12.16
		(21,357.54 -45,185.23)	13.44	(21,358.20 -45,171.81)	8.52	(21,358.45 -45,163.29)	26.07
		(21,360.21 -45,137.28)	1.42	(21,358.82 -45,136.99)	0.64	(21,359.07 -45,136.40)	2.70
		(21,356.38 -45,136.18)	2.05	(@ 21,354.33 -45,136.12)	1.84	(21,352.55 -45,136.57)	1.80
		(21,350.90 -45,137.29)	3.39	(21,348.02 -45,139.08)	6.14	(21,342.91 -45,142.49)	6.29
		(21,337.52 -45,145.73)	4.87	(21,333.13 -45,147.83)	30.22	(21,305.57 -45,160.23)	0.65

地区 ..003

作業 .. 50

原図番号 .. N1 43-3

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -45,200.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,305.08	-45,160.66)	1.65	(21,305.48	-45,162.26)	8.68	(21,307.43	-45,170.72)	3.58
		(21,308.47	-45,174.15)	1.31	(21,308.94	-45,175.37)	1.45	(21,309.52	-45,176.70)	2.85
		(21,312.04	-45,178.03)	2.66	(21,314.51	-45,179.01)	3.18	(21,317.56	-45,179.92)	3.07
		(21,320.53	-45,180.68)	21.07	(21,329.34	-45,199.82)	0.53	(21,329.83	-45,200.01)	26.40
86	1371-	2	(2/ 2)							
		(21,329.83	-45,200.01)	0.53	(21,329.34	-45,199.82)	0.24	(21,329.32	-45,200.06)	0.51
86	1371-	1	(2/ 2)							
		(21,329.32	-45,200.06)	0.24	(21,329.34	-45,199.82)	21.07	(21,320.53	-45,180.68)	3.07
		(21,317.56	-45,179.92)	3.18	(21,314.51	-45,179.01)	2.66	(21,312.04	-45,178.03)	2.85
		(21,309.52	-45,176.70)	21.39	(21,305.17	-45,197.64)	2.41	(21,304.65	-45,199.99)	24.67
86	1368-	1	(2/ 4)							
		(21,304.65	-45,199.99)	2.41	(21,305.17	-45,197.64)	0.91	(21,304.26	-45,197.64)	4.36
		(21,299.98	-45,196.82)	3.18	(21,300.00	-45,200.00)	4.65			
86	1375		(1/ 2)							
		(21,299.98	-45,196.82)	4.36	(21,304.26	-45,197.64)	0.91	(21,305.17	-45,197.64)	21.39
		(21,309.52	-45,176.70)	1.45	(21,308.94	-45,175.37)	1.31	(21,308.47	-45,174.15)	3.58
		(21,307.43	-45,170.72)	8.68	(21,305.48	-45,162.26)	1.65	(21,305.08	-45,160.66)	0.65
		(21,305.57	-45,160.23)	10.03	(21,303.23	-45,150.48)	3.43	(21,300.01	-45,151.65)	45.17
86	002-	5								
		(21,300.01	-45,151.65)	3.43	(21,303.23	-45,150.48)	3.91	(21,301.96	-45,146.78)	2.05
		(21,299.99	-45,147.35)	4.30						
86	1374									
		(21,303.23	-45,150.48)	10.03	(21,305.57	-45,160.23)	30.22	(21,333.13	-45,147.83)	10.07
		(21,329.28	-45,138.52)	28.66						
86	1373									
		(21,357.57	-45,127.43)	13.53	(21,344.68	-45,131.55)	10.19	(21,335.25	-45,135.42)	6.73
		(21,329.28	-45,138.52)	10.07	(21,333.13	-45,147.83)	4.87	(21,337.52	-45,145.73)	6.29
		(21,342.91	-45,142.49)	6.14	(21,348.02	-45,139.08)	3.39	(21,350.90	-45,137.29)	1.80
		(21,352.55	-45,136.57)	1.84	(21,354.33	-45,136.12)	2.05	(21,356.38	-45,136.18)	2.70
		(21,359.07	-45,136.40)	1.61	(21,359.57	-45,134.87)	7.70			
79	001-	2								
		(21,360.21	-45,137.28)	26.07	(21,358.45	-45,163.29)	8.52	(21,358.20	-45,171.81)	13.44
		(21,357.54	-45,185.23)	12.16	(21,356.77	-45,197.37)	0.96	(21,357.65	-45,196.98)	11.87
		(21,358.52	-45,185.14)	13.34	(21,359.10	-45,171.81)	8.42	(21,359.38	-45,163.39)	25.98
		(21,361.26	-45,137.48)	1.07						
79	1275									
		(21,361.26	-45,137.48)	25.98	(21,359.38	-45,163.39)	8.42	(21,359.10	-45,171.81)	13.34
		(21,358.52	-45,185.14)	11.87	(21,357.65	-45,196.98)	5.97	(21,363.36	-45,195.25)	4.49
		(21,367.72	-45,194.16)	4.73	(21,372.44	-45,193.85)	4.50	(21,376.94	-45,193.94)	4.62
		(21,381.52	-45,193.35)	2.10	(21,383.55	-45,192.80)	2.62	(21,385.97	-45,191.79)	3.89
		(21,389.35	-45,189.87)	2.52	(21,391.38	-45,188.38)	3.73	(21,394.04	-45,185.76)	5.76
		(21,397.48	-45,181.14)	4.32	(21,399.80	-45,177.50)	3.78	(21,401.22	-45,174.00)	3.94
		(21,402.51	-45,170.28)	5.43	(21,403.95	-45,165.04)	18.10	(21,408.11	-45,147.42)	3.72
		(21,408.81	-45,143.77)	5.51	(21,409.27	-45,138.28)	2.35	(21,409.30	-45,135.93)	1.65
		(21,409.33	-45,134.28)	9.78	(21,408.77	-45,124.52)	9.46	(21,399.77	-45,127.45)	16.00
		(21,384.21	-45,131.18)	9.99	(21,374.58	-45,133.83)	13.81			
79	002-	4								
		(21,358.43	-45,127.15)	0.90	(21,357.57	-45,127.43)	7.70	(21,359.57	-45,134.87)	0.97
		(21,360.54	-45,134.84)	7.97						
79	1273									
		(21,360.54	-45,134.84)	3.11	(21,363.65	-45,134.72)	10.64	(21,373.96	-45,132.08)	10.26
		(21,383.89	-45,129.48)	16.74	(21,400.13	-45,125.40)	7.14	(21,406.86	-45,123.02)	4.70

地区 ..003 作業 .. 50 原図番号 .. N1 43-3 縮尺 ..1/ 500 基準点 ..X 21,300.00..Y -45,200.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,411.16 -45,121.13)	4.73	(21,409.62 -45,116.66)	9.50	(21,406.56 -45,107.67)	40.99
		(21,368.81 -45,123.64)	6.04	(21,363.13 -45,125.70)	4.92	(21,358.43 -45,127.15)	7.97
102	301- 2	(21,346.43 -45,064.25)	30.73	(21,340.24 -45,094.35)	19.74	(21,358.54 -45,086.96)	25.14
		(21,351.85 -45,062.73)	5.63				
102	301- 1	(21,351.85 -45,062.73)	25.14	(21,358.54 -45,086.96)	19.74	(21,340.24 -45,094.35)	11.74
		(21,341.80 -45,105.99)	17.12	(21,344.10 -45,122.95)	3.16	(21,344.54 -45,126.08)	31.85
		(21,374.69 -45,115.80)	58.29	(21,361.21 -45,059.09)	10.04		
102	299	(21,361.21 -45,059.09)	58.29	(21,374.69 -45,115.80)	1.24	(21,375.86 -45,115.38)	37.56
		(21,410.68 -45,101.31)	57.05	(21,397.25 -45,045.86)	13.94	(21,384.14 -45,050.61)	8.51
		(21,376.08 -45,053.33)	15.95				
102	296	(21,384.14 -45,050.61)	13.94	(21,397.25 -45,045.86)	35.60	(21,430.70 -45,033.68)	4.97
		(21,429.60 -45,028.83)	12.23	(21,424.90 -45,017.54)	4.02	(21,423.67 -45,013.71)	48.62
		(21,377.96 -45,030.29)	21.24				
102	302	(21,377.96 -45,030.29)	4.45	(21,376.65 -45,026.04)	25.81	(21,369.26 -45,001.31)	0.93
		(21,368.37 -45,001.59)	7.60	(21,360.92 -45,003.09)	5.36	(21,355.74 -45,004.45)	2.25
		(21,353.49 -45,004.47)	5.31	(21,348.21 -45,003.87)	7.32	(21,348.89 -45,011.16)	8.56
		(21,349.62 -45,019.69)	16.19	(21,351.08 -45,035.81)	6.05	(21,350.84 -45,041.86)	2.64
		(21,349.85 -45,044.31)	7.71	(21,347.21 -45,051.55)	5.14	(21,346.27 -45,056.60)	7.04
		(21,346.27 -45,063.64)	0.63	(21,346.43 -45,064.25)	5.63	(21,351.85 -45,062.73)	10.04
		(21,361.21 -45,059.09)	15.95	(21,376.08 -45,053.33)	8.51	(21,384.14 -45,050.61)	21.24
102	297	(21,397.25 -45,045.86)	57.05	(21,410.68 -45,101.31)	4.79	(21,415.13 -45,099.54)	31.24
		(21,442.71 -45,084.87)	2.36	(21,442.92 -45,082.52)	23.35	(21,438.96 -45,059.51)	2.47
		(21,436.82 -45,058.28)	2.46	(21,435.47 -45,056.22)	23.04	(21,430.70 -45,033.68)	35.60