

地区 ..003

作業 .. 51 原図番号 .. N1 43-4

縮尺 .. 1/ 500

基準点 .. X 21,300.00 .. Y -45,000.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,300.00 -45,000.00)	50.05	(21,350.05 -44,999.99)	49.95	(21,400.00 -45,000.05)	50.05
		(21,450.05 -45,000.01)	50.00	(21,450.06 -44,950.01)	49.95	(21,450.03 -44,900.06)	50.00
		(21,449.99 -44,850.06)	49.95	(21,450.03 -44,800.11)	50.03	(21,400.00 -44,800.05)	49.95
		(21,350.05 -44,800.04)	50.05	(21,300.00 -44,800.02)	50.00	(21,299.99 -44,850.02)	50.00
		(21,300.03 -44,900.02)	50.00	(21,300.06 -44,950.02)	49.98		
104	344- 1	(2/ 4)					
		(21,300.00 -45,000.00)	0.55	(21,300.55 -45,000.02)	61.66	(21,325.39 -44,943.59)	13.76
104	002- 10	(21,312.18 -44,939.74)	11.42	(21,301.03 -44,937.27)	1.00	(21,300.03 -44,937.27)	62.73
		(21,300.03 -44,937.27)	1.00	(21,301.03 -44,937.27)	11.42	(21,312.18 -44,939.74)	13.76
		(21,325.39 -44,943.59)	1.00	(21,326.38 -44,943.49)	8.58	(21,334.70 -44,945.58)	3.75
		(21,338.18 -44,946.97)	3.20	(21,340.51 -44,949.16)	3.44	(21,341.64 -44,952.41)	31.28
		(21,344.59 -44,983.55)	5.48	(21,346.93 -44,978.60)	25.39	(21,344.82 -44,953.30)	5.64
		(21,343.51 -44,947.81)	5.46	(21,340.83 -44,943.05)	10.71	(21,330.19 -44,941.79)	17.78
		(21,312.99 -44,937.29)	9.30	(21,304.05 -44,934.71)	4.04	(21,300.02 -44,934.42)	2.85
109	001- 8						
		(21,300.02 -44,934.42)	4.04	(21,304.05 -44,934.71)	9.30	(21,312.99 -44,937.29)	2.29
		(21,313.46 -44,935.05)	3.93	(21,309.73 -44,933.80)	5.61	(21,304.26 -44,932.56)	4.26
		(21,300.01 -44,932.32)	2.10				
109	445- 1	(1/ 2)					
		(21,300.01 -44,932.32)	4.26	(21,304.26 -44,932.56)	5.61	(21,309.73 -44,933.80)	22.39
109	446- 1	(1/ 2)					
		(21,314.72 -44,911.97)	14.75	(21,300.01 -44,913.10)	19.22		
		(21,300.01 -44,913.10)	14.75	(21,314.72 -44,911.97)	3.27	(21,315.45 -44,908.78)	15.48
		(21,300.00 -44,909.82)	3.28				
109	446- 2	(1/ 2)					
		(21,300.00 -44,909.82)	15.48	(21,315.45 -44,908.78)	1.72	(21,315.83 -44,907.10)	15.87
		(21,300.00 -44,908.17)	1.65				
109	446- 3	(1/ 2)					
		(21,300.00 -44,908.17)	15.87	(21,315.83 -44,907.10)	5.04	(21,316.93 -44,902.18)	16.99
		(21,299.98 -44,903.32)	4.85				
109	446- 4	(1/ 2)					
		(21,299.98 -44,903.32)	16.99	(21,316.93 -44,902.18)	8.43	(21,318.79 -44,893.96)	18.82
		(21,300.01 -44,895.17)	8.15				
109	446- 5	(1/ 2)					
		(21,300.01 -44,895.17)	18.82	(21,318.79 -44,893.96)	2.91	(21,319.44 -44,891.12)	19.48
		(21,300.00 -44,892.42)	2.75				
109	446- 6	(1/ 2)					
		(21,300.00 -44,892.42)	19.48	(21,319.44 -44,891.12)	5.09	(21,320.54 -44,886.15)	20.60
		(21,299.99 -44,887.57)	4.85				
109	446- 7	(1/ 2)					
		(21,299.99 -44,887.57)	20.60	(21,320.54 -44,886.15)	2.21	(21,321.05 -44,884.00)	21.11
		(21,299.99 -44,885.52)	2.05				
109	446- 8	(1/ 2)					
		(21,299.99 -44,885.52)	21.11	(21,321.05 -44,884.00)	5.76	(21,322.33 -44,878.38)	22.42
		(21,299.97 -44,879.97)	5.55				
109	446- 9	(1/ 2)					
		(21,299.97 -44,879.97)	22.42	(21,322.33 -44,878.38)	7.62	(21,324.05 -44,870.96)	24.16
		(21,299.95 -44,872.62)	7.35				
109	446- 10	(1/ 2)					
		(21,299.95 -44,872.62)	24.16	(21,324.05 -44,870.96)	5.60	(21,325.28 -44,865.50)	25.36

地区..003 作業..51 原図番号..N1 43-4 縮尺..1/ 500 基準点..X 21,300.00..Y -45,000.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

109	446-	11	(21,299.99 (1/ 2)	-44,867.32)	5.30						
			(21,299.99	-44,867.32)	25.33	(21,325.26	-44,865.53)	0.99	(21,325.49	-44,864.57)	4.99
			(21,320.77	-44,862.94)	1.61	(21,319.22	-44,862.52)	19.23	(21,300.03	-44,863.82)	3.50
109	446-	12	(1/ 2)								
			(21,300.03	-44,863.82)	19.23	(21,319.22	-44,862.52)	13.47	(21,306.16	-44,859.21)	6.23
			(21,300.01	-44,858.22)	5.60						
109	002-	7									
			(21,300.01	-44,858.22)	6.23	(21,306.16	-44,859.21)	13.47	(21,319.22	-44,862.52)	1.61
			(21,320.77	-44,862.94)	4.99	(21,325.49	-44,864.57)	1.82	(21,325.90	-44,862.80)	4.89
			(21,321.17	-44,861.54)	15.15	(21,306.43	-44,858.03)	3.42	(21,303.06	-44,857.42)	3.11
			(21,300.01	-44,856.82)	1.40						
110	448-	2	(1/ 2)								
			(21,300.01	-44,856.82)	3.11	(21,303.06	-44,857.42)	30.95	(21,306.77	-44,826.69)	6.82
			(21,300.03	-44,827.72)	29.10						
110	001-	9									
			(21,300.03	-44,827.72)	6.82	(21,306.77	-44,826.69)	5.89	(21,312.57	-44,825.64)	11.41
			(21,323.66	-44,822.96)	1.73	(21,325.38	-44,823.15)	3.98	(21,329.32	-44,823.68)	2.14
			(21,329.41	-44,821.54)	0.41	(21,329.01	-44,821.44)	2.79	(21,326.36	-44,820.58)	3.52
			(21,322.86	-44,820.94)	13.65	(21,309.59	-44,824.15)	6.89	(21,302.72	-44,824.67)	2.75
			(21,300.02	-44,825.17)	2.55						
110	002-	5									
			(21,300.02	-44,825.17)	2.75	(21,302.72	-44,824.67)	6.89	(21,309.59	-44,824.15)	13.65
			(21,322.86	-44,820.94)	3.52	(21,326.36	-44,820.58)	2.79	(21,329.01	-44,821.44)	0.41
			(21,329.41	-44,821.54)	5.42	(21,334.81	-44,822.03)	4.93	(21,339.73	-44,821.77)	6.37
			(21,346.01	-44,820.70)	14.62	(21,360.32	-44,817.71)	11.60	(21,371.79	-44,815.95)	10.08
			(21,381.79	-44,814.70)	2.32	(21,381.68	-44,812.38)	1.03	(21,381.58	-44,811.35)	10.37
			(21,371.36	-44,813.13)	9.49	(21,361.92	-44,814.09)	2.71	(21,359.22	-44,814.30)	8.60
			(21,351.02	-44,816.88)	10.84	(21,340.38	-44,818.94)	5.74	(21,334.65	-44,819.23)	8.68
			(21,326.00	-44,818.53)	20.97	(21,305.46	-44,822.74)	3.29	(21,302.19	-44,823.07)	2.19
			(21,300.01	-44,823.32)	1.85						
110	452		(1/ 4)								
			(21,300.01	-44,823.32)	2.19	(21,302.19	-44,823.07)	3.29	(21,305.46	-44,822.74)	3.64
			(21,304.78	-44,819.16)	12.70	(21,302.77	-44,806.62)	6.65	(21,301.97	-44,800.02)	1.97
			(21,300.00	-44,800.02)	23.30						
110	449-	1	(1/ 3)								
			(21,301.97	-44,800.02)	6.65	(21,302.77	-44,806.62)	12.70	(21,304.78	-44,819.16)	3.64
			(21,305.46	-44,822.74)	20.97	(21,326.00	-44,818.53)	8.68	(21,334.65	-44,819.23)	5.74
			(21,340.38	-44,818.94)	10.84	(21,351.02	-44,816.88)	8.60	(21,359.22	-44,814.30)	15.01
			(21,354.60	-44,800.02)	52.63						
110	002-	4									
			(21,354.60	-44,800.02)	15.01	(21,359.22	-44,814.30)	2.71	(21,361.92	-44,814.09)	14.78
			(21,357.23	-44,800.07)	2.63						
110	449-	2	(1/ 2)								
			(21,357.23	-44,800.07)	14.78	(21,361.92	-44,814.09)	9.49	(21,371.36	-44,813.13)	10.37
			(21,381.58	-44,811.35)	4.98	(21,381.32	-44,806.38)	3.67	(21,378.36	-44,804.21)	1.41
			(21,378.56	-44,802.81)	2.20	(21,377.23	-44,801.06)	1.40	(21,376.25	-44,800.06)	19.02
112	478-	1	(1/ 2)								
			(21,376.25	-44,800.06)	1.40	(21,377.23	-44,801.06)	2.20	(21,378.56	-44,802.81)	1.41
			(21,378.36	-44,804.21)	3.67	(21,381.32	-44,806.38)	4.98	(21,381.58	-44,811.35)	32.96
			(21,414.02	-44,805.51)	4.36	(21,418.32	-44,806.22)	4.34	(21,422.44	-44,807.59)	2.35
			(21,422.44	-44,805.24)	3.55	(21,422.59	-44,801.69)	6.57	(21,416.34	-44,803.70)	2.31

地区..003 作業.. 51 原図番号.. N1 43-4 縮尺..1/ 500 基準点..X 21,300.00..Y -45,000.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,414.06 -44,803.34)	4.78	(21,409.31 -44,802.85)	4.56	(21,404.76 -44,802.49)	2.60
		(21,402.16 -44,802.39)	6.49	(21,396.10 -44,800.06)	19.85		
112	002- 2	(21,396.10 -44,800.06)	6.49	(21,402.16 -44,802.39)	2.60	(21,404.76 -44,802.49)	4.56
		(21,409.31 -44,802.85)	4.78	(21,414.06 -44,803.34)	2.31	(21,416.34 -44,803.70)	6.57
		(21,422.59 -44,801.69)	3.38	(21,425.85 -44,800.80)	0.80	(21,426.20 -44,800.08)	8.32
134	002- 1	(21,417.88 -44,800.05)	2.08	(21,415.90 -44,800.68)	5.98	(21,409.95 -44,800.07)	13.85
112	479- 1	(21,409.95 -44,800.07)	5.98	(21,415.90 -44,800.68)	2.08	(21,417.88 -44,800.05)	7.93
		(3 / 4)					
		(21,426.20 -44,800.08)	0.80	(21,425.85 -44,800.80)	3.38	(21,422.59 -44,801.69)	3.55
		(21,422.44 -44,805.24)	2.35	(21,422.44 -44,807.59)	3.37	(21,425.52 -44,806.23)	25.11
112	001- 1	(21,450.03 -44,800.76)	0.65	(21,450.03 -44,800.11)	23.83		
		(21,450.03 -44,800.76)	25.11	(21,425.52 -44,806.23)	3.37	(21,422.44 -44,807.59)	4.34
		(21,418.32 -44,806.22)	4.36	(21,414.02 -44,805.51)	32.96	(21,381.58 -44,811.35)	1.03
		(21,381.68 -44,812.38)	32.89	(21,414.07 -44,806.66)	4.21	(21,418.22 -44,807.35)	4.50
112	002- 3	(21,422.50 -44,808.74)	3.74	(21,425.90 -44,807.18)	24.75	(21,450.06 -44,801.81)	1.05
		(21,450.06 -44,801.81)	24.75	(21,425.90 -44,807.18)	3.74	(21,422.50 -44,808.74)	4.50
		(21,418.22 -44,807.35)	4.21	(21,414.07 -44,806.66)	32.89	(21,381.68 -44,812.38)	2.32
		(21,381.79 -44,814.70)	1.34	(21,383.12 -44,814.55)	15.48	(21,398.28 -44,811.40)	8.19
		(21,406.44 -44,810.73)	8.27	(21,414.68 -44,810.01)	7.90	(21,422.45 -44,811.44)	6.76
		(21,429.08 -44,810.12)	12.68	(21,441.32 -44,806.81)	8.95	(21,450.01 -44,804.66)	2.85
103	001- 2	(21,450.01 -44,804.66)	8.95	(21,441.32 -44,806.81)	12.68	(21,429.08 -44,810.12)	6.76
		(21,422.45 -44,811.44)	4.40	(21,418.08 -44,811.97)	4.25	(21,413.83 -44,811.79)	7.47
		(21,406.44 -44,810.73)	8.19	(21,398.28 -44,811.40)	15.48	(21,383.12 -44,814.55)	1.34
		(21,381.79 -44,814.70)	10.08	(21,371.79 -44,815.95)	11.60	(21,360.32 -44,817.71)	14.62
		(21,346.01 -44,820.70)	6.37	(21,339.73 -44,821.77)	4.93	(21,334.81 -44,822.03)	5.42
		(21,329.41 -44,821.54)	2.14	(21,329.32 -44,823.68)	4.18	(21,333.47 -44,824.18)	3.90
		(21,337.37 -44,824.07)	3.74	(21,341.09 -44,823.64)	4.79	(21,345.81 -44,822.80)	15.56
		(21,361.05 -44,819.66)	11.03	(21,371.95 -44,817.95)	11.84	(21,383.66 -44,816.19)	14.98
		(21,398.36 -44,813.30)	5.07	(21,403.36 -44,812.44)	3.29	(21,406.64 -44,812.63)	6.81
		(21,413.39 -44,813.56)	4.75	(21,418.14 -44,813.75)	4.73	(21,422.86 -44,813.41)	7.20
		(21,429.88 -44,811.82)	12.03	(21,441.52 -44,808.79)	8.79	(21,450.07 -44,806.76)	2.10
103	323- 2	(3 / 3)					
		(21,450.07 -44,806.76)	8.79	(21,441.52 -44,808.79)	24.18	(21,444.91 -44,832.73)	5.15
103	333- 1	(21,450.04 -44,832.26)	25.50				
		(21,450.04 -44,832.26)	5.15	(21,444.91 -44,832.73)	6.18	(21,438.77 -44,833.47)	0.47
		(21,438.77 -44,833.94)	13.89	(21,425.00 -44,835.77)	40.36	(21,411.82 -44,873.92)	11.08
		(21,422.26 -44,877.64)	41.53	(21,450.03 -44,846.76)	14.50		
103	001- 3	(21,450.03 -44,846.76)	41.53	(21,422.26 -44,877.64)	2.15	(21,420.77 -44,879.19)	67.06
		(21,375.20 -44,928.39)	2.53	(21,373.55 -44,930.31)	7.04	(21,379.91 -44,933.34)	2.75
		(21,381.51 -44,931.10)	33.51	(21,404.04 -44,906.29)	33.33	(21,426.42 -44,881.59)	1.36
		(21,427.17 -44,880.45)	33.89	(21,450.00 -44,855.41)	8.65		
103	332- 1	(2 / 2)					
		(21,450.00 -44,855.41)	33.89	(21,427.17 -44,880.45)	1.36	(21,426.42 -44,881.59)	6.43
		(21,431.59 -44,885.41)	3.85	(21,434.39 -44,888.05)	1.82	(21,435.56 -44,889.44)	4.51
		(21,440.02 -44,890.14)	7.20	(21,447.19 -44,890.75)	2.86	(21,450.05 -44,890.86)	35.45

地区 ..003

作業 .. 51

原図番号 .. N1 43-4

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -45,000.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

103	328	(2/ 2)											
		(21,450.05	-44,890.86)	2.86	(@	21,447.19	-44,890.75)	52.55	(	21,449.49	-44,943.25)	0.50	
		(21,449.99	-44,943.31)	52.45									
103	001-	4											
		(21,449.99	-44,943.31)	0.50	(	21,449.49	-44,943.25)	4.27	(	21,445.22	-44,943.33)	3.99	
		(21,441.25	-44,943.69)	8.05	(	21,433.32	-44,945.06)	8.52	(	21,424.90	-44,946.36)	3.81	
		(21,421.09	-44,946.51)	3.32	(	21,417.90	-44,945.60)	8.82	(	21,409.69	-44,942.37)	18.66	
		(21,392.42	-44,935.30)	11.69	(@	21,381.51	-44,931.10)	2.75	(	21,379.91	-44,933.34)	12.59	
		(21,391.90	-44,937.17)	8.21	(	21,399.44	-44,940.43)	12.82	(	21,411.31	-44,945.27)	1.17	
		(21,412.40	-44,945.70)	5.01	(	21,417.08	-44,947.48)	4.00	(	21,420.96	-44,948.47)	4.20	
		(21,425.16	-44,948.43)	8.79	(	21,433.83	-44,946.96)	8.03	(	21,441.75	-44,945.63)	7.59	
		(21,449.33	-44,945.26)	0.73	(	21,450.05	-44,945.36)	2.05					
102	308	(2/ 2)											
		(21,450.05	-44,945.36)	0.73	(@	21,449.33	-44,945.26)	7.59	(	21,441.75	-44,945.63)	8.03	
		(21,433.83	-44,946.96)	8.79	(	21,425.16	-44,948.43)	4.20	(	21,420.96	-44,948.47)	4.00	
		(21,417.08	-44,947.48)	5.01	(	21,412.40	-44,945.70)	24.33	(	21,412.12	-44,970.03)	38.10	
		(21,450.01	-44,966.01)	20.65									
102	309	(4/ 4)											
		(@ 21,450.01	-44,966.01)	38.10	(	21,412.12	-44,970.03)	1.49	(	21,412.12	-44,971.52)	3.76	
		(21,412.43	-44,975.27)	2.66	(	21,412.91	-44,977.89)	2.28	(	21,413.62	-44,980.06)	2.12	
		(21,414.45	-44,982.01)	3.85	(	21,416.26	-44,985.41)	0.42	(	21,416.61	-44,985.18)	16.45	
		(21,423.55	-45,000.09)	26.50	(	21,450.05	-45,000.01)	34.00					
102	002-	12											
		(21,423.55	-45,000.09)	16.45	(	21,416.61	-44,985.18)	0.42	(	21,416.26	-44,985.41)	3.85	
		(21,414.45	-44,982.01)	2.12	(	21,413.62	-44,980.06)	2.28	(	21,412.91	-44,977.89)	2.66	
		(21,412.43	-44,975.27)	3.76	(	21,412.12	-44,971.52)	1.49	(	21,412.12	-44,970.03)	24.33	
		(21,412.40	-44,945.70)	1.17	(@	21,411.31	-44,945.27)	12.95	(	21,411.16	-44,958.22)	13.35	
		(21,411.09	-44,971.57)	3.72	(	21,411.43	-44,975.27)	3.00	(	21,411.99	-44,978.22)	0.93	
		(21,412.24	-44,979.12)	4.10	(	21,413.80	-44,982.91)	3.54	(	21,415.41	-44,986.06)	1.51	
		(21,414.23	-44,987.01)	14.12	(	21,419.65	-45,000.05)	3.90					
102	304	(2/ 2)											
		(21,419.65	-45,000.05)	14.12	(@	21,414.23	-44,987.01)	43.23	(	21,373.00	-45,000.02)	46.65	
102	305	(2/ 2)											
		(21,373.00	-45,000.02)	43.23	(	21,414.23	-44,987.01)	1.51	(	21,415.41	-44,986.06)	3.54	
		(21,413.80	-44,982.91)	4.10	(	21,412.24	-44,979.12)	0.93	(	21,411.99	-44,978.22)	3.00	
		(21,411.43	-44,975.27)	3.72	(@	21,411.09	-44,971.57)	57.91	(	21,353.64	-44,978.88)	11.74	
		(21,348.95	-44,989.64)	10.41	(	21,348.45	-45,000.04)	24.55					
104	002-	11											
		(21,348.45	-45,000.04)	10.41	(@	21,348.95	-44,989.64)	10.51	(	21,344.30	-44,999.07)	1.02	
		(21,344.60	-45,000.05)	3.85									
104	353-	1	(2/ 2)										
		(21,344.60	-45,000.05)	1.02	(@	21,344.30	-44,999.07)	1.06	(	21,343.90	-45,000.05)	0.70	
104	001-	7											
		(21,343.90	-45,000.05)	1.06	(	21,344.30	-44,999.07)	10.51	(	21,348.95	-44,989.64)	11.22	
		(@ 21,346.93	-44,978.60)	5.48	(	21,344.59	-44,983.55)	1.36	(	21,343.96	-44,984.75)	16.84	
		(21,336.85	-45,000.02)	7.05									
104	352-	1	(2/ 3)										
		(21,336.85	-45,000.02)	16.84	(@	21,343.96	-44,984.75)	36.75	(	21,307.28	-44,986.99)	14.21	
		(21,301.60	-45,000.02)	35.25									
104	002-	9											
		(21,301.60	-45,000.02)	14.21	(	21,307.28	-44,986.99)	47.51	(@	21,326.38	-44,943.49)	1.00	
		(21,325.39	-44,943.59)	61.66	(	21,300.55	-45,000.02)	1.05					

地区 ..003 作業 .. 51 原図番号 .. N1 43-4 縮尺 ..1/ 500 基準点 ..X 21,300.00..Y -45,000.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

104	343-	1	(21,307.28 -44,986.99)	36.75	(21,343.96 -44,984.75)	1.36	(21,344.59 -44,983.55)	31.28
			(21,341.64 -44,952.41)	3.44	(21,340.51 -44,949.16)	3.20	(21,338.18 -44,946.97)	3.75
			(21,334.70 -44,945.58)	8.58	(@ 21,326.38 -44,943.49)	47.51		
102	306-	1	(21,346.93 -44,978.60)	25.40	(21,357.90 -44,955.69)	18.88	(@ 21,367.17 -44,939.24)	6.11
			(21,361.34 -44,941.08)	6.54	(21,354.94 -44,942.45)	6.93	(21,348.04 -44,943.09)	7.21
			(21,340.83 -44,943.05)	5.46	(21,343.51 -44,947.81)	5.64	(21,344.82 -44,953.30)	25.39
102	001-	6	(21,353.64 -44,978.88)	23.93	(21,363.78 -44,957.20)	5.55	(21,367.40 -44,952.99)	19.95
			(21,378.50 -44,936.41)	3.38	(21,379.91 -44,933.34)	7.04	(@ 21,373.55 -44,930.31)	5.17
			(21,370.07 -44,934.13)	5.88	(21,367.17 -44,939.24)	18.88	(21,357.90 -44,955.69)	25.40
			(21,346.93 -44,978.60)	11.22	(21,348.95 -44,989.64)	11.74		
102	307-	1	(21,353.64 -44,978.88)	57.91	(21,411.09 -44,971.57)	13.35	(21,411.16 -44,958.22)	12.95
			(21,411.31 -44,945.27)	12.82	(21,399.44 -44,940.43)	8.21	(21,391.90 -44,937.17)	12.59
			(@ 21,379.91 -44,933.34)	3.38	(21,378.50 -44,936.41)	19.95	(21,367.40 -44,952.99)	5.55
			(21,363.78 -44,957.20)	23.93				
103	330-	1	(21,381.51 -44,931.10)	11.69	(21,392.42 -44,935.30)	18.66	(21,409.69 -44,942.37)	8.82
			(21,417.90 -44,945.60)	3.32	(21,421.09 -44,946.51)	5.82	(21,421.84 -44,940.74)	4.78
			(21,422.82 -44,936.06)	6.23	(21,425.01 -44,930.23)	8.53	(21,428.39 -44,922.40)	4.99
			(21,430.98 -44,918.13)	29.43	(@ 21,404.04 -44,906.29)	33.51		
103	331-	1	(@ 21,426.42 -44,881.59)	33.33	(21,404.04 -44,906.29)	29.43	(21,430.98 -44,918.13)	6.51
			(21,433.93 -44,912.33)	8.04	(21,436.79 -44,904.82)	4.18	(21,438.00 -44,900.82)	5.88
			(21,438.06 -44,894.94)	2.54	(21,437.30 -44,892.52)	3.54	(21,435.56 -44,889.44)	1.82
			(21,434.39 -44,888.05)	3.85	(21,431.59 -44,885.41)	6.43		
103	329		(@ 21,435.56 -44,889.44)	3.54	(21,437.30 -44,892.52)	2.54	(21,438.06 -44,894.94)	5.88
			(21,438.00 -44,900.82)	4.18	(21,436.79 -44,904.82)	8.04	(21,433.93 -44,912.33)	6.51
			(21,430.98 -44,918.13)	4.99	(21,428.39 -44,922.40)	8.53	(21,425.01 -44,930.23)	6.23
			(21,422.82 -44,936.06)	4.78	(21,421.84 -44,940.74)	5.82	(21,421.09 -44,946.51)	3.81
			(21,424.90 -44,946.36)	8.52	(21,433.32 -44,945.06)	8.05	(21,441.25 -44,943.69)	3.99
			(21,445.22 -44,943.33)	4.27	(21,449.49 -44,943.25)	52.55	(21,447.19 -44,890.75)	7.20
			(21,440.02 -44,890.14)	4.51				
103	331-	2	(21,422.26 -44,877.64)	11.08	(21,411.82 -44,873.92)	16.01	(@ 21,396.37 -44,869.71)	0.64
			(21,396.26 -44,870.34)	1.13	(21,396.08 -44,871.46)	16.07	(21,411.61 -44,875.59)	9.84
			(21,420.77 -44,879.19)	2.15				
103	330-	2	(21,420.77 -44,879.19)	9.84	(21,411.61 -44,875.59)	16.07	(@ 21,396.08 -44,871.46)	40.46
			(21,383.00 -44,909.75)	18.36	(21,375.30 -44,926.42)	4.27	(21,373.55 -44,930.31)	2.53
			(21,375.20 -44,928.39)	67.06				
103	337		(21,411.82 -44,873.92)	40.36	(@ 21,425.00 -44,835.77)	35.96	(21,389.46 -44,841.25)	28.17
			(21,386.24 -44,869.24)	10.08	(21,396.26 -44,870.34)	0.64	(21,396.37 -44,869.71)	16.01
103	336-	1	(21,389.46 -44,841.25)	35.96	(21,425.00 -44,835.77)	13.89	(21,438.77 -44,833.94)	0.47
			(21,438.77 -44,833.47)	6.18	(21,444.91 -44,832.73)	24.18	(@ 21,441.52 -44,808.79)	12.03
			(21,429.88 -44,811.82)	7.20	(21,422.86 -44,813.41)	4.73	(21,418.14 -44,813.75)	4.75
			(21,413.39 -44,813.56)	6.81	(21,406.64 -44,812.63)	3.29	(21,403.36 -44,812.44)	5.07

地区 ..003

作業 .. 51

原図番号 .. N1 43-4

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -45,000.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,398.36 -44,813.30)	14.98	(21,383.66 -44,816.19)	9.83	(21,385.40 -44,825.86)	7.54
		(21,387.22 -44,833.18)	8.38				
103	336- 2	(21,422.45 -44,811.44)	7.90	(21,414.68 -44,810.01)	8.27	(21,406.44 -44,810.73)	7.47
		(21,413.83 -44,811.79)	4.25	(21,418.08 -44,811.97)	4.40		
103	338	(21,383.66 -44,816.19)	11.84	(21,371.95 -44,817.95)	11.03	(21,361.05 -44,819.66)	15.56
		(21,345.81 -44,822.80)	4.79	(21,341.09 -44,823.64)	3.74	(21,337.37 -44,824.07)	3.90
		(21,333.47 -44,824.18)	4.18	(21,329.32 -44,823.68)	7.50	(21,328.89 -44,831.17)	7.23
		(21,330.23 -44,838.27)	9.49	(21,332.03 -44,847.59)	3.67	(21,331.74 -44,851.25)	58.58
		(21,389.46 -44,841.25)	8.38	(21,387.22 -44,833.18)	7.54	(21,385.40 -44,825.86)	9.83
103	339	(21,389.46 -44,841.25)	58.58	(21,331.74 -44,851.25)	3.85	(21,331.45 -44,855.09)	8.83
		(21,329.23 -44,863.64)	13.00	(21,342.08 -44,865.61)	13.36	(21,354.82 -44,869.62)	7.82
		(21,362.45 -44,871.34)	3.58	(21,366.02 -44,871.14)	13.91	(21,379.82 -44,869.40)	6.42
		(21,386.24 -44,869.24)	28.17				
103	341	(21,386.24 -44,869.24)	6.42	(21,379.82 -44,869.40)	13.91	(21,366.02 -44,871.14)	3.58
		(21,362.45 -44,871.34)	38.80	(21,356.75 -44,909.72)	4.71	(21,361.45 -44,910.06)	5.65
		(21,367.10 -44,910.14)	15.90	(21,383.00 -44,909.75)	40.46	(21,396.08 -44,871.46)	1.13
		(21,396.26 -44,870.34)	10.08				
103	342	(21,383.00 -44,909.75)	15.90	(21,367.10 -44,910.14)	5.65	(21,361.45 -44,910.06)	4.71
		(21,356.75 -44,909.72)	5.00	(21,351.78 -44,909.21)	7.60	(21,344.25 -44,908.18)	12.02
		(21,332.25 -44,907.56)	3.84	(21,328.42 -44,907.25)	3.41	(21,325.09 -44,906.51)	5.35
		(21,320.07 -44,904.67)	31.09	(21,313.46 -44,935.05)	17.01	(21,329.91 -44,939.39)	9.77
		(21,339.56 -44,940.89)	8.50	(21,348.06 -44,941.02)	6.67	(21,354.69 -44,940.30)	6.22
		(21,360.76 -44,938.96)	5.23	(21,365.60 -44,936.99)	2.89	(21,368.17 -44,935.66)	2.44
		(21,370.07 -44,934.13)	5.17	(21,373.55 -44,930.31)	4.27	(21,375.30 -44,926.42)	18.36
103	340	(21,356.75 -44,909.72)	38.80	(21,362.45 -44,871.34)	7.82	(21,354.82 -44,869.62)	13.36
		(21,342.08 -44,865.61)	13.00	(21,329.23 -44,863.64)	9.23	(21,328.10 -44,872.80)	32.87
		(21,320.07 -44,904.67)	5.35	(21,325.09 -44,906.51)	3.41	(21,328.42 -44,907.25)	3.84
		(21,332.25 -44,907.56)	12.02	(21,344.25 -44,908.18)	7.60	(21,351.78 -44,909.21)	5.00
103	001- 5	(21,312.99 -44,937.29)	17.78	(21,330.19 -44,941.79)	10.71	(21,340.83 -44,943.05)	7.21
		(21,348.04 -44,943.09)	6.93	(21,354.94 -44,942.45)	6.54	(21,361.34 -44,941.08)	6.11
		(21,367.17 -44,939.24)	5.88	(21,370.07 -44,934.13)	2.44	(21,368.17 -44,935.66)	2.89
		(21,365.60 -44,936.99)	5.23	(21,360.76 -44,938.96)	6.22	(21,354.69 -44,940.30)	6.67
		(21,348.06 -44,941.02)	8.50	(21,339.56 -44,940.89)	9.77	(21,329.91 -44,939.39)	17.01
		(21,313.46 -44,935.05)	2.29				
109	002- 8	(21,313.46 -44,935.05)	31.09	(21,320.07 -44,904.67)	32.87	(21,328.10 -44,872.80)	9.23
		(21,329.23 -44,863.64)	3.43	(21,325.90 -44,862.80)	1.82	(21,325.49 -44,864.57)	0.99
		(21,325.26 -44,865.53)	5.56	(21,324.05 -44,870.96)	7.62	(21,322.33 -44,878.38)	5.76
		(21,321.05 -44,884.00)	2.21	(21,320.54 -44,886.15)	5.09	(21,319.44 -44,891.12)	2.91
		(21,318.79 -44,893.96)	8.43	(21,316.93 -44,902.18)	5.04	(21,315.83 -44,907.10)	1.72
		(21,315.45 -44,908.78)	3.27	(21,314.72 -44,911.97)	22.39	(21,309.73 -44,933.80)	3.93
110	448- 1	(21,303.06 -44,857.42)	3.42	(21,306.43 -44,858.03)	15.15	(21,321.17 -44,861.54)	4.89
		(21,325.90 -44,862.80)	10.65	(21,327.97 -44,852.35)	7.45	(21,327.90 -44,844.90)	9.40
		(21,325.75 -44,835.75)	5.09	(21,324.91 -44,830.73)	7.59	(21,325.38 -44,823.15)	1.73

地区 ..003 作業 .. 51 原図番号 .. N1 43-4 縮尺 ..1/ 500 基準点 ..X 21,300.00..Y -45,000.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

110	002-	@	21,323.66	-44,822.96)	11.41	(	21,312.57	-44,825.64)	5.89	(	21,306.77	-44,826.69)	30.95
		@	21,325.38	-44,823.15)	7.59	(	21,324.91	-44,830.73)	5.09	(	21,325.75	-44,835.75)	9.40
		(	21,327.90	-44,844.90)	7.45	(	21,327.97	-44,852.35)	10.65	(	21,325.90	-44,862.80)	3.43
		(	21,329.23	-44,863.64)	8.83	(	21,331.45	-44,855.09)	3.85	(	21,331.74	-44,851.25)	3.67
		(	21,332.03	-44,847.59)	9.49	(	21,330.23	-44,838.27)	7.23	(	21,328.89	-44,831.17)	7.50
		(	21,329.32	-44,823.68)	3.98								