

地区 ..003 作業 .. 52 原図番号 .. N1 44-1 縮尺 ..1/ 500 基準点 ..X 21,450.00..Y -44,800.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,450.00 -44,800.00)	49.96	(21,499.96 -44,800.06)	50.09	(21,550.05 -44,800.10)	49.95
		(21,600.00 -44,800.14)	50.00	(21,600.04 -44,750.14)	49.95	(21,600.02 -44,700.19)	50.05
		(21,600.01 -44,650.14)	49.98	(21,600.00 -44,600.16)	50.05	(21,549.95 -44,600.15)	49.90
		(21,500.05 -44,600.06)	50.05	(21,450.00 -44,599.97)	50.00	(21,449.96 -44,649.97)	50.05
		(21,449.97 -44,700.02)	49.95	(21,449.99 -44,749.97)	50.03		
112	479- 1	(21,450.00 -44,800.00)	3.05	(21,453.05 -44,800.01)	9.11	(21,461.95 -44,798.05)	5.90
		(21,467.71 -44,796.76)	9.30	(21,476.61 -44,794.07)	8.95	(21,485.46 -44,792.71)	9.98
		(21,495.41 -44,791.95)	19.17	(21,493.02 -44,772.93)	5.84	(21,492.68 -44,767.10)	5.88
		(21,492.62 -44,761.22)	5.70	(21,492.80 -44,755.52)	12.48	(21,493.85 -44,743.08)	14.59
		(21,494.28 -44,728.50)	4.33	(21,494.72 -44,724.19)	16.32	(21,478.49 -44,725.89)	8.00
		(21,477.87 -44,733.87)	5.41	(21,475.41 -44,738.69)	5.70	(21,471.75 -44,743.06)	9.11
		(21,464.96 -44,749.13)	11.61	(21,459.62 -44,759.44)	5.84	(21,456.44 -44,764.34)	8.73
		(21,451.30 -44,771.40)	1.75	(21,450.00 -44,772.57)	27.43		
112	002- 11	(21,450.00 -44,772.57)	1.75	(21,451.30 -44,771.40)	8.73	(21,456.44 -44,764.34)	5.84
		(21,459.62 -44,759.44)	11.61	(21,464.96 -44,749.13)	9.11	(21,471.75 -44,743.06)	5.70
		(21,475.41 -44,738.69)	5.41	(21,477.87 -44,733.87)	8.00	(21,478.49 -44,725.89)	10.51
		(21,479.05 -44,715.39)	10.04	(21,482.36 -44,705.91)	7.74	(21,486.03 -44,699.09)	2.14
		(21,486.98 -44,697.17)	8.76	(21,490.44 -44,689.12)	11.72	(21,495.01 -44,678.33)	6.39
		(21,497.70 -44,672.53)	7.86	(21,502.13 -44,666.04)	7.79	(21,508.07 -44,661.00)	9.88
		(21,516.43 -44,655.74)	3.06	(21,519.15 -44,654.33)	8.25	(21,526.41 -44,650.41)	12.76
		(21,536.73 -44,642.90)	25.96	(21,556.93 -44,626.59)	3.12	(21,559.62 -44,625.00)	26.82
		(21,585.05 -44,616.49)	7.08	(21,591.89 -44,614.67)	5.16	(21,590.17 -44,609.80)	8.26
		(21,582.25 -44,612.16)	15.23	(21,567.87 -44,617.18)	14.80	(21,554.38 -44,623.26)	13.36
		(21,544.54 -44,632.29)	12.41	(21,534.90 -44,640.10)	11.73	(21,525.42 -44,647.01)	12.29
		(21,514.71 -44,653.04)	11.22	(21,504.95 -44,658.57)	6.51	(21,500.26 -44,663.09)	9.50
		(21,495.15 -44,671.10)	29.50	(21,483.18 -44,698.06)	5.61	(21,480.00 -44,702.68)	7.51
		(21,477.38 -44,709.72)	6.32	(21,476.01 -44,715.89)	14.09	(21,475.40 -44,729.97)	7.32
		(21,472.49 -44,736.69)	5.09	(21,469.15 -44,740.53)	12.46	(21,460.29 -44,749.29)	14.09
		(21,453.82 -44,761.81)	5.94	(21,450.01 -44,766.37)	6.20		
134	002- 15	(21,450.01 -44,766.37)	5.94	(21,453.82 -44,761.81)	14.09	(21,460.29 -44,749.29)	12.46
		(21,469.15 -44,740.53)	5.09	(21,472.49 -44,736.69)	7.32	(21,475.40 -44,729.97)	14.09
		(21,476.01 -44,715.89)	3.25	(21,472.76 -44,716.06)	9.92	(21,472.83 -44,725.98)	9.22
		(21,469.59 -44,734.61)	4.53	(21,466.56 -44,737.98)	16.34	(21,455.34 -44,749.86)	8.51
		(21,451.87 -44,757.63)	1.50	(21,451.27 -44,759.00)	2.17	(21,450.02 -44,760.77)	5.60
134	571	(21,450.02 -44,760.77)	2.17	(21,451.27 -44,759.00)	1.50	(21,451.87 -44,757.63)	14.17
		(21,451.75 -44,743.46)	1.86	(21,450.00 -44,742.82)	17.95		
134	569- 2	(21,450.00 -44,742.82)	1.86	(21,451.75 -44,743.46)	15.33	(21,451.71 -44,728.13)	1.74
		(21,449.98 -44,728.27)	14.55				
134	570- 2	(21,451.71 -44,728.13)	15.33	(21,451.75 -44,743.46)	14.17	(21,451.87 -44,757.63)	8.51
		(21,455.34 -44,749.86)	16.34	(21,466.56 -44,737.98)	4.53	(21,469.59 -44,734.61)	9.22
		(21,472.83 -44,725.98)	21.23				
134	001- 15	(21,449.98 -44,728.27)	1.74	(21,451.71 -44,728.13)	21.23	(21,472.83 -44,725.98)	9.92
		(21,472.76 -44,716.06)	13.09	(21,459.78 -44,717.76)	3.76	(21,456.04 -44,718.14)	6.08
		(21,449.99 -44,718.72)	9.55				

地区..003 作業.. 52 原図番号.. N1 44-1 縮尺..1/ 500 基準点..X 21,450.00..Y -44,800.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

134	568	(1/ 2)	(21,449.99 -44,718.72)	6.08	(21,456.04 -44,718.14)	26.39	(21,468.66 -44,694.96)	5.78
		(21,471.14 -44,689.74)	2.22	(21,471.57 -44,687.56)	2.80	(21,471.12 -44,684.80)	20.84	
		(21,451.71 -44,692.38)	1.81	(21,449.99 -44,691.82)	26.90			
134	561	(1/ 2)	(21,449.99 -44,691.82)	1.81	(21,451.71 -44,692.38)	20.84	(21,471.12 -44,684.80)	13.27
		(21,467.42 -44,672.06)	7.88	(21,464.14 -44,664.90)	9.40	(21,459.75 -44,656.59)	18.37	
		(21,452.45 -44,639.73)	2.83	(21,449.98 -44,641.12)	50.70			
134	563	(1/ 3)	(21,449.98 -44,641.12)	2.83	(21,452.45 -44,639.73)	5.87	(21,451.79 -44,633.90)	7.22
		(21,450.58 -44,626.78)	2.57	(21,450.01 -44,624.27)	16.85			
134	001- 14		(21,450.01 -44,624.27)	2.57	(21,450.58 -44,626.78)	7.22	(21,451.79 -44,633.90)	5.87
		(21,452.45 -44,639.73)	18.37	(21,459.75 -44,656.59)	9.40	(21,464.14 -44,664.90)	7.88	
		(21,467.42 -44,672.06)	13.27	(21,471.12 -44,684.80)	2.80	(21,471.57 -44,687.56)	2.22	
		(21,471.14 -44,689.74)	5.78	(21,468.66 -44,694.96)	26.39	(21,456.04 -44,718.14)	3.76	
		(21,459.78 -44,717.76)	1.03	(21,459.35 -44,716.82)	4.96	(21,461.70 -44,712.45)	18.73	
		(21,470.48 -44,695.91)	6.12	(21,472.97 -44,690.32)	2.87	(21,473.71 -44,687.55)	3.22	
		(21,473.39 -44,684.35)	3.42	(21,472.44 -44,681.06)	10.73	(21,469.20 -44,670.83)	7.66	
		(21,465.94 -44,663.90)	9.39	(21,461.48 -44,655.64)	17.84	(21,454.73 -44,639.13)	5.17	
		(21,454.04 -44,634.01)	7.02	(21,452.63 -44,627.13)	13.02	(21,450.02 -44,614.37)	9.90	
133	002- 13		(21,450.02 -44,614.37)	13.02	(21,452.63 -44,627.13)	7.02	(21,454.04 -44,634.01)	5.17
		(21,454.73 -44,639.13)	17.84	(21,461.48 -44,655.64)	9.39	(21,465.94 -44,663.90)	7.66	
		(21,469.20 -44,670.83)	10.73	(21,472.44 -44,681.06)	2.67	(21,475.09 -44,680.77)	5.30	
		(21,473.64 -44,675.67)	2.77	(21,473.02 -44,672.97)	4.90	(21,471.51 -44,668.31)	15.17	
		(21,464.15 -44,655.05)	8.84	(21,460.57 -44,646.97)	8.68	(21,457.28 -44,638.94)	8.43	
		(21,456.12 -44,630.59)	28.00	(21,449.97 -44,603.27)	11.10			
133	557	(1/ 4)	(21,449.95 -44,600.02)	3.25	(21,449.97 -44,603.27)	28.00	(21,456.12 -44,630.59)	8.43
		(21,457.28 -44,638.94)	8.68	(21,460.57 -44,646.97)	8.84	(21,464.15 -44,655.05)	15.17	
		(21,471.51 -44,668.31)	4.90	(21,473.02 -44,672.97)	2.77	(21,473.64 -44,675.67)	5.30	
		(21,475.09 -44,680.77)	6.96	(21,481.54 -44,678.15)	4.23	(21,484.94 -44,675.64)	2.40	
		(21,486.37 -44,673.71)	4.80	(21,488.65 -44,669.49)	6.10	(21,491.51 -44,664.10)	7.35	
		(21,495.22 -44,657.75)	5.89	(21,499.09 -44,653.31)	27.93	(21,487.35 -44,627.97)	15.93	
		(21,483.23 -44,612.58)	12.95	(21,479.85 -44,600.08)	29.90			
133	554	(1/ 2)	(21,479.85 -44,600.08)	12.95	(21,483.23 -44,612.58)	15.93	(21,487.35 -44,627.97)	27.93
		(21,499.09 -44,653.31)	2.60	(21,500.81 -44,651.36)	2.89	(21,502.91 -44,649.37)	5.34	
		(21,506.97 -44,645.90)	2.83	(21,509.22 -44,644.18)	2.33	(21,511.17 -44,642.91)	2.32	
		(21,513.20 -44,641.79)	3.03	(21,515.88 -44,640.37)	6.54	(21,521.68 -44,637.35)	4.78	
		(21,525.82 -44,634.97)	37.95	(21,510.90 -44,600.08)	31.05			
133	553- 1	(1/ 2)	(21,510.90 -44,600.08)	37.95	(21,525.82 -44,634.97)	16.76	(21,540.00 -44,626.03)	7.67
		(21,545.95 -44,621.19)	8.86	(21,541.41 -44,613.58)	15.66	(21,533.40 -44,600.12)	22.50	
133	552- 3	(1/ 2)	(21,533.40 -44,600.12)	15.66	(21,541.41 -44,613.58)	23.53	(21,562.15 -44,602.47)	2.73
		(21,560.77 -44,600.12)	27.37					
133	551	(1/ 2)	(21,560.77 -44,600.12)	2.73	(21,562.15 -44,602.47)	8.63	(21,566.60 -44,609.86)	13.04
		(21,578.99 -44,605.80)	8.75	(21,587.33 -44,603.16)	3.32	(21,585.90 -44,600.16)	25.13	
133	550- 2	(3/ 4)						

地区..003 作業.. 52 原図番号.. N1 44-1 縮尺..1/ 500 基準点..X 21,450.00..Y -44,800.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

550-2 (3/4)		(a 21,585.90 -44,600.16)	3.32	(21,587.33 -44,603.16)	1.33	(21,588.60 -44,602.77)	7.60
		(21,595.82 -44,600.40)	0.86	(21,596.65 -44,600.18)	10.75		
133	001- 13	(a 21,600.00 -44,600.16)	3.35	(21,596.65 -44,600.18)	0.86	(21,595.82 -44,600.40)	7.60
		(21,588.60 -44,602.77)	1.33	(21,587.33 -44,603.16)	8.75	(21,578.99 -44,605.80)	13.04
		(21,566.60 -44,609.86)	17.70	(21,550.77 -44,617.78)	5.90	(21,545.95 -44,621.19)	7.67
		(21,540.00 -44,626.03)	16.76	(21,525.82 -44,634.97)	4.78	(21,521.68 -44,637.35)	6.54
		(21,515.88 -44,640.37)	3.03	(21,513.20 -44,641.79)	2.32	(21,511.17 -44,642.91)	2.33
		(21,509.22 -44,644.18)	2.83	(21,506.97 -44,645.90)	5.34	(21,502.91 -44,649.37)	2.89
		(21,500.81 -44,651.36)	2.60	(21,499.09 -44,653.31)	5.89	(21,495.22 -44,657.75)	7.35
		(21,491.51 -44,664.10)	6.10	(21,488.65 -44,669.49)	4.80	(21,486.37 -44,673.71)	2.40
		(21,484.94 -44,675.64)	4.23	(21,481.54 -44,678.15)	6.96	(21,475.09 -44,680.77)	2.67
		(21,472.44 -44,681.06)	3.42	(21,473.39 -44,684.35)	2.77	(21,475.66 -44,682.77)	7.62
		(21,482.73 -44,679.93)	4.66	(21,486.42 -44,677.09)	2.76	(21,488.02 -44,674.84)	5.07
		(21,490.38 -44,670.35)	5.81	(21,493.26 -44,665.30)	7.18	(21,496.82 -44,659.06)	4.78
		(21,499.97 -44,655.46)	3.64	(21,502.33 -44,652.69)	2.50	(21,504.14 -44,650.97)	3.36
		(21,506.66 -44,648.75)	2.13	(21,508.29 -44,647.38)	2.59	(21,510.37 -44,645.83)	2.09
		(21,512.15 -44,644.73)	2.40	(21,514.22 -44,643.51)	2.43	(21,516.38 -44,642.39)	6.95
		(21,522.53 -44,639.15)	4.66	(21,526.62 -44,636.91)	17.22	(21,541.18 -44,627.71)	7.58
		(21,547.52 -44,623.55)	0.88	(21,548.26 -44,623.07)	4.98	(21,552.09 -44,619.88)	15.59
		(21,565.98 -44,612.80)	14.63	(21,579.69 -44,607.70)	9.01	(21,588.29 -44,605.02)	8.40
		(21,596.35 -44,602.66)	3.82	(21,600.00 -44,601.54)	1.38		
133	002- 12	(a 21,600.00 -44,601.54)	3.82	(21,596.35 -44,602.66)	8.40	(21,588.29 -44,605.02)	9.01
		(21,579.69 -44,607.70)	14.63	(21,565.98 -44,612.80)	15.59	(21,552.09 -44,619.88)	4.98
		(21,548.26 -44,623.07)	0.88	(21,547.52 -44,623.55)	0.70	(21,547.88 -44,624.15)	7.76
		(21,542.40 -44,629.64)	18.07	(21,528.28 -44,640.91)	4.27	(21,524.87 -44,643.48)	11.50
		(21,514.84 -44,649.11)	6.45	(21,509.28 -44,652.38)	2.94	(21,506.61 -44,653.62)	2.81
		(21,503.98 -44,654.62)	2.90	(21,501.60 -44,656.27)	1.16	(21,500.82 -44,657.13)	3.83
		(21,498.44 -44,660.13)	7.08	(21,494.46 -44,665.98)	5.84	(21,491.78 -44,671.17)	5.24
		(21,489.12 -44,675.69)	2.22	(21,488.16 -44,677.69)	9.21	(21,484.73 -44,686.24)	4.80
		(21,482.39 -44,690.43)	2.29	(21,482.59 -44,692.71)	4.93	(21,480.27 -44,697.06)	3.57
		(21,477.63 -44,699.47)	11.05	(21,473.63 -44,709.77)	6.35	(21,472.76 -44,716.06)	3.25
		(21,476.01 -44,715.89)	6.32	(21,477.38 -44,709.72)	7.51	(21,480.00 -44,702.68)	5.61
		(21,483.18 -44,698.06)	29.50	(21,495.15 -44,671.10)	9.50	(21,500.26 -44,663.09)	6.51
		(21,504.95 -44,658.57)	11.22	(21,514.71 -44,653.04)	12.29	(21,525.42 -44,647.01)	11.73
		(21,534.90 -44,640.10)	12.41	(21,544.54 -44,632.29)	13.36	(21,554.38 -44,623.26)	14.80
		(21,567.87 -44,617.18)	15.23	(21,582.25 -44,612.16)	8.26	(21,590.17 -44,609.80)	10.30
		(21,599.99 -44,606.69)	5.15				
114	002- 1	(a 21,599.99 -44,606.69)	10.30	(21,590.17 -44,609.80)	5.16	(21,591.89 -44,614.67)	8.60
		(21,600.03 -44,611.89)	5.20				
114	001- 1	(a 21,600.03 -44,611.89)	8.60	(21,591.89 -44,614.67)	0.61	(21,592.12 -44,615.24)	8.20
		(21,599.98 -44,612.89)	1.00				
114	520	(2/ 2)					
		(a 21,599.98 -44,612.89)	8.20	(21,592.12 -44,615.24)	12.35	(21,600.01 -44,624.74)	11.85
112	486- 2	(2/ 2)					
		(21,600.01 -44,624.74)	12.35	(21,592.12 -44,615.24)	0.61	(a 21,591.89 -44,614.67)	7.08
		(21,585.05 -44,616.49)	26.82	(21,559.62 -44,625.00)	31.32	(21,581.20 -44,647.70)	19.67
		(21,599.98 -44,641.84)	17.10				
112	485- 2	(2/ 2)					

地区 ..003

作業 .. 52

原図番号 .. N1 44-1

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -44,800.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(@ 21,599.98 -44,641.84)	19.67	(21,581.20 -44,647.70)	17.22	(21,571.54 -44,661.96)	26.02
		(21,556.89 -44,683.46)	24.35	(21,581.03 -44,686.65)	25.17	(21,592.46 -44,664.22)	9.60
114	002- 3	(21,596.85 -44,655.68)	8.39	(21,599.97 -44,647.89)	6.05		
		(@ 21,599.97 -44,647.89)	8.39	(21,596.85 -44,655.68)	9.60	(21,592.46 -44,664.22)	25.17
		(21,581.03 -44,686.65)	3.41	(21,579.86 -44,689.85)	6.07	(21,584.58 -44,686.03)	3.12
		(21,586.22 -44,683.38)	22.25	(21,595.69 -44,663.25)	3.76	(21,598.31 -44,660.55)	2.89
		(21,599.75 -44,658.04)	0.70	(21,600.00 -44,657.39)	9.50		
114	526	(2/ 2)					
		(@ 21,600.00 -44,657.39)	0.70	(21,599.75 -44,658.04)	2.89	(21,598.31 -44,660.55)	1.69
		(21,599.99 -44,660.39)	3.00				
114	523- 1	(2/ 2)					
		(@ 21,599.99 -44,660.39)	1.69	(21,598.31 -44,660.55)	3.76	(21,595.69 -44,663.25)	22.25
		(21,586.22 -44,683.38)	1.19	(21,586.60 -44,684.51)	1.59	(21,588.18 -44,684.32)	11.52
		(21,596.29 -44,692.50)	4.73	(21,599.99 -44,689.56)	29.17		
116	001- 2						
		(@ 21,599.99 -44,689.56)	4.73	(21,596.29 -44,692.50)	1.01	(21,595.49 -44,693.11)	22.60
		(21,577.96 -44,707.37)	2.17	(21,575.80 -44,707.55)	10.34	(21,574.63 -44,717.82)	19.22
		(21,588.74 -44,704.77)	14.26	(21,599.98 -44,695.99)	6.43		
116	002- 4						
		(@ 21,599.98 -44,695.99)	14.26	(21,588.74 -44,704.77)	19.22	(21,574.63 -44,717.82)	2.24
		(21,576.53 -44,719.01)	18.96	(21,590.56 -44,706.25)	8.31	(21,596.94 -44,700.93)	4.00
		(21,600.03 -44,698.39)	2.40				
116	591- 2	(2/ 2)					
		(@ 21,600.03 -44,698.39)	4.00	(21,596.94 -44,700.93)	3.08	(21,600.02 -44,701.04)	2.65
116	592- 1	(2/ 2)					
		(21,600.02 -44,701.04)	3.08	(@ 21,596.94 -44,700.93)	8.31	(21,590.56 -44,706.25)	18.96
		(21,576.53 -44,719.01)	24.04	(21,599.98 -44,724.29)	23.25		
116	593	(2/ 2)					
		(21,599.98 -44,724.29)	24.04	(@ 21,576.53 -44,719.01)	1.24	(21,576.04 -44,720.15)	24.81
		(21,570.10 -44,744.24)	2.12	(21,572.22 -44,744.34)	0.97	(21,572.25 -44,745.31)	15.14
		(21,587.21 -44,747.65)	2.68	(21,587.75 -44,745.02)	12.26	(21,600.00 -44,745.49)	21.20
116	597- 2	(2/ 2)					
		(21,600.00 -44,745.49)	12.26	(@ 21,587.75 -44,745.02)	2.68	(21,587.21 -44,747.65)	3.94
		(21,586.40 -44,751.51)	10.35	(21,584.38 -44,761.66)	7.13	(21,591.35 -44,763.17)	9.92
		(21,600.02 -44,758.34)	12.85				
116	595- 1	(2/ 2)					
		(@ 21,600.02 -44,758.34)	9.92	(21,591.35 -44,763.17)	2.43	(21,593.78 -44,763.28)	6.76
		(21,600.04 -44,765.84)	7.50				
116	595- 2	(2/ 2)					
		(21,600.04 -44,765.84)	6.76	(@ 21,593.78 -44,763.28)	4.15	(21,591.46 -44,766.72)	9.32
		(21,600.05 -44,770.34)	4.50				
116	600	(2/ 2)					
		(21,600.05 -44,770.34)	9.32	(@ 21,591.46 -44,766.72)	11.53	(21,584.84 -44,776.16)	1.66
		(21,585.04 -44,777.81)	18.34	(21,600.02 -44,788.39)	18.05		
116	601- 2	(4/ 4)					
		(21,600.00 -44,800.14)	9.18	(21,600.02 -44,790.96)	21.32	(21,582.54 -44,778.76)	8.10
		(@ 21,574.49 -44,777.84)	22.74	(21,569.75 -44,800.08)	30.25		
116	601- 6	(2/ 2)					
		(21,569.75 -44,800.08)	22.74	(21,574.49 -44,777.84)	13.78	(@ 21,560.81 -44,776.22)	4.56
		(21,557.09 -44,778.86)	17.10	(21,556.78 -44,795.96)	4.16	(21,557.05 -44,800.11)	12.70
116	002- 5						

地区..003 作業..52 原図番号..N1 44-1 縮尺..1/ 500 基準点..X 21,450.00..Y -44,800.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,557.05 -44,800.11)	4.16	(21,556.78 -44,795.96)	17.10	(21,557.09 -44,778.86)	4.56
		(21,560.81 -44,776.22)	0.93	(@ 21,559.89 -44,776.12)	4.15	(21,556.53 -44,778.56)	17.91
		(21,556.08 -44,796.46)	3.66	(21,556.30 -44,800.11)	0.75		
103	001- 4	(21,556.30 -44,800.11)	3.66	(21,556.08 -44,796.46)	17.91	(@ 21,556.53 -44,778.56)	5.76
		(21,550.92 -44,779.85)	0.72	(21,551.52 -44,780.25)	1.52	(21,552.78 -44,781.10)	19.00
		(21,552.45 -44,800.10)	3.85				
103	322- 1	(2 / 2)					
		(21,552.45 -44,800.10)	19.00	(21,552.78 -44,781.10)	1.52	(@ 21,551.52 -44,780.25)	12.19
		(21,540.53 -44,785.53)	32.26	(21,511.19 -44,798.95)	1.09	(21,511.30 -44,800.03)	41.15
103	002- 6	(21,511.19 -44,798.95)	32.26	(21,540.53 -44,785.53)	12.19	(21,551.52 -44,780.25)	0.72
		(@ 21,550.92 -44,779.85)	11.84	(21,540.30 -44,785.08)	31.95	(21,511.18 -44,798.23)	0.72
103	001- 5	(21,511.30 -44,800.03)	1.09	(21,511.19 -44,798.95)	0.72	(21,511.18 -44,798.23)	31.95
		(21,540.30 -44,785.08)	11.84	(21,550.92 -44,779.85)	5.76	(21,556.53 -44,778.56)	5.52
		(@ 21,559.10 -44,773.68)	3.95	(21,555.27 -44,774.63)	19.84	(21,537.60 -44,783.65)	12.03
		(21,526.62 -44,788.56)	9.31	(21,518.11 -44,792.34)	6.77	(21,511.98 -44,795.21)	3.44
		(21,508.73 -44,796.33)	4.00	(21,504.73 -44,796.52)	5.03	(21,500.55 -44,799.31)	0.64
		(21,501.19 -44,799.25)	6.90	(21,508.08 -44,798.88)	1.57	(21,509.10 -44,800.08)	2.20
103	323- 1	(2 / 2)					
		(21,509.10 -44,800.08)	1.57	(@ 21,508.08 -44,798.88)	6.90	(21,501.19 -44,799.25)	1.10
		(21,500.45 -44,800.06)	8.65				
103	002- 7	(21,500.45 -44,800.06)	1.10	(21,501.19 -44,799.25)	0.54	(@ 21,500.65 -44,799.21)	1.09
		(21,499.96 -44,800.06)	0.49				
103	001- 6	(21,499.96 -44,800.06)	0.95	(21,500.55 -44,799.31)	5.03	(21,504.73 -44,796.52)	8.74
		(@ 21,496.02 -44,795.81)	3.38	(21,493.67 -44,798.24)	2.50	(21,491.95 -44,800.05)	8.01
103	323- 2	(2 / 3)					
		(21,491.95 -44,800.05)	2.50	(@ 21,493.67 -44,798.24)	9.08	(21,484.60 -44,798.59)	7.15
		(21,477.60 -44,800.07)	14.35				
103	001- 7	(21,477.60 -44,800.07)	7.15	(21,484.60 -44,798.59)	9.08	(21,493.67 -44,798.24)	3.38
		(21,496.02 -44,795.81)	2.92	(@ 21,493.11 -44,795.60)	8.78	(21,484.36 -44,796.31)	7.06
		(21,477.45 -44,797.77)	9.53	(21,468.20 -44,800.06)	9.40		
112	002- 8	(21,468.20 -44,800.06)	9.53	(21,477.45 -44,797.77)	7.06	(21,484.36 -44,796.31)	8.78
		(21,493.11 -44,795.60)	2.92	(21,496.02 -44,795.81)	3.56	(21,498.50 -44,793.26)	2.98
		(@ 21,495.54 -44,792.95)	3.72	(21,491.84 -44,793.30)	6.40	(21,485.46 -44,793.81)	8.78
		(21,476.78 -44,795.10)	9.13	(21,468.05 -44,797.76)	0.56	(21,467.53 -44,797.96)	10.10
		(21,457.65 -44,800.04)	10.55				
112	001- 8	(21,457.65 -44,800.04)	10.10	(21,467.53 -44,797.96)	0.56	(21,468.05 -44,797.76)	9.13
		(21,476.78 -44,795.10)	8.78	(21,485.46 -44,793.81)	6.40	(21,491.84 -44,793.30)	3.72
		(21,495.54 -44,792.95)	2.98	(21,498.50 -44,793.26)	1.33	(21,499.38 -44,792.26)	3.98
		(@ 21,495.41 -44,791.95)	9.98	(21,485.46 -44,792.71)	8.95	(21,476.61 -44,794.07)	9.30
		(21,467.71 -44,796.76)	5.90	(21,461.95 -44,798.05)	9.11	(21,453.05 -44,800.01)	4.60
112	482- 1	(21,494.72 -44,724.19)	4.33	(21,494.28 -44,728.50)	14.59	(21,493.85 -44,743.08)	12.48
		(21,492.80 -44,755.52)	5.70	(21,492.62 -44,761.22)	5.88	(21,492.68 -44,767.10)	5.84
		(21,493.02 -44,772.93)	19.17	(21,495.41 -44,791.95)	3.98	(21,499.38 -44,792.26)	21.86

地区..003

作業.. 52 原図番号.. N1 44-1

縮尺..1/ 500

基準点..X 21,450.00..Y -44,800.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,514.04 -44,776.04)	5.87	(21,517.03 -44,770.99)	20.06	(21,530.38 -44,756.02)	5.48
		(21,534.98 -44,753.05)	6.30	(21,539.27 -44,748.43)	0.91	(21,539.68 -44,747.62)	8.69
		(21,538.39 -44,739.03)	4.40	(21,537.99 -44,734.65)	3.88	(21,537.72 -44,730.78)	10.91
112	481- 5	(21,538.18 -44,719.88)	43.67				
		(21,538.39 -44,739.03)	8.69	(21,539.68 -44,747.62)	0.58	(21,539.89 -44,747.08)	1.18
112	481- 7	(21,541.04 -44,746.83)	9.31	(21,547.31 -44,739.95)	8.97		
		(21,547.31 -44,739.95)	27.30	(21,565.92 -44,719.98)	3.19	(21,564.81 -44,716.99)	26.74
		(21,538.14 -44,718.90)	0.98	(21,538.18 -44,719.88)	10.91	(21,537.72 -44,730.78)	3.88
112	001- 9	(21,537.99 -44,734.65)	4.40	(21,538.39 -44,739.03)	8.97		
		(21,564.81 -44,716.99)	3.19	(21,565.92 -44,719.98)	27.30	(21,547.31 -44,739.95)	9.31
		(21,541.04 -44,746.83)	1.18	(21,539.89 -44,747.08)	0.58	(21,539.68 -44,747.62)	0.91
		(21,539.27 -44,748.43)	6.30	(21,534.98 -44,753.05)	5.48	(21,530.38 -44,756.02)	20.06
		(21,517.03 -44,770.99)	5.87	(21,514.04 -44,776.04)	21.86	(21,499.38 -44,792.26)	1.33
		(21,498.50 -44,793.26)	3.56	(21,496.02 -44,795.81)	8.74	(21,504.73 -44,796.52)	1.66
		(21,505.24 -44,794.94)	0.89	(21,505.58 -44,794.12)	37.62	(21,531.01 -44,766.39)	7.87
		(21,536.15 -44,760.43)	16.87	(21,547.44 -44,747.90)	10.22	(21,554.34 -44,740.36)	23.00
112	001- 10	(21,569.95 -44,723.47)	7.34	(21,574.63 -44,717.82)	9.86		
		(21,569.95 -44,723.47)	1.03	(21,570.08 -44,724.49)	19.30	(21,565.46 -44,743.23)	8.91
		(21,563.08 -44,751.82)	13.55	(21,558.20 -44,764.46)	6.33	(21,555.55 -44,770.21)	2.03
		(21,555.20 -44,772.21)	8.04	(21,547.96 -44,775.70)	24.08	(21,526.27 -44,786.16)	10.51
		(21,516.84 -44,790.79)	5.47	(21,511.76 -44,792.81)	3.76	(21,508.16 -44,793.88)	2.59
		(21,505.58 -44,794.12)	0.89	(21,505.24 -44,794.94)	2.99	(21,508.23 -44,794.83)	3.95
		(21,511.99 -44,793.63)	5.60	(21,517.24 -44,791.67)	9.81	(21,526.05 -44,787.36)	24.58
		(21,548.14 -44,776.57)	8.15	(21,555.50 -44,773.06)	2.69	(21,557.80 -44,771.66)	7.38
		(21,561.01 -44,765.02)	18.70	(21,567.07 -44,747.33)	27.98	(21,573.66 -44,720.14)	2.51
112	002- 9	(21,574.63 -44,717.82)	7.34				
		(21,574.63 -44,717.82)	2.51	(21,573.66 -44,720.14)	27.98	(21,567.07 -44,747.33)	18.70
		(21,561.01 -44,765.02)	7.38	(21,557.80 -44,771.66)	2.69	(21,555.50 -44,773.06)	8.15
		(21,548.14 -44,776.57)	24.58	(21,526.05 -44,787.36)	9.81	(21,517.24 -44,791.67)	5.60
		(21,511.99 -44,793.63)	3.95	(21,508.23 -44,794.83)	2.99	(21,505.24 -44,794.94)	1.66
		(21,504.73 -44,796.52)	4.00	(21,508.73 -44,796.33)	3.44	(21,511.98 -44,795.21)	6.77
		(21,518.11 -44,792.34)	9.31	(21,526.62 -44,788.56)	12.03	(21,537.60 -44,783.65)	19.84
		(21,555.27 -44,774.63)	3.95	(21,559.10 -44,773.68)	6.77	(21,562.31 -44,767.72)	10.85
		(21,566.17 -44,757.58)	9.08	(21,569.00 -44,748.95)	4.84	(21,570.10 -44,744.24)	24.81
112	480- 1	(21,576.04 -44,720.15)	1.24	(21,576.53 -44,719.01)	2.24		
		(21,536.15 -44,760.43)	7.87	(21,531.01 -44,766.39)	37.62	(21,505.58 -44,794.12)	2.59
		(21,508.16 -44,793.88)	3.76	(21,511.76 -44,792.81)	5.47	(21,516.84 -44,790.79)	10.51
112	481- 11	(21,526.27 -44,786.16)	24.08	(21,547.96 -44,775.70)	14.09	(21,543.97 -44,762.19)	8.02
		(21,543.97 -44,762.19)	14.09	(21,547.96 -44,775.70)	8.04	(21,555.20 -44,772.21)	2.03
112	481- 2	(21,555.55 -44,770.21)	6.33	(21,558.20 -44,764.46)	14.62	(21,543.84 -44,761.69)	0.52
		(21,536.15 -44,760.43)	8.02	(21,543.97 -44,762.19)	0.52	(21,543.84 -44,761.69)	14.62
112	481- 12	(21,558.20 -44,764.46)	13.55	(21,563.08 -44,751.82)	16.12	(21,547.44 -44,747.90)	16.87
		(21,547.44 -44,747.90)	16.12	(21,563.08 -44,751.82)	8.91	(21,565.46 -44,743.23)	11.48

地区 ..003

作業 .. 52

原図番号 .. N1 44-1

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -44,800.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

112	481-	(@ 21,554.34 -44,740.36) 10.22							
		(21,554.34 -44,740.36) 11.48	(21,565.46 -44,743.23) 19.30	(21,570.08 -44,724.49) 1.03					
116	001-	(@ 21,569.95 -44,723.47) 23.00							
		(21,556.53 -44,778.56) 4.15	(21,559.89 -44,776.12) 0.93	(21,560.81 -44,776.22) 13.78					
		(21,574.49 -44,777.84) 8.10	(21,582.54 -44,778.76) 21.32	(21,600.02 -44,790.96) 2.57					
		(21,600.02 -44,788.39) 18.34	(21,585.04 -44,777.81) 2.04	(21,583.37 -44,776.63) 1.54					
116	598-	(21,581.83 -44,776.51) 20.56	(21,561.43 -44,773.97) 2.35	(@ 21,559.10 -44,773.68) 5.52					
		(21,559.10 -44,773.68) 2.35	(21,561.43 -44,773.97) 6.31	(@ 21,562.31 -44,767.72) 6.77					
116	598-	(21,562.31 -44,767.72) 6.31	(21,561.43 -44,773.97) 20.56	(21,581.83 -44,776.51) 1.39					
		(21,582.74 -44,775.46) 15.01	(21,591.35 -44,763.17) 7.13	(21,584.38 -44,761.66) 18.66					
116	599	(@ 21,566.17 -44,757.58) 10.85							
		(21,582.74 -44,775.46) 1.39	(21,581.83 -44,776.51) 1.54	(21,583.37 -44,776.63) 2.04					
		(21,585.04 -44,777.81) 1.66	(21,584.84 -44,776.16) 11.53	(21,591.46 -44,766.72) 4.15					
116	597-	(21,593.78 -44,763.28) 2.43	(@ 21,591.35 -44,763.17) 15.01						
		(21,566.17 -44,757.58) 18.66	(21,584.38 -44,761.66) 10.35	(21,586.40 -44,751.51) 17.59					
116	596	(@ 21,569.00 -44,748.95) 9.08							
		(21,569.00 -44,748.95) 17.59	(21,586.40 -44,751.51) 3.94	(21,587.21 -44,747.65) 15.14					
116	591-	(21,572.25 -44,745.31) 0.97	(21,572.22 -44,744.34) 2.12	(@ 21,570.10 -44,744.24) 4.84					
		(21,577.96 -44,707.37) 22.60	(21,595.49 -44,693.11) 10.77	(@ 21,587.90 -44,685.47) 3.37					
		(21,584.58 -44,686.03) 6.07	(21,579.86 -44,689.85) 18.16	(21,575.80 -44,707.55) 2.17					
114	002-	(21,584.58 -44,686.03) 3.37	(21,587.90 -44,685.47) 10.77	(21,595.49 -44,693.11) 1.01					
		(21,596.29 -44,692.50) 11.52	(21,588.18 -44,684.32) 1.59	(21,586.60 -44,684.51) 1.19					
112	484	(@ 21,586.22 -44,683.38) 3.12							
		(21,571.54 -44,661.96) 17.22	(21,581.20 -44,647.70) 31.32	(@ 21,559.62 -44,625.00) 3.12					
		(21,556.93 -44,626.59) 25.96	(21,536.73 -44,642.90) 12.76	(21,526.41 -44,650.41) 8.25					
		(21,519.15 -44,654.33) 3.59	(21,521.55 -44,657.00) 21.82	(21,538.43 -44,670.83) 9.59					
112	483	(21,546.07 -44,676.62) 12.17	(21,556.17 -44,683.41) 0.72	(21,556.89 -44,683.46) 26.02					
		(21,556.17 -44,683.41) 12.17	(21,546.07 -44,676.62) 9.59	(21,538.43 -44,670.83) 21.82					
		(21,521.55 -44,657.00) 3.59	(@ 21,519.15 -44,654.33) 3.06	(21,516.43 -44,655.74) 9.88					
		(21,508.07 -44,661.00) 7.79	(21,502.13 -44,666.04) 7.86	(21,497.70 -44,672.53) 6.39					
		(21,495.01 -44,678.33) 11.72	(21,490.44 -44,689.12) 8.76	(21,486.98 -44,697.17) 19.93					
		(21,503.46 -44,708.37) 2.97	(21,506.41 -44,708.75) 8.93	(21,514.86 -44,705.86) 11.82					
		(21,525.22 -44,700.16) 10.30	(21,533.76 -44,694.40) 11.92	(21,543.52 -44,687.56) 6.93					
112	002-	(21,549.90 -44,684.85) 6.43							
	10	(21,581.03 -44,686.65) 24.35	(21,556.89 -44,683.46) 0.72	(@ 21,556.17 -44,683.41) 6.43					
		(21,549.90 -44,684.85) 6.93	(21,543.52 -44,687.56) 11.92	(21,533.76 -44,694.40) 10.30					
		(21,525.22 -44,700.16) 11.82	(21,514.86 -44,705.86) 8.93	(21,506.41 -44,708.75) 2.97					
		(21,503.46 -44,708.37) 19.93	(21,486.98 -44,697.17) 2.14	(21,486.03 -44,699.09) 19.97					
		(21,502.53 -44,710.34) 2.16	(21,504.54 -44,711.12) 1.57	(21,506.03 -44,711.62) 10.26					
		(21,515.59 -44,707.89) 12.40	(21,526.37 -44,701.76) 15.42	(21,539.35 -44,693.43) 6.58					

地区 ..003 作業 .. 52 原図番号 .. N1 44-1 縮尺 ..1/ 500 基準点 ..X 21,450.00..Y -44,800.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,544.54 -44,689.39)	6.40	(21,550.47 -44,686.98)	6.90	(21,557.25 -44,685.71)	22.03
		(21,578.93 -44,689.60)	0.96	(21,579.86 -44,689.85)	3.41		
112	481- 1	(21,578.93 -44,689.60)	22.03	(21,557.25 -44,685.71)	6.90	(21,550.47 -44,686.98)	6.40
		(21,544.54 -44,689.39)	6.58	(21,539.35 -44,693.43)	16.46	(21,538.34 -44,709.86)	36.65
		(21,574.90 -44,707.34)	18.19				
112	001- 12	(21,574.90 -44,707.34)	0.92	(21,575.80 -44,707.55)	18.16	(21,579.86 -44,689.85)	0.96
		(21,578.93 -44,689.60)	18.19				
112	001- 11	(21,575.80 -44,707.55)	0.92	(21,574.90 -44,707.34)	36.65	(21,538.34 -44,709.86)	35.70
		(21,502.79 -44,713.12)	23.85	(21,479.05 -44,715.39)	10.51	(21,478.49 -44,725.89)	16.32
		(21,494.72 -44,724.19)	43.67	(21,538.18 -44,719.88)	0.98	(21,538.14 -44,718.90)	26.74
		(21,564.81 -44,716.99)	9.86	(21,574.63 -44,717.82)	10.34		
112	482- 3	(21,538.34 -44,709.86)	16.46	(21,539.35 -44,693.43)	15.42	(21,526.37 -44,701.76)	12.40
		(21,515.59 -44,707.89)	10.26	(21,506.03 -44,711.62)	1.57	(21,504.54 -44,711.12)	2.66
		(21,502.79 -44,713.12)	35.70				
112	479- 2	(21,502.79 -44,713.12)	2.66	(21,504.54 -44,711.12)	2.16	(21,502.53 -44,710.34)	19.97
		(21,486.03 -44,699.09)	7.74	(21,482.36 -44,705.91)	10.04	(21,479.05 -44,715.39)	23.85
134	570- 1	(21,472.76 -44,716.06)	6.35	(21,473.63 -44,709.77)	11.05	(21,477.63 -44,699.47)	2.76
		(21,475.58 -44,697.62)	3.23	(21,473.08 -44,695.57)	8.30	(21,475.12 -44,687.52)	1.41
		(21,473.71 -44,687.55)	2.87	(21,472.97 -44,690.32)	6.12	(21,470.48 -44,695.91)	18.73
		(21,461.70 -44,712.45)	4.96	(21,459.35 -44,716.82)	1.03	(21,459.78 -44,717.76)	13.09
133	002- 14	(21,475.66 -44,682.77)	2.77	(21,473.39 -44,684.35)	3.22	(21,473.71 -44,687.55)	1.41
		(21,475.12 -44,687.52)	8.30	(21,473.08 -44,695.57)	3.23	(21,475.58 -44,697.62)	2.76
		(21,477.63 -44,699.47)	3.57	(21,480.27 -44,697.06)	4.49	(21,476.84 -44,694.17)	1.06
		(21,477.01 -44,693.12)	2.45	(21,478.32 -44,691.05)	5.68	(21,476.50 -44,685.67)	3.02
133	560- 2	(21,476.50 -44,685.67)	5.68	(21,478.32 -44,691.05)	2.45	(21,477.01 -44,693.12)	1.06
		(21,476.84 -44,694.17)	4.49	(21,480.27 -44,697.06)	4.93	(21,482.59 -44,692.71)	2.29
		(21,482.39 -44,690.43)	4.80	(21,484.73 -44,686.24)	8.25		
133	560- 1	(21,484.73 -44,686.24)	9.21	(21,488.16 -44,677.69)	5.87	(21,482.73 -44,679.93)	7.62
		(21,475.66 -44,682.77)	3.02	(21,476.50 -44,685.67)	8.25		
133	559	(21,499.97 -44,655.46)	4.78	(21,496.82 -44,659.06)	7.18	(21,493.26 -44,665.30)	5.81
		(21,490.38 -44,670.35)	5.07	(21,488.02 -44,674.84)	2.76	(21,486.42 -44,677.09)	4.66
		(21,482.73 -44,679.93)	5.87	(21,488.16 -44,677.69)	2.22	(21,489.12 -44,675.69)	5.24
		(21,491.78 -44,671.17)	5.84	(21,494.46 -44,665.98)	7.08	(21,498.44 -44,660.13)	3.83
		(21,500.82 -44,657.13)	1.87				
133	555	(21,500.82 -44,657.13)	1.16	(21,501.60 -44,656.27)	2.90	(21,503.98 -44,654.62)	2.81
		(21,506.61 -44,653.62)	2.94	(21,509.28 -44,652.38)	6.45	(21,514.84 -44,649.11)	11.50
		(21,524.87 -44,643.48)	4.27	(21,528.28 -44,640.91)	4.33	(21,526.62 -44,636.91)	4.66
		(21,522.53 -44,639.15)	6.95	(21,516.38 -44,642.39)	2.43	(21,514.22 -44,643.51)	2.40
		(21,512.15 -44,644.73)	2.09	(21,510.37 -44,645.83)	2.59	(21,508.29 -44,647.38)	2.13
		(21,506.66 -44,648.75)	3.36	(21,504.14 -44,650.97)	2.50	(21,502.33 -44,652.69)	3.64
		(21,499.97 -44,655.46)	1.87				

地区 ..003 作業 .. 52 原図番号 .. N1 44-1 縮尺 ..1/ 500 基準点 ..X 21,450.00..Y -44,800.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

133	553-	2	(21,528.28 -44,640.91)	18.07	(21,542.40 -44,629.64)	7.76	(21,547.88 -44,624.15)	0.70
		(@	21,547.52 -44,623.55)	7.58	(21,541.18 -44,627.71)	17.22	(21,526.62 -44,636.91)	4.33
133	552-	2	(21,541.41 -44,613.58)	8.86	(21,545.95 -44,621.19)	5.90	(21,550.77 -44,617.78)	17.70
		(	21,566.60 -44,609.86)	8.63	(@ 21,562.15 -44,602.47)	23.53		