

地区..003

作業.. 53

原図番号.. N1 44-2

縮尺..1/ 500

基準点..X

21,450.00..Y

-44,600.00

測定

年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,450.00 -44,600.00)	49.95	(21,499.95 -44,599.98)	50.00	(21,549.95 -44,600.00)	50.05
		(21,600.00 -44,600.03)	49.95	(21,599.98 -44,550.08)	50.01	(21,600.00 -44,500.07)	50.00
		(21,600.03 -44,450.07)	50.00	(21,600.05 -44,400.07)	50.05	(21,550.00 -44,400.05)	50.00
		(21,500.00 -44,400.02)	50.00	(21,450.00 -44,399.95)	50.05	(21,449.98 -44,450.00)	50.00
		(21,449.95 -44,500.00)	49.95	(21,449.97 -44,549.95)	50.05		
133	557	(2 / 4)					
		(21,450.00 -44,600.00)	29.70	(21,479.70 -44,599.98)	16.81	(21,475.34 -44,583.75)	25.78
		(21,450.02 -44,588.60)	0.85	(21,449.97 -44,589.45)	10.55		
133	002- 2						
		(21,449.97 -44,589.45)	0.85	(21,450.02 -44,588.60)	25.78	(21,475.34 -44,583.75)	26.38
		(21,500.25 -44,575.07)	15.86	(21,512.51 -44,565.01)	11.15	(21,520.57 -44,557.30)	4.50
		(21,524.29 -44,554.76)	8.08	(21,531.59 -44,551.30)	8.66	(21,538.77 -44,546.45)	8.31
		(21,545.38 -44,541.41)	4.67	(21,548.45 -44,537.89)	48.04	(21,590.65 -44,514.93)	0.36
		(21,590.99 -44,514.80)	3.51	(21,592.48 -44,511.62)	6.02	(21,596.04 -44,506.76)	2.72
		(21,597.96 -44,504.83)	2.84	(21,599.96 -44,502.82)	3.35	(21,599.97 -44,499.47)	16.24
		(21,588.83 -44,511.28)	5.65	(21,584.39 -44,514.78)	14.18	(21,572.23 -44,522.07)	21.70
		(21,553.03 -44,532.19)	9.57	(21,544.91 -44,537.25)	1.42	(21,544.30 -44,538.53)	1.54
		(21,543.63 -44,539.92)	11.84	(21,534.09 -44,546.94)	5.28	(21,529.47 -44,549.50)	7.46
		(21,522.63 -44,552.47)	3.05	(21,519.88 -44,553.78)	7.39	(21,514.87 -44,559.21)	7.87
		(21,508.70 -44,564.10)	11.60	(21,500.23 -44,572.02)	6.71	(21,494.16 -44,574.89)	21.74
		(21,473.45 -44,581.49)	17.23	(21,456.41 -44,584.01)	3.41	(21,453.03 -44,584.43)	1.46
		(21,451.83 -44,583.60)	1.89	(21,449.96 -44,583.30)	6.15		
135	593	(1 / 2)					
		(21,449.96 -44,583.30)	1.89	(21,451.83 -44,583.60)	1.46	(21,453.03 -44,584.43)	5.40
		(21,449.95 -44,580.00)	3.30				
135	594	(1 / 2)					
		(21,449.95 -44,580.00)	5.40	(21,453.03 -44,584.43)	3.41	(21,456.41 -44,584.01)	17.23
		(21,473.45 -44,581.49)	21.07	(21,461.30 -44,564.27)	19.91	(21,449.97 -44,547.90)	32.10
135	595- 1	(1 / 2)					
		(21,449.97 -44,547.90)	19.91	(21,461.30 -44,564.27)	13.83	(21,473.14 -44,557.13)	24.05
		(21,459.23 -44,537.51)	7.86	(21,452.50 -44,541.57)	2.89	(21,449.96 -44,542.95)	4.95
135	001- 7						
		(21,449.96 -44,542.95)	2.89	(21,452.50 -44,541.57)	7.86	(21,459.23 -44,537.51)	3.69
		(21,462.41 -44,535.64)	22.56	(21,481.75 -44,524.02)	19.88	(21,499.14 -44,514.38)	19.45
		(21,516.61 -44,505.83)	2.99	(21,519.36 -44,504.66)	2.62	(21,517.58 -44,502.74)	1.24
		(21,516.46 -44,503.28)	10.41	(21,507.17 -44,507.98)	9.96	(21,498.23 -44,512.38)	24.59
		(21,476.66 -44,524.18)	26.30	(21,454.09 -44,537.69)	4.77	(21,449.95 -44,540.05)	2.90
135	598- 2	(1 / 2)					
		(21,449.95 -44,540.05)	4.77	(21,454.09 -44,537.69)	2.57	(21,452.60 -44,535.59)	3.03
		(21,449.94 -44,537.05)	3.00				
135	604	(1 / 2)					
		(21,449.94 -44,537.05)	3.03	(21,452.60 -44,535.59)	4.57	(21,449.98 -44,531.85)	5.20
135	601	(1 / 2)					
		(21,449.98 -44,531.85)	4.57	(21,452.60 -44,535.59)	2.57	(21,454.09 -44,537.69)	26.30
		(21,476.66 -44,524.18)	24.59	(21,498.23 -44,512.38)	9.96	(21,507.17 -44,507.98)	10.41
		(21,516.46 -44,503.28)	3.02	(21,514.19 -44,501.29)	9.42	(21,505.81 -44,505.59)	19.65
		(21,488.29 -44,514.48)	19.63	(21,471.19 -44,524.12)	15.68	(21,463.19 -44,510.63)	19.14
		(21,453.64 -44,494.04)	7.92	(21,450.22 -44,486.90)	5.91	(21,456.12 -44,487.21)	4.45
		(21,460.56 -44,486.92)	5.29	(21,456.04 -44,484.18)	2.89	(21,453.26 -44,483.39)	3.32
		(21,449.96 -44,483.05)	48.80				
135	603	(1 / 2)					

地区 ..003

作業 .. 53

原図番号 .. N1 44-2

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -44,600.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,449.96 -44,483.05)	3.32	(21,453.26 -44,483.39)	2.89	(21,456.04 -44,484.18)	5.29
		(21,460.56 -44,486.92)	3.67	(21,460.96 -44,483.27)	4.87	(21,456.28 -44,481.93)	6.42
132	002- 4	(@ 21,449.95 -44,480.85)	2.20				
		(21,449.95 -44,480.85)	6.42	(21,456.28 -44,481.93)	4.87	(21,460.96 -44,483.27)	3.67
		(21,460.56 -44,486.92)	9.71	(21,470.27 -44,486.80)	13.12	(21,483.07 -44,489.67)	10.29
		(21,492.62 -44,493.51)	14.81	(21,506.79 -44,497.81)	6.57	(21,512.93 -44,500.14)	1.71
		(21,514.19 -44,501.29)	3.02	(21,516.46 -44,503.28)	1.24	(21,517.58 -44,502.74)	3.51
		(21,515.15 -44,500.21)	2.19	(21,513.30 -44,499.04)	6.18	(21,507.62 -44,496.61)	14.81
		(21,493.48 -44,492.19)	11.31	(21,482.90 -44,488.19)	11.16	(21,472.04 -44,485.64)	6.30
		(21,466.31 -44,483.03)	4.81	(21,461.95 -44,480.99)	6.67	(21,455.57 -44,479.04)	5.66
		(@ 21,449.95 -44,478.35)	2.50				
132	001- 3	(21,449.95 -44,478.35)	5.66	(21,455.57 -44,479.04)	6.67	(21,461.95 -44,480.99)	4.81
		(21,466.31 -44,483.03)	6.30	(21,472.04 -44,485.64)	11.16	(21,482.90 -44,488.19)	11.31
		(21,493.48 -44,492.19)	14.81	(21,507.62 -44,496.61)	6.18	(21,513.30 -44,499.04)	2.19
		(21,515.15 -44,500.21)	3.51	(21,517.58 -44,502.74)	2.87	(21,520.22 -44,501.62)	1.35
		(21,519.50 -44,500.48)	1.68	(21,518.15 -44,499.48)	2.53	(21,515.95 -44,498.23)	5.17
		(21,511.34 -44,495.90)	5.46	(21,506.22 -44,493.99)	12.21	(21,494.61 -44,490.22)	11.02
		(21,484.22 -44,486.56)	11.84	(21,472.81 -44,483.39)	5.60	(21,467.58 -44,481.38)	2.58
		(21,465.29 -44,480.20)	5.54	(21,460.15 -44,478.12)	4.87	(21,455.47 -44,476.79)	5.55
		(@ 21,449.99 -44,475.90)	2.45				
132	528	(1/ 2)					
		(21,449.99 -44,475.90)	5.55	(21,455.47 -44,476.79)	4.87	(21,460.15 -44,478.12)	5.54
		(21,465.29 -44,480.20)	3.87	(21,466.29 -44,476.46)	4.09	(21,466.88 -44,472.41)	6.82
		(21,467.46 -44,465.61)	5.59	(21,467.20 -44,460.03)	6.80	(21,467.08 -44,453.23)	13.83
		(21,466.65 -44,439.41)	3.95	(21,466.59 -44,435.46)	3.59	(21,466.83 -44,431.88)	3.83
		(21,467.37 -44,428.09)	7.71	(21,459.75 -44,426.89)	9.85	(@ 21,449.96 -44,425.85)	50.05
132	527- 1	(1/ 4)					
		(21,449.96 -44,425.85)	9.85	(21,459.75 -44,426.89)	27.56	(21,453.88 -44,399.96)	3.88
		(@ 21,450.00 -44,399.95)	25.90				
132	520- 1	(1/ 3)					
		(@ 21,453.88 -44,399.96)	27.56	(21,459.75 -44,426.89)	7.71	(21,467.37 -44,428.09)	6.55
		(21,473.92 -44,428.24)	3.65	(21,477.57 -44,428.08)	3.80	(21,481.12 -44,426.72)	1.14
		(21,481.88 -44,425.87)	2.33	(21,481.36 -44,423.60)	3.10	(21,481.33 -44,420.50)	2.06
		(21,481.60 -44,418.46)	1.08	(21,480.74 -44,417.80)	17.85	(21,480.00 -44,399.97)	26.12
132	519	(1/ 2)					
		(@ 21,480.00 -44,399.97)	17.85	(21,480.74 -44,417.80)	1.08	(21,481.60 -44,418.46)	1.03
		(21,482.60 -44,418.22)	8.13	(21,490.72 -44,418.55)	5.21	(21,495.92 -44,418.21)	4.54
		(21,500.39 -44,417.42)	3.31	(21,503.47 -44,416.22)	2.79	(21,505.89 -44,414.83)	3.26
		(21,508.58 -44,412.98)	5.22	(21,511.89 -44,408.94)	7.16	(21,508.76 -44,402.50)	2.61
		(21,508.00 -44,400.00)	28.00				
132	518- 1	(1/ 2)					
		(21,508.00 -44,400.00)	2.61	(21,508.76 -44,402.50)	7.16	(21,511.89 -44,408.94)	1.49
		(21,512.53 -44,410.29)	5.11	(21,516.88 -44,412.98)	2.91	(21,519.68 -44,413.78)	3.64
		(21,523.29 -44,414.27)	2.70	(21,525.99 -44,414.36)	3.05	(21,529.04 -44,414.20)	3.34
		(21,532.33 -44,413.64)	3.32	(21,535.58 -44,412.94)	3.86	(21,539.18 -44,411.56)	11.73
		(@ 21,541.00 -44,399.97)	33.00				
132	505- 2	(1/ 2)					
		(@ 21,541.00 -44,399.97)	11.73	(21,539.18 -44,411.56)	13.73	(21,536.81 -44,425.08)	41.36
		(21,576.32 -44,412.85)	13.38	(21,572.45 -44,400.04)	31.45		
132	001- 2						

地区 ..003

作業 .. 53

原図番号 .. N1 44-2

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -44,600.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,572.45 -44,400.04)	13.38	(21,576.32 -44,412.85)	34.53	(21,586.18 -44,445.94)	13.43
		(21,590.01 -44,458.81)	5.72	(21,594.56 -44,455.34)	10.99	(21,591.45 -44,444.80)	20.76
		(21,585.49 -44,424.91)	16.96	(21,580.52 -44,408.69)	2.42	(21,579.95 -44,406.34)	6.59
		(@ 21,578.05 -44,400.03)	5.60				
132	507-	1 (2/ 3)					
		(@ 21,578.05 -44,400.03)	6.59	(21,579.95 -44,406.34)	17.79	(21,596.60 -44,400.08)	18.55
132	001-	1					
		(21,596.60 -44,400.08)	17.79	(21,579.95 -44,406.34)	2.42	(21,580.52 -44,408.69)	20.93
		(21,600.05 -44,401.17)	1.10	(@ 21,600.05 -44,400.07)	3.45		
132	505-	1 (3/ 3)					
		(@ 21,600.05 -44,401.17)	20.93	(21,580.52 -44,408.69)	16.96	(21,585.49 -44,424.91)	15.57
		(21,600.00 -44,419.27)	18.10				
132	502-	1 (2/ 2)					
		(@ 21,600.00 -44,419.27)	15.60	(21,585.46 -44,424.91)	20.77	(21,591.45 -44,444.80)	9.18
		(21,600.00 -44,441.47)	22.20				
132	502-	3 (2/ 2)					
		(@ 21,600.00 -44,441.47)	9.18	(21,591.45 -44,444.80)	10.99	(21,594.56 -44,455.34)	6.79
		(21,600.03 -44,451.32)	9.85				
133	002-	1					
		(@ 21,600.03 -44,451.32)	6.79	(21,594.56 -44,455.34)	1.84	(21,595.14 -44,457.09)	6.26
		(21,599.98 -44,453.12)	1.80				
133	537	(2/ 2)					
		(@ 21,599.98 -44,453.12)	6.26	(21,595.14 -44,457.09)	16.89	(21,599.98 -44,473.27)	20.15
133	001-	4					
		(21,599.98 -44,473.27)	16.89	(21,595.14 -44,457.09)	1.84	(@ 21,594.56 -44,455.34)	5.72
		(21,590.01 -44,458.81)	1.82	(21,590.50 -44,460.56)	2.10	(21,591.01 -44,462.60)	15.15
		(21,595.43 -44,477.09)	15.94	(21,599.98 -44,492.37)	19.10		
133	536-	2 (2/ 2)					
		(21,599.98 -44,492.37)	15.94	(@ 21,595.43 -44,477.09)	6.55	(21,589.95 -44,480.67)	6.24
		(21,584.64 -44,483.94)	8.91	(21,577.02 -44,488.56)	9.28	(21,568.77 -44,492.80)	24.88
		(21,583.13 -44,513.12)	2.08	(21,584.39 -44,514.78)	5.65	(21,588.83 -44,511.28)	16.24
		(21,599.97 -44,499.47)	7.10				
133	544-	2 (2/ 2)					
		(@ 21,599.96 -44,502.82)	2.84	(21,597.96 -44,504.83)	2.72	(21,596.04 -44,506.76)	6.02
		(21,592.48 -44,511.62)	3.51	(21,590.99 -44,514.80)	0.36	(21,590.65 -44,514.93)	2.15
		(21,590.84 -44,517.07)	4.87	(21,592.05 -44,521.79)	3.56	(21,593.39 -44,525.09)	4.50
		(21,595.80 -44,528.89)	4.60	(21,598.41 -44,532.68)	2.63	(21,600.01 -44,534.77)	31.95
133	550-	2 (4/ 4)					
		(21,600.01 -44,534.77)	2.63	(21,598.41 -44,532.68)	4.60	(21,595.80 -44,528.89)	4.50
		(21,593.39 -44,525.09)	3.56	(21,592.05 -44,521.79)	4.87	(21,590.84 -44,517.07)	2.15
		(@ 21,590.65 -44,514.93)	48.04	(21,548.45 -44,537.89)	4.52	(21,551.50 -44,541.22)	7.83
		(21,556.07 -44,547.58)	4.94	(21,558.68 -44,551.78)	8.79	(21,562.90 -44,559.49)	9.66
		(21,567.42 -44,568.03)	14.73	(21,574.83 -44,580.76)	13.51	(21,581.66 -44,592.42)	4.97
		(21,584.17 -44,596.71)	3.72	(21,585.83 -44,600.04)	10.97	(21,596.80 -44,600.08)	0.87
		(21,597.62 -44,599.78)	2.34	(21,599.95 -44,599.55)	0.90	(21,599.95 -44,598.65)	1.72
		(21,598.25 -44,598.88)	5.84	(21,597.33 -44,593.11)	4.24	(21,596.37 -44,588.98)	7.11
		(21,594.06 -44,582.26)	3.05	(21,593.35 -44,579.29)	2.18	(21,593.17 -44,577.12)	1.61
		(21,593.46 -44,575.54)	1.70	(21,594.56 -44,574.24)	4.50	(21,598.08 -44,571.43)	2.39
		(21,599.98 -44,569.98)	35.21				
133	549-	1 (2/ 2)					
		(@ 21,599.98 -44,569.98)	2.39	(21,598.08 -44,571.43)	4.50	(21,594.56 -44,574.24)	1.70
		(21,593.46 -44,575.54)	1.61	(21,593.17 -44,577.12)	2.18	(21,593.35 -44,579.29)	3.05

地区 ..003

作業 .. 53

原図番号 .. N1 44-2

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -44,600.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

	549-1	(21,594.06 -44,582.26)	7.11	(21,596.37 -44,588.98)	4.24	(21,597.33 -44,593.11)	5.84
		(21,598.25 -44,598.88)	1.72	(21,599.95 -44,598.65)	28.67		
133	001- 6	(21,599.95 -44,599.55)	2.34	(21,597.62 -44,599.78)	0.87	(21,596.80 -44,600.08)	3.19
133	551	(21,585.83 -44,600.04)	3.72	(21,584.17 -44,596.71)	4.97	(21,581.66 -44,592.42)	13.51
		(21,574.83 -44,580.76)	14.73	(21,567.42 -44,568.03)	9.66	(21,562.90 -44,559.49)	8.79
		(21,558.68 -44,551.78)	4.94	(21,556.07 -44,547.58)	7.83	(21,551.50 -44,541.22)	4.52
		(21,548.45 -44,537.89)	4.67	(21,545.38 -44,541.41)	8.31	(21,538.77 -44,546.45)	8.66
		(21,531.59 -44,551.30)	5.13	(21,534.21 -44,555.71)	30.78	(21,550.01 -44,582.13)	20.88
		(21,560.70 -44,600.07)	25.13				
133	552- 3	(21,560.70 -44,600.07)	20.88	(21,550.01 -44,582.13)	23.42	(21,529.82 -44,594.00)	6.98
		(21,533.40 -44,599.99)	27.30				
133	553- 1	(21,533.40 -44,599.99)	6.98	(21,529.82 -44,594.00)	33.76	(21,512.51 -44,565.01)	15.86
		(21,500.25 -44,575.07)	27.07	(21,510.80 -44,600.00)	22.60		
133	554	(21,510.80 -44,600.00)	27.07	(21,500.25 -44,575.07)	26.38	(21,475.34 -44,583.75)	16.81
		(21,479.70 -44,599.98)	31.10				
133	552- 1	(21,512.51 -44,565.01)	33.76	(21,529.82 -44,594.00)	23.42	(21,550.01 -44,582.13)	30.78
		(21,534.21 -44,555.71)	5.13	(21,531.59 -44,551.30)	8.08	(21,524.29 -44,554.76)	4.50
		(21,520.57 -44,557.30)	11.15				
133	534- 3	(21,544.30 -44,538.53)	1.42	(21,544.91 -44,537.25)	2.53	(21,543.39 -44,535.23)	1.50
		(21,542.09 -44,535.97)	3.38				
133	534- 1	(21,543.39 -44,535.23)	2.53	(21,544.91 -44,537.25)	9.57	(21,553.03 -44,532.19)	21.70
		(21,572.23 -44,522.07)	14.18	(21,584.39 -44,514.78)	2.08	(21,583.13 -44,513.12)	45.48
133	533- 1	(21,583.13 -44,513.12)	24.88	(21,568.77 -44,492.80)	4.72	(21,564.54 -44,494.89)	9.39
		(21,556.55 -44,499.83)	12.61	(21,549.77 -44,489.20)	18.03	(21,533.79 -44,497.54)	12.03
		(21,523.08 -44,503.02)	4.07	(21,519.36 -44,504.66)	6.93	(21,523.13 -44,510.47)	12.45
		(21,530.00 -44,520.85)	8.02	(21,534.84 -44,527.24)	11.35	(21,542.09 -44,535.97)	1.50
		(21,543.39 -44,535.23)	45.48				
133	535- 2	(21,556.55 -44,499.83)	9.39	(21,564.54 -44,494.89)	4.72	(21,568.77 -44,492.80)	9.28
		(21,577.02 -44,488.56)	8.91	(21,584.64 -44,483.94)	6.24	(21,589.95 -44,480.67)	6.55
		(21,595.43 -44,477.09)	15.15	(21,591.01 -44,462.60)	1.94	(21,589.16 -44,463.20)	24.30
		(21,568.11 -44,475.35)	8.87	(21,560.90 -44,480.52)	7.19	(21,555.56 -44,485.34)	6.96
		(21,549.77 -44,489.20)	12.61				
133	001- 5	(21,549.77 -44,489.20)	6.96	(21,555.56 -44,485.34)	7.19	(21,560.90 -44,480.52)	8.87
		(21,568.11 -44,475.35)	24.30	(21,589.16 -44,463.20)	1.94	(21,591.01 -44,462.60)	2.10
		(21,590.50 -44,460.56)	23.21	(21,570.03 -44,471.50)	6.07	(21,564.79 -44,474.56)	11.82
		(21,555.53 -44,481.91)	8.35	(21,548.87 -44,486.95)	18.49	(21,532.59 -44,495.72)	13.70
		(21,520.22 -44,501.62)	2.87	(21,517.58 -44,502.74)	2.62	(21,519.36 -44,504.66)	4.07
		(21,523.08 -44,503.02)	11.99	(21,533.74 -44,497.54)	18.07		
132	532	(21,552.06 -44,482.48)	4.77	(21,549.50 -44,478.45)	18.24	(21,531.66 -44,482.25)	4.99
		(21,526.83 -44,483.51)	3.29	(21,523.63 -44,484.27)	3.60	(21,520.31 -44,485.65)	7.39

地区..003

作業.. 53

原図番号.. N1 44-2

縮尺..1/ 500

基準点..X 21,450.00..Y -44,600.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,513.77 -44,489.09)	6.20	(21,508.63 -44,492.55)	2.81	(21,506.22 -44,493.99)	5.46
		(21,511.34 -44,495.90)	5.17	(21,515.95 -44,498.23)	2.53	(21,518.15 -44,499.48)	1.68
132	002- 3	(21,519.50 -44,500.48)	14.30	(21,532.24 -44,493.99)	18.76	(21,548.71 -44,485.00)	4.19
		(21,548.71 -44,485.00)	18.76	(21,532.24 -44,493.99)	14.30	(21,519.50 -44,500.48)	1.35
		(21,520.22 -44,501.62)	13.70	(21,532.59 -44,495.72)	18.49	(21,548.87 -44,486.95)	8.35
		(21,555.53 -44,481.91)	11.82	(21,564.79 -44,474.56)	6.07	(21,570.03 -44,471.50)	23.21
		(21,590.50 -44,460.56)	1.82	(21,590.01 -44,458.81)	23.46	(21,569.30 -44,469.83)	6.36
132	531	(21,563.88 -44,473.16)	13.04	(21,553.65 -44,481.24)	2.02	(21,552.06 -44,482.48)	4.19
		(21,552.06 -44,482.48)	2.02	(21,553.65 -44,481.24)	3.90	(21,551.77 -44,477.82)	4.91
		(21,549.03 -44,473.75)	6.20	(21,545.71 -44,468.51)	3.34	(21,544.46 -44,465.41)	6.66
		(21,542.52 -44,459.04)	7.28	(21,540.58 -44,452.02)	4.28	(21,539.72 -44,447.83)	6.22
		(21,538.50 -44,441.73)	5.56	(21,537.69 -44,436.23)	6.39	(21,536.98 -44,429.88)	4.80
		(21,536.81 -44,425.08)	13.73	(21,539.18 -44,411.56)	3.86	(21,535.58 -44,412.94)	3.32
		(21,532.33 -44,413.64)	3.34	(21,529.04 -44,414.20)	3.05	(21,525.99 -44,414.36)	2.70
		(21,523.29 -44,414.27)	3.64	(21,519.68 -44,413.78)	2.91	(21,516.88 -44,412.98)	5.11
		(21,512.53 -44,410.29)	9.76	(21,513.63 -44,419.99)	11.13	(21,515.35 -44,430.99)	26.63
		(21,519.24 -44,457.33)	19.93	(21,522.32 -44,477.02)	7.37	(21,523.63 -44,484.27)	3.29
		(21,526.83 -44,483.51)	4.99	(21,531.66 -44,482.25)	18.24	(21,549.50 -44,478.45)	4.77
132	503- 1	(21,549.03 -44,473.75)	4.91	(21,551.77 -44,477.82)	3.90	(21,553.65 -44,481.24)	13.04
		(21,563.88 -44,473.16)	6.36	(21,569.30 -44,469.83)	23.46	(21,590.01 -44,458.81)	13.43
		(21,586.18 -44,445.94)	46.34	(21,545.71 -44,468.51)	6.20		
132	504- 1	(21,545.71 -44,468.51)	46.34	(21,586.18 -44,445.94)	34.53	(21,576.32 -44,412.85)	41.36
		(21,536.81 -44,425.08)	4.80	(21,536.98 -44,429.88)	6.39	(21,537.69 -44,436.23)	5.56
		(21,538.50 -44,441.73)	6.22	(21,539.72 -44,447.83)	4.27	(21,540.53 -44,452.02)	7.30
		(21,542.52 -44,459.04)	6.66	(21,544.46 -44,465.41)	3.34		
132	530	(21,506.22 -44,493.99)	2.81	(21,508.63 -44,492.55)	6.20	(21,513.77 -44,489.09)	7.39
		(21,520.31 -44,485.65)	3.60	(21,523.63 -44,484.27)	7.37	(21,522.32 -44,477.02)	19.93
		(21,519.24 -44,457.33)	26.63	(21,515.35 -44,430.99)	11.13	(21,513.63 -44,419.99)	6.70
		(21,512.83 -44,413.34)	3.06	(21,512.53 -44,410.29)	1.49	(21,511.89 -44,408.94)	5.22
		(21,508.58 -44,412.98)	3.26	(21,505.89 -44,414.83)	2.79	(21,503.47 -44,416.22)	3.31
		(21,500.39 -44,417.42)	4.54	(21,495.92 -44,418.21)	5.21	(21,490.72 -44,418.55)	8.13
		(21,482.60 -44,418.22)	1.03	(21,481.60 -44,418.46)	2.06	(21,481.33 -44,420.50)	3.10
		(21,481.36 -44,423.60)	2.33	(21,481.88 -44,425.87)	0.54	(21,482.41 -44,425.77)	1.19
		(21,483.32 -44,426.54)	2.46	(21,484.80 -44,428.51)	4.99	(21,487.21 -44,432.88)	5.45
		(21,489.20 -44,437.95)	3.63	(21,489.85 -44,441.52)	18.64	(21,491.83 -44,460.05)	10.97
		(21,493.18 -44,470.94)	10.95	(21,494.53 -44,481.81)	8.41	(21,494.61 -44,490.22)	12.21
132	529	(21,494.61 -44,490.22)	8.41	(21,494.53 -44,481.81)	10.95	(21,493.18 -44,470.94)	10.97
		(21,491.83 -44,460.05)	18.64	(21,489.85 -44,441.52)	3.63	(21,489.20 -44,437.95)	5.45
		(21,487.21 -44,432.88)	4.99	(21,484.80 -44,428.51)	2.46	(21,483.32 -44,426.54)	1.19
		(21,482.41 -44,425.77)	0.54	(21,481.88 -44,425.87)	1.14	(21,481.12 -44,426.72)	3.80
		(21,477.57 -44,428.08)	3.65	(21,473.92 -44,428.24)	6.55	(21,467.37 -44,428.09)	3.83
		(21,466.83 -44,431.88)	3.59	(21,466.59 -44,435.46)	3.95	(21,466.65 -44,439.41)	13.83
		(21,467.08 -44,453.23)	6.80	(21,467.20 -44,460.03)	5.59	(21,467.46 -44,465.61)	6.82
		(21,466.88 -44,472.41)	4.09	(21,466.29 -44,476.46)	3.87	(21,465.29 -44,480.20)	2.58
		(21,467.58 -44,481.38)	5.60	(21,472.81 -44,483.39)	11.84	(21,484.22 -44,486.56)	11.02
135	600						

地区 ..003 作業 .. 53 原図番号 .. N1 44-2 縮尺 ..1/ 500 基準点 ..X 21,450.00..Y -44,600.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,492.62 -44,493.51)	10.29	(21,483.07 -44,489.67)	13.12	(@ 21,470.27 -44,486.80)	9.71
		(21,460.56 -44,486.92)	4.45	(21,456.12 -44,487.21)	5.91	(21,450.22 -44,486.90)	7.92
		(21,453.64 -44,494.04)	19.14	(21,463.19 -44,510.63)	34.05		
135	599	(21,463.19 -44,510.63)	15.68	(21,471.19 -44,524.12)	19.63	(21,488.29 -44,514.48)	19.65
		(21,505.81 -44,505.59)	9.42	(21,514.19 -44,501.29)	1.71	(21,512.93 -44,500.14)	6.57
		(21,506.79 -44,497.81)	14.81	(@ 21,492.62 -44,493.51)	34.05		
135	596	(21,508.70 -44,564.10)	7.87	(21,514.87 -44,559.21)	7.39	(21,519.88 -44,553.78)	3.05
		(21,522.63 -44,552.47)	7.46	(21,529.47 -44,549.50)	5.28	(21,534.09 -44,546.94)	11.84
		(21,543.63 -44,539.92)	1.54	(21,544.30 -44,538.53)	3.38	(21,542.09 -44,535.97)	11.35
		(21,534.84 -44,527.24)	8.02	(21,530.00 -44,520.85)	12.45	(21,523.13 -44,510.47)	6.93
		(@ 21,519.36 -44,504.66)	2.99	(21,516.61 -44,505.83)	19.45	(21,499.14 -44,514.38)	19.88
		(21,481.75 -44,524.02)	23.84	(21,494.81 -44,543.97)	24.46		
135	595- 3	(21,494.81 -44,543.97)	23.84	(@ 21,481.75 -44,524.02)	22.56	(21,462.41 -44,535.64)	3.69
		(21,459.23 -44,537.51)	24.05	(21,473.14 -44,557.13)	25.35		
135	595- 2	(21,473.14 -44,557.13)	13.83	(21,461.30 -44,564.27)	21.07	(21,473.45 -44,581.49)	21.74
		(21,494.16 -44,574.89)	6.71	(21,500.23 -44,572.02)	11.60	(21,508.70 -44,564.10)	24.46
		(@ 21,494.81 -44,543.97)	25.35				