

地区 ..003

作業 .. 54

原図番号 .. N1 44-3

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -44,800.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,300.00 -44,800.00)	50.00	(21,350.00 -44,800.04)	50.00	(21,400.00 -44,800.11)	50.05
		(21,450.05 -44,800.13)	50.00	(21,450.02 -44,750.13)	50.00	(21,450.04 -44,700.13)	49.95
		(21,450.01 -44,650.18)	50.05	(21,450.07 -44,600.13)	50.00	(21,400.07 -44,600.06)	50.05
		(21,350.02 -44,600.04)	50.02	(21,300.00 -44,599.97)	50.05	(21,300.01 -44,650.02)	49.95
		(21,299.99 -44,699.97)	50.01	(21,300.02 -44,749.98)	50.02		
110	452	(2 / 4)					
		(21,300.00 -44,800.00)	2.00	(21,302.00 -44,800.00)	2.87	(21,301.68 -44,797.15)	4.46
		(21,301.05 -44,792.73)	2.27	(21,300.40 -44,790.55)	0.78	(21,300.00 -44,789.88)	10.12
110	449- 1	(2 / 3)					
		(21,300.00 -44,789.88)	0.78	(21,300.40 -44,790.55)	2.27	(21,301.05 -44,792.73)	4.46
		(21,301.68 -44,797.15)	2.87	(21,302.00 -44,800.00)	48.00	(21,350.00 -44,800.04)	4.60
		(21,354.60 -44,800.05)	7.65	(21,352.20 -44,792.79)	26.82	(21,343.96 -44,767.27)	3.91
		(21,340.84 -44,764.92)	5.59	(21,335.99 -44,762.14)	4.78	(21,331.36 -44,760.94)	3.75
		(21,327.61 -44,760.79)	6.55	(21,321.09 -44,761.41)	3.20	(21,318.09 -44,762.53)	3.48
		(21,315.34 -44,764.66)	7.85	(21,309.86 -44,770.28)	3.69	(21,307.01 -44,772.63)	3.13
		(21,304.41 -44,774.38)	3.05	(21,301.63 -44,775.63)	1.70	(21,300.01 -44,776.15)	13.73
111	002- 8						
		(21,300.01 -44,776.15)	1.70	(21,301.63 -44,775.63)	3.05	(21,304.41 -44,774.38)	3.13
		(21,307.01 -44,772.63)	3.69	(21,309.86 -44,770.28)	7.85	(21,315.34 -44,764.66)	3.48
		(21,318.09 -44,762.53)	3.20	(21,321.09 -44,761.41)	6.55	(21,327.61 -44,760.79)	3.75
		(21,331.36 -44,760.94)	4.78	(21,335.99 -44,762.14)	5.59	(21,340.84 -44,764.92)	3.91
		(21,343.96 -44,767.27)	26.82	(21,352.20 -44,792.79)	2.53	(21,354.73 -44,792.72)	30.57
		(21,345.16 -44,763.69)	6.21	(21,350.96 -44,761.46)	2.74	(21,348.28 -44,760.89)	4.90
		(21,343.66 -44,762.52)	10.48	(21,333.92 -44,758.64)	4.38	(21,329.57 -44,758.14)	5.55
		(21,324.04 -44,758.58)	4.37	(21,319.74 -44,759.38)	4.51	(21,315.71 -44,761.41)	4.64
		(21,312.16 -44,764.40)	9.10	(21,305.59 -44,770.70)	4.54	(21,301.69 -44,773.03)	1.80
		(21,299.96 -44,773.52)	2.63				
111	474	(1 / 2)					
		(21,299.96 -44,773.52)	1.80	(21,301.69 -44,773.03)	4.54	(21,305.59 -44,770.70)	9.10
		(21,312.16 -44,764.40)	4.64	(21,315.71 -44,761.41)	4.51	(21,319.74 -44,759.38)	4.37
		(21,324.04 -44,758.58)	5.55	(21,329.57 -44,758.14)	4.38	(21,333.92 -44,758.64)	10.48
		(21,343.66 -44,762.52)	4.90	(21,348.28 -44,760.89)	1.95	(21,349.47 -44,759.34)	6.08
		(21,351.22 -44,753.52)	5.16	(21,353.17 -44,748.74)	4.16	(21,353.62 -44,744.60)	5.29
		(21,352.69 -44,739.39)	25.13	(21,327.67 -44,741.76)	1.03	(21,327.31 -44,740.80)	27.41
		(21,300.02 -44,743.33)	30.19				
111	001- 3						
		(21,300.02 -44,743.33)	27.41	(21,327.31 -44,740.80)	25.31	(21,352.52 -44,738.51)	11.04
		(21,349.93 -44,727.78)	25.72	(21,324.36 -44,730.53)	1.18	(21,323.18 -44,730.63)	23.32
		(21,299.98 -44,733.02)	10.31				
111	472- 2	(1 / 2)					
		(21,299.98 -44,733.02)	23.32	(21,323.18 -44,730.63)	3.97	(21,322.63 -44,726.70)	22.77
		(21,299.98 -44,729.02)	4.00				
111	470	(1 / 2)					
		(21,299.98 -44,729.02)	22.77	(21,322.63 -44,726.70)	3.60	(21,322.20 -44,723.13)	3.70
		(21,320.91 -44,719.66)	16.48	(21,313.49 -44,704.95)	13.65	(21,299.98 -44,706.87)	22.15
111	469	(1 / 2)					
		(21,299.98 -44,706.87)	13.65	(21,313.49 -44,704.95)	0.97	(21,314.46 -44,704.88)	15.89
		(21,321.63 -44,719.06)	4.18	(21,323.13 -44,722.96)	7.67	(21,324.36 -44,730.53)	25.72
		(21,349.93 -44,727.78)	27.89	(21,336.54 -44,703.31)	6.97	(21,332.71 -44,697.49)	34.21
		(21,305.91 -44,676.23)	6.05	(21,300.00 -44,677.52)	29.35		
111	468	(1 / 2)					

地区 ..003

作業 .. 54

原図番号 .. N1 44-3

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -44,800.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

111	002- 11	(21,300.00 -44,677.52)	6.05	(21,305.91 -44,676.23)	9.40	(@ 21,300.00 -44,668.92)	8.60
		(21,300.00 -44,668.92)	9.40	(21,305.91 -44,676.23)	34.21	(21,332.71 -44,697.49)	6.97
		(21,336.54 -44,703.31)	27.89	(21,349.93 -44,727.78)	11.04	(21,352.52 -44,738.51)	0.90
		(21,352.69 -44,739.39)	5.29	(21,353.62 -44,744.60)	4.16	(21,353.17 -44,748.74)	5.16
		(21,351.22 -44,753.52)	6.08	(21,349.47 -44,759.34)	1.95	(21,348.28 -44,760.89)	2.74
		(21,350.96 -44,761.46)	8.40	(21,353.31 -44,769.52)	7.49	(21,355.98 -44,776.52)	5.51
		(21,359.11 -44,781.05)	6.73	(21,364.81 -44,784.62)	9.22	(21,373.17 -44,788.50)	2.99
		(21,374.87 -44,786.04)	9.68	(21,366.23 -44,781.67)	7.15	(21,360.41 -44,777.52)	7.99
		(21,356.79 -44,770.40)	9.38	(21,354.74 -44,761.25)	16.77	(21,360.07 -44,745.35)	7.96
		(21,359.10 -44,737.45)	10.04	(21,354.70 -44,728.42)	32.91	(21,339.54 -44,699.21)	7.83
		(21,334.82 -44,692.96)	15.91	(21,322.49 -44,682.91)	12.30	(21,312.20 -44,676.18)	9.62
		(21,305.42 -44,669.35)	8.64	(@ 21,300.00 -44,662.62)	6.30		
134	002- 4	(21,300.00 -44,662.62)	8.64	(21,305.42 -44,669.35)	9.62	(21,312.20 -44,676.18)	12.30
		(21,322.49 -44,682.91)	15.91	(21,334.82 -44,692.96)	7.83	(21,339.54 -44,699.21)	32.91
		(21,354.70 -44,728.42)	10.04	(21,359.10 -44,737.45)	7.96	(21,360.07 -44,745.35)	16.77
		(21,354.74 -44,761.25)	9.38	(21,356.79 -44,770.40)	7.99	(21,360.41 -44,777.52)	7.15
		(21,366.23 -44,781.67)	9.68	(21,374.87 -44,786.04)	20.88	(21,393.53 -44,795.41)	11.59
		(21,404.38 -44,799.49)	5.31	(21,409.65 -44,800.12)	8.17	(21,417.82 -44,800.12)	4.60
		(21,422.23 -44,798.82)	12.73	(21,428.80 -44,787.92)	6.37	(21,432.41 -44,782.67)	9.62
		(21,439.48 -44,776.15)	10.52	(21,447.56 -44,769.41)	3.88	(21,450.04 -44,766.43)	5.52
		(21,450.01 -44,760.91)	3.23	(21,448.16 -44,763.56)	12.95	(21,438.61 -44,772.30)	9.99
		(21,430.98 -44,778.75)	9.22	(21,425.47 -44,786.14)	7.96	(21,421.60 -44,793.10)	4.73
		(21,418.68 -44,796.82)	3.52	(21,415.25 -44,797.62)	8.73	(21,406.58 -44,796.64)	8.05
		(21,398.84 -44,794.41)	34.58	(21,367.96 -44,778.85)	6.02	(21,362.86 -44,775.65)	6.94
		(21,359.46 -44,769.60)	3.39	(21,358.81 -44,766.27)	3.48	(21,359.56 -44,762.87)	15.89
		(21,366.02 -44,748.35)	2.51	(21,366.57 -44,745.90)	2.17	(21,367.02 -44,743.78)	4.26
		(21,366.50 -44,739.55)	3.13	(21,365.59 -44,736.56)	11.23	(21,359.08 -44,727.41)	8.04
		(21,354.73 -44,720.65)	15.96	(21,348.36 -44,706.02)	5.59	(21,345.64 -44,701.14)	5.28
		(21,343.09 -44,696.52)	10.02	(21,336.97 -44,688.59)	9.76	(21,329.74 -44,682.04)	4.90
		(21,325.80 -44,679.13)	2.88	(21,323.30 -44,677.70)	9.69	(21,314.77 -44,673.11)	5.81
		(21,310.22 -44,669.50)	8.98	(21,304.94 -44,662.24)	7.79	(@ 21,300.00 -44,656.22)	6.40
134	580	(1/ 2)					
		(21,300.00 -44,656.22)	7.79	(21,304.94 -44,662.24)	20.47	(@ 21,300.01 -44,642.37)	13.85
134	579	(1/ 2)					
		(21,300.01 -44,642.37)	20.47	(21,304.94 -44,662.24)	8.98	(21,310.22 -44,669.50)	5.81
		(21,314.77 -44,673.11)	9.69	(21,323.30 -44,677.70)	45.95	(21,367.19 -44,664.10)	9.20
		(21,362.65 -44,656.10)	3.04	(21,360.55 -44,653.90)	5.11	(21,356.41 -44,650.90)	5.11
		(21,351.81 -44,648.67)	9.39	(21,342.98 -44,645.47)	3.02	(21,340.48 -44,643.77)	6.32
		(21,335.59 -44,639.76)	5.03	(21,330.96 -44,637.79)	4.47	(@ 21,326.56 -44,636.98)	0.83
		(21,325.94 -44,637.53)	5.67	(21,320.41 -44,638.76)	5.65	(21,314.76 -44,638.98)	7.67
		(21,307.11 -44,638.50)	3.83	(21,303.29 -44,638.20)	3.36	(21,300.01 -44,637.47)	4.90
134	001- 4	(21,300.01 -44,637.47)	3.36	(21,303.29 -44,638.20)	3.83	(21,307.11 -44,638.50)	7.67
		(21,314.76 -44,638.98)	5.65	(21,320.41 -44,638.76)	5.67	(21,325.94 -44,637.53)	0.83
		(21,326.56 -44,636.98)	10.78	(21,334.36 -44,629.54)	4.43	(21,337.47 -44,626.39)	17.59
		(21,348.86 -44,612.98)	2.76	(21,350.82 -44,611.04)	3.13	(@ 21,348.01 -44,609.65)	2.48
		(21,346.46 -44,611.59)	17.52	(21,335.47 -44,625.24)	10.20	(21,328.19 -44,632.39)	2.76
		(21,325.84 -44,633.83)	3.02	(21,323.06 -44,635.01)	3.97	(21,319.19 -44,635.88)	5.34
		(21,313.86 -44,636.16)	8.70	(21,305.18 -44,635.63)	0.93	(21,304.26 -44,635.50)	3.36
		(21,301.06 -44,634.48)	1.15	(21,300.01 -44,634.02)	3.45		

地区..003 作業.. 54 原図番号.. N1 44-3 縮尺..1/ 500 基準点..X 21,300.00..Y -44,800.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

134	585	(1/ 4)	(21,300.01 -44,634.02)	1.15	(21,301.06 -44,634.48)	3.36	(21,304.26 -44,635.50)	0.93
			(21,305.18 -44,635.63)	21.21	(21,307.32 -44,614.53)	4.41	(21,308.07 -44,610.18)	7.18
			(21,308.72 -44,603.03)	3.05	(21,308.77 -44,599.98)	8.77	(21,300.00 -44,599.97)	34.05
134	587	(1/ 2)	(21,308.77 -44,599.98)	3.05	(21,308.72 -44,603.03)	7.18	(21,308.07 -44,610.18)	25.91
			(21,333.86 -44,612.65)	1.55	(21,332.50 -44,611.91)	3.79	(21,330.27 -44,608.84)	3.91
			(21,329.02 -44,605.14)	3.11	(21,329.27 -44,602.04)	2.04	(21,329.67 -44,600.04)	20.90
134	002- 3		(21,329.67 -44,600.04)	2.04	(21,329.27 -44,602.04)	3.11	(21,329.02 -44,605.14)	3.91
			(21,330.27 -44,608.84)	3.79	(21,332.50 -44,611.91)	1.55	(21,333.86 -44,612.65)	0.52
			(21,334.32 -44,612.89)	3.50	(21,337.82 -44,612.76)	7.01	(21,344.65 -44,611.19)	1.85
			(21,346.46 -44,611.59)	2.48	(21,348.01 -44,609.65)	1.92	(21,346.60 -44,608.34)	2.73
			(21,343.87 -44,608.24)	3.81	(21,340.30 -44,609.57)	3.71	(21,336.65 -44,610.21)	3.15
			(21,333.70 -44,609.11)	2.83	(21,331.82 -44,606.99)	3.16	(21,331.20 -44,603.89)	3.87
			(21,331.62 -44,600.04)	1.95				
135	610	(1/ 2)	(21,331.62 -44,600.04)	3.87	(21,331.20 -44,603.89)	3.16	(21,331.82 -44,606.99)	2.83
			(21,333.70 -44,609.11)	3.15	(21,336.65 -44,610.21)	3.71	(21,340.30 -44,609.57)	3.81
			(21,343.87 -44,608.24)	2.73	(21,346.60 -44,608.34)	1.92	(21,348.01 -44,609.65)	7.33
			(21,353.87 -44,605.25)	9.42	(21,361.72 -44,600.05)	30.10		
135	001- 5		(21,361.72 -44,600.05)	9.42	(21,353.87 -44,605.25)	7.33	(21,348.01 -44,609.65)	3.13
			(21,350.82 -44,611.04)	5.93	(21,355.62 -44,607.55)	11.75	(21,365.47 -44,601.15)	1.70
			(21,366.77 -44,600.05)	5.05				
135	590	(1/ 2)	(21,366.77 -44,600.05)	1.70	(21,365.47 -44,601.15)	11.75	(21,355.62 -44,607.55)	5.93
			(21,350.82 -44,611.04)	10.37	(21,360.44 -44,614.92)	5.87	(21,365.77 -44,617.37)	6.24
			(21,370.74 -44,621.15)	7.27	(21,375.89 -44,626.28)	4.36	(21,379.99 -44,627.75)	3.43
			(21,383.36 -44,627.11)	15.27	(21,395.65 -44,618.05)	25.02	(21,378.27 -44,600.05)	11.50
135	591	(1/ 2)	(21,378.27 -44,600.05)	25.02	(21,395.65 -44,618.05)	7.41	(21,401.22 -44,613.16)	15.29
			(21,411.72 -44,602.05)	2.57	(21,410.02 -44,600.12)	31.75		
135	592	(1/ 2)	(21,410.02 -44,600.12)	2.57	(21,411.72 -44,602.05)	2.93	(21,413.97 -44,600.17)	3.95
134	002- 2		(21,413.97 -44,600.17)	2.93	(21,411.72 -44,602.05)	15.29	(21,401.22 -44,613.16)	7.41
			(21,395.65 -44,618.05)	15.27	(21,383.36 -44,627.11)	3.43	(21,379.99 -44,627.75)	4.36
			(21,375.89 -44,626.28)	7.27	(21,370.74 -44,621.15)	6.24	(21,365.77 -44,617.37)	5.87
			(21,360.44 -44,614.92)	10.37	(21,350.82 -44,611.04)	2.76	(21,348.86 -44,612.98)	17.16
			(21,364.44 -44,620.17)	4.74	(21,368.24 -44,623.00)	5.80	(21,372.29 -44,627.15)	3.28
			(21,374.89 -44,629.15)	3.31	(21,377.86 -44,630.60)	3.79	(21,381.61 -44,631.16)	4.14
			(21,385.73 -44,630.74)	13.82	(21,396.02 -44,621.51)	11.35	(21,404.67 -44,614.16)	3.38
			(21,407.07 -44,611.78)	11.68	(21,415.25 -44,603.44)	6.31	(21,420.62 -44,600.12)	6.65
134	564	(1/ 2)	(21,420.62 -44,600.12)	6.31	(21,415.25 -44,603.44)	11.68	(21,407.07 -44,611.78)	61.33
			(21,421.86 -44,671.30)	21.90	(21,441.45 -44,661.50)	7.66	(21,439.20 -44,654.18)	7.48
			(21,437.36 -44,646.93)	0.41	(21,436.96 -44,647.03)	48.26	(21,425.62 -44,600.12)	5.00
133	557	(3/ 4)	(21,450.07 -44,600.13)	0.45	(21,449.62 -44,600.13)	2.59	(21,449.80 -44,602.71)	1.02
			(21,450.12 -44,603.68)	3.55				
133	002- 1							

地区 ..003 作業 .. 54 原図番号 .. N1 44-3 縮尺 ..1/ 500 基準点 ..X 21,300.00..Y -44,800.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,450.12 -44,603.68)	1.02	(21,449.80 -44,602.71)	2.59	(21,449.62 -44,600.13)	2.42
		(21,447.20 -44,600.16)	14.63	(21,450.07 -44,614.51)	10.83		
134	001- 1	(21,450.07 -44,614.51)	14.63	(21,447.20 -44,600.16)	2.45	(21,444.75 -44,600.18)	24.63
		(21,450.07 -44,624.23)	9.72				
134	563 (2/ 3)	(21,450.07 -44,624.23)	24.63	(21,444.75 -44,600.18)	19.13	(21,425.62 -44,600.12)	48.26
		(21,436.96 -44,647.03)	0.41	(21,437.36 -44,646.93)	6.53	(21,443.53 -44,644.80)	7.47
		(21,450.06 -44,641.18)	16.95				
134	561 (2/ 2)	(21,450.06 -44,641.18)	7.47	(21,443.53 -44,644.80)	6.53	(21,437.36 -44,646.93)	7.48
		(21,439.20 -44,654.18)	7.66	(21,441.45 -44,661.50)	21.90	(21,421.86 -44,671.30)	9.89
		(21,420.68 -44,681.12)	5.58	(21,426.14 -44,682.27)	11.03	(21,435.99 -44,687.23)	8.26
		(21,443.74 -44,690.10)	6.55	(21,450.04 -44,691.88)	50.70		
134	568 (2/ 2)	(21,450.04 -44,691.88)	6.55	(21,443.74 -44,690.10)	8.26	(21,435.99 -44,687.23)	11.03
		(21,426.14 -44,682.27)	5.58	(21,420.68 -44,681.12)	10.72	(21,410.02 -44,679.99)	10.34
		(21,399.97 -44,677.56)	7.50	(21,392.96 -44,674.89)	10.31	(21,383.17 -44,671.66)	1.42
		(21,381.76 -44,671.81)	54.19	(21,397.99 -44,723.51)	52.25	(21,450.03 -44,718.78)	26.90
134	001- 2	(21,450.03 -44,718.78)	52.25	(21,397.99 -44,723.51)	39.10	(21,359.08 -44,727.41)	11.23
		(21,365.59 -44,736.56)	52.49	(21,417.84 -44,731.52)	32.35	(21,450.03 -44,728.33)	9.55
134	569- 2 (2/ 2)	(21,450.03 -44,728.33)	32.35	(21,417.84 -44,731.52)	34.21	(21,450.07 -44,742.98)	14.65
134	571 (2/ 2)	(21,450.07 -44,742.98)	34.21	(21,417.84 -44,731.52)	21.66	(21,419.97 -44,753.07)	10.24
		(21,409.82 -44,751.75)	35.07	(21,413.07 -44,786.67)	12.41	(21,425.47 -44,786.14)	9.22
		(21,430.98 -44,778.75)	9.99	(21,438.61 -44,772.30)	12.95	(21,448.16 -44,763.56)	3.23
		(21,450.01 -44,760.91)	17.93				
112	479- 1 (4/ 4)	(21,450.05 -44,800.13)	27.50	(21,450.06 -44,772.63)	4.06	(21,447.03 -44,775.33)	8.48
		(21,440.16 -44,780.30)	8.73	(21,434.06 -44,786.55)	11.20	(21,428.08 -44,796.02)	4.51
		(21,426.20 -44,800.12)	23.85				
112	002- 5	(21,426.20 -44,800.12)	4.51	(21,428.08 -44,796.02)	11.20	(21,434.06 -44,786.55)	8.73
		(21,440.16 -44,780.30)	8.48	(21,447.03 -44,775.33)	4.06	(21,450.06 -44,772.63)	6.20
		(21,450.04 -44,766.43)	3.88	(21,447.56 -44,769.41)	10.52	(21,439.48 -44,776.15)	9.62
		(21,432.41 -44,782.67)	6.37	(21,428.80 -44,787.92)	12.73	(21,422.23 -44,798.82)	4.60
		(21,417.82 -44,800.12)	8.38				
112	002- 6	(21,409.65 -44,800.12)	5.31	(21,404.38 -44,799.49)	11.59	(21,393.53 -44,795.41)	20.88
		(21,374.87 -44,786.04)	2.99	(21,373.17 -44,788.50)	0.96	(21,374.03 -44,788.93)	6.35
		(21,379.64 -44,791.90)	13.88	(21,391.90 -44,798.41)	4.48	(21,396.05 -44,800.11)	13.60
112	478- 1 (2/ 2)	(21,396.05 -44,800.11)	4.48	(21,391.90 -44,798.41)	13.88	(21,379.64 -44,791.90)	8.05
		(21,374.45 -44,798.05)	2.67	(21,376.22 -44,800.05)	19.83		
112	478- 3	(21,379.64 -44,791.90)	6.35	(21,374.03 -44,788.93)	0.96	(21,373.17 -44,788.50)	6.30
		(21,369.54 -44,793.65)	3.79	(21,372.45 -44,796.08)	2.81	(21,374.45 -44,798.05)	8.05
110	449- 2 (2/ 2)	(21,376.22 -44,800.05)	2.67	(21,374.45 -44,798.05)	2.81	(21,372.45 -44,796.08)	3.79
		(21,369.54 -44,793.65)	2.72	(21,366.93 -44,792.90)	12.20	(21,354.73 -44,792.72)	7.72

地区 ..003 作業 .. 54 原図番号 .. N1 44-3 縮尺 ..1/ 500 基準点 ..X 21,300.00..Y -44,800.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

110	002- 7	(21,357.15 -44,800.05)	19.07								
		(21,357.15 -44,800.05)	7.72	(@ 21,354.73 -44,792.72)	2.53	(21,352.20 -44,792.79)	7.65				
		(21,354.60 -44,800.05)	2.55								
134	573	(@ 21,366.57 -44,745.90)	2.51	(21,366.02 -44,748.35)	15.89	(21,359.56 -44,762.87)	3.48				
		(21,358.81 -44,766.27)	3.39	(21,359.46 -44,769.60)	6.94	(21,362.86 -44,775.65)	6.02				
		(21,367.96 -44,778.85)	34.58	(21,398.84 -44,794.41)	7.10	(21,398.74 -44,787.31)	33.05				
		(21,369.24 -44,772.40)	26.35	(21,377.87 -44,747.50)	11.41						
134	575	(@ 21,377.87 -44,747.50)	26.35	(21,369.24 -44,772.40)	33.05	(21,398.74 -44,787.31)	14.34				
		(21,413.07 -44,786.67)	35.07	(21,409.82 -44,751.75)	32.23						
134	576- 1	(21,409.82 -44,751.75)	10.24	(21,419.97 -44,753.07)	21.66	(@ 21,417.84 -44,731.52)	52.49				
		(21,365.59 -44,736.56)	3.13	(21,366.50 -44,739.55)	4.26	(21,367.02 -44,743.78)	2.17				
		(21,366.57 -44,745.90)	11.41	(21,377.87 -44,747.50)	32.23						
134	572	(21,398.84 -44,794.41)	8.05	(21,406.58 -44,796.64)	8.73	(21,415.25 -44,797.62)	3.52				
		(21,418.68 -44,796.82)	4.73	(21,421.60 -44,793.10)	7.96	(@ 21,425.47 -44,786.14)	12.41				
		(21,413.07 -44,786.67)	14.34	(21,398.74 -44,787.31)	7.10						
134	578	(21,397.99 -44,723.51)	54.19	(21,381.76 -44,671.81)	5.84	(21,376.02 -44,670.75)	3.41				
		(21,372.85 -44,669.48)	3.12	(21,370.42 -44,667.53)	4.71	(@ 21,367.19 -44,664.10)	45.95				
		(21,323.30 -44,677.70)	2.88	(21,325.80 -44,679.13)	4.90	(21,329.74 -44,682.04)	9.76				
		(21,336.97 -44,688.59)	10.02	(21,343.09 -44,696.52)	5.28	(21,345.64 -44,701.14)	5.59				
		(21,348.36 -44,706.02)	15.96	(21,354.73 -44,720.65)	8.04	(21,359.08 -44,727.41)	39.10				
134	566	(@ 21,393.18 -44,669.96)	4.93	(21,392.96 -44,674.89)	7.50	(21,399.97 -44,677.56)	10.34				
		(21,410.02 -44,679.99)	10.72	(21,420.68 -44,681.12)	9.89	(21,421.86 -44,671.30)	28.71				
134	565	(21,421.86 -44,671.30)	61.33	(@ 21,407.07 -44,611.78)	3.38	(21,404.67 -44,614.16)	11.35				
		(21,396.02 -44,621.51)	13.82	(21,385.73 -44,630.74)	8.50	(21,386.71 -44,639.18)	31.45				
		(21,393.18 -44,669.96)	28.71								
134	567	(21,393.18 -44,669.96)	31.45	(21,386.71 -44,639.18)	8.50	(21,385.73 -44,630.74)	4.14				
		(21,381.61 -44,631.16)	3.79	(21,377.86 -44,630.60)	3.31	(21,374.89 -44,629.15)	3.28				
		(21,372.29 -44,627.15)	5.80	(21,368.24 -44,623.00)	4.74	(21,364.44 -44,620.17)	17.16				
		(@ 21,348.86 -44,612.98)	17.59	(21,337.47 -44,626.39)	4.43	(21,334.36 -44,629.54)	10.78				
		(21,326.56 -44,636.98)	4.47	(21,330.96 -44,637.79)	5.03	(21,335.59 -44,639.76)	6.32				
		(21,340.48 -44,643.77)	3.02	(21,342.98 -44,645.47)	9.39	(21,351.81 -44,648.67)	5.11				
		(21,356.41 -44,650.90)	5.11	(21,360.55 -44,653.90)	3.04	(21,362.65 -44,656.10)	9.20				
		(21,367.19 -44,664.10)	4.71	(21,370.42 -44,667.53)	3.12	(21,372.85 -44,669.48)	3.41				
		(21,376.02 -44,670.75)	5.84	(21,381.76 -44,671.81)	1.42	(21,383.17 -44,671.66)	10.31				
		(21,392.96 -44,674.89)	4.93								
134	588	(@ 21,308.07 -44,610.18)	4.41	(21,307.32 -44,614.53)	21.21	(21,305.18 -44,635.63)	8.70				
		(21,313.86 -44,636.16)	5.34	(21,319.19 -44,635.88)	3.97	(21,323.06 -44,635.01)	3.02				
		(21,325.84 -44,633.83)	2.76	(21,328.19 -44,632.39)	10.20	(21,335.47 -44,625.24)	17.52				
		(21,346.46 -44,611.59)	1.85	(21,344.65 -44,611.19)	7.01	(21,337.82 -44,612.76)	3.50				
		(21,334.32 -44,612.89)	0.52	(21,333.86 -44,612.65)	25.91						
111	002- 10	(21,324.36 -44,730.53)	7.67	(21,323.13 -44,722.96)	4.18	(21,321.63 -44,719.06)	15.89				

地区 ..003 作業 .. 54 原図番号 .. N1 44-3 縮尺 ..1/ 500 基準点 ..X 21,300.00..Y -44,800.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(@ 21,314.46 -44,704.88)	0.97	(21,313.49 -44,704.95)	16.48	(21,320.91 -44,719.66)	3.70
		(21,322.20 -44,723.13)	3.60	(21,322.63 -44,726.70)	3.97	(21,323.18 -44,730.63)	1.18
111	002-	9					
		(21,327.31 -44,740.80)	1.03	(21,327.67 -44,741.76)	25.13	(21,352.69 -44,739.39)	0.90
		(@ 21,352.52 -44,738.51)	25.31				
111	477						
		(21,345.16 -44,763.69)	30.57	(21,354.73 -44,792.72)	12.20	(21,366.93 -44,792.90)	2.72
		(21,369.54 -44,793.65)	6.30	(21,373.17 -44,788.50)	9.22	(21,364.81 -44,784.62)	6.73
		(21,359.11 -44,781.05)	5.51	(21,355.98 -44,776.52)	7.49	(21,353.31 -44,769.52)	8.40
		(@ 21,350.96 -44,761.46)	6.21				