

地区 ..003

作業 .. 55 原図番号 .. N1 44-4

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -44,600.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,300.00 -44,600.00)	50.00	(21,350.00 -44,600.08)	50.05	(21,400.05 -44,600.10)	49.98
		(21,450.03 -44,600.10)	49.98	(21,449.98 -44,550.12)	50.00	(21,449.95 -44,500.12)	50.00
		(21,450.03 -44,450.12)	50.00	(21,450.00 -44,400.12)	49.95	(21,400.05 -44,400.10)	50.05
		(21,350.00 -44,400.07)	50.00	(21,300.00 -44,400.05)	50.00	(21,299.97 -44,450.05)	49.95
		(21,300.00 -44,500.00)	50.00	(21,299.98 -44,550.00)	50.00		
134	587	(2/ 2)					
		(21,329.72 -44,600.04)	3.66	(21,330.43 -44,596.45)	9.39	(21,333.57 -44,587.60)	13.14
		(21,335.79 -44,574.65)	22.27	(21,317.61 -44,561.78)	2.37	(21,315.81 -44,563.32)	2.26
		(21,314.38 -44,565.07)	4.08	(21,312.65 -44,568.77)	5.18	(21,311.14 -44,573.72)	14.04
		(21,308.99 -44,587.59)	8.21	(21,308.86 -44,595.80)	4.24	(21,308.75 -44,600.04)	20.97
134	585	(2/ 4)					
		(21,300.00 -44,600.00)	8.75	(21,308.75 -44,600.04)	4.24	(21,308.86 -44,595.80)	3.70
		(21,305.23 -44,595.06)	3.46	(21,301.88 -44,594.20)	1.94	(21,300.01 -44,593.70)	6.30
134	584	(1/ 2)					
		(21,300.01 -44,593.70)	1.94	(21,301.88 -44,594.20)	3.46	(21,305.23 -44,595.06)	3.70
		(21,308.86 -44,595.80)	8.21	(21,308.99 -44,587.59)	14.04	(21,311.14 -44,573.72)	5.18
		(21,312.65 -44,568.77)	4.08	(21,314.38 -44,565.07)	2.26	(21,315.81 -44,563.32)	2.37
		(21,317.61 -44,561.78)	4.61	(21,313.76 -44,559.25)	5.33	(21,308.86 -44,557.16)	9.47
		(21,299.97 -44,553.90)	39.80				
134	002-	5					
		(21,299.97 -44,553.90)	9.47	(21,308.86 -44,557.16)	5.33	(21,313.76 -44,559.25)	4.61
		(21,317.61 -44,561.78)	22.27	(21,335.79 -44,574.65)	13.14	(21,333.57 -44,587.60)	9.39
		(21,330.43 -44,596.45)	3.66	(21,329.72 -44,600.04)	1.85	(21,331.57 -44,600.05)	0.35
		(21,331.60 -44,599.70)	8.66	(21,334.39 -44,591.50)	6.01	(21,335.77 -44,585.65)	6.62
		(21,337.22 -44,579.19)	6.37	(21,338.58 -44,572.97)	8.05	(21,331.38 -44,569.38)	15.47
		(21,318.91 -44,560.23)	5.25	(21,314.36 -44,557.62)	6.29	(21,308.54 -44,555.24)	9.25
		(21,299.97 -44,551.75)	2.15				
136	614	(1/ 2)					
		(21,299.97 -44,551.75)	9.25	(21,308.54 -44,555.24)	6.29	(21,314.36 -44,557.62)	5.25
		(21,318.91 -44,560.23)	15.47	(21,331.38 -44,569.38)	5.45	(21,331.88 -44,563.95)	4.75
		(21,332.84 -44,559.30)	9.56	(21,335.60 -44,550.15)	18.09	(21,340.93 -44,532.86)	4.03
		(21,342.28 -44,529.06)	4.43	(21,344.14 -44,525.04)	6.68	(21,347.51 -44,519.27)	44.24
		(21,303.63 -44,513.61)	9.57	(21,299.97 -44,522.45)	29.30		
136	001-	3					
		(21,299.97 -44,522.45)	9.57	(21,303.63 -44,513.61)	8.34	(21,307.27 -44,506.11)	4.67
		(21,309.27 -44,501.89)	4.88	(21,310.90 -44,497.29)	6.62	(21,312.06 -44,490.77)	8.71
		(21,313.06 -44,482.12)	10.92	(21,314.07 -44,471.25)	8.09	(21,314.83 -44,463.20)	8.87
		(21,315.30 -44,454.34)	2.55	(21,315.29 -44,451.79)	15.69	(21,316.35 -44,436.14)	19.07
		(21,317.92 -44,417.13)	13.33	(21,317.53 -44,403.81)	3.78	(21,317.43 -44,400.03)	2.45
		(21,314.98 -44,400.05)	17.06	(21,315.52 -44,417.10)	30.48	(21,312.58 -44,447.44)	16.20
		(21,312.70 -44,463.64)	18.28	(21,310.33 -44,481.77)	5.20	(21,310.07 -44,486.96)	8.13
		(21,308.93 -44,495.01)	5.08	(21,307.60 -44,499.91)	4.00	(21,305.89 -44,503.53)	8.53
		(21,302.21 -44,511.23)	1.28	(21,301.62 -44,512.37)	4.21	(21,299.98 -44,516.25)	6.20
136	617	(1/ 2)					
		(21,299.98 -44,516.25)	4.21	(21,301.62 -44,512.37)	1.70	(21,299.93 -44,512.20)	4.05
136	618	(1/ 2)					
		(21,299.93 -44,512.20)	1.70	(21,301.62 -44,512.37)	1.28	(21,302.21 -44,511.23)	8.53
		(21,305.89 -44,503.53)	4.00	(21,307.60 -44,499.91)	5.08	(21,308.93 -44,495.01)	8.13
		(21,310.07 -44,486.96)	3.69	(21,306.39 -44,486.73)	2.69	(21,303.70 -44,486.58)	3.77
		(21,299.97 -44,487.10)	25.10				
136	002-	4					

地区 ..003 作業 .. 55 原図番号 .. N1 44-4 縮尺 ..1/ 500 基準点 ..X 21,300.00..Y -44,600.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,299.97 -44,487.10)	3.77	(21,303.70 -44,486.58)	2.69	(21,306.39 -44,486.73)	3.69
		(21,310.07 -44,486.96)	5.20	(21,310.33 -44,481.77)	18.28	(21,312.70 -44,463.64)	16.20
		(21,312.58 -44,447.44)	30.48	(21,315.52 -44,417.10)	17.06	(21,314.98 -44,400.05)	1.75
		(@ 21,313.23 -44,400.02)	0.60	(21,313.22 -44,400.62)	7.11	(21,313.51 -44,407.72)	3.30
		(21,313.47 -44,411.02)	6.70	(21,313.35 -44,417.72)	13.69	(21,312.25 -44,431.37)	11.90
		(21,310.51 -44,443.14)	3.43	(21,310.43 -44,446.57)	17.55	(21,308.75 -44,464.04)	9.92
		(21,307.01 -44,473.81)	8.59	(21,304.80 -44,482.11)	4.90	(21,299.98 -44,483.00)	4.10
136	632	(1/ 2)					
		(21,299.98 -44,483.00)	4.90	(21,304.80 -44,482.11)	8.59	(21,307.01 -44,473.81)	9.92
		(21,308.75 -44,464.04)	17.55	(21,310.43 -44,446.57)	4.72	(21,305.71 -44,446.43)	5.79
		(@ 21,299.98 -44,445.60)	37.40				
136	633	(1/ 2)					
		(21,299.98 -44,445.60)	5.79	(21,305.71 -44,446.43)	4.72	(21,310.43 -44,446.57)	3.43
		(21,310.51 -44,443.14)	11.90	(21,312.25 -44,431.37)	13.69	(21,313.35 -44,417.72)	6.70
		(21,313.47 -44,411.02)	13.49	(@ 21,299.98 -44,410.97)	34.63		
136	634	(1/ 4)					
		(21,300.00 -44,400.05)	10.92	(21,299.98 -44,410.97)	13.49	(21,313.47 -44,411.02)	3.30
		(21,313.51 -44,407.72)	7.11	(21,313.22 -44,400.62)	0.60	(@ 21,313.23 -44,400.02)	13.23
136	629	(1/ 2)					
		(@ 21,317.43 -44,400.03)	3.78	(21,317.53 -44,403.81)	15.29	(21,332.81 -44,403.18)	3.13
		(21,332.90 -44,400.05)	15.47				
136	628	(1/ 2)					
		(@ 21,332.90 -44,400.05)	3.13	(21,332.81 -44,403.18)	0.57	(21,332.74 -44,403.75)	37.53
		(21,370.09 -44,407.45)	1.38	(21,371.46 -44,407.26)	1.07	(21,371.64 -44,406.21)	6.33
		(21,370.15 -44,400.06)	37.25				
136	626	(1/ 2)					
		(@ 21,370.15 -44,400.06)	6.33	(21,371.64 -44,406.21)	1.07	(21,371.46 -44,407.26)	1.38
		(21,370.09 -44,407.45)	4.69	(21,368.11 -44,411.70)	4.49	(21,366.73 -44,415.97)	5.14
		(21,365.94 -44,421.05)	3.25	(21,365.79 -44,424.30)	2.53	(21,365.87 -44,426.83)	0.56
		(21,366.03 -44,427.37)	22.56	(21,388.58 -44,428.03)	20.87	(21,409.41 -44,429.29)	21.36
		(21,430.75 -44,430.20)	6.57	(21,428.99 -44,423.87)	0.93	(21,429.75 -44,423.34)	2.68
		(21,428.79 -44,420.84)	17.76	(21,423.37 -44,403.93)	4.01	(21,422.25 -44,400.08)	52.10
132	001-	2					
		(@ 21,422.25 -44,400.08)	4.01	(21,423.37 -44,403.93)	17.76	(21,428.79 -44,420.84)	2.68
		(21,429.75 -44,423.34)	6.68	(21,431.93 -44,429.65)	8.94	(21,434.59 -44,438.18)	4.70
		(21,435.89 -44,442.70)	5.11	(21,437.70 -44,447.48)	4.44	(21,439.20 -44,451.66)	5.45
		(21,440.36 -44,456.99)	5.62	(21,440.81 -44,462.59)	2.94	(21,440.50 -44,465.51)	5.15
		(21,439.84 -44,470.62)	2.47	(21,442.29 -44,470.90)	8.65	(21,442.73 -44,462.26)	3.70
		(21,442.56 -44,458.56)	6.75	(21,441.22 -44,451.94)	5.70	(21,439.58 -44,446.48)	9.99
		(21,436.44 -44,437.00)	14.33	(21,432.15 -44,423.33)	21.26	(21,425.80 -44,403.04)	3.04
		(21,425.00 -44,400.11)	2.75				
132	527-	1					
		(3/ 4)					
		(21,450.00 -44,400.12)	25.00	(@ 21,425.00 -44,400.11)	3.04	(21,425.80 -44,403.04)	21.26
		(21,432.15 -44,423.33)	5.91	(21,437.96 -44,424.41)	12.15	(21,450.01 -44,426.00)	25.88
132	528	(2/ 2)					
		(21,450.01 -44,426.00)	12.15	(21,437.96 -44,424.41)	5.91	(@ 21,432.15 -44,423.33)	14.33
		(21,436.44 -44,437.00)	9.99	(21,439.58 -44,446.48)	5.70	(21,441.22 -44,451.94)	6.75
		(21,442.56 -44,458.56)	3.70	(21,442.73 -44,462.26)	8.65	(21,442.29 -44,470.90)	2.59
		(21,443.09 -44,473.36)	2.23	(21,444.86 -44,474.72)	3.55	(21,448.26 -44,475.75)	1.76
		(21,449.99 -44,476.07)	50.07				
132	001-	1					
		(21,449.99 -44,476.07)	1.76	(21,448.26 -44,475.75)	3.55	(21,444.86 -44,474.72)	2.23

地区 ..003 作業 .. 55 原図番号 .. N1 44-4 縮尺 ..1/ 500 基準点 ..X 21,300.00..Y -44,600.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,443.09 -44,473.36)	2.59	(21,442.29 -44,470.90)	2.47	(21,439.84 -44,470.62)	1.62
		(@ 21,438.24 -44,470.34)	4.62	(21,433.78 -44,471.55)	3.04	(21,436.17 -44,473.43)	1.15
		(21,437.32 -44,473.38)	1.84	(21,439.11 -44,473.81)	4.08	(21,442.14 -44,476.54)	6.27
		(21,448.18 -44,478.22)	1.82	(21,449.98 -44,478.47)	2.40		
132	002- 1	(21,449.98 -44,478.47)	1.82	(21,448.18 -44,478.22)	6.27	(21,442.14 -44,476.54)	4.08
		(21,439.11 -44,473.81)	1.84	(21,437.32 -44,473.38)	1.15	(21,436.17 -44,473.43)	3.04
		(@ 21,433.78 -44,471.55)	4.23	(21,434.31 -44,475.75)	5.89	(21,439.11 -44,479.16)	11.08
		(21,450.03 -44,481.02)	2.55				
135	603	(2/ 2)					
		(21,450.03 -44,481.02)	11.08	(21,439.11 -44,479.16)	5.89	(@ 21,434.31 -44,475.75)	4.50
		(21,435.62 -44,480.05)	5.50	(21,440.80 -44,481.91)	7.57	(21,448.30 -44,482.95)	1.74
		(21,450.03 -44,483.17)	2.15				
135	601	(2/ 2)					
		(21,450.03 -44,483.17)	1.74	(21,448.30 -44,482.95)	7.57	(21,440.80 -44,481.91)	5.50
		(@ 21,435.62 -44,480.05)	3.72	(21,433.06 -44,482.75)	2.00	(21,432.10 -44,484.50)	3.25
		(21,432.17 -44,487.75)	2.98	(21,431.91 -44,490.72)	2.62	(21,430.61 -44,493.00)	3.10
		(21,428.11 -44,494.84)	3.69	(21,425.50 -44,497.45)	42.45	(21,450.00 -44,532.12)	48.95
135	604	(2/ 2)					
		(21,450.00 -44,532.12)	42.45	(@ 21,425.50 -44,497.45)	2.63	(21,424.05 -44,499.64)	4.41
		(21,422.69 -44,503.83)	3.43	(21,421.19 -44,506.91)	3.65	(21,418.94 -44,509.78)	3.39
		(21,416.13 -44,511.67)	4.24	(21,412.31 -44,513.52)	39.03	(21,434.65 -44,545.53)	17.47
		(21,449.99 -44,537.17)	5.05				
135	598- 2	(2/ 2)					
		(@ 21,449.99 -44,537.17)	17.47	(21,434.65 -44,545.53)	2.21	(21,435.94 -44,547.32)	5.83
		(21,441.26 -44,544.94)	10.00	(21,450.04 -44,540.15)	2.98		
135	595- 1	(2/ 2)					
		(@ 21,450.04 -44,543.05)	2.84	(21,447.55 -44,544.42)	4.38	(21,450.03 -44,548.03)	4.98
135	594	(2/ 2)					
		(21,450.03 -44,548.03)	4.38	(@ 21,447.55 -44,544.42)	5.87	(21,442.35 -44,547.14)	12.92
		(21,430.66 -44,552.65)	33.70	(21,450.03 -44,580.23)	32.20		
135	593	(2/ 2)					
		(21,450.03 -44,580.23)	33.70	(@ 21,430.66 -44,552.65)	3.79	(21,427.24 -44,554.29)	26.98
		(21,404.40 -44,568.66)	31.78	(21,422.21 -44,594.98)	3.87	(21,425.76 -44,593.44)	14.45
		(21,437.77 -44,585.41)	6.40	(21,443.43 -44,582.42)	6.68	(21,450.03 -44,583.43)	3.20
133	002- 7						
		(21,450.03 -44,583.43)	6.68	(@ 21,443.43 -44,582.42)	5.27	(21,446.33 -44,586.82)	7.04
		(21,445.83 -44,593.84)	6.41	(21,447.12 -44,600.12)	2.48	(21,449.60 -44,600.12)	2.46
		(21,449.43 -44,597.67)	7.16	(21,450.01 -44,590.53)	7.10		
133	557	(4/ 4)					
		(@ 21,450.01 -44,590.53)	7.16	(21,449.43 -44,597.67)	2.46	(21,449.60 -44,600.12)	0.43
		(21,450.03 -44,600.10)	9.57				
134	001- 5						
		(21,447.12 -44,600.12)	6.41	(21,445.83 -44,593.84)	7.04	(@ 21,446.33 -44,586.82)	4.53
		(21,441.88 -44,587.66)	2.13	(21,442.50 -44,589.70)	10.66	(21,444.75 -44,600.12)	2.37
134	563	(3/ 3)					
		(21,444.75 -44,600.12)	10.66	(@ 21,442.50 -44,589.70)	19.70	(21,425.45 -44,599.56)	0.55
		(21,425.60 -44,600.09)	19.15				
134	564	(2/ 2)					
		(21,425.60 -44,600.09)	0.55	(21,425.45 -44,599.56)	19.70	(21,442.50 -44,589.70)	2.13
		(@ 21,441.88 -44,587.66)	3.12	(21,438.94 -44,588.71)	21.56	(21,420.65 -44,600.13)	4.95
134	002- 6						

地区..003

作業.. 55

原図番号.. N1 44-4

縮尺..1/ 500

基準点..X 21,300.00..Y -44,600.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,420.65 -44,600.13)	21.56	(21,438.94 -44,588.71)	3.12	(21,441.88 -44,587.66)	4.53
		(21,446.33 -44,586.82)	5.27	(21,443.43 -44,582.42)	6.40	(21,437.77 -44,585.41)	14.45
		(21,425.76 -44,593.44)	3.87	(21,422.21 -44,594.98)	2.67	(21,419.81 -44,596.15)	4.77
		(21,415.73 -44,598.62)	2.33	(21,413.95 -44,600.12)	6.70		
135	592	(21,413.95 -44,600.12)	2.33	(21,415.73 -44,598.62)	4.77	(21,419.81 -44,596.15)	2.67
		(21,422.21 -44,594.98)	31.78	(21,404.40 -44,568.66)	11.17	(21,394.96 -44,574.64)	5.31
		(21,390.80 -44,577.94)	29.40	(21,410.10 -44,600.12)	3.85		
135	591	(21,410.10 -44,600.12)	29.40	(21,390.80 -44,577.94)	9.80	(21,383.35 -44,584.30)	12.93
		(21,374.36 -44,593.59)	1.73	(21,373.14 -44,594.81)	7.37	(21,378.30 -44,600.07)	31.80
135	590	(21,378.30 -44,600.07)	7.37	(21,373.14 -44,594.81)	8.24	(21,366.80 -44,600.08)	11.50
135	001- 4	(21,366.80 -44,600.08)	8.24	(21,373.14 -44,594.81)	1.73	(21,374.36 -44,593.59)	12.93
		(21,383.35 -44,584.30)	9.80	(21,390.80 -44,577.94)	5.31	(21,394.96 -44,574.64)	11.17
		(21,404.40 -44,568.66)	26.98	(21,427.24 -44,554.29)	3.79	(21,430.66 -44,552.65)	12.92
		(21,442.35 -44,547.14)	5.87	(21,447.55 -44,544.42)	2.84	(21,450.04 -44,543.05)	2.90
		(21,450.04 -44,540.15)	10.00	(21,441.26 -44,544.94)	5.83	(21,435.94 -44,547.32)	7.30
		(21,429.37 -44,550.51)	3.72	(21,426.00 -44,552.09)	15.13	(21,413.17 -44,560.10)	4.37
		(21,409.48 -44,562.44)	18.53	(21,393.93 -44,572.51)	7.25	(21,388.04 -44,576.73)	8.90
		(21,381.48 -44,582.75)	14.24	(21,371.56 -44,592.96)	0.74	(21,370.97 -44,593.41)	8.97
		(21,363.73 -44,598.70)	2.38	(21,361.80 -44,600.09)	5.00		
135	610	(21,361.80 -44,600.09)	2.38	(21,363.73 -44,598.70)	8.97	(21,370.97 -44,593.41)	23.23
		(21,355.45 -44,576.13)	18.49	(21,337.22 -44,579.19)	6.62	(21,335.77 -44,585.65)	6.01
		(21,334.39 -44,591.50)	8.66	(21,331.60 -44,599.70)	0.35	(21,331.57 -44,600.05)	30.23
135	611	(21,340.89 -44,573.51)	2.35	(21,338.69 -44,572.68)	0.31	(21,338.58 -44,572.97)	6.37
		(21,337.22 -44,579.19)	18.49	(21,355.45 -44,576.13)	0.78	(21,356.07 -44,575.65)	8.63
		(21,352.77 -44,567.68)	0.88	(21,352.17 -44,567.03)	2.98	(21,349.20 -44,566.75)	1.80
		(21,347.48 -44,567.27)	9.08				
135	607	(21,347.48 -44,567.27)	1.80	(21,349.20 -44,566.75)	2.98	(21,352.17 -44,567.03)	0.88
		(21,352.77 -44,567.68)	8.63	(21,356.07 -44,575.65)	17.06	(21,367.63 -44,563.10)	17.76
		(21,379.56 -44,549.95)	8.48	(21,385.95 -44,544.38)	29.73	(21,369.44 -44,519.65)	4.56
		(21,365.00 -44,518.62)	5.18	(21,360.73 -44,515.69)	53.25		
135	609	(21,367.63 -44,563.10)	17.06	(21,356.07 -44,575.65)	0.78	(21,355.45 -44,576.13)	23.23
		(21,370.97 -44,593.41)	0.74	(21,371.56 -44,592.96)	14.24	(21,381.48 -44,582.75)	8.90
		(21,388.04 -44,576.73)	7.25	(21,393.93 -44,572.51)	26.75	(21,379.56 -44,549.95)	17.76
135	608	(21,379.56 -44,549.95)	26.75	(21,393.93 -44,572.51)	18.53	(21,409.48 -44,562.44)	4.37
		(21,413.17 -44,560.10)	14.07	(21,405.98 -44,548.01)	12.44	(21,400.19 -44,537.00)	14.49
		(21,387.58 -44,544.13)	1.65	(21,385.95 -44,544.38)	8.48		
135	606	(21,385.95 -44,544.38)	1.65	(21,387.58 -44,544.13)	14.49	(21,400.19 -44,537.00)	9.47
		(21,397.56 -44,527.90)	6.70	(21,395.77 -44,521.44)	8.81	(21,393.98 -44,512.81)	2.65
		(21,391.43 -44,512.09)	1.88	(21,389.56 -44,512.23)	4.19	(21,385.53 -44,513.38)	12.58
		(21,373.55 -44,517.21)	3.20	(21,370.42 -44,517.86)	1.80	(21,368.62 -44,517.90)	1.93
		(21,369.44 -44,519.65)	29.73				
135	605						

地区 ..003

作業 .. 55

原図番号 .. N1 44-4

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -44,600.00

測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,412.31 -44,513.52)	3.89	(21,408.55 -44,514.51)	4.26	(21,404.30 -44,514.81)	5.21
		(21,399.13 -44,514.20)	5.33	(21,393.98 -44,512.81)	8.81	(21,395.77 -44,521.44)	6.70
		(21,397.56 -44,527.90)	9.47	(21,400.19 -44,537.00)	12.44	(21,405.98 -44,548.01)	14.07
		(21,413.17 -44,560.10)	15.13	(21,426.00 -44,552.09)	3.72	(21,429.37 -44,550.51)	7.26
		(21,434.65 -44,545.53)	39.03				
135	598- 3	(21,434.65 -44,545.53)	7.26	(21,429.37 -44,550.51)	7.30	(21,435.94 -44,547.32)	2.21
136	621- 1	(21,433.06 -44,482.75)	3.72	(21,435.62 -44,480.05)	4.50	(21,434.31 -44,475.75)	3.83
		(21,431.54 -44,473.10)	3.71	(21,428.49 -44,470.99)	19.69	(21,409.53 -44,465.66)	7.25
		(21,402.38 -44,464.48)	8.88	(21,393.50 -44,464.24)	5.85	(21,387.65 -44,464.48)	3.05
		(21,384.65 -44,463.93)	12.00	(21,373.11 -44,460.63)	19.83	(21,353.40 -44,458.41)	29.35
		(21,355.39 -44,487.69)	77.83				
136	620	(21,355.39 -44,487.69)	29.35	(21,353.40 -44,458.41)	3.67	(21,349.81 -44,459.17)	3.92
		(21,345.89 -44,459.32)	4.16	(21,341.79 -44,458.61)	5.99	(21,336.24 -44,456.35)	6.34
		(21,329.99 -44,457.44)	4.03	(21,325.96 -44,457.59)	2.95	(21,323.01 -44,457.48)	3.72
		(21,319.47 -44,456.33)	4.62	(21,315.30 -44,454.34)	8.87	(21,314.83 -44,463.20)	8.09
		(21,314.07 -44,471.25)	10.92	(21,313.06 -44,482.12)	42.69		
136	619	(21,313.06 -44,482.12)	8.71	(21,312.06 -44,490.77)	6.62	(21,310.90 -44,497.29)	4.88
		(21,309.27 -44,501.89)	4.67	(21,307.27 -44,506.11)	8.34	(21,303.63 -44,513.61)	44.24
		(21,347.51 -44,519.27)	3.70	(21,349.98 -44,516.52)	4.40	(21,353.48 -44,513.86)	4.21
		(21,357.23 -44,511.94)	24.32	(21,355.39 -44,487.69)	42.69		
136	613	(21,357.23 -44,511.94)	4.21	(21,353.48 -44,513.86)	4.40	(21,349.98 -44,516.52)	3.70
		(21,347.51 -44,519.27)	6.68	(21,344.14 -44,525.04)	4.43	(21,342.28 -44,529.06)	4.03
		(21,340.93 -44,532.86)	18.09	(21,335.60 -44,550.15)	9.56	(21,332.84 -44,559.30)	4.75
		(21,331.88 -44,563.95)	5.45	(21,331.38 -44,569.38)	8.05	(21,338.58 -44,572.97)	0.31
		(21,338.69 -44,572.68)	2.35	(21,340.89 -44,573.51)	9.08	(21,347.48 -44,567.27)	53.25
		(21,360.73 -44,515.69)	1.19	(21,359.73 -44,515.04)	3.98		
136	621- 2	(21,355.39 -44,487.69)	24.32	(21,357.23 -44,511.94)	3.98	(21,359.73 -44,515.04)	1.19
		(21,360.73 -44,515.69)	5.18	(21,365.00 -44,518.62)	4.56	(21,369.44 -44,519.65)	1.93
		(21,368.62 -44,517.90)	1.80	(21,370.42 -44,517.86)	3.20	(21,373.55 -44,517.21)	12.58
		(21,385.53 -44,513.38)	4.19	(21,389.56 -44,512.23)	1.88	(21,391.43 -44,512.09)	2.65
		(21,393.98 -44,512.81)	5.33	(21,399.13 -44,514.20)	5.21	(21,404.30 -44,514.81)	4.26
		(21,408.55 -44,514.51)	3.89	(21,412.31 -44,513.52)	4.24	(21,416.13 -44,511.67)	3.39
		(21,418.94 -44,509.78)	3.65	(21,421.19 -44,506.91)	3.43	(21,422.69 -44,503.83)	4.41
		(21,424.05 -44,499.64)	2.63	(21,425.50 -44,497.45)	3.69	(21,428.11 -44,494.84)	3.10
		(21,430.61 -44,493.00)	2.62	(21,431.91 -44,490.72)	2.98	(21,432.17 -44,487.75)	3.25
		(21,432.10 -44,484.50)	2.00	(21,433.06 -44,482.12)	77.83		
132	002- 2	(21,439.84 -44,470.62)	5.15	(21,440.50 -44,465.51)	2.94	(21,440.81 -44,462.59)	5.62
		(21,440.36 -44,456.99)	5.45	(21,439.20 -44,451.66)	4.44	(21,437.70 -44,447.48)	5.11
		(21,435.89 -44,442.70)	4.70	(21,434.59 -44,438.18)	8.94	(21,431.93 -44,429.65)	6.68
		(21,429.75 -44,423.34)	0.93	(21,428.99 -44,423.87)	6.57	(21,430.75 -44,430.20)	13.26
		(21,434.56 -44,442.90)	4.53	(21,436.48 -44,447.00)	4.95	(21,437.82 -44,451.76)	5.53
		(21,438.99 -44,457.16)	0.88	(21,439.08 -44,458.04)	4.35	(21,439.43 -44,462.38)	3.30
		(21,439.25 -44,465.68)	4.77	(21,438.24 -44,470.34)	1.62		
136	625	(21,436.48 -44,447.00)	4.53	(21,434.56 -44,442.90)	13.26	(21,430.75 -44,430.20)	21.36

地区 ..003 作業 .. 55 原図番号 .. N1 44-4 縮尺 ..1/ 500 基準点 ..X 21,300.00..Y -44,600.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,409.41 -44,429.29)	20.87	(21,388.58 -44,428.03)	22.56	(21,366.03 -44,427.37)	0.56
		(21,365.87 -44,426.83)	3.36	(21,362.51 -44,426.89)	5.39	(21,357.14 -44,426.39)	11.71
		(@ 21,345.51 -44,425.02)	1.84	(21,343.69 -44,425.32)	1.04	(21,342.74 -44,425.74)	1.55
		(21,341.51 -44,426.69)	1.53	(21,340.58 -44,427.91)	1.93	(21,339.88 -44,429.71)	3.00
		(21,339.35 -44,432.66)	3.70	(21,339.50 -44,436.36)	1.70	(21,341.20 -44,436.41)	2.41
		(21,342.69 -44,438.31)	94.19				
136	622	(@ 21,339.26 -44,447.06)	7.06	(21,335.36 -44,452.95)	7.39	(21,342.02 -44,456.16)	4.88
		(21,346.86 -44,456.77)	4.88	(21,351.72 -44,456.30)	5.52	(21,357.24 -44,456.14)	16.43
		(21,373.51 -44,458.41)	10.81	(21,383.88 -44,461.48)	4.18	(21,387.98 -44,462.31)	4.93
		(21,392.91 -44,462.14)	7.05	(21,399.96 -44,462.15)	9.97	(21,409.83 -44,463.54)	19.25
		(21,428.40 -44,468.62)	4.66	(21,432.64 -44,470.55)	1.52	(21,433.78 -44,471.55)	4.62
		(21,438.24 -44,470.34)	4.77	(21,439.25 -44,465.68)	3.30	(21,439.43 -44,462.38)	4.35
		(21,439.08 -44,458.04)	100.42				
136	624	(21,439.08 -44,458.04)	0.88	(21,438.99 -44,457.16)	5.53	(21,437.82 -44,451.76)	4.95
		(21,436.48 -44,447.00)	94.19	(@ 21,342.69 -44,438.31)	8.27	(21,339.86 -44,446.08)	1.15
		(21,339.26 -44,447.06)	100.42				
136	630	(21,339.35 -44,432.66)	3.00	(21,339.88 -44,429.71)	1.93	(21,340.58 -44,427.91)	1.53
		(21,341.51 -44,426.69)	1.55	(21,342.74 -44,425.74)	1.04	(21,343.69 -44,425.32)	1.84
		(21,345.51 -44,425.02)	11.71	(21,357.14 -44,426.39)	5.39	(21,362.51 -44,426.89)	3.36
		(21,365.87 -44,426.83)	2.53	(21,365.79 -44,424.30)	3.25	(21,365.94 -44,421.05)	5.14
		(21,366.73 -44,415.97)	4.49	(21,368.11 -44,411.70)	4.69	(21,370.09 -44,407.45)	37.53
		(21,332.74 -44,403.75)	0.57	(@ 21,332.81 -44,403.18)	15.29	(21,317.53 -44,403.81)	13.33
		(21,317.92 -44,417.13)	19.07	(21,316.35 -44,436.14)	4.57	(21,320.77 -44,437.31)	2.38
		(21,323.12 -44,437.71)	2.62	(21,325.72 -44,437.99)	2.57	(21,328.29 -44,438.09)	2.33
		(21,330.62 -44,438.12)	3.28	(21,333.87 -44,437.65)	3.75	(21,337.57 -44,437.01)	2.04
		(21,339.50 -44,436.36)	3.70				
136	631	(21,339.50 -44,436.36)	2.04	(21,337.57 -44,437.01)	3.75	(21,333.87 -44,437.65)	3.28
		(21,330.62 -44,438.12)	2.33	(21,328.29 -44,438.09)	2.57	(21,325.72 -44,437.99)	2.62
		(21,323.12 -44,437.71)	2.38	(21,320.77 -44,437.31)	4.57	(@ 21,316.35 -44,436.14)	15.69
		(21,315.29 -44,451.79)	7.18	(21,321.94 -44,454.51)	4.39	(21,326.27 -44,455.24)	4.67
		(21,330.92 -44,454.80)	4.81	(21,335.36 -44,452.95)	7.06	(21,339.26 -44,447.06)	1.15
		(21,339.86 -44,446.08)	8.27	(21,342.69 -44,438.31)	2.41	(21,341.20 -44,436.41)	1.70
136	002- 3	(21,315.30 -44,454.34)	4.62	(21,319.47 -44,456.33)	3.72	(21,323.01 -44,457.48)	2.95
		(21,325.96 -44,457.59)	4.03	(21,329.99 -44,457.44)	6.34	(21,336.24 -44,456.35)	5.99
		(21,341.79 -44,458.61)	4.16	(21,345.89 -44,459.32)	3.92	(21,349.81 -44,459.17)	3.67
		(21,353.40 -44,458.41)	19.83	(21,373.11 -44,460.63)	12.00	(21,384.65 -44,463.93)	3.05
		(21,387.65 -44,464.48)	5.85	(21,393.50 -44,464.24)	8.88	(21,402.38 -44,464.48)	7.25
		(21,409.53 -44,465.66)	19.69	(21,428.49 -44,470.99)	3.71	(21,431.54 -44,473.10)	3.83
		(21,434.31 -44,475.75)	4.23	(21,433.78 -44,471.55)	1.52	(21,432.64 -44,470.55)	4.66
		(21,428.40 -44,468.62)	19.25	(21,409.83 -44,463.54)	9.97	(21,399.96 -44,462.15)	7.05
		(21,392.91 -44,462.14)	4.93	(21,387.98 -44,462.31)	4.18	(21,383.88 -44,461.48)	10.81
		(21,373.51 -44,458.41)	16.43	(21,357.24 -44,456.14)	5.52	(21,351.72 -44,456.30)	4.88
		(21,346.86 -44,456.77)	4.88	(21,342.02 -44,456.16)	7.39	(21,335.36 -44,452.95)	4.81
		(21,330.92 -44,454.80)	4.67	(21,326.27 -44,455.24)	4.39	(21,321.94 -44,454.51)	7.18
		(@ 21,315.29 -44,451.79)	2.55				