

地区..003 作業..56 原図番号..N1 45-1 縮尺..1/ 500 基準点..X 21,450.00..Y -44,400.00 測定 年 5 月 3 日

字 地番及び座標 ( X ; Y ) & 座標間距離 ( m )

|     |      |   |                          |       |                          |       |                          |        |
|-----|------|---|--------------------------|-------|--------------------------|-------|--------------------------|--------|
|     |      |   | ( 21,450.00 -44,400.00 ) | 50.00 | ( 21,500.00 -44,400.01 ) | 50.05 | ( 21,550.05 -44,400.03 ) | 49.95  |
|     |      |   | ( 21,600.00 -44,400.04 ) | 49.95 | ( 21,600.01 -44,350.09 ) | 50.00 | ( 21,600.02 -44,300.09 ) | 50.00  |
|     |      |   | ( 21,600.04 -44,250.09 ) | 50.00 | ( 21,600.02 -44,200.09 ) | 50.02 | ( 21,550.00 -44,200.07 ) | 50.00  |
|     |      |   | ( 21,500.00 -44,200.01 ) | 50.00 | ( 21,450.00 -44,200.05 ) | 49.95 | ( 21,449.99 -44,250.00 ) | 50.00  |
|     |      |   | ( 21,449.98 -44,300.00 ) | 50.00 | ( 21,449.96 -44,350.00 ) | 50.00 |                          |        |
| 132 | 527- | 1 | ( 2/ 4 )                 |       |                          |       |                          |        |
|     |      |   | ( 21,449.95 -44,400.05 ) | 3.87  | ( 21,453.82 -44,400.03 ) | 11.63 | ( 21,451.30 -44,388.68 ) | 6.02   |
| 132 | 520- | 1 | ( 2/ 3 )                 |       |                          |       |                          |        |
|     |      |   | ( 21,450.00 -44,382.80 ) | 17.25 |                          |       |                          |        |
|     |      |   | ( 21,450.00 -44,382.80 ) | 6.02  | ( 21,451.30 -44,388.68 ) | 11.63 | ( 21,453.82 -44,400.03 ) | 26.10  |
|     |      |   | ( 21,479.92 -44,400.03 ) | 15.88 | ( 21,479.25 -44,384.16 ) | 5.58  | ( 21,473.68 -44,383.83 ) | 10.99  |
| 132 | 521  |   | ( 21,462.70 -44,383.40 ) | 12.79 | ( 21,450.00 -44,381.85 ) | 0.95  |                          |        |
|     |      |   | ( 1/ 2 )                 |       |                          |       |                          |        |
|     |      |   | ( 21,450.00 -44,381.85 ) | 12.79 | ( 21,462.70 -44,383.40 ) | 10.99 | ( 21,473.68 -44,383.83 ) | 5.58   |
|     |      |   | ( 21,479.25 -44,384.16 ) | 5.28  | ( 21,484.45 -44,385.08 ) | 1.84  | ( 21,486.25 -44,385.48 ) | 4.15   |
|     |      |   | ( 21,490.35 -44,386.11 ) | 7.06  | ( 21,497.40 -44,385.76 ) | 8.93  | ( 21,506.30 -44,384.98 ) | 7.16   |
|     |      |   | ( 21,505.16 -44,377.91 ) | 8.85  | ( 21,504.23 -44,369.11 ) | 8.28  | ( 21,504.24 -44,360.83 ) | 11.59  |
| 132 | 522  |   | ( 21,504.61 -44,349.25 ) | 54.61 | ( 21,450.01 -44,350.30 ) | 31.55 |                          |        |
|     |      |   | ( 1/ 2 )                 |       |                          |       |                          |        |
|     |      |   | ( 21,450.01 -44,350.30 ) | 54.61 | ( 21,504.61 -44,349.25 ) | 16.31 | ( 21,502.28 -44,333.11 ) | 42.78  |
|     |      |   | ( 21,459.52 -44,331.90 ) | 9.50  | ( 21,450.02 -44,331.65 ) | 18.65 |                          |        |
| 132 | 525- | 1 | ( 1/ 2 )                 |       |                          |       |                          |        |
|     |      |   | ( 21,450.02 -44,331.65 ) | 9.50  | ( 21,459.52 -44,331.90 ) | 6.01  | ( 21,460.34 -44,325.95 ) | 5.93/  |
|     |      |   | ( 21,461.32 -44,320.10 ) | 5.03  | ( 21,463.25 -44,315.45 ) | 4.50  | ( 21,465.22 -44,311.40 ) | 4.03/  |
|     |      |   | ( 21,466.69 -44,307.65 ) | 17.60 | ( 21,449.97 -44,302.15 ) | 29.50 |                          |        |
| 132 | 524- | 1 | ( 1/ 2 )                 |       |                          |       |                          |        |
|     |      |   | ( 21,449.97 -44,302.15 ) | 17.60 | ( 21,466.69 -44,307.65 ) | 6.94  | ( 21,468.07 -44,300.85 ) | 4.51/  |
|     |      |   | ( 21,469.08 -44,296.45 ) | 2.63  | ( 21,469.38 -44,293.84 ) | 4.19  | ( 21,465.33 -44,294.90 ) | 16.28/ |
|     |      |   | ( 21,449.97 -44,300.30 ) | 1.85  |                          |       |                          |        |
| 132 | 523- | 2 | ( 1/ 2 )                 |       |                          |       |                          |        |
|     |      |   | ( 21,449.97 -44,300.30 ) | 16.28 | ( 21,465.33 -44,294.90 ) | 4.19  | ( 21,469.38 -44,293.84 ) | 16.25  |
|     |      |   | ( 21,484.78 -44,288.66 ) | 4.71  | ( 21,489.49 -44,288.64 ) | 4.68  | ( 21,484.88 -44,287.86 ) | 5.10   |
|     |      |   | ( 21,479.78 -44,287.78 ) | 4.40  | ( 21,475.74 -44,286.04 ) | 11.38 | ( 21,464.98 -44,289.73 ) | 16.00  |
|     |      |   | ( 21,449.98 -44,295.30 ) | 5.00  |                          |       |                          |        |
| 132 | 523- | 3 | ( 1/ 2 )                 |       |                          |       |                          |        |
|     |      |   | ( 21,449.98 -44,295.30 ) | 16.00 | ( 21,464.98 -44,289.73 ) | 11.38 | ( 21,475.74 -44,286.04 ) | 1.54   |
|     |      |   | ( 21,474.33 -44,285.41 ) | 3.30  | ( 21,471.18 -44,284.41 ) | 7.97  | ( 21,463.68 -44,287.10 ) | 14.60  |
|     |      |   | ( 21,449.98 -44,292.15 ) | 3.15  |                          |       |                          |        |
| 132 | 524- | 2 | ( 1/ 2 )                 |       |                          |       |                          |        |
|     |      |   | ( 21,449.98 -44,292.15 ) | 14.60 | ( 21,463.68 -44,287.10 ) | 7.97  | ( 21,471.18 -44,284.41 ) | 22.21  |
|     |      |   | ( 21,449.98 -44,277.80 ) | 14.35 |                          |       |                          |        |
| 123 | 002- | 9 |                          |       |                          |       |                          |        |
|     |      |   | ( 21,449.98 -44,277.80 ) | 22.21 | ( 21,471.18 -44,284.41 ) | 11.05 | ( 21,481.59 -44,280.71 ) | 32.92  |
|     |      |   | ( 21,449.98 -44,271.50 ) | 6.30  |                          |       |                          |        |
| 123 | 001- | 4 |                          |       |                          |       |                          |        |
|     |      |   | ( 21,449.98 -44,271.50 ) | 32.92 | ( 21,481.59 -44,280.71 ) | 2.96  | ( 21,484.38 -44,279.71 ) | 35.74  |
|     |      |   | ( 21,450.03 -44,269.85 ) | 1.65  |                          |       |                          |        |
| 123 | 248- | 1 | ( 1/ 2 )                 |       |                          |       |                          |        |
|     |      |   | ( 21,450.03 -44,269.85 ) | 35.74 | ( 21,484.38 -44,279.71 ) | 17.29 | ( 21,500.68 -44,273.94 ) | 13.71  |
|     |      |   | ( 21,513.68 -44,269.60 ) | 39.99 | ( 21,511.54 -44,229.67 ) | 0.50  | ( 21,512.04 -44,229.62 ) | 39.86  |
|     |      |   | ( 21,514.30 -44,269.42 ) | 7.09  | ( 21,521.01 -44,267.12 ) | 2.41  | ( 21,523.28 -44,266.32 ) | 1.09   |

地区 ..003

作業 .. 56

原図番号 .. N1 45-1

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -44,400.00

測定 年 5 月 3 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|     |        |                            |       |                            |       |                            |       |
|-----|--------|----------------------------|-------|----------------------------|-------|----------------------------|-------|
|     |        | ( 21,524.23 -44,265.79 )   | 3.53  | ( 21,526.28 -44,262.92 )   | 3.32  | ( 21,527.59 -44,259.87 )   | 2.85  |
|     |        | ( 21,527.44 -44,257.02 )   | 1.71  | ( 21,527.01 -44,255.37 )   | 2.69  | ( 21,529.56 -44,254.50 )   | 26.07 |
|     |        | ( 21,522.39 -44,229.44 )   | 2.84  | ( 21,519.69 -44,230.32 )   | 2.97  | ( 21,518.69 -44,227.52 )   | 2.07  |
|     |        | ( 21,517.59 -44,225.77 )   | 1.32  | ( 21,516.57 -44,224.94 )   | 1.85  | ( 21,514.79 -44,224.44 )   | 2.23  |
|     |        | ( @ 21,512.57 -44,224.19 ) | 3.66  | ( 21,509.02 -44,225.06 )   | 4.38  | ( 21,504.87 -44,226.46 )   | 56.50 |
|     |        | ( 21,451.81 -44,245.88 )   | 1.92  | ( 21,450.01 -44,246.55 )   | 23.30 |                            |       |
| 123 | 244- 3 | ( 1/ 2 )                   |       |                            |       |                            |       |
|     |        | ( 21,450.01 -44,246.55 )   | 1.92  | ( 21,451.81 -44,245.88 )   | 56.50 | ( 21,504.87 -44,226.46 )   | 4.38  |
|     |        | ( 21,509.02 -44,225.06 )   | 3.66  | ( 21,512.57 -44,224.19 )   | 2.23  | ( 21,514.79 -44,224.44 )   | 1.85  |
|     |        | ( 21,516.57 -44,224.94 )   | 1.32  | ( 21,517.59 -44,225.77 )   | 2.07  | ( 21,518.69 -44,227.52 )   | 2.97  |
|     |        | ( 21,519.69 -44,230.32 )   | 2.84  | ( 21,522.39 -44,229.44 )   | 14.00 | ( @ 21,518.51 -44,215.99 ) | 72.91 |
|     |        | ( 21,449.99 -44,240.92 )   | 5.63  |                            |       |                            |       |
| 123 | 244- 4 | ( 1/ 2 )                   |       |                            |       |                            |       |
|     |        | ( 21,449.99 -44,240.92 )   | 72.91 | ( 21,518.51 -44,215.99 )   | 9.37  | ( @ 21,515.92 -44,206.99 ) | 0.44  |
|     |        | ( 21,515.50 -44,207.12 )   | 6.80  | ( 21,514.85 -44,213.89 )   | 1.93  | ( 21,513.03 -44,214.52 )   | 11.36 |
|     |        | ( 21,502.37 -44,218.46 )   | 12.18 | ( 21,490.93 -44,222.65 )   | 8.70  | ( 21,482.74 -44,225.58 )   | 18.65 |
|     |        | ( 21,465.28 -44,232.14 )   | 16.30 | ( 21,449.99 -44,237.80 )   | 3.12  |                            |       |
| 123 | 245- 1 | ( 1/ 2 )                   |       |                            |       |                            |       |
|     |        | ( 21,449.99 -44,237.80 )   | 16.30 | ( @ 21,465.28 -44,232.14 ) | 15.30 | ( 21,449.99 -44,232.60 )   | 5.20  |
| 123 | 244- 1 | ( 1/ 2 )                   |       |                            |       |                            |       |
|     |        | ( 21,449.99 -44,232.60 )   | 15.30 | ( 21,465.28 -44,232.14 )   | 18.65 | ( 21,482.74 -44,225.58 )   | 8.70  |
|     |        | ( 21,490.93 -44,222.65 )   | 6.13  | ( 21,491.75 -44,216.58 )   | 14.94 | ( 21,476.87 -44,215.28 )   | 10.46 |
|     |        | ( 21,466.47 -44,214.15 )   | 11.10 | ( 21,455.45 -44,212.78 )   | 5.65  | ( @ 21,450.00 -44,211.30 ) | 21.30 |
| 123 | 242    | ( 1/ 4 )                   |       |                            |       |                            |       |
|     |        | ( 21,450.00 -44,211.30 )   | 5.65  | ( 21,455.45 -44,212.78 )   | 11.10 | ( 21,466.47 -44,214.15 )   | 10.46 |
|     |        | ( 21,476.87 -44,215.28 )   | 14.94 | ( 21,491.75 -44,216.58 )   | 11.48 | ( 21,494.70 -44,205.49 )   | 5.44  |
|     |        | ( 21,494.95 -44,200.06 )   | 44.95 | ( @ 21,450.00 -44,200.05 ) | 11.25 |                            |       |
| 123 | 251- 1 | ( 1/ 2 )                   |       |                            |       |                            |       |
|     |        | ( 21,494.95 -44,200.06 )   | 5.44  | ( 21,494.70 -44,205.49 )   | 11.48 | ( 21,491.75 -44,216.58 )   | 6.13  |
|     |        | ( 21,490.93 -44,222.65 )   | 12.18 | ( 21,502.37 -44,218.46 )   | 11.36 | ( 21,513.03 -44,214.52 )   | 2.78  |
|     |        | ( 21,514.00 -44,211.92 )   | 12.43 | ( @ 21,510.40 -44,200.02 ) | 15.45 |                            |       |
| 123 | 001- 9 |                            |       |                            |       |                            |       |
|     |        | ( @ 21,510.40 -44,200.02 ) | 12.43 | ( 21,514.00 -44,211.92 )   | 2.78  | ( 21,513.03 -44,214.52 )   | 1.93  |
|     |        | ( 21,514.85 -44,213.89 )   | 6.80  | ( 21,515.50 -44,207.12 )   | 0.44  | ( 21,515.92 -44,206.99 )   | 9.37  |
|     |        | ( 21,518.51 -44,215.99 )   | 5.51  | ( 21,523.70 -44,214.14 )   | 9.24  | ( 21,521.05 -44,205.29 )   | 4.56  |
|     |        | ( 21,524.06 -44,208.72 )   | 7.49  | ( 21,522.08 -44,201.50 )   | 1.54  | ( 21,521.65 -44,200.02 )   | 11.25 |
| 123 | 253- 1 | ( 1/ 2 )                   |       |                            |       |                            |       |
|     |        | ( @ 21,521.65 -44,200.02 ) | 1.54  | ( 21,522.08 -44,201.50 )   | 20.66 | ( 21,542.48 -44,204.77 )   | 8.84  |
|     |        | ( 21,550.70 -44,201.53 )   | 1.55  | ( 21,551.25 -44,200.08 )   | 29.60 |                            |       |
| 123 | 253- 3 | ( 1/ 2 )                   |       |                            |       |                            |       |
|     |        | ( @ 21,551.25 -44,200.08 ) | 1.55  | ( 21,550.70 -44,201.53 )   | 8.84  | ( 21,542.48 -44,204.77 )   | 15.30 |
|     |        | ( 21,528.02 -44,209.77 )   | 2.61  | ( 21,525.42 -44,209.97 )   | 1.85  | ( 21,524.06 -44,208.72 )   | 4.56  |
|     |        | ( 21,521.05 -44,205.29 )   | 9.24  | ( 21,523.70 -44,214.14 )   | 5.61  | ( 21,529.00 -44,212.29 )   | 23.60 |
|     |        | ( 21,551.43 -44,204.94 )   | 4.97  | ( 21,552.45 -44,200.08 )   | 1.20  |                            |       |
| 123 | 002- 3 |                            |       |                            |       |                            |       |
|     |        | ( @ 21,552.45 -44,200.08 ) | 4.97  | ( 21,551.43 -44,204.94 )   | 5.00  | ( 21,556.18 -44,203.38 )   | 2.81  |
|     |        | ( 21,556.45 -44,200.58 )   | 0.41  | ( 21,556.86 -44,200.59 )   | 0.49  | ( 21,556.90 -44,200.10 )   | 4.45  |
| 124 | 274- 1 | ( 1/ 2 )                   |       |                            |       |                            |       |
|     |        | ( 21,556.90 -44,200.10 )   | 0.49  | ( 21,556.86 -44,200.59 )   | 1.67  | ( @ 21,558.45 -44,200.08 ) | 1.55  |
| 124 | 273    | ( 2/ 3 )                   |       |                            |       |                            |       |
|     |        | ( @ 21,558.45 -44,200.08 ) | 1.67  | ( 21,556.86 -44,200.59 )   | 0.41  | ( 21,556.45 -44,200.58 )   | 2.81  |
|     |        | ( 21,556.18 -44,203.38 )   | 11.35 | ( 21,567.05 -44,200.13 )   | 8.60  |                            |       |

地区 ..003 作業 .. 56 原図番号 .. N1 45-1 縮尺 ..1/ 500 基準点 ..X 21,450.00..Y -44,400.00 測定 年 5 月 3 日

字 地番及び座標 (X ; Y) &amp; 座標間距離 (m)

|     |      |   |                          |                          |                          |                          |                          |                          |       |
|-----|------|---|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------|
| 124 | 275- | 2 | ( 2/ 3)                  | ( 21,567.05 -44,200.13 ) | 11.35                    | ( 21,556.18 -44,203.38 ) | 3.47                     | ( 21,555.80 -44,206.83 ) | 1.93  |
|     |      |   | ( 21,555.18 -44,208.66 ) | 28.87                    | ( 21,582.75 -44,200.11 ) | 15.70                    |                          |                          |       |
| 124 | 276  |   | ( 3/ 4)                  | ( 21,582.75 -44,200.11 ) | 28.87                    | ( 21,555.18 -44,208.66 ) | 11.08                    | ( 21,551.85 -44,219.23 ) | 5.21  |
|     |      |   | ( 21,550.67 -44,224.30 ) | 10.24                    | ( 21,549.79 -44,234.50 ) | 12.56                    | ( 21,549.29 -44,247.05 ) | 10.19                    |       |
|     |      |   | ( 21,550.40 -44,257.18 ) | 26.52                    | ( 21,575.74 -44,249.36 ) | 8.76                     | ( 21,584.14 -44,246.88 ) | 16.52                    |       |
|     |      |   | ( 21,599.99 -44,242.24 ) | 42.15                    | ( 21,600.02 -44,200.09 ) | 17.27                    |                          |                          |       |
| 124 | 277- | 1 | ( 2/ 2)                  | ( 21,599.99 -44,242.24 ) | 16.52                    | ( 21,584.14 -44,246.88 ) | 8.76                     | ( 21,575.74 -44,249.36 ) | 26.52 |
|     |      |   | ( 21,550.40 -44,257.18 ) | 2.60                     | ( 21,550.69 -44,259.76 ) | 11.14                    | ( 21,561.41 -44,256.73 ) | 10.82                    |       |
|     |      |   | ( 21,571.77 -44,253.62 ) | 4.51                     | ( 21,576.09 -44,252.31 ) | 24.94                    | ( 21,599.99 -44,245.19 ) | 2.95                     |       |
| 124 | 280- | 1 | ( 2/ 2)                  | ( 21,599.99 -44,245.19 ) | 24.94                    | ( 21,576.09 -44,252.31 ) | 4.51                     | ( 21,571.77 -44,253.62 ) | 15.55 |
|     |      |   | ( 21,574.22 -44,268.98 ) | 4.24                     | ( 21,577.98 -44,270.93 ) | 5.17                     | ( 21,583.13 -44,270.43 ) | 4.36                     |       |
|     |      |   | ( 21,587.46 -44,270.98 ) | 8.30                     | ( 21,595.43 -44,273.29 ) | 2.13                     | ( 21,597.53 -44,273.64 ) | 2.55                     |       |
|     |      |   | ( 21,600.03 -44,274.14 ) | 28.95                    |                          |                          |                          |                          |       |
| 124 | 282- | 1 | ( 2/ 2)                  | ( 21,600.03 -44,274.14 ) | 2.55                     | ( 21,597.53 -44,273.64 ) | 2.13                     | ( 21,595.43 -44,273.29 ) | 8.30  |
|     |      |   | ( 21,587.46 -44,270.98 ) | 4.36                     | ( 21,583.13 -44,270.43 ) | 5.17                     | ( 21,577.98 -44,270.93 ) | 4.24                     |       |
|     |      |   | ( 21,574.22 -44,268.98 ) | 11.74                    | ( 21,562.48 -44,268.83 ) | 12.27                    | ( 21,561.13 -44,281.03 ) | 13.00                    |       |
|     |      |   | ( 21,548.18 -44,282.14 ) | 2.56                     | ( 21,548.53 -44,284.68 ) | 4.07                     | ( 21,552.38 -44,286.00 ) | 23.36                    |       |
|     |      |   | ( 21,575.45 -44,289.66 ) | 13.54                    | ( 21,588.93 -44,288.41 ) | 10.20                    | ( 21,593.23 -44,279.16 ) | 4.23                     |       |
|     |      |   | ( 21,596.26 -44,276.21 ) | 4.06                     | ( 21,600.03 -44,274.69 ) | 0.55                     |                          |                          |       |
| 124 | 002- | 1 |                          | ( 21,600.03 -44,274.69 ) | 4.06                     | ( 21,596.26 -44,276.21 ) | 4.23                     | ( 21,593.23 -44,279.16 ) | 10.20 |
|     |      |   | ( 21,588.93 -44,288.41 ) | 13.54                    | ( 21,575.45 -44,289.66 ) | 23.36                    | ( 21,552.38 -44,286.00 ) | 4.07                     |       |
|     |      |   | ( 21,548.53 -44,284.68 ) | 7.60                     | ( 21,546.18 -44,291.91 ) | 3.07                     | ( 21,549.24 -44,292.16 ) | 17.40                    |       |
|     |      |   | ( 21,566.55 -44,293.88 ) | 11.66                    | ( 21,578.18 -44,294.66 ) | 8.30                     | ( 21,586.48 -44,294.43 ) | 7.01                     |       |
|     |      |   | ( 21,593.39 -44,293.25 ) | 4.60                     | ( 21,595.35 -44,289.09 ) | 4.84                     | ( 21,597.00 -44,284.54 ) | 3.59                     |       |
|     |      |   | ( 21,599.63 -44,282.09 ) | 0.47                     | ( 21,600.03 -44,282.34 ) | 7.65                     |                          |                          |       |
| 132 | 512  |   | ( 2/ 2)                  | ( 21,600.03 -44,282.34 ) | 0.47                     | ( 21,599.63 -44,282.09 ) | 3.59                     | ( 21,597.00 -44,284.54 ) | 4.84  |
|     |      |   | ( 21,595.35 -44,289.09 ) | 4.60                     | ( 21,593.39 -44,293.25 ) | 6.90                     | ( 21,599.98 -44,291.19 ) | 8.85                     |       |
| 132 | 001- | 1 |                          | ( 21,599.98 -44,291.19 ) | 6.90                     | ( 21,593.39 -44,293.25 ) | 7.01                     | ( 21,586.48 -44,294.43 ) | 8.30  |
|     |      |   | ( 21,578.18 -44,294.66 ) | 11.66                    | ( 21,566.55 -44,293.88 ) | 17.40                    | ( 21,549.24 -44,292.16 ) | 1.96                     |       |
|     |      |   | ( 21,549.81 -44,294.04 ) | 27.96                    | ( 21,577.64 -44,296.72 ) | 7.89                     | ( 21,585.53 -44,296.68 ) | 4.32                     |       |
|     |      |   | ( 21,589.80 -44,296.03 ) | 4.60                     | ( 21,594.23 -44,294.79 ) | 6.02                     | ( 21,600.03 -44,293.19 ) | 2.00                     |       |
| 132 | 002- | 2 |                          | ( 21,600.03 -44,293.19 ) | 6.02                     | ( 21,594.23 -44,294.79 ) | 4.60                     | ( 21,589.80 -44,296.03 ) | 4.32  |
|     |      |   | ( 21,585.53 -44,296.68 ) | 7.89                     | ( 21,577.64 -44,296.72 ) | 0.72                     | ( 21,577.73 -44,297.43 ) | 7.85                     |       |
|     |      |   | ( 21,585.58 -44,297.33 ) | 4.42                     | ( 21,589.95 -44,296.66 ) | 4.11                     | ( 21,593.93 -44,295.64 ) | 6.37                     |       |
|     |      |   | ( 21,600.03 -44,293.79 ) | 0.60                     |                          |                          |                          |                          |       |
| 132 | 511- | 1 | ( 2/ 2)                  | ( 21,600.03 -44,293.79 ) | 6.37                     | ( 21,593.93 -44,295.64 ) | 4.11                     | ( 21,589.95 -44,296.66 ) | 4.42  |
|     |      |   | ( 21,585.58 -44,297.33 ) | 7.85                     | ( 21,577.73 -44,297.43 ) | 23.47                    | ( 21,580.18 -44,320.77 ) | 19.92                    |       |
|     |      |   | ( 21,600.02 -44,318.94 ) | 25.15                    |                          |                          |                          |                          |       |
| 132 | 510- | 1 | ( 2/ 2)                  | ( 21,600.02 -44,318.94 ) | 19.92                    | ( 21,580.18 -44,320.77 ) | 24.97                    | ( 21,555.32 -44,323.08 ) | 21.60 |
|     |      |   | ( 21,561.48 -44,343.78 ) | 38.91                    | ( 21,600.02 -44,338.44 ) | 19.50                    |                          |                          |       |
| 132 | 508- | 4 | ( 2/ 2)                  |                          |                          |                          |                          |                          |       |

地区 ..003 作業 .. 56 原図番号 .. N1 45-1 縮尺 ..1/ 500 基準点 ..X 21,450.00..Y -44,400.00 測定 年 5 月 3 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|     |        |                                                                                                  |
|-----|--------|--------------------------------------------------------------------------------------------------|
|     |        | (@ 21,600.02 -44,338.44 ) 38.91/ ( 21,561.48 -44,343.78 ) 15.07/ ( 21,565.91 -44,358.18 ) 34.63/ |
|     |        | ( 21,600.01 -44,352.14 ) 13.70/                                                                  |
| 132 | 508- 1 | ( 2/ 2 )                                                                                         |
|     |        | (@ 21,600.01 -44,352.14 ) 34.63/ ( 21,565.91 -44,358.18 ) 24.99/ ( 21,572.75 -44,382.22 ) 28.04/ |
|     |        | ( 21,600.01 -44,375.64 ) 23.50/                                                                  |
| 132 | 507- 1 | ( 3/ 3 )                                                                                         |
|     |        | (@ 21,600.01 -44,375.64 ) 28.04/ ( 21,572.75 -44,382.22 ) 18.66 ( 21,578.05 -44,400.11 ) 18.65/  |
|     |        | ( 21,596.70 -44,400.09 ) 3.59 ( 21,600.05 -44,398.79 ) 23.15/                                    |
| 132 | 001- 2 |                                                                                                  |
|     |        | (@ 21,600.05 -44,398.79 ) 3.59 ( 21,596.70 -44,400.09 ) 3.35 ( 21,600.05 -44,400.14 ) 1.35       |
| 132 | 001- 3 |                                                                                                  |
|     |        | ( 21,578.05 -44,400.11 ) 18.66 ( 21,572.75 -44,382.22 ) 24.99 ( 21,565.91 -44,358.18 ) 15.07     |
|     |        | ( 21,561.48 -44,343.78 ) 21.60 ( 21,555.32 -44,323.08 ) 0.50 ( 21,555.17 -44,322.60 ) 2.70       |
|     |        | ( 21,557.79 -44,321.93 ) 29.01 ( 21,549.81 -44,294.04 ) 1.96 ( 21,549.24 -44,292.16 ) 3.07       |
|     |        | (@ 21,546.18 -44,291.91 ) 7.60 ( 21,539.19 -44,294.89 ) 35.11 ( 21,549.29 -44,328.52 ) 6.62      |
|     |        | ( 21,552.83 -44,334.11 ) 27.45 ( 21,560.64 -44,360.43 ) 18.27 ( 21,565.87 -44,377.94 ) 7.72      |
|     |        | ( 21,568.07 -44,385.34 ) 15.39 ( 21,572.50 -44,400.08 ) 5.55                                     |
| 132 | 505- 2 | ( 2/ 2 )                                                                                         |
|     |        | ( 21,572.50 -44,400.08 ) 15.39/ (@ 21,568.07 -44,385.34 ) 24.48/ ( 21,543.59 -44,385.47 ) 14.79/ |
|     |        | ( 21,540.95 -44,400.02 ) 31.55/                                                                  |
| 132 | 518- 1 | ( 2/ 2 )                                                                                         |
|     |        | ( 21,540.95 -44,400.02 ) 14.79 ( 21,543.59 -44,385.47 ) 7.53 ( 21,544.94 -44,378.06 ) 39.78      |
|     |        | (@ 21,505.16 -44,377.91 ) 7.16 ( 21,506.30 -44,384.98 ) 9.85 ( 21,507.13 -44,394.79 ) 3.85       |
|     |        | ( 21,507.58 -44,398.61 ) 1.49 ( 21,508.00 -44,400.04 ) 32.95                                     |
| 132 | 519    | ( 2/ 2 )                                                                                         |
|     |        | ( 21,508.00 -44,400.04 ) 1.49 ( 21,507.58 -44,398.61 ) 3.85 ( 21,507.13 -44,394.79 ) 9.85        |
|     |        | ( 21,506.30 -44,384.98 ) 8.93 ( 21,497.40 -44,385.76 ) 7.06 ( 21,490.35 -44,386.11 ) 4.15        |
|     |        | ( 21,486.25 -44,385.48 ) 1.84 ( 21,484.45 -44,385.08 ) 5.28 (@ 21,479.25 -44,384.16 ) 15.88      |
|     |        | ( 21,479.92 -44,400.03 ) 28.08                                                                   |
| 132 | 517- 1 |                                                                                                  |
|     |        | ( 21,504.23 -44,369.11 ) 8.85/ ( 21,505.16 -44,377.91 ) 39.78/ ( 21,544.94 -44,378.06 ) 20.93/   |
|     |        | ( 21,565.87 -44,377.94 ) 18.27/ (@ 21,560.64 -44,360.43 ) 56.40/ ( 21,504.24 -44,360.83 ) 8.28/  |
| 132 | 516- 1 |                                                                                                  |
|     |        | ( 21,504.24 -44,360.83 ) 56.40/ ( 21,560.64 -44,360.43 ) 27.45/ ( 21,552.83 -44,334.11 ) 50.56/  |
|     |        | (@ 21,502.28 -44,333.11 ) 16.31/ ( 21,504.61 -44,349.25 ) 11.59/                                 |
| 132 | 506- 1 |                                                                                                  |
|     |        | ( 21,544.94 -44,378.06 ) 7.53/ ( 21,543.59 -44,385.47 ) 24.48/ ( 21,568.07 -44,385.34 ) 7.72/    |
|     |        | (@ 21,565.87 -44,377.94 ) 20.93/                                                                 |
| 132 | 515    |                                                                                                  |
|     |        | ( 21,552.83 -44,334.11 ) 6.62/ ( 21,549.29 -44,328.52 ) 35.11/ ( 21,539.19 -44,294.89 ) 15.84/   |
|     |        | ( 21,523.58 -44,297.59 ) 5.65/ ( 21,517.95 -44,298.04 ) 4.53/ ( 21,513.48 -44,297.32 ) 12.97/    |
|     |        | (@ 21,501.28 -44,292.91 ) 40.21/ ( 21,502.28 -44,333.11 ) 50.56/                                 |
| 132 | 523- 1 |                                                                                                  |
|     |        | ( 21,502.28 -44,333.11 ) 40.21 ( 21,501.28 -44,292.91 ) 12.54 (@ 21,489.49 -44,288.64 ) 4.71     |
|     |        | ( 21,484.78 -44,288.66 ) 16.25 ( 21,469.38 -44,293.84 ) 2.63 ( 21,469.08 -44,296.45 ) 4.51       |
|     |        | ( 21,468.07 -44,300.85 ) 6.94 ( 21,466.69 -44,307.65 ) 4.03 ( 21,465.22 -44,311.40 ) 4.50        |
|     |        | ( 21,463.25 -44,315.45 ) 5.03 ( 21,461.32 -44,320.10 ) 5.93 ( 21,460.34 -44,325.95 ) 6.01        |
|     |        | ( 21,459.52 -44,331.90 ) 42.78                                                                   |
| 132 | 513- 1 |                                                                                                  |
|     |        | ( 21,555.17 -44,322.60 ) 0.50/ ( 21,555.32 -44,323.08 ) 24.97/ ( 21,580.18 -44,320.77 ) 23.47/   |
|     |        | ( 21,577.73 -44,297.43 ) 0.72/ ( 21,577.64 -44,296.72 ) 27.96/ (@ 21,549.81 -44,294.04 ) 29.01/  |
|     |        | ( 21,557.79 -44,321.93 ) 2.70/                                                                   |

地区 ..003

作業 .. 56

原図番号 .. N1 45-1

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -44,400.00

測定 年 5 月 3 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|     |        |                            |       |                            |       |                            |       |
|-----|--------|----------------------------|-------|----------------------------|-------|----------------------------|-------|
| 124 | 281    | ( 21,561.13 -44,281.03 )   | 12.27 | ( 21,562.48 -44,268.83 )   | 11.74 | ( 21,574.22 -44,268.98 )   | 15.55 |
|     |        | ( @ 21,571.77 -44,253.62 ) | 10.82 | ( 21,561.41 -44,256.73 )   | 11.14 | ( 21,550.69 -44,259.76 )   | 1.78  |
|     |        | ( 21,548.98 -44,260.27 )   | 11.76 | ( 21,550.03 -44,271.98 )   | 10.33 | ( 21,548.18 -44,282.14 )   | 13.00 |
| 123 | 249- 1 | ( 21,545.71 -44,279.45 )   | 7.52  | ( 21,547.18 -44,272.07 )   | 11.05 | ( @ 21,547.16 -44,261.02 ) | 0.70  |
|     |        | ( 21,546.48 -44,261.17 )   | 1.51  | ( 21,545.01 -44,261.52 )   | 4.55  | ( 21,540.62 -44,262.71 )   | 17.50 |
| 123 | 002- 6 | ( 21,547.16 -44,261.02 )   | 11.05 | ( 21,547.18 -44,272.07 )   | 7.52  | ( 21,545.71 -44,279.45 )   | 5.94  |
|     |        | ( 21,548.53 -44,284.68 )   | 2.56  | ( 21,548.18 -44,282.14 )   | 10.33 | ( 21,550.03 -44,271.98 )   | 11.76 |
|     |        | ( 21,548.98 -44,260.27 )   | 1.78  | ( 21,550.69 -44,259.76 )   | 2.60  | ( @ 21,550.40 -44,257.18 ) | 3.64  |
|     |        | ( 21,546.91 -44,258.20 )   | 0.76  | ( 21,546.17 -44,258.05 )   | 3.14  | ( 21,546.48 -44,261.17 )   | 0.70  |
| 123 | 249- 7 | ( 21,546.48 -44,261.17 )   | 3.14  | ( 21,546.17 -44,258.05 )   | 3.12  | ( 21,543.09 -44,257.55 )   | 1.93  |
|     |        | ( 21,541.29 -44,256.85 )   | 2.05  | ( 21,539.46 -44,255.92 )   | 2.05  | ( 21,537.94 -44,254.55 )   | 2.73  |
|     |        | ( @ 21,536.79 -44,252.07 ) | 1.60  | ( 21,535.29 -44,252.62 )   | 11.27 | ( 21,538.56 -44,263.40 )   | 2.17  |
|     |        | ( 21,540.62 -44,262.71 )   | 4.55  | ( 21,545.01 -44,261.52 )   | 1.51  |                            |       |
| 123 | 002- 5 | ( 21,546.17 -44,258.05 )   | 0.76  | ( 21,546.91 -44,258.20 )   | 3.64  | ( 21,550.40 -44,257.18 )   | 10.19 |
|     |        | ( 21,549.29 -44,247.05 )   | 12.56 | ( 21,549.79 -44,234.50 )   | 10.24 | ( 21,550.67 -44,224.30 )   | 5.21  |
|     |        | ( 21,551.85 -44,219.23 )   | 11.08 | ( @ 21,555.18 -44,208.66 ) | 5.47  | ( 21,549.95 -44,210.27 )   | 5.39  |
|     |        | ( 21,548.47 -44,215.45 )   | 29.21 | ( 21,544.74 -44,244.42 )   | 13.70 | ( 21,546.17 -44,258.05 )   | 0.00  |
| 123 | 249- 3 | ( 21,546.17 -44,258.05 )   | 13.70 | ( 21,544.74 -44,244.42 )   | 29.21 | ( 21,548.47 -44,215.45 )   | 5.39  |
|     |        | ( @ 21,549.95 -44,210.27 ) | 17.22 | ( 21,533.52 -44,215.42 )   | 3.20  | ( 21,530.95 -44,217.32 )   | 2.41  |
|     |        | ( 21,529.40 -44,219.17 )   | 1.95  | ( 21,528.54 -44,220.92 )   | 1.57  | ( 21,528.47 -44,222.49 )   | 4.80  |
|     |        | ( 21,529.52 -44,227.17 )   | 1.79  | ( 21,527.82 -44,227.74 )   | 25.98 | ( 21,535.29 -44,252.62 )   | 1.60  |
|     |        | ( 21,536.79 -44,252.07 )   | 2.73  | ( 21,537.94 -44,254.55 )   | 2.05  | ( 21,539.46 -44,255.92 )   | 2.05  |
|     |        | ( 21,541.29 -44,256.85 )   | 1.93  | ( 21,543.09 -44,257.55 )   | 3.12  |                            |       |
| 123 | 250- 4 | ( 21,527.82 -44,227.74 )   | 1.79  | ( 21,529.52 -44,227.17 )   | 4.80  | ( 21,528.47 -44,222.49 )   | 1.57  |
|     |        | ( 21,528.54 -44,220.92 )   | 1.95  | ( 21,529.40 -44,219.17 )   | 2.41  | ( 21,530.95 -44,217.32 )   | 3.20  |
|     |        | ( 21,533.52 -44,215.42 )   | 17.22 | ( 21,549.95 -44,210.27 )   | 5.53  | ( @ 21,551.43 -44,204.94 ) | 23.60 |
|     |        | ( 21,529.00 -44,212.29 )   | 5.61  | ( 21,523.70 -44,214.14 )   | 14.21 |                            |       |
| 123 | 001- 8 | ( @ 21,523.70 -44,214.14 ) | 5.51  | ( 21,518.51 -44,215.99 )   | 14.00 | ( 21,522.39 -44,229.44 )   | 5.69  |
|     |        | ( 21,527.82 -44,227.74 )   | 14.21 |                            |       |                            |       |
| 123 | 001- 7 | ( @ 21,527.82 -44,227.74 ) | 5.69  | ( 21,522.39 -44,229.44 )   | 26.07 | ( 21,529.56 -44,254.50 )   | 6.03  |
|     |        | ( 21,535.29 -44,252.62 )   | 25.98 |                            |       |                            |       |
| 123 | 001- 6 | ( @ 21,535.29 -44,252.62 ) | 6.03  | ( 21,529.56 -44,254.50 )   | 18.54 | ( 21,534.66 -44,272.32 )   | 5.17  |
|     |        | ( 21,530.58 -44,269.14 )   | 17.98 | ( 21,535.39 -44,286.46 )   | 2.81  | ( 21,536.13 -44,289.17 )   | 3.10  |
|     |        | ( 21,539.20 -44,288.77 )   | 11.37 | ( 21,545.71 -44,279.45 )   | 17.50 | ( 21,540.62 -44,262.71 )   | 2.17  |
|     |        | ( 21,538.56 -44,263.40 )   | 11.27 |                            |       |                            |       |
| 123 | 249- 4 | ( @ 21,529.56 -44,254.50 ) | 2.69  | ( 21,527.01 -44,255.37 )   | 1.71  | ( 21,527.44 -44,257.02 )   | 2.85  |
|     |        | ( 21,527.59 -44,259.87 )   | 3.32  | ( 21,526.28 -44,262.92 )   | 3.53  | ( 21,524.23 -44,265.79 )   | 1.09  |
|     |        | ( 21,523.28 -44,266.32 )   | 2.41  | ( 21,521.01 -44,267.12 )   | 7.09  | ( 21,514.30 -44,269.42 )   | 4.41  |
|     |        | ( 21,514.60 -44,273.82 )   | 16.65 | ( 21,530.58 -44,269.14 )   | 5.17  | ( 21,534.66 -44,272.32 )   | 18.54 |
| 123 | 249- 2 | ( @ 21,530.58 -44,269.14 ) | 16.65 | ( 21,514.60 -44,273.82 )   | 12.90 | ( 21,515.68 -44,286.67 )   | 6.57  |

地区 ..003 作業 .. 56 原図番号 .. N1 45-1 縮尺 ..1/ 500 基準点 ..X 21,450.00..Y -44,400.00 測定 年 5 月 3 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|     |      |   |                          |       |                          |       |                          |       |
|-----|------|---|--------------------------|-------|--------------------------|-------|--------------------------|-------|
| 123 | 002- | 8 | ( 21,522.13 -44,287.92 ) | 4.80  | ( 21,526.93 -44,287.94 ) | 8.59  | ( 21,535.39 -44,286.46 ) | 17.98 |
|     |      |   | ( 21,515.68 -44,286.67 ) | 12.90 | ( 21,514.60 -44,273.82 ) | 4.41  | ( 21,514.30 -44,269.42 ) | 39.86 |
|     |      |   | ( 21,512.04 -44,229.62 ) | 0.50  | ( 21,511.54 -44,229.67 ) | 39.99 | ( 21,513.68 -44,269.60 ) | 4.43  |
| 123 | 247- | 1 | ( 21,513.90 -44,274.02 ) | 12.58 | ( 21,515.28 -44,286.52 ) | 0.43  |                          |       |
| 123 | 001- | 5 | ( 21,515.28 -44,286.52 ) | 12.58 | ( 21,513.90 -44,274.02 ) | 20.07 | ( 21,495.01 -44,280.81 ) | 21.06 |
|     |      |   | ( 21,515.28 -44,286.52 ) | 21.06 | ( 21,495.01 -44,280.81 ) | 1.58  | ( 21,494.50 -44,282.31 ) | 10.45 |
|     |      |   | ( 21,484.38 -44,279.71 ) | 2.96  | ( 21,481.59 -44,280.71 ) | 5.06  | ( 21,486.45 -44,282.11 ) | 20.31 |
|     |      |   | ( 21,506.13 -44,287.11 ) | 15.08 | ( 21,520.93 -44,289.99 ) | 4.93  | ( 21,525.83 -44,290.49 ) | 10.38 |
|     |      |   | ( 21,536.13 -44,289.17 ) | 2.81  | ( 21,535.39 -44,286.46 ) | 8.59  | ( 21,526.93 -44,287.94 ) | 4.80  |
| 123 | 002- | 7 | ( 21,522.13 -44,287.92 ) | 6.57  | ( 21,515.68 -44,286.67 ) | 0.43  |                          |       |
|     |      |   | ( 21,481.59 -44,280.71 ) | 11.05 | ( 21,471.18 -44,284.41 ) | 3.30  | ( 21,474.33 -44,285.41 ) | 1.54  |
|     |      |   | ( 21,475.74 -44,286.04 ) | 4.40  | ( 21,479.78 -44,287.78 ) | 5.10  | ( 21,484.88 -44,287.86 ) | 4.68  |
|     |      |   | ( 21,489.49 -44,288.64 ) | 12.54 | ( 21,501.28 -44,292.91 ) | 12.97 | ( 21,513.48 -44,297.32 ) | 4.53  |
|     |      |   | ( 21,517.95 -44,298.04 ) | 5.65  | ( 21,523.58 -44,297.59 ) | 15.84 | ( 21,539.19 -44,294.89 ) | 7.60  |
|     |      |   | ( 21,546.18 -44,291.91 ) | 7.60  | ( 21,548.53 -44,284.68 ) | 5.94  | ( 21,545.71 -44,279.45 ) | 11.37 |
|     |      |   | ( 21,539.20 -44,288.77 ) | 3.10  | ( 21,536.13 -44,289.17 ) | 10.38 | ( 21,525.83 -44,290.49 ) | 4.93  |
| 123 | 247- | 3 | ( 21,520.93 -44,289.99 ) | 15.08 | ( 21,506.13 -44,287.11 ) | 20.31 | ( 21,486.45 -44,282.11 ) | 5.06  |
|     |      |   | ( 21,484.38 -44,279.71 ) | 10.45 | ( 21,494.50 -44,282.31 ) | 1.58  | ( 21,495.01 -44,280.81 ) | 20.07 |
| 123 | 250- | 1 | ( 21,513.90 -44,274.02 ) | 4.43  | ( 21,513.68 -44,269.60 ) | 13.71 | ( 21,500.68 -44,273.94 ) | 17.29 |
|     |      |   | ( 21,522.08 -44,201.50 ) | 7.49  | ( 21,524.06 -44,208.72 ) | 1.85  | ( 21,525.42 -44,209.97 ) | 2.61  |
|     |      |   | ( 21,528.02 -44,209.77 ) | 15.30 | ( 21,542.48 -44,204.77 ) | 20.66 |                          |       |
| 123 | 002- | 4 | ( 21,549.95 -44,210.27 ) | 5.49  | ( 21,555.20 -44,208.68 ) | 1.94  | ( 21,555.80 -44,206.83 ) | 3.47  |
|     |      |   | ( 21,556.20 -44,203.38 ) | 5.00  | ( 21,551.45 -44,204.93 ) | 5.55  |                          |       |