

地区..003

作業.. 57

原図番号.. N1 45-2

縮尺..1/ 500

基準点..X 21,450.00..Y -44,200.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,450.00 -44,200.00)	49.95	(21,499.95 -44,199.98)	50.05	(21,550.00 -44,200.00)	50.00
		(21,600.00 -44,200.10)	50.03	(21,599.98 -44,150.07)	50.00	(21,600.00 -44,100.07)	49.95
		(21,600.03 -44,050.12)	50.00	(21,600.00 -44,000.12)	49.88	(21,550.12 -44,000.10)	50.07
		(21,500.05 -44,000.07)	50.05	(21,450.00 -44,000.05)	49.95	(21,449.97 -44,050.00)	50.05
		(21,450.00 -44,100.05)	49.95	(21,449.97 -44,150.00)	50.00		
123	242	(2 / 4)					
		(21,450.00 -44,200.00)	44.93	(21,494.93 -44,200.01)	1.73	(21,495.05 -44,198.28)	5.65
		(21,495.02 -44,192.63)	6.75	(21,497.70 -44,186.43)	3.85	(21,498.97 -44,182.80)	10.78
		(21,501.06 -44,172.22)	2.64	(21,501.45 -44,169.61)	4.33	(21,503.00 -44,165.57)	41.95
		(21,491.00 -44,125.37)	9.83	(21,481.97 -44,129.25)	3.37	(21,479.05 -44,130.93)	2.09
		(21,477.10 -44,131.68)	2.02	(21,476.60 -44,133.64)	4.75	(21,476.93 -44,138.38)	4.04
		(21,475.06 -44,141.96)	7.40	(21,470.75 -44,147.97)	6.28	(21,466.43 -44,152.53)	4.90
		(21,462.81 -44,155.83)	9.98	(21,454.79 -44,161.77)	3.99	(21,451.75 -44,164.35)	2.17
		(21,450.40 -44,166.05)	0.94	(21,450.00 -44,166.90)	33.10		
123	001-	4					
		(21,450.00 -44,166.90)	0.94	(21,450.40 -44,166.05)	2.17	(21,451.75 -44,164.35)	3.99
		(21,454.79 -44,161.77)	9.98	(21,462.81 -44,155.83)	4.90	(21,466.43 -44,152.53)	6.28
		(21,470.75 -44,147.97)	7.40	(21,475.06 -44,141.96)	4.04	(21,476.93 -44,138.38)	4.75
		(21,476.60 -44,133.64)	2.02	(21,477.10 -44,131.68)	2.09	(21,479.05 -44,130.93)	3.37
		(21,481.97 -44,129.25)	9.83	(21,491.00 -44,125.37)	1.05	(21,490.34 -44,124.55)	9.74
		(21,481.42 -44,128.45)	3.33	(21,478.50 -44,130.06)	2.50	(21,476.20 -44,131.03)	2.56
		(21,475.55 -44,133.51)	4.76	(21,475.91 -44,138.26)	3.67	(21,474.16 -44,141.49)	7.15
		(21,470.05 -44,147.34)	6.09	(21,465.88 -44,151.78)	5.17	(21,462.01 -44,155.21)	9.71
		(21,454.19 -44,160.97)	4.09	(21,451.07 -44,163.62)	1.71	(21,450.00 -44,164.95)	1.95
123	002-	6					
		(21,450.00 -44,164.95)	1.71	(21,451.07 -44,163.62)	4.09	(21,454.19 -44,160.97)	9.71
		(21,462.01 -44,155.21)	5.17	(21,465.88 -44,151.78)	6.09	(21,470.05 -44,147.34)	7.15
		(21,474.16 -44,141.49)	3.67	(21,475.91 -44,138.26)	4.76	(21,475.55 -44,133.51)	2.56
		(21,476.20 -44,131.03)	6.33	(21,470.08 -44,132.65)	1.87	(21,471.45 -44,133.92)	3.00
		(21,471.86 -44,136.89)	3.64	(21,470.79 -44,140.37)	6.81	(21,466.74 -44,145.85)	9.64
		(21,459.80 -44,152.54)	10.92	(21,451.14 -44,159.20)	1.63	(21,449.99 -44,160.35)	4.60
122	207	(1 / 2)					
		(21,449.99 -44,160.35)	1.63	(21,451.14 -44,159.20)	10.92	(21,459.80 -44,152.54)	9.64
		(21,466.74 -44,145.85)	6.81	(21,470.79 -44,140.37)	3.64	(21,471.86 -44,136.89)	3.00
		(21,471.45 -44,133.92)	1.87	(21,470.08 -44,132.65)	3.93	(21,466.20 -44,133.28)	9.06
		(21,457.88 -44,136.86)	5.31	(21,452.76 -44,138.27)	2.80	(21,449.96 -44,138.35)	22.00
123	002-	5					
		(21,449.96 -44,138.35)	2.80	(21,452.76 -44,138.27)	5.31	(21,457.88 -44,136.86)	9.06
		(21,466.20 -44,133.28)	3.93	(21,470.08 -44,132.65)	6.33	(21,476.20 -44,131.03)	2.50
		(21,478.50 -44,130.06)	3.33	(21,481.42 -44,128.45)	9.74	(21,490.34 -44,124.55)	4.60
		(21,487.55 -44,120.89)	15.39	(21,473.82 -44,127.84)	10.55	(21,463.60 -44,130.45)	14.28
		(21,450.00 -44,134.80)	3.55				
123	225-	1 (1 / 2)					
		(21,450.00 -44,134.80)	14.28	(21,463.60 -44,130.45)	10.55	(21,473.82 -44,127.84)	15.39
		(21,487.55 -44,120.89)	9.21	(21,484.98 -44,112.05)	36.11	(21,450.00 -44,103.10)	31.70
123	227-	1 (1 / 2)					
		(21,450.00 -44,103.10)	36.11	(21,484.98 -44,112.05)	26.02	(21,477.83 -44,087.03)	5.68
		(21,478.09 -44,081.36)	1.02	(21,477.17 -44,080.93)	10.54	(21,468.59 -44,074.80)	6.35
		(21,463.68 -44,070.78)	11.11	(21,455.18 -44,063.63)	7.11	(21,450.00 -44,068.50)	34.60
123	002-	4					
		(21,450.00 -44,068.50)	7.11	(21,455.18 -44,063.63)	13.51	(21,463.95 -44,053.35)	6.73

地区 ..003

作業 .. 57

原図番号 .. N1 45-2

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -44,200.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,467.71 -44,047.77)	3.69	(@ 21,466.67 -44,044.23)	7.86	(21,462.30 -44,050.76)	4.29
		(21,459.01 -44,053.51)	4.58	(21,455.02 -44,055.76)	8.05	(21,449.99 -44,062.05)	6.45
122	223	(1/ 2)					
		(21,449.99 -44,062.05)	8.05	(21,455.02 -44,055.76)	3.23	(21,452.31 -44,054.00)	2.62
122	222-	(@ 21,449.98 -44,052.80)	9.25				
	1	(1/ 2)					
		(21,449.98 -44,052.80)	2.62	(21,452.31 -44,054.00)	3.23	(21,455.02 -44,055.76)	4.58
		(21,459.01 -44,053.51)	4.29	(21,462.30 -44,050.76)	7.86	(21,466.67 -44,044.23)	11.65
		(21,463.40 -44,033.05)	6.93	(@ 21,456.50 -44,032.42)	1.77	(21,454.75 -44,032.68)	1.23
		(21,454.05 -44,033.69)	5.57	(21,451.83 -44,038.80)	3.75	(21,449.96 -44,042.05)	10.75
122	220-	(1/ 2)					
	1	(21,449.96 -44,042.05)	3.75	(21,451.83 -44,038.80)	5.57	(21,454.05 -44,033.69)	1.23
		(21,454.75 -44,032.68)	6.64	(21,454.64 -44,026.04)	8.90	(21,459.01 -44,018.29)	16.83
		(@ 21,454.22 -44,002.16)	4.36	(21,450.00 -44,003.25)	38.80		
122	000-	1					
		(21,450.00 -44,003.25)	4.36	(21,454.22 -44,002.16)	5.70	(21,459.89 -44,001.55)	8.24
		(21,467.99 -44,000.06)	17.99	(@ 21,450.00 -44,000.05)	3.20		
122	221-	1					
		(1/ 2)					
		(21,467.99 -44,000.06)	12.55	(21,462.83 -44,011.50)	22.01	(21,469.21 -44,032.56)	2.42
		(21,471.63 -44,032.48)	8.10	(21,475.81 -44,025.54)	8.04	(21,479.65 -44,018.48)	5.62
		(21,483.52 -44,014.40)	5.45	(21,487.92 -44,011.19)	4.62	(21,491.01 -44,007.76)	5.49
		(21,493.58 -44,002.91)	3.13	(@ 21,494.80 -44,000.03)	26.81		
123	002-	3					
		(@ 21,494.80 -44,000.03)	3.13	(21,493.58 -44,002.91)	5.49	(21,491.01 -44,007.76)	4.62
		(21,487.92 -44,011.19)	5.45	(21,483.52 -44,014.40)	5.62	(21,479.65 -44,018.48)	8.04
		(21,475.81 -44,025.54)	8.10	(21,471.63 -44,032.48)	3.51	(21,470.09 -44,035.63)	5.08
		(21,471.60 -44,040.48)	4.98	(21,474.40 -44,036.36)	17.59	(21,482.38 -44,020.68)	4.71
		(21,484.91 -44,016.71)	7.61	(21,490.59 -44,011.64)	4.53	(21,493.36 -44,008.06)	9.36
		(21,498.25 -44,000.08)	3.45				
123	230	(1/ 2)					
		(@ 21,498.25 -44,000.08)	9.36	(21,493.36 -44,008.06)	4.53	(21,490.59 -44,011.64)	7.61
		(21,484.91 -44,016.71)	1.94	(21,486.43 -44,017.92)	5.98	(21,490.86 -44,021.94)	9.76
		(21,498.79 -44,027.63)	8.42	(21,505.87 -44,032.19)	6.08	(21,511.05 -44,035.38)	6.80
		(21,516.98 -44,038.70)	5.82	(21,521.96 -44,041.71)	3.19	(21,523.66 -44,039.01)	3.92
		(21,524.90 -44,035.29)	3.51	(21,525.85 -44,031.91)	3.61	(21,526.09 -44,028.31)	3.63
		(21,526.34 -44,024.69)	5.70	(21,526.18 -44,018.99)	3.63	(21,526.32 -44,015.36)	3.20
		(21,526.67 -44,012.18)	3.52	(21,527.49 -44,008.76)	4.32	(21,529.48 -44,004.93)	3.79
		(21,531.37 -44,001.64)	2.32	(21,529.65 -44,000.08)	31.40		
123	231	(1/ 2)					
		(@ 21,529.65 -44,000.08)	2.32	(21,531.37 -44,001.64)	7.52	(21,537.41 -44,006.12)	5.08
		(21,541.16 -44,009.54)	3.16	(21,543.65 -44,011.49)	5.85	(21,545.96 -44,006.11)	6.73
		(21,549.75 -44,000.55)	0.58	(21,550.12 -44,000.10)	20.47		
123	234	(1/ 2)					
		(@ 21,550.12 -44,000.10)	0.58	(21,549.75 -44,000.55)	6.73	(21,545.96 -44,006.11)	5.85
		(21,543.65 -44,011.49)	4.87	(21,542.57 -44,016.24)	5.06	(21,541.81 -44,021.24)	13.55
		(21,541.75 -44,034.79)	6.72	(21,541.65 -44,041.51)	9.15	(21,550.79 -44,041.97)	8.88
		(21,559.66 -44,041.59)	7.43	(21,567.08 -44,041.12)	4.21	(21,566.83 -44,036.92)	9.90
		(21,566.47 -44,027.03)	5.40	(21,566.48 -44,021.63)	17.13	(21,568.36 -44,004.60)	4.49
		(21,568.10 -44,000.12)	17.98				
123	233	(1/ 2)					
		(21,568.10 -44,000.12)	4.49	(21,568.36 -44,004.60)	17.13	(21,566.48 -44,021.63)	5.40
		(21,566.47 -44,027.03)	9.90	(21,566.83 -44,036.92)	4.21	(21,567.08 -44,041.12)	10.33

地区 ..003

作業 .. 57

原図番号 .. N1 45-2

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -44,200.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,565.51 -44,051.33)	4.77	(21,570.25 -44,050.82)	3.14	(21,572.67 -44,048.82)	7.52
		(21,577.06 -44,042.71)	5.68	(21,579.91 -44,037.80)	15.71	(21,582.16 -44,022.25)	7.98
		(21,583.62 -44,014.40)	14.85	(@ 21,587.60 -44,000.09)	19.50		
123	002- 2	(@ 21,587.60 -44,000.09)	14.85	(21,583.62 -44,014.40)	7.98	(21,582.16 -44,022.25)	15.71
		(21,579.91 -44,037.80)	5.68	(21,577.06 -44,042.71)	7.52	(21,572.67 -44,048.82)	3.14
		(21,570.25 -44,050.82)	4.77	(21,565.51 -44,051.33)	7.91	(21,562.24 -44,058.53)	4.71
		(21,561.24 -44,063.13)	4.52	(21,560.80 -44,067.63)	5.24	(21,558.96 -44,072.54)	5.82
		(21,555.67 -44,077.34)	7.50	(21,550.55 -44,082.82)	8.13	(21,545.43 -44,089.13)	1.28
		(21,544.25 -44,089.62)	1.36	(21,543.05 -44,090.26)	35.73	(21,511.80 -44,107.59)	16.32
		(21,497.49 -44,115.43)	3.40	(21,494.51 -44,117.07)	4.05	(21,495.38 -44,121.03)	2.89
		(21,497.68 -44,119.28)	5.87	(21,502.75 -44,116.32)	15.61	(21,516.51 -44,108.95)	11.63
		(21,526.53 -44,103.04)	6.30	(21,532.13 -44,100.15)	3.81	(21,535.65 -44,098.70)	5.59
		(21,540.95 -44,096.91)	3.09	(21,543.79 -44,095.68)	6.43	(21,548.99 -44,091.90)	13.13
		(21,558.36 -44,082.70)	4.90	(21,561.97 -44,079.38)	5.65	(21,564.06 -44,074.13)	11.18
		(21,566.39 -44,063.20)	5.03	(21,568.31 -44,058.55)	6.85	(21,573.83 -44,054.49)	3.71
		(21,576.50 -44,051.91)	10.13	(21,582.33 -44,043.62)	6.41	(21,585.02 -44,037.80)	17.85
		(21,586.41 -44,020.00)	7.45	(21,588.52 -44,012.86)	13.16	(21,591.90 -44,000.14)	4.30
126	302	(3/ 4)					
		(21,591.90 -44,000.14)	13.16	(21,588.52 -44,012.86)	11.70	(21,600.02 -44,015.02)	14.90
		(@ 21,600.00 -44,000.12)	8.10				
126	301	(2/ 2)					
		(21,600.02 -44,015.02)	11.70	(@ 21,588.52 -44,012.86)	7.45	(21,586.41 -44,020.00)	17.85
		(21,585.02 -44,037.80)	5.24	(21,590.21 -44,038.51)	10.41	(21,600.01 -44,042.02)	27.00
126	002- 1						
		(21,600.01 -44,042.02)	10.41	(21,590.21 -44,038.51)	5.24	(@ 21,585.02 -44,037.80)	6.41
		(21,582.33 -44,043.62)	1.88	(21,584.11 -44,043.00)	8.74	(21,592.74 -44,044.39)	7.25
		(21,599.67 -44,046.53)	0.36	(21,600.02 -44,046.62)	4.60		
124	257	(2/ 2)					
		(21,600.02 -44,046.62)	0.36	(21,599.67 -44,046.53)	7.25	(21,592.74 -44,044.39)	8.74
		(@ 21,584.11 -44,043.00)	1.88	(21,582.33 -44,043.62)	10.13	(21,576.50 -44,051.91)	3.71
		(21,573.83 -44,054.49)	6.85	(21,568.31 -44,058.55)	5.03	(21,566.39 -44,063.20)	11.18
		(21,564.06 -44,074.13)	5.65	(21,561.92 -44,079.36)	9.03	(21,568.76 -44,073.47)	5.22
		(21,572.96 -44,070.37)	4.39	(21,576.78 -44,068.21)	5.58	(21,582.02 -44,066.30)	7.40
		(21,589.25 -44,064.74)	7.91	(21,597.10 -44,063.78)	2.94	(21,600.00 -44,063.27)	16.65
124	001- 1						
		(@ 21,600.00 -44,063.27)	2.94	(21,597.10 -44,063.78)	7.91	(21,589.25 -44,064.74)	7.40
		(21,582.02 -44,066.30)	5.58	(21,576.78 -44,068.21)	4.39	(21,572.96 -44,070.37)	5.22
		(21,568.76 -44,073.47)	9.03	(21,561.92 -44,079.36)	4.88	(21,558.36 -44,082.70)	2.40
		(21,559.70 -44,084.69)	5.10	(21,563.45 -44,081.23)	8.99	(21,570.04 -44,075.12)	4.86
		(21,573.93 -44,072.21)	4.19	(21,577.61 -44,070.21)	5.40	(21,582.65 -44,068.28)	7.03
		(21,589.50 -44,066.69)	7.31	(21,596.75 -44,065.78)	3.33	(21,600.05 -44,065.32)	2.05
124	258	(2/ 2)					
		(@ 21,600.05 -44,065.32)	3.33	(21,596.75 -44,065.78)	7.31	(21,589.50 -44,066.69)	7.03
		(21,582.65 -44,068.28)	5.40	(21,577.61 -44,070.21)	4.19	(21,573.93 -44,072.21)	4.86
		(21,570.04 -44,075.12)	8.99	(21,563.45 -44,081.23)	5.10	(21,559.70 -44,084.69)	9.54
		(21,565.24 -44,092.46)	7.55	(21,572.72 -44,093.47)	27.31	(21,599.89 -44,096.19)	0.24
		(21,599.99 -44,095.97)	30.65				
124	265	(2/ 2)					
		(@ 21,599.99 -44,095.97)	0.24	(21,599.89 -44,096.19)	10.28	(21,596.66 -44,105.95)	14.61
		(21,591.05 -44,119.44)	6.31	(21,588.81 -44,125.34)	4.92	(21,587.45 -44,130.07)	5.05
		(21,586.05 -44,134.92)	6.10	(21,592.05 -44,136.04)	2.44	(21,594.48 -44,135.83)	3.37

地区 ..003

作業 .. 57

原図番号 .. N1 45-2

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -44,200.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

124	269	(21,597.80 (2/ 2)	-44,135.28)	1.21	(21,598.99 (2/ 2)	-44,135.06)	1.21	(21,600.05 (2/ 2)	-44,134.47)	38.50
		(@ 21,600.05	-44,134.47)	1.21	(21,598.99	-44,135.06)	13.49	(21,595.45	-44,148.08)	14.02
124	272-	(21,592.78	-44,161.84)	0.62	(21,593.04	-44,162.40)	6.95	(21,599.99	-44,162.52)	28.05
	2	(2/ 2)								
		(21,599.99	-44,162.52)	6.95	(@ 21,593.04	-44,162.40)	7.05	(21,600.00	-44,163.52)	1.00
124	272-	(2/ 2)								
	1	(21,600.00	-44,163.52)	7.05	(21,593.04	-44,162.40)	0.62	(21,592.78	-44,161.84)	30.24
		(@ 21,562.54	-44,161.73)	12.36	(21,562.01	-44,174.08)	11.15	(21,560.93	-44,185.18)	29.87
		(21,590.32	-44,190.49)	10.09	(21,599.98	-44,187.57)	24.05			
124	273	(3/ 3)								
		(@ 21,599.98	-44,187.57)	10.09	(21,590.32	-44,190.49)	33.59	(21,558.13	-44,200.09)	8.60
		(21,566.73	-44,200.07)	34.72	(21,599.99	-44,190.10)	2.53			
124	275-	(3/ 3)								
	2	(@ 21,599.99	-44,190.10)	34.72	(21,566.73	-44,200.07)	15.97	(21,582.70	-44,200.10)	18.11
		(21,599.99	-44,194.72)	4.62						
124	276	(4/ 4)								
		(21,599.99	-44,194.72)	18.11	(21,582.70	-44,200.10)	17.30	(21,600.00	-44,200.10)	5.38
		(@ 21,599.99	-44,194.72)	0.00						
124	274-	(2/ 2)								
	1	(21,558.13	-44,200.09)	33.59	(21,590.32	-44,190.49)	29.87	(@ 21,560.93	-44,185.18)	4.94
		(21,559.99	-44,190.03)	6.89	(21,557.39	-44,196.41)	3.71	(21,556.90	-44,200.09)	1.23
123	002-	7								
		(21,556.90	-44,200.09)	3.71	(21,557.39	-44,196.41)	6.89	(21,559.99	-44,190.03)	4.94
		(21,560.93	-44,185.18)	11.15	(21,562.01	-44,174.08)	12.36	(21,562.54	-44,161.73)	5.64
		(21,562.98	-44,156.11)	7.34	(21,565.17	-44,149.10)	8.98	(21,568.41	-44,140.72)	10.42
		(21,571.83	-44,130.88)	13.18	(21,559.54	-44,126.11)	2.50	(21,557.64	-44,124.49)	2.84
		(21,556.63	-44,121.84)	7.45	(21,560.25	-44,115.33)	5.32	(21,561.69	-44,110.21)	7.87
		(21,562.90	-44,102.43)	6.95	(21,564.74	-44,095.73)	3.31	(21,565.24	-44,092.46)	9.54
		(@ 21,559.70	-44,084.69)	2.52	(21,557.89	-44,086.45)	7.70	(21,562.94	-44,092.26)	2.99
		(21,562.44	-44,095.21)	6.95	(21,560.50	-44,101.88)	8.84	(21,559.12	-44,110.61)	5.43
		(21,557.55	-44,115.81)	5.45	(21,554.03	-44,119.97)	5.93	(21,549.66	-44,123.98)	0.71
		(21,550.09	-44,124.55)	3.50	(21,552.17	-44,127.37)	3.70	(21,555.54	-44,128.89)	12.49
		(21,566.80	-44,134.30)	10.42	(21,563.97	-44,144.33)	9.57	(21,560.73	-44,153.33)	4.45
		(21,559.94	-44,157.71)	3.67	(21,559.24	-44,161.31)	2.70	(21,559.70	-44,163.97)	7.97
		(21,559.06	-44,171.91)	15.90	(21,556.33	-44,187.57)	12.97	(21,552.15	-44,199.85)	0.32
		(21,552.47	-44,199.90)	0.18	(21,552.40	-44,200.07)	4.50			
123	253-	3								
		(2/ 2)								
		(21,552.40	-44,200.07)	0.18	(21,552.47	-44,199.90)	0.32	(21,552.15	-44,199.85)	0.76
		(@ 21,551.40	-44,199.70)	0.45	(21,551.20	-44,200.10)	1.20			
123	253-	1								
		(2/ 2)								
		(21,551.20	-44,200.10)	0.45	(21,551.40	-44,199.70)	0.76	(21,552.15	-44,199.85)	12.97
		(21,556.33	-44,187.57)	15.90	(21,559.06	-44,171.91)	7.97	(21,559.70	-44,163.97)	7.06
		(21,552.72	-44,162.90)	20.26	(21,532.89	-44,158.73)	5.06	(@ 21,528.00	-44,157.42)	6.14
		(21,526.20	-44,163.29)	5.70	(21,520.62	-44,162.12)	3.82	(21,516.97	-44,161.00)	3.89
		(21,513.24	-44,159.91)	4.25	(21,509.19	-44,158.63)	43.20	(21,521.65	-44,199.99)	29.55
123	001-	3								
		(21,521.65	-44,199.99)	43.20	(21,509.19	-44,158.63)	3.32	(21,506.04	-44,157.57)	5.32
		(21,504.53	-44,152.47)	30.16	(21,496.09	-44,123.52)	2.59	(21,495.38	-44,121.03)	4.05
		(21,494.51	-44,117.07)	3.14	(21,493.64	-44,114.05)	27.19	(21,485.75	-44,088.03)	5.94
		(21,484.02	-44,082.35)	37.90	(21,473.27	-44,046.01)	5.78	(21,471.60	-44,040.48)	5.08
		(@ 21,470.09	-44,035.63)	9.26	(21,466.67	-44,044.23)	3.69	(21,467.71	-44,047.77)	35.16

地区 ..003

作業 .. 57

原図番号 .. N1 45-2

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -44,200.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,478.09 -44,081.36)	5.68	(21,477.83 -44,087.03)	26.02	(21,484.98 -44,112.05)	9.21
		(21,487.55 -44,120.89)	4.60	(21,490.34 -44,124.55)	1.05	(21,491.00 -44,125.37)	41.95
		(21,503.00 -44,165.57)	4.33	(21,501.45 -44,169.61)	28.52	(21,509.56 -44,196.95)	3.19
		(21,510.45 -44,200.01)	11.20				
123	251- 1	(21,510.45 -44,200.01)	3.19	(21,509.56 -44,196.95)	9.18	(21,500.69 -44,194.57)	5.99
123	252- 1	(21,495.02 -44,192.63)	5.65	(21,495.05 -44,198.28)	1.73	(21,494.93 -44,200.01)	15.52
		(21,495.02 -44,192.63)	5.99	(21,500.69 -44,194.57)	9.18	(21,509.56 -44,196.95)	28.52
		(21,501.45 -44,169.61)	2.64	(21,501.06 -44,172.22)	10.78	(21,498.97 -44,182.80)	3.85
		(21,497.70 -44,186.43)	6.75				
123	255	(21,506.04 -44,157.57)	3.32	(21,509.19 -44,158.63)	4.25	(21,513.24 -44,159.91)	3.89
		(21,516.97 -44,161.00)	3.82	(21,520.62 -44,162.12)	5.70	(21,526.20 -44,163.29)	6.14
		(21,528.00 -44,157.42)	24.76	(21,533.80 -44,133.35)	4.52	(21,535.26 -44,129.07)	10.55
		(21,531.58 -44,119.18)	14.30	(21,527.16 -44,105.58)	11.04	(21,517.42 -44,110.78)	43.64
		(21,504.53 -44,152.47)	5.32				
123	240- 1	(21,504.53 -44,152.47)	43.64	(21,517.42 -44,110.78)	19.82	(21,499.96 -44,120.17)	5.12
		(21,496.09 -44,123.52)	30.16				
123	001- 2	(21,496.09 -44,123.52)	5.12	(21,499.96 -44,120.17)	19.82	(21,517.42 -44,110.78)	11.04
		(21,527.16 -44,105.58)	6.44	(21,532.80 -44,102.48)	4.21	(21,536.65 -44,100.77)	5.47
		(21,541.85 -44,099.06)	3.55	(21,544.97 -44,097.36)	6.48	(21,550.14 -44,093.45)	10.44
		(21,557.89 -44,086.45)	2.52	(21,559.70 -44,084.69)	2.40	(21,558.36 -44,082.70)	13.13
		(21,548.99 -44,091.90)	6.43	(21,543.79 -44,095.68)	3.09	(21,540.95 -44,096.91)	5.59
		(21,535.65 -44,098.70)	3.81	(21,532.13 -44,100.15)	6.30	(21,526.53 -44,103.04)	11.63
		(21,516.51 -44,108.95)	15.61	(21,502.75 -44,116.32)	5.87	(21,497.68 -44,119.28)	2.89
		(21,495.38 -44,121.03)	2.59				
123	254	(21,528.00 -44,157.42)	5.06	(21,532.89 -44,158.73)	20.26	(21,552.72 -44,162.90)	7.06
		(21,559.70 -44,163.97)	2.70	(21,559.24 -44,161.31)	3.67	(21,559.94 -44,157.71)	4.45
		(21,560.73 -44,153.33)	9.57	(21,563.97 -44,144.33)	10.42	(21,566.80 -44,134.30)	12.49
		(21,555.54 -44,128.89)	3.70	(21,552.17 -44,127.37)	3.50	(21,550.09 -44,124.55)	4.95
		(21,545.92 -44,127.21)	6.92	(21,539.44 -44,129.64)	2.72	(21,536.72 -44,129.57)	1.54
		(21,535.26 -44,129.07)	4.52	(21,533.80 -44,133.35)	24.76		
123	256- 1	(21,535.26 -44,129.07)	1.54	(21,536.72 -44,129.57)	2.72	(21,539.44 -44,129.64)	6.92
		(21,545.92 -44,127.21)	4.95	(21,550.09 -44,124.55)	0.71	(21,549.66 -44,123.98)	5.93
		(21,554.03 -44,119.97)	5.45	(21,557.55 -44,115.81)	5.43	(21,559.12 -44,110.61)	8.84
		(21,560.50 -44,101.88)	6.95	(21,562.44 -44,095.21)	2.99	(21,562.94 -44,092.26)	7.70
		(21,557.89 -44,086.45)	10.44	(21,550.14 -44,093.45)	6.48	(21,544.97 -44,097.36)	3.55
		(21,541.85 -44,099.06)	5.47	(21,536.65 -44,100.77)	4.21	(21,532.80 -44,102.48)	6.44
		(21,527.16 -44,105.58)	14.30	(21,531.58 -44,119.18)	10.55		
123	236	(21,544.25 -44,089.62)	1.28	(21,545.43 -44,089.13)	8.13	(21,550.55 -44,082.82)	7.50
		(21,555.67 -44,077.34)	5.82	(21,558.96 -44,072.54)	5.24	(21,560.80 -44,067.63)	4.52
		(21,561.24 -44,063.13)	4.71	(21,562.24 -44,058.53)	7.91	(21,565.51 -44,051.33)	10.33
		(21,567.08 -44,041.12)	7.43	(21,559.66 -44,041.59)	8.88	(21,550.79 -44,041.97)	9.15
		(21,541.65 -44,041.51)	13.96	(21,541.21 -44,055.46)	9.14	(21,541.57 -44,064.59)	2.79
		(21,541.50 -44,067.38)	8.96	(21,541.31 -44,076.34)	1.20	(21,540.11 -44,076.40)	13.85
123	237- 2						

地区 ..003

作業 .. 57

原図番号 .. N1 45-2

縮尺 ..1/ 500

基準点 ..X 21,450.00..Y -44,200.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,540.11 -44,076.40)	1.20	(21,541.31 -44,076.34)	8.96	(21,541.50 -44,067.38)	32.57
		(@ 21,510.74 -44,056.66)	6.31	(21,506.77 -44,061.56)	4.73	(21,504.00 -44,065.39)	0.81
		(21,503.60 -44,066.09)	2.96	(21,506.22 -44,067.47)	3.40	(21,509.50 -44,066.56)	32.15
123	237- 1	(21,544.25 -44,089.62)	13.85	(21,540.11 -44,076.40)	32.15	(@ 21,509.50 -44,066.56)	3.40
		(21,506.22 -44,067.47)	9.34	(21,501.40 -44,075.47)	44.20	(21,543.05 -44,090.26)	1.36
123	238	(21,543.05 -44,090.26)	44.20	(@ 21,501.40 -44,075.47)	5.20	(21,498.72 -44,079.93)	8.44
		(21,493.01 -44,086.14)	28.52	(21,511.80 -44,107.59)	35.73		
123	227- 2	(21,511.80 -44,107.59)	28.52	(@ 21,493.01 -44,086.14)	7.50	(21,485.75 -44,088.03)	27.19
		(21,493.64 -44,114.05)	4.09	(21,497.49 -44,115.43)	16.32		
123	225- 2	(21,497.49 -44,115.43)	4.09	(@ 21,493.64 -44,114.05)	3.14	(21,494.51 -44,117.07)	3.40
123	228- 4	(21,485.75 -44,088.03)	7.50	(21,493.01 -44,086.14)	8.44	(21,498.72 -44,079.93)	5.20
		(21,501.40 -44,075.47)	9.34	(21,506.22 -44,067.47)	2.96	(@ 21,503.60 -44,066.09)	15.31
		(21,495.74 -44,079.23)	12.13	(21,484.02 -44,082.35)	5.94		
123	228- 2	(21,484.02 -44,082.35)	12.13	(21,495.74 -44,079.23)	15.31	(21,503.60 -44,066.09)	0.65
		(21,503.25 -44,065.54)	13.64	(21,491.99 -44,057.84)	22.14	(@ 21,473.27 -44,046.01)	37.90
123	229- 1	(21,473.27 -44,046.01)	22.14	(21,491.99 -44,057.84)	13.64	(21,503.25 -44,065.54)	0.65
		(21,503.60 -44,066.09)	0.81	(21,504.00 -44,065.39)	4.73	(21,506.77 -44,061.56)	6.31
		(21,510.74 -44,056.66)	2.41	(21,512.28 -44,054.81)	4.59	(21,515.40 -44,051.45)	6.18
		(21,518.97 -44,046.40)	5.56	(21,521.96 -44,041.71)	5.82	(21,516.98 -44,038.70)	6.80
		(21,511.05 -44,035.38)	6.08	(21,505.87 -44,032.19)	8.42	(21,498.79 -44,027.63)	9.76
		(21,490.86 -44,021.94)	5.98	(21,486.43 -44,017.92)	1.94	(@ 21,484.91 -44,016.71)	4.71
		(21,482.38 -44,020.68)	17.59	(21,474.40 -44,036.36)	4.98	(21,471.60 -44,040.48)	5.78
123	228- 1	(@ 21,467.71 -44,047.77)	6.73	(21,463.95 -44,053.35)	13.51	(21,455.18 -44,063.63)	11.11
		(21,463.68 -44,070.78)	6.35	(21,468.59 -44,074.80)	10.54	(21,477.17 -44,080.93)	1.02
		(21,478.09 -44,081.36)	35.16				
123	235	(21,510.74 -44,056.66)	32.57	(21,541.50 -44,067.38)	2.79	(21,541.57 -44,064.59)	9.14
		(21,541.21 -44,055.46)	13.96	(21,541.65 -44,041.51)	6.72	(21,541.75 -44,034.79)	13.55
		(21,541.81 -44,021.24)	5.06	(21,542.57 -44,016.24)	4.87	(21,543.65 -44,011.49)	3.16
		(21,541.16 -44,009.54)	5.08	(21,537.41 -44,006.12)	7.52	(@ 21,531.37 -44,001.64)	3.79
		(21,529.48 -44,004.93)	4.32	(21,527.49 -44,008.76)	3.52	(21,526.67 -44,012.18)	3.20
		(21,526.32 -44,015.36)	3.63	(21,526.18 -44,018.99)	5.70	(21,526.34 -44,024.69)	3.63
		(21,526.09 -44,028.31)	3.61	(21,525.85 -44,031.91)	3.51	(21,524.90 -44,035.29)	3.92
		(21,523.66 -44,039.01)	3.19	(21,521.96 -44,041.71)	5.56	(21,518.97 -44,046.40)	6.18
		(21,515.40 -44,051.45)	4.59	(21,512.28 -44,054.81)	2.41	(21,510.74 -44,056.66)	0.00
122	222- 2	(@ 21,471.63 -44,032.48)	2.42	(21,469.21 -44,032.56)	3.19	(21,470.09 -44,035.63)	3.51
122	221- 2	(21,463.40 -44,033.05)	15.40	(@ 21,459.01 -44,018.29)	8.90	(21,454.64 -44,026.04)	6.64
		(21,454.75 -44,032.68)	1.77	(21,456.50 -44,032.42)	6.93		
122	220- 2	(21,462.83 -44,011.50)	12.55	(@ 21,467.99 -44,000.06)	8.24	(21,459.89 -44,001.55)	10.38
124	266	(21,586.05 -44,134.92)	5.05	(21,587.45 -44,130.07)	4.92	(21,588.81 -44,125.34)	6.31

地区..003 作業.. 57 原図番号.. N1 45-2 縮尺..1/ 500 基準点..X 21,450.00..Y -44,200.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

	(21,591.05	-44,119.44)	14.61	(21,596.66	-44,105.95)	10.28	(21,599.89	-44,096.19)	27.31
	(21,572.72	-44,093.47)	7.55	(21,565.24	-44,092.46)	3.31	(21,564.74	-44,095.73)	6.95
	(21,562.90	-44,102.43)	7.87	(21,561.69	-44,110.21)	5.32	(21,560.25	-44,115.33)	7.45
	(21,556.63	-44,121.84)	2.84	(21,557.64	-44,124.49)	2.50	(21,559.54	-44,126.11)	13.18
	(21,571.83	-44,130.88)	14.78	(21,586.05	-44,134.92)	0.00			
124	268								
	(21,586.05	-44,134.92)	14.78	(21,571.83	-44,130.88)	10.42	(21,568.41	-44,140.72)	8.98
	(21,565.17	-44,149.10)	7.34	(21,562.98	-44,156.11)	5.64	(21,562.54	-44,161.73)	30.24
	(21,592.78	-44,161.84)	14.02	(21,595.45	-44,148.08)	13.49	(21,598.99	-44,135.06)	1.21
	(21,597.80	-44,135.28)	3.37	(21,594.48	-44,135.83)	2.44	(21,592.05	-44,136.04)	6.10
122	001- 5								
	(21,470.09	-44,035.63)	3.19	(21,469.21	-44,032.56)	22.01	(21,462.83	-44,011.50)	10.38
	(21,459.89	-44,001.55)	5.70	(21,454.22	-44,002.16)	16.83	(21,459.01	-44,018.29)	15.38
	(21,463.40	-44,033.03)	11.67	(21,466.67	-44,044.23)	9.26			