

地区..003

作業.. 58

原図番号.. N1 45-3

縮尺..1/ 500

基準点..X 21,300.00..Y -44,400.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,300.00 -44,400.00)	50.00	(21,350.00 -44,400.02)	50.05	(21,400.05 -44,400.06)	49.95
		(21,450.00 -44,400.06)	50.00	(21,449.99 -44,350.06)	50.00	(21,449.99 -44,300.06)	49.95
		(21,449.93 -44,250.11)	50.00	(21,450.00 -44,200.11)	50.02	(21,399.98 -44,200.11)	50.01
		(21,349.97 -44,200.02)	49.97	(21,300.00 -44,200.07)	49.95	(21,299.98 -44,250.02)	50.00
		(21,299.94 -44,300.02)	50.00	(21,299.99 -44,350.02)	49.98		
136	634	(2 / 4)					
		(21,300.00 -44,400.00)	13.18	(21,313.18 -44,400.05)	12.96	(21,313.57 -44,387.10)	0.98
		(21,314.47 -44,386.71)	2.47	(21,314.37 -44,384.24)	7.85	(21,314.00 -44,376.40)	14.00
		(21,300.00 -44,376.42)	23.58				
136	635	(1 / 2)					
		(21,300.00 -44,376.42)	14.00	(21,314.00 -44,376.40)	1.25	(21,313.92 -44,375.15)	5.38
		(21,314.06 -44,369.77)	3.61	(21,314.09 -44,366.16)	1.18	(21,313.48 -44,365.15)	2.04
		(21,311.87 -44,363.90)	3.77	(21,308.17 -44,363.18)	8.20	(21,299.97 -44,363.07)	13.35
136	001- 9						
		(21,299.97 -44,363.07)	8.20	(21,308.17 -44,363.18)	3.77	(21,311.87 -44,363.90)	2.04
		(21,313.48 -44,365.15)	1.18	(21,314.09 -44,366.16)	4.71	(21,317.87 -44,368.97)	2.55
		(21,320.34 -44,369.61)	4.08	(21,324.14 -44,371.10)	10.51	(21,334.18 -44,374.22)	4.96
		(21,338.95 -44,375.59)	6.06	(21,344.85 -44,376.98)	10.70	(21,355.45 -44,378.41)	5.23
		(21,360.66 -44,378.90)	8.51	(21,369.14 -44,379.66)	7.54	(21,376.56 -44,381.01)	4.67
		(21,381.19 -44,381.63)	36.24	(21,417.39 -44,383.43)	1.78	(21,419.09 -44,383.97)	1.67
		(21,419.82 -44,385.47)	7.43	(21,419.00 -44,378.09)	1.97	(21,418.53 -44,380.00)	0.85
		(21,417.86 -44,380.52)	1.70	(21,416.16 -44,380.65)	34.94	(21,381.26 -44,379.08)	1.56
		(21,379.74 -44,378.71)	10.10	(21,369.75 -44,377.25)	14.78	(21,355.05 -44,375.76)	8.69
		(21,346.41 -44,374.81)	18.23	(21,328.84 -44,369.96)	5.24	(21,323.91 -44,368.17)	6.04
		(21,318.73 -44,365.06)	4.48	(21,314.97 -44,362.62)	1.95	(21,313.22 -44,361.75)	8.58
		(21,304.86 -44,359.82)	2.29	(21,302.83 -44,360.87)	3.23	(21,299.97 -44,362.37)	0.70
136	001- 10						
		(21,299.97 -44,362.37)	3.23	(21,302.83 -44,360.87)	2.88	(21,299.97 -44,361.17)	1.20
136	648- 4	(1 / 2)					
		(21,299.97 -44,361.17)	2.88	(21,302.83 -44,360.87)	2.29	(21,304.86 -44,359.82)	5.07
		(21,299.96 -44,358.52)	2.65				
136	637- 2	(1 / 2)					
		(21,299.96 -44,358.52)	5.07	(21,304.86 -44,359.82)	1.78	(21,306.46 -44,359.04)	13.49
		(21,318.80 -44,353.58)	20.08	(21,337.21 -44,345.57)	14.79	(21,350.96 -44,340.12)	7.28
		(21,357.63 -44,337.20)	9.43	(21,366.42 -44,333.78)	27.93	(21,392.49 -44,323.75)	12.67
		(21,404.28 -44,319.10)	14.55	(21,417.81 -44,313.75)	6.13	(21,415.55 -44,308.05)	3.21
		(21,415.63 -44,304.84)	3.06	(21,412.75 -44,305.87)	3.34	(21,412.91 -44,309.21)	28.14
		(21,386.68 -44,319.39)	55.52	(21,334.95 -44,339.55)	37.72	(21,299.95 -44,353.62)	4.90
136	636- 3	(1 / 2)					
		(21,299.95 -44,353.62)	37.72	(21,334.95 -44,339.55)	55.52	(21,386.68 -44,319.39)	28.14
		(21,412.91 -44,309.21)	3.34	(21,412.75 -44,305.87)	9.30	(21,404.06 -44,309.18)	0.34
		(21,404.21 -44,309.48)	19.73	(21,385.82 -44,316.62)	55.33	(21,334.24 -44,336.65)	37.00
		(21,300.00 -44,350.67)	2.95				
136	641- 1	(1 / 2)					
		(21,300.00 -44,350.67)	37.00	(21,334.24 -44,336.65)	55.33	(21,385.82 -44,316.62)	19.73
		(21,404.21 -44,309.48)	0.34	(21,404.06 -44,309.18)	9.30	(21,412.75 -44,305.87)	3.06
		(21,415.63 -44,304.84)	6.06	(21,415.66 -44,298.78)	0.57	(21,416.18 -44,298.55)	9.29
		(21,414.72 -44,289.38)	11.47	(21,414.09 -44,277.93)	10.86	(21,414.32 -44,267.07)	8.47
		(21,405.92 -44,266.00)	2.44	(21,403.86 -44,264.70)	4.46	(21,399.57 -44,265.91)	88.81
		(21,317.79 -44,300.54)	19.42	(21,299.95 -44,308.22)	42.45		
136	642- 3	(1 / 2)					

地区 ..003

作業 .. 58

原図番号 .. N1 45-3

縮尺 .. 1/ 500

基準点 .. X 21,300.00 .. Y -44,400.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,299.95 -44,308.22)	19.42	(21,317.79 -44,300.54)	88.81	(21,399.57 -44,265.91)	4.46
		(21,403.86 -44,264.70)	7.43	(21,397.59 -44,260.72)	20.45	(21,378.77 -44,268.71)	46.10
		(21,336.16 -44,286.31)	21.96	(21,315.90 -44,294.79)	17.09	(21,300.33 -44,301.84)	0.43
		(21,299.94 -44,302.02)	6.20				
136	644- 1	(1/ 2)					
		(21,299.94 -44,302.02)	0.43	(21,300.33 -44,301.84)	40.58	(21,327.14 -44,271.38)	6.54
		(21,323.70 -44,265.82)	3.66	(21,322.66 -44,262.31)	3.38	(21,319.51 -44,263.53)	3.40
		(21,316.66 -44,265.39)	4.93	(21,312.92 -44,268.60)	6.00	(21,309.61 -44,273.60)	13.55
		(21,302.76 -44,285.29)	4.62	(21,299.96 -44,288.97)	13.05		
136	001- 6						
		(21,299.96 -44,288.97)	4.62	(21,302.76 -44,285.29)	13.55	(21,309.61 -44,273.60)	6.00
		(21,312.92 -44,268.60)	4.93	(21,316.66 -44,265.39)	3.40	(21,319.51 -44,263.53)	3.38
		(21,322.66 -44,262.31)	3.91	(21,326.28 -44,260.82)	41.34	(21,365.98 -44,249.28)	4.39
		(21,370.21 -44,248.09)	22.71	(21,392.01 -44,241.73)	0.81	(21,392.78 -44,241.48)	6.10
		(21,398.66 -44,239.84)	1.04	(21,398.57 -44,238.80)	13.38	(21,385.72 -44,242.53)	20.58
		(21,365.94 -44,248.22)	41.21	(21,326.38 -44,259.77)	7.57	(21,319.28 -44,262.41)	3.83
		(21,316.06 -44,264.49)	5.35	(21,312.07 -44,268.05)	6.07	(21,308.83 -44,273.18)	0.93
		(21,307.96 -44,272.86)	1.96	(21,307.11 -44,274.63)	1.70	(21,305.48 -44,274.13)	10.46
		(21,300.35 -44,283.25)	0.63	(21,300.00 -44,283.77)	5.20		
136	644- 2	(1/ 2)					
		(21,300.00 -44,283.77)	0.63	(21,300.35 -44,283.25)	10.46	(21,305.48 -44,274.13)	2.67
		(21,302.93 -44,273.33)	6.25	(21,299.94 -44,278.82)	4.95		
118	81	(1/ 2)					
		(21,299.94 -44,278.82)	6.25	(21,302.93 -44,273.33)	3.10	(21,299.98 -44,272.37)	6.45
118	001- 5						
		(21,299.98 -44,272.37)	3.10	(21,302.93 -44,273.33)	2.67	(21,305.48 -44,274.13)	1.70
		(21,307.11 -44,274.63)	1.96	(21,307.96 -44,272.86)	1.73	(21,306.34 -44,272.26)	6.69
		(21,299.92 -44,270.37)	2.00				
122	198- 2	(1/ 2)					
		(21,299.92 -44,270.37)	6.69	(21,306.34 -44,272.26)	4.62	(21,308.57 -44,268.21)	8.60
		(21,299.97 -44,268.17)	2.20				
122	198- 1	(1/ 3)					
		(21,299.97 -44,268.17)	8.60	(21,308.57 -44,268.21)	3.00	(21,310.14 -44,265.65)	5.46
		(21,314.31 -44,262.12)	4.46	(21,318.05 -44,259.69)	7.97	(21,325.52 -44,256.92)	41.71
		(21,365.19 -44,244.02)	22.30	(21,361.42 -44,222.04)	5.84	(21,360.66 -44,216.25)	3.18
		(21,360.68 -44,213.07)	3.14	(21,361.50 -44,210.04)	2.56	(21,362.59 -44,207.72)	5.50
		(21,365.66 -44,203.16)	1.40	(21,366.79 -44,202.33)	1.81	(21,366.63 -44,200.53)	1.70
		(21,364.93 -44,200.49)	2.37	(21,362.58 -44,200.19)	2.90	(21,359.68 -44,200.17)	11.99
		(21,347.75 -44,201.32)	6.68	(21,341.08 -44,200.99)	3.31	(21,337.90 -44,200.07)	6.30
		(21,331.60 -44,200.06)	3.07	(21,329.08 -44,201.81)	8.80	(21,322.92 -44,208.10)	7.39
		(21,318.76 -44,214.21)	19.08	(21,307.56 -44,229.66)	6.49	(21,304.65 -44,235.46)	4.90
		(21,302.18 -44,239.69)	3.83	(21,299.97 -44,242.82)	25.35		
122	002- 7						
		(21,299.97 -44,242.82)	3.83	(21,302.18 -44,239.69)	4.90	(21,304.65 -44,235.46)	6.49
		(21,307.56 -44,229.66)	19.08	(21,318.76 -44,214.21)	7.39	(21,322.92 -44,208.10)	8.80
		(21,329.08 -44,201.81)	3.07	(21,331.60 -44,200.06)	7.03	(21,324.57 -44,200.05)	1.69
		(21,323.10 -44,200.88)	32.69	(21,303.98 -44,227.39)	9.82	(21,299.95 -44,236.35)	6.47
121	197	(1/ 5)					
		(21,299.95 -44,236.35)	9.82	(21,303.98 -44,227.39)	32.69	(21,323.10 -44,200.88)	1.69
		(21,324.57 -44,200.05)	0.77	(21,323.80 -44,200.02)	7.33	(21,316.88 -44,202.44)	7.70
		(21,309.76 -44,205.38)	2.62	(21,307.21 -44,205.98)	0.97	(21,306.56 -44,205.26)	2.18
		(21,305.41 -44,203.41)	3.87	(21,303.45 -44,200.07)	3.45	(21,300.00 -44,200.07)	36.28

地区..003

作業.. 58

原図番号.. N1 45-3

縮尺..1/ 500

基準点..X 21,300.00..Y -44,400.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

121	195	(1/ 3)									
		(21,303.45	-44,200.07)	3.87	(21,305.41	-44,203.41)	2.18	(21,306.56	-44,205.26)	0.97	
		(21,307.21	-44,205.98)	2.62	(21,309.76	-44,205.38)	7.70	(21,316.88	-44,202.44)	7.33	
		(@ 21,323.80	-44,200.02)	20.35							
122	202	(1/ 2)									
		(21,337.90	-44,200.07)	3.31	(21,341.08	-44,200.99)	6.68	(21,347.75	-44,201.32)	11.99	
		(21,359.68	-44,200.17)	2.90	(21,362.58	-44,200.19)	2.37	(21,364.93	-44,200.49)	1.70	
		(21,366.63	-44,200.53)	10.51	(21,377.13	-44,200.91)	15.28	(@ 21,392.38	-44,200.03)	54.48	
122	002-	8									
		(@ 21,392.38	-44,200.03)	15.28	(21,377.13	-44,200.91)	10.51	(21,366.63	-44,200.53)	1.81	
		(21,366.79	-44,202.33)	29.72	(21,396.49	-44,201.23)	1.18	(21,396.28	-44,200.07)	3.90	
122	001-	4									
		(@ 21,396.28	-44,200.07)	1.18	(21,396.49	-44,201.23)	2.55	(21,396.93	-44,203.74)	13.90	
		(21,398.06	-44,217.59)	12.08	(21,397.91	-44,229.67)	3.06	(21,398.14	-44,232.72)	6.10	
		(21,398.57	-44,238.80)	2.01	(21,400.51	-44,238.26)	5.72	(21,400.18	-44,232.55)	1.14	
		(21,400.13	-44,231.41)	1.95	(21,400.06	-44,229.46)	11.07	(21,400.09	-44,218.39)	7.97	
		(21,399.55	-44,210.44)	4.94	(21,399.19	-44,205.51)	3.82	(21,398.81	-44,201.71)	1.66	
		(21,398.53	-44,200.07)	2.25							
122	002-	9									
		(@ 21,398.53	-44,200.07)	1.66	(21,398.81	-44,201.71)	33.46	(21,432.23	-44,200.09)	33.70	
122	206	(1/ 2)									
		(21,432.23	-44,200.09)	33.46	(21,398.81	-44,201.71)	3.82	(21,399.19	-44,205.51)	4.94	
		(21,399.55	-44,210.44)	7.97	(21,400.09	-44,218.39)	11.07	(21,400.06	-44,229.46)	1.95	
		(21,400.13	-44,231.41)	29.31	(21,429.29	-44,228.47)	2.42	(21,430.58	-44,226.42)	2.77	
		(21,431.40	-44,223.77)	7.96	(21,432.53	-44,215.89)	3.57	(21,433.25	-44,212.39)	5.24	
		(21,434.59	-44,207.32)	7.10	(21,436.98	-44,200.63)	0.78	(@ 21,436.43	-44,200.08)	4.20	
123	002-	1									
		(@ 21,436.43	-44,200.08)	0.78	(21,436.98	-44,200.63)	7.10	(21,434.59	-44,207.32)	1.10	
		(21,435.64	-44,207.64)	5.26	(21,434.25	-44,212.71)	3.59	(21,433.48	-44,216.22)	8.00	
		(21,432.33	-44,224.14)	2.71	(21,431.68	-44,226.77)	2.73	(21,430.26	-44,229.10)	0.87	
		(21,429.49	-44,229.51)	5.44	(21,427.72	-44,234.65)	6.92	(21,424.99	-44,241.01)	7.93	
		(21,420.86	-44,247.78)	8.13	(21,413.48	-44,251.18)	5.73	(21,419.16	-44,251.92)	4.07	
		(21,423.18	-44,251.29)	2.44	(21,424.73	-44,249.41)	3.44	(21,426.99	-44,246.82)	0.94	
		(21,426.57	-44,245.98)	9.74	(21,430.93	-44,237.27)	8.56	(21,434.51	-44,229.49)	4.00	
		(21,436.15	-44,225.84)	3.57	(21,436.37	-44,222.28)	4.52	(21,437.19	-44,217.83)	9.06	
		(21,440.33	-44,209.33)	1.15	(21,439.19	-44,209.15)	2.17	(21,439.72	-44,207.05)	7.41	
		(21,442.33	-44,200.12)	5.90							
123	001-	1									
		(21,442.33	-44,200.12)	7.41	(21,439.72	-44,207.05)	2.17	(21,439.19	-44,209.15)	1.15	
		(21,440.33	-44,209.33)	1.99	(21,440.71	-44,207.38)	7.84	(@ 21,443.53	-44,200.07)	1.20	
123	242	(3/ 4)									
		(@ 21,443.53	-44,200.07)	7.84	(21,440.71	-44,207.38)	10.11	(21,450.00	-44,211.38)	11.27	
		(21,450.00	-44,200.11)	6.47							
123	244-	1	(2/ 2)								
		(21,450.00	-44,211.38)	10.11	(@ 21,440.71	-44,207.38)	1.99	(21,440.33	-44,209.33)	9.06	
		(21,437.19	-44,217.83)	4.52	(21,436.37	-44,222.28)	3.57	(21,436.15	-44,225.84)	3.75	
		(21,438.64	-44,228.65)	4.43	(21,442.19	-44,231.30)	4.08	(21,445.99	-44,232.79)	4.00	
		(21,449.99	-44,232.66)	21.28							
123	245-	1	(2/ 2)								
		(21,449.99	-44,232.66)	4.00	(21,445.99	-44,232.79)	4.08	(21,442.19	-44,231.30)	4.43	
		(21,438.64	-44,228.65)	3.75	(@ 21,436.15	-44,225.84)	4.00	(21,434.51	-44,229.49)	8.56	
		(21,430.93	-44,237.27)	9.74	(21,426.57	-44,245.98)	0.94	(21,426.99	-44,246.82)	24.67	

地区..003 作業.. 58 原図番号.. N1 45-3 縮尺..1/ 500 基準点..X 21,300.00..Y -44,400.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

123	244-	4	(21,449.98 (2/ 2)	-44,237.86)	5.20						
			(@ 21,449.98 (21,423.18	-44,237.86) -44,251.29)	24.67 28.72	(21,426.99 (21,449.96	-44,246.82) -44,240.91)	3.44 3.05	(21,424.73 (21,424.73	-44,249.41)	2.44
123	244-	3	(21,449.96 (21,414.98 (21,421.71 (21,424.47	-44,240.91) -44,260.56) -44,261.12) -44,256.19)	28.72 2.29 1.13 27.28	(21,423.18 (21,417.25 (21,421.70 (21,449.97	-44,251.29) -44,260.83) -44,259.99) -44,246.51)	9.42 4.72 1.28 5.60	(21,414.37 (21,421.86 (21,422.08	-44,254.63) -44,261.82) -44,258.77)	5.96 0.72 3.52
123	248-	1	(21,449.97 (21,421.70 (21,449.97	-44,246.51) -44,259.99) -44,269.81)	27.28 1.13 23.30	(21,424.47 (21,421.71	-44,256.19) -44,261.12)	3.52 0.72	(21,422.08 (21,421.86	-44,258.77) -44,261.82)	1.28 29.22
123	001-	2	(21,449.97 (21,421.29	-44,269.81) -44,263.32)	29.22 29.84	(@ 21,421.86 (21,449.98	-44,261.82) -44,271.51)	1.14 1.70	(21,422.21 (21,422.21	-44,262.91)	1.01
123	002-	2	(21,449.98 (21,415.35	-44,271.51) -44,267.03)	29.84 0.27	(@ 21,421.29 (21,415.62	-44,263.32) -44,267.04)	6.49 35.97	(21,415.29 (21,449.94	-44,265.80) -44,277.81)	1.23 6.30
132	524-	2	(21,449.94 (21,416.60 (21,424.06 (21,428.51	-44,277.81) -44,293.68) -44,298.41) -44,300.10)	35.97 4.51 1.93 22.88	(@ 21,415.62 (21,417.42 (21,425.79 (21,449.97	-44,267.04) -44,298.11) -44,299.26) -44,292.16)	10.22 5.69 2.25 14.35	(21,415.21 (21,422.75 (21,428.04	-44,277.25) -44,296.11) -44,299.40)	16.49 2.65 0.84
132	523-	3	(21,449.97 (21,425.79 (21,417.42	-44,292.16) -44,299.26) -44,298.11)	22.88 1.93 8.93	(21,428.51 (21,424.06 (21,418.95	-44,300.10) -44,298.41) -44,306.91)	0.84 2.65 33.12	(21,428.04 (21,422.75 (21,449.98	-44,299.40) -44,296.11) -44,295.33)	2.25 5.69 3.17
132	523-	2	(21,449.98 (21,420.65	-44,295.33) -44,311.50)	33.12 28.37	(21,418.95 (21,447.14	-44,306.91) -44,301.35)	5.33 3.02	(21,419.84 (21,449.99	-44,312.17) -44,300.36)	1.05 5.03
132	524-	1	(@ 21,449.99 (21,449.94 (21,420.94	-44,300.36) -44,302.21) -44,323.62)	3.02 2.93 7.01	(21,447.14 (@ 21,447.14 (21,420.59	-44,301.35) -44,301.35) -44,330.62)	2.93 28.37 29.39	(21,449.94 (21,420.65 (21,449.96	-44,302.21) -44,311.50) -44,331.76)	1.85 12.12 29.55
132	522		(21,449.96 (21,419.70	-44,331.76) -44,351.01)	29.39 30.25	(@ 21,420.59 (21,449.94	-44,330.62) -44,350.41)	14.01 18.65	(21,420.08 (21,420.08	-44,344.62)	6.40
132	521		(@ 21,449.94 (21,419.42 (21,449.68	-44,350.41) -44,361.37) -44,381.86)	30.25 16.90 0.33	(21,419.70 (21,421.25 (21,450.01	-44,351.01) -44,378.17) -44,381.86)	2.72 8.15 31.45	(21,419.48 (21,422.62	-44,353.72) -44,386.20)	7.65 27.41
132	520-	1	(21,450.01 (21,450.01 (21,423.69	-44,381.86) -44,383.16) -44,394.99)	0.33 1.34 5.22	(@ 21,449.68 (@ 21,449.68 (21,424.93	-44,381.86) -44,381.86) -44,400.06)	1.34 27.41 25.07	(21,450.01 (21,422.62 (21,450.00	-44,383.16) -44,386.20) -44,400.06)	1.30 8.85 16.90
132	001-	12	(21,424.93 (21,421.30 (21,419.70	-44,400.06) -44,378.12) -44,351.01)	5.22 16.86 6.40	(21,423.69 (21,419.42 (21,420.08	-44,394.99) -44,361.37) -44,344.62)	8.85 7.65 14.01	(21,422.62 (21,419.48 (21,420.59	-44,386.20) -44,353.72) -44,330.62)	8.19 2.72 7.01

地区 ..003

作業 .. 58

原図番号 .. N1 45-3

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -44,400.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,420.94 -44,323.62)	12.12	(21,420.65 -44,311.50)	1.05	(21,419.84 -44,312.17)	5.33
		(21,418.95 -44,306.91)	8.93	(21,417.42 -44,298.11)	1.32	(21,416.18 -44,298.55)	14.86
		(21,418.52 -44,313.22)	0.89	(21,417.81 -44,313.75)	9.91	(21,418.34 -44,323.65)	6.68
		(21,418.05 -44,330.32)	15.37	(21,417.52 -44,345.68)	8.05	(21,417.30 -44,353.73)	7.67
		(21,417.27 -44,361.40)	16.78	(21,419.00 -44,378.09)	7.43	(21,419.82 -44,385.47)	10.20
		(21,421.07 -44,395.59)	4.65	(21,422.30 -44,400.07)	2.63		
136	626	(21,422.30 -44,400.07)	4.65	(21,421.07 -44,395.59)	10.20	(21,419.82 -44,385.47)	1.67
		(21,419.09 -44,383.97)	1.78	(21,417.39 -44,383.43)	36.24	(21,381.19 -44,381.63)	4.67
		(21,376.56 -44,381.01)	7.54	(21,369.14 -44,379.66)	4.40	(21,368.67 -44,384.03)	4.50
136	628	(21,368.63 -44,388.53)	4.61	(21,368.94 -44,393.13)	7.07	(21,370.25 -44,400.08)	52.05
		(21,370.25 -44,400.08)	7.07	(21,368.94 -44,393.13)	4.61	(21,368.63 -44,388.53)	4.50
		(21,368.67 -44,384.03)	4.40	(21,369.14 -44,379.66)	8.51	(21,360.66 -44,378.90)	5.23
		(21,355.45 -44,378.41)	10.70	(21,344.85 -44,376.98)	6.06	(21,338.95 -44,375.59)	4.96
		(21,334.18 -44,374.22)	25.87	(21,332.90 -44,400.06)	37.35		
136	629	(21,332.90 -44,400.06)	25.87	(21,334.18 -44,374.22)	10.51	(21,324.14 -44,371.10)	4.08
		(21,320.34 -44,369.61)	2.55	(21,317.87 -44,368.97)	0.86	(21,317.08 -44,369.31)	6.17
		(21,316.60 -44,375.46)	9.53	(21,316.82 -44,384.99)	15.06	(21,317.30 -44,400.04)	15.60
136	001-	(21,317.30 -44,400.04)	15.06	(21,316.82 -44,384.99)	9.53	(21,316.60 -44,375.46)	6.17
	8	(21,317.08 -44,369.31)	0.86	(21,317.87 -44,368.97)	4.71	(21,314.09 -44,366.16)	3.61
		(21,314.06 -44,369.77)	5.38	(21,313.92 -44,375.15)	1.25	(21,314.00 -44,376.40)	7.85
		(21,314.37 -44,384.24)	2.47	(21,314.47 -44,386.71)	13.34	(21,314.95 -44,400.04)	2.35
136	002-	(21,314.95 -44,400.04)	13.34	(21,314.47 -44,386.71)	0.98	(21,313.57 -44,387.10)	12.96
	6	(21,313.18 -44,400.05)	1.77				
136	636-	(21,350.96 -44,340.12)	14.79	(21,337.21 -44,345.57)	20.08	(21,318.80 -44,353.58)	13.49
	1	(21,306.46 -44,359.04)	1.78	(21,304.86 -44,359.82)	8.58	(21,313.22 -44,361.75)	1.95
		(21,314.97 -44,362.62)	4.48	(21,318.73 -44,365.06)	6.04	(21,323.91 -44,368.17)	5.24
		(21,328.84 -44,369.96)	18.23	(21,346.41 -44,374.81)	34.99		
136	637-	(21,350.96 -44,340.12)	34.99	(21,346.41 -44,374.81)	8.69	(21,355.05 -44,375.76)	14.78
	1	(21,369.75 -44,377.25)	10.10	(21,379.74 -44,378.71)	4.41	(21,380.27 -44,374.33)	32.72
		(21,381.78 -44,341.64)	6.66	(21,375.22 -44,340.51)	8.14	(21,367.17 -44,339.30)	3.84
		(21,363.47 -44,338.29)	5.94	(21,357.63 -44,337.20)	7.28		
136	640-	(21,357.63 -44,337.20)	5.94	(21,363.47 -44,338.29)	3.84	(21,367.17 -44,339.30)	5.57
	1	(21,366.42 -44,333.78)	9.43				
136	639-	(21,366.42 -44,333.78)	5.57	(21,367.17 -44,339.30)	8.14	(21,375.22 -44,340.51)	6.66
	1	(21,381.78 -44,341.64)	2.31	(21,384.08 -44,341.90)	6.88	(21,390.68 -44,343.83)	5.77
		(21,396.28 -44,345.22)	5.15	(21,401.39 -44,345.86)	5.07	(21,406.46 -44,346.02)	11.07
		(21,417.52 -44,345.68)	15.37	(21,418.05 -44,330.32)	6.68	(21,418.34 -44,323.65)	9.91
		(21,417.81 -44,313.75)	14.55	(21,404.28 -44,319.10)	12.67	(21,392.49 -44,323.75)	27.93
136	638	(21,381.78 -44,341.64)	32.72	(21,380.27 -44,374.33)	4.41	(21,379.74 -44,378.71)	1.56
		(21,381.26 -44,379.08)	34.94	(21,416.16 -44,380.65)	1.70	(21,417.86 -44,380.52)	0.85
		(21,418.53 -44,380.00)	1.97	(21,419.00 -44,378.09)	16.78	(21,417.27 -44,361.40)	7.67
		(21,417.30 -44,353.73)	8.05	(21,417.52 -44,345.68)	11.07	(21,406.46 -44,346.02)	5.07

地区 ..003 作業 .. 58 原図番号 .. N1 45-3 縮尺 ..1/ 500 基準点 ..X 21,300.00..Y -44,400.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,401.39 -44,345.86)	5.15	(21,396.28 -44,345.22)	5.77	(21,390.68 -44,343.83)	6.88
		(21,384.08 -44,341.90)	2.31	(21,381.78 -44,341.64)	0.00		
136	641- 5	(21,417.81 -44,313.75)	0.89	(21,418.52 -44,313.22)	14.86	(21,416.18 -44,298.55)	0.57
		(21,415.66 -44,298.78)	6.06	(21,415.63 -44,304.84)	3.21	(21,415.55 -44,308.05)	6.13
136	001- 7	(21,399.79 -44,259.71)	4.82	(21,404.17 -44,257.70)	1.85	(21,402.99 -44,256.28)	5.26
		(21,398.10 -44,258.22)	2.25				
136	643- 5	(21,398.10 -44,258.22)	5.26	(21,402.99 -44,256.28)	5.93	(21,400.58 -44,250.86)	7.70
		(21,398.82 -44,243.36)	3.52	(21,398.66 -44,239.84)	6.10	(21,392.78 -44,241.48)	17.57
136	002- 5	(21,399.79 -44,259.71)	2.25	(21,398.10 -44,258.22)	17.57	(21,392.78 -44,241.48)	0.81
		(21,392.01 -44,241.73)	17.76	(21,397.35 -44,258.67)	2.19	(21,399.04 -44,260.06)	0.83
136	642- 1	(21,399.04 -44,260.06)	2.19	(21,397.35 -44,258.67)	17.76	(21,392.01 -44,241.73)	22.71
		(21,370.21 -44,248.09)	4.06	(21,371.77 -44,251.84)	18.26	(21,378.77 -44,268.71)	20.45
		(21,397.59 -44,260.72)	1.59				
136	643- 1	(21,378.77 -44,268.71)	18.26	(21,371.77 -44,251.84)	50.06	(21,323.70 -44,265.82)	6.54
		(21,327.14 -44,271.38)	17.44	(21,336.16 -44,286.31)	46.10		
136	646- 1	(21,336.16 -44,286.31)	17.44	(21,327.14 -44,271.38)	40.58	(21,300.33 -44,301.84)	17.09
		(21,315.90 -44,294.79)	21.96				
136	643- 8	(21,323.70 -44,265.82)	50.06	(21,371.77 -44,251.84)	4.06	(21,370.21 -44,248.09)	4.39
		(21,365.98 -44,249.28)	41.34	(21,326.28 -44,260.82)	3.91	(21,322.66 -44,262.31)	3.66
136	643- 9	(21,307.96 -44,272.86)	0.93	(21,308.83 -44,273.18)	6.07	(21,312.07 -44,268.05)	5.35
		(21,316.06 -44,264.49)	3.83	(21,319.28 -44,262.41)	7.57	(21,326.38 -44,259.77)	41.21
		(21,365.94 -44,248.22)	4.27	(21,365.19 -44,244.02)	41.71	(21,325.52 -44,256.92)	7.97
		(21,318.05 -44,259.69)	4.46	(21,314.31 -44,262.12)	5.46	(21,310.14 -44,265.65)	3.00
		(21,308.57 -44,268.21)	4.62	(21,306.34 -44,272.26)	1.73		
136	643- 6	(21,365.19 -44,244.02)	4.27	(21,365.94 -44,248.22)	20.58	(21,385.72 -44,242.53)	5.24
		(21,384.25 -44,237.50)	20.14				
122	203- 2	(21,384.25 -44,237.50)	5.24	(21,385.72 -44,242.53)	13.38	(21,398.57 -44,238.80)	6.10
		(21,398.14 -44,232.72)	14.69				
122	203- 1	(21,398.14 -44,232.72)	3.06	(21,397.91 -44,229.67)	12.08	(21,398.06 -44,217.59)	13.90
		(21,396.93 -44,203.74)	2.55	(21,396.49 -44,201.23)	29.72	(21,366.79 -44,202.33)	1.40
		(21,365.66 -44,203.16)	5.50	(21,362.59 -44,207.72)	2.56	(21,361.50 -44,210.04)	3.14
		(21,360.68 -44,213.07)	3.18	(21,360.66 -44,216.25)	5.84	(21,361.42 -44,222.04)	22.30
		(21,365.19 -44,244.02)	34.83				
122	205	(21,400.18 -44,232.55)	5.72	(21,400.56 -44,238.26)	5.11	(21,400.82 -44,243.36)	3.92
		(21,404.47 -44,244.78)	3.07	(21,407.27 -44,246.05)	3.82	(21,410.90 -44,247.24)	3.82
		(21,414.68 -44,247.76)	3.35	(21,418.03 -44,247.70)	2.83	(21,420.86 -44,247.78)	7.93
		(21,424.99 -44,241.01)	6.92	(21,427.72 -44,234.65)	5.44	(21,429.49 -44,229.51)	29.47
122	001- 3	(21,429.49 -44,229.51)	0.87	(21,430.26 -44,229.10)	2.73	(21,431.68 -44,226.77)	2.71

地区 ..003

作業 .. 58

原図番号 .. N1 45-3

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -44,400.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,432.33 -44,224.14)	8.00	(21,433.48 -44,216.22)	3.59	(21,434.25 -44,212.71)	5.26
		(21,435.64 -44,207.64)	1.10	(21,434.59 -44,207.32)	5.24	(21,433.25 -44,212.39)	3.57
		(21,432.53 -44,215.89)	7.96	(21,431.40 -44,223.77)	2.77	(21,430.58 -44,226.42)	2.42
		(21,429.29 -44,228.47)	29.31	(21,400.13 -44,231.41)	1.14	(21,400.18 -44,232.55)	29.47
123	246- 1	(21,409.39 -44,255.46)	3.31	(21,410.74 -44,252.44)	3.02	(21,413.48 -44,251.18)	8.13
		(21,420.86 -44,247.78)	2.83	(21,418.03 -44,247.70)	3.35	(21,414.68 -44,247.76)	3.82
		(21,410.90 -44,247.24)	3.82	(21,407.27 -44,246.05)	3.07	(21,404.47 -44,244.78)	3.92
		(21,400.82 -44,243.36)	7.46	(21,402.78 -44,250.56)	7.08	(21,405.50 -44,257.10)	4.22
123	246- 5	(21,405.50 -44,257.10)	4.57	(21,409.20 -44,259.79)	1.74	(21,410.93 -44,259.99)	4.78
		(21,409.39 -44,255.46)	4.22				
123	246- 4	(21,409.39 -44,255.46)	4.78	(21,410.93 -44,259.99)	4.09	(21,414.98 -44,260.56)	5.96
		(21,414.37 -44,254.63)	9.42	(21,423.18 -44,251.29)	4.07	(21,419.16 -44,251.92)	5.73
		(21,413.48 -44,251.18)	3.02	(21,410.74 -44,252.44)	3.31		
123	002- 4	(21,404.17 -44,257.70)	4.82	(21,399.79 -44,259.71)	0.83	(21,399.04 -44,260.06)	1.59
		(21,397.59 -44,260.72)	7.43	(21,403.86 -44,264.70)	8.17	(21,411.71 -44,262.44)	0.20
		(21,411.71 -44,262.24)	0.82	(21,410.91 -44,262.04)	1.80	(21,409.21 -44,261.44)	6.28
123	002- 3	(21,403.86 -44,264.70)	2.44	(21,405.92 -44,266.00)	8.47	(21,414.32 -44,267.07)	1.03
		(21,415.35 -44,267.03)	1.23	(21,415.29 -44,265.80)	6.49	(21,421.29 -44,263.32)	2.37
		(21,419.01 -44,262.67)	2.75	(21,416.26 -44,262.83)	1.90	(21,414.36 -44,262.73)	2.69
		(21,411.71 -44,262.24)	0.20	(21,411.71 -44,262.44)	8.17		
132	001- 11	(21,415.62 -44,267.04)	0.27	(21,415.35 -44,267.03)	1.03	(21,414.32 -44,267.07)	10.86
		(21,414.09 -44,277.93)	11.47	(21,414.72 -44,289.38)	9.29	(21,416.18 -44,298.55)	1.32
		(21,417.42 -44,298.11)	4.51	(21,416.60 -44,293.68)	16.49	(21,415.21 -44,277.25)	10.22
123	001- 13	(21,398.56 -44,238.77)	1.04	(21,398.66 -44,239.81)	3.55	(21,398.82 -44,243.36)	7.70
		(21,400.58 -44,250.86)	5.96	(21,402.99 -44,256.31)	1.81	(21,404.15 -44,257.70)	6.29
		(21,409.21 -44,261.44)	1.80	(21,410.91 -44,262.04)	0.82	(21,411.71 -44,262.24)	2.69
		(21,414.36 -44,262.73)	1.90	(21,416.26 -44,262.83)	2.75	(21,419.01 -44,262.67)	2.39
		(21,421.31 -44,263.32)	0.99	(21,422.21 -44,262.91)	1.14	(21,421.86 -44,261.82)	4.72
		(21,417.25 -44,260.83)	2.27	(21,415.00 -44,260.53)	4.09	(21,410.95 -44,259.99)	1.76
		(21,409.20 -44,259.79)	4.57	(21,405.50 -44,257.10)	7.08	(21,402.78 -44,250.56)	7.46
		(21,400.82 -44,243.36)	5.11	(21,400.56 -44,238.26)	2.06		