

地区 ..003

作業 .. 59

原図番号 .. N1 45-4

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -44,200.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,300.00 -44,200.00)	50.00	(21,350.00 -44,200.03)	50.00	(21,400.00 -44,200.06)	50.00
		(21,450.00 -44,200.02)	49.98	(21,450.03 -44,150.04)	50.00	(21,449.96 -44,100.04)	50.00
		(21,449.99 -44,050.04)	49.95	(21,450.03 -44,000.09)	50.00	(21,400.03 -44,000.06)	50.05
		(21,349.98 -44,000.03)	49.98	(21,300.00 -44,000.02)	49.98	(21,299.94 -44,050.00)	50.05
		(21,299.96 -44,100.05)	49.95	(21,299.98 -44,150.00)	50.00		
121	197	(3/ 5)					
		(21,300.00 -44,200.00)	3.45	(21,303.45 -44,200.01)	1.81	(@ 21,302.54 -44,198.44)	0.40
		(21,302.16 -44,198.58)	2.25	(21,300.00 -44,199.20)	0.80		
121	196	(1/ 3)					
		(21,300.00 -44,199.20)	2.25	(21,302.16 -44,198.58)	4.78	(@ 21,300.03 -44,194.30)	4.90
121	195	(2/ 3)					
		(21,300.03 -44,194.30)	4.78	(21,302.16 -44,198.58)	0.40	(21,302.54 -44,198.44)	1.81
		(21,303.45 -44,200.01)	20.28	(21,323.73 -44,200.02)	0.98	(21,324.65 -44,199.67)	4.30
		(21,328.24 -44,197.30)	2.67	(21,330.41 -44,195.75)	2.44	(21,332.23 -44,194.12)	4.78
		(21,335.75 -44,190.88)	40.51	(@ 21,317.75 -44,154.59)	19.39	(21,300.02 -44,162.45)	31.85
121	192	(1/ 2)					
		(21,300.02 -44,162.45)	19.39	(21,317.75 -44,154.59)	0.48	(21,317.52 -44,154.17)	13.51
		(21,329.61 -44,148.15)	2.89	(21,328.64 -44,145.43)	13.89	(@ 21,322.99 -44,132.74)	6.38
		(21,317.33 -44,135.69)	5.94	(21,311.89 -44,138.08)	7.12	(21,305.12 -44,140.28)	5.39
		(21,299.98 -44,141.90)	20.55				
121	191	(1/ 2)					
		(21,299.98 -44,141.90)	5.39	(21,305.12 -44,140.28)	7.12	(21,311.89 -44,138.08)	5.94
		(21,317.33 -44,135.69)	6.38	(21,322.99 -44,132.74)	3.41	(21,322.31 -44,129.40)	3.50
		(21,321.80 -44,125.94)	10.55	(@ 21,311.25 -44,125.74)	11.22	(21,300.03 -44,126.05)	15.85
121	002- 7						
		(21,300.03 -44,126.05)	11.22	(21,311.25 -44,125.74)	10.55	(21,321.80 -44,125.94)	17.30
		(21,339.09 -44,126.53)	1.17	(21,338.95 -44,125.37)	27.61	(21,311.35 -44,124.46)	4.19
		(@ 21,307.16 -44,124.39)	7.16	(21,300.00 -44,124.50)	1.55		
121	180	(1/ 2)					
		(21,300.00 -44,124.50)	7.16	(21,307.16 -44,124.39)	30.18	(21,308.74 -44,094.25)	0.88
		(21,308.79 -44,093.37)	0.68	(21,308.24 -44,093.77)	5.19	(21,306.23 -44,088.98)	2.97
		(21,305.59 -44,086.08)	4.61	(21,305.05 -44,081.50)	5.13	(@ 21,300.00 -44,080.60)	43.90
121	183- 3	(1/ 2)					
		(21,300.00 -44,080.60)	5.13	(21,305.05 -44,081.50)	7.95	(21,304.42 -44,073.58)	3.43
		(21,304.51 -44,070.15)	8.42	(21,306.10 -44,061.88)	6.24	(@ 21,299.98 -44,060.65)	19.95
121	184- 1	(1/ 2)					
		(21,299.98 -44,060.65)	6.24	(21,306.10 -44,061.88)	15.50	(21,309.97 -44,046.87)	13.04
		(21,312.68 -44,034.11)	12.92	(@ 21,299.98 -44,031.75)	28.90		
121	002- 8						
		(21,299.98 -44,031.75)	12.92	(21,312.68 -44,034.11)	12.64	(21,325.32 -44,034.41)	8.77
		(21,334.09 -44,034.36)	9.38	(21,343.44 -44,035.05)	4.25	(21,347.52 -44,036.24)	4.37
		(21,347.59 -44,040.61)	9.34	(21,346.98 -44,049.93)	12.36	(21,346.94 -44,062.29)	5.97
		(21,346.46 -44,068.24)	5.84	(21,345.52 -44,074.00)	4.51	(21,345.29 -44,078.50)	4.17
		(21,345.75 -44,082.64)	7.98	(21,345.23 -44,090.60)	5.66	(21,344.95 -44,096.25)	4.51
		(21,344.72 -44,100.75)	6.75	(21,343.76 -44,107.43)	5.74	(21,342.43 -44,113.01)	9.78
		(21,339.76 -44,122.42)	3.06	(21,338.95 -44,125.37)	1.17	(21,339.09 -44,126.53)	13.91
		(21,337.79 -44,140.38)	15.64	(21,352.50 -44,135.07)	0.87	(21,352.39 -44,134.21)	3.61
		(21,348.78 -44,134.28)	6.91	(21,342.59 -44,137.36)	1.70	(21,340.91 -44,137.61)	1.10
		(21,340.49 -44,136.59)	2.63	(21,340.39 -44,133.96)	2.95	(21,340.29 -44,131.01)	8.63
		(21,341.49 -44,122.46)	10.96	(21,344.30 -44,111.87)	10.26	(21,346.59 -44,101.87)	7.03
		(21,347.40 -44,094.89)	11.00	(21,347.68 -44,083.89)	2.98	(21,347.10 -44,080.97)	7.08

地区 ..003

作業 .. 59

原図番号 .. N1 45-4

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -44,200.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,347.20 -44,073.89)	5.66	(21,348.01 -44,068.29)	6.26	(21,348.38 -44,062.04)	12.07
		(21,348.87 -44,049.98)	15.71	(21,350.99 -44,034.41)	3.89	(21,347.31 -44,033.16)	13.46
		(21,333.86 -44,032.73)	8.80	(21,325.06 -44,032.76)	12.27	(21,312.81 -44,032.11)	13.04
		(@ 21,299.98 -44,029.80)	1.95				
121	185	(1/ 2)					
		(21,299.98 -44,029.80)	13.04	(21,312.81 -44,032.11)	12.27	(21,325.06 -44,032.76)	8.80
		(21,333.86 -44,032.73)	13.46	(21,347.31 -44,033.16)	3.89	(21,350.99 -44,034.41)	5.54
		(21,350.70 -44,028.88)	5.83	(21,349.35 -44,023.21)	1.65	(21,348.16 -44,022.07)	6.12
		(21,342.24 -44,020.51)	2.95	(@ 21,339.29 -44,020.39)	11.12	(21,328.22 -44,021.43)	9.27
		(21,318.95 -44,021.26)	18.97	(21,299.99 -44,020.60)	9.20		
121	000-	1					
		(21,299.99 -44,020.60)	18.97	(21,318.95 -44,021.26)	9.27	(21,328.22 -44,021.43)	11.12
		(21,339.29 -44,020.39)	2.95	(21,342.24 -44,020.51)	6.12	(21,348.16 -44,022.07)	4.70
		(21,352.86 -44,021.86)	55.14	(21,407.01 -44,011.44)	42.51	(21,448.77 -44,003.50)	1.28
		(21,450.01 -44,003.19)	3.10	(21,450.03 -44,000.09)	50.00	(21,400.03 -44,000.06)	50.05
		(21,349.98 -44,000.03)	49.98	(@ 21,300.00 -44,000.02)	20.58		
122	220-	1	(2/ 2)				
		(@ 21,450.01 -44,003.19)	1.28	(21,448.77 -44,003.50)	2.06	(21,448.57 -44,005.55)	3.85
		(21,447.63 -44,009.28)	25.83	(21,439.51 -44,033.80)	8.95	(21,436.67 -44,042.29)	4.27
		(21,440.92 -44,042.67)	3.46	(21,444.30 -44,043.41)	3.29	(21,447.48 -44,044.25)	1.01
		(21,448.46 -44,044.50)	3.13	(21,450.02 -44,041.79)	38.60		
122	222-	1	(2/ 2)				
		(@ 21,450.02 -44,041.79)	3.13	(21,448.46 -44,044.50)	7.06	(21,444.93 -44,050.61)	5.51
		(21,449.95 -44,052.89)	11.10				
122	223	(2/ 2)					
		(21,449.95 -44,052.89)	5.51	(@ 21,444.93 -44,050.61)	2.53	(21,443.45 -44,052.66)	4.74
		(21,440.77 -44,056.57)	5.09	(21,437.56 -44,060.52)	8.09	(21,432.53 -44,066.85)	7.12
		(21,428.12 -44,072.44)	3.67	(21,426.05 -44,075.47)	3.67	(21,424.37 -44,078.73)	6.38
		(21,422.01 -44,084.66)	6.78	(21,419.83 -44,091.08)	6.49	(21,417.83 -44,097.25)	2.00
		(21,416.61 -44,098.84)	2.46	(21,418.81 -44,099.95)	2.55	(21,421.22 -44,100.79)	1.72
		(21,421.61 -44,099.11)	14.56	(21,429.97 -44,087.19)	17.34	(21,440.12 -44,073.13)	10.01
		(21,447.10 -44,065.95)	4.90	(21,449.99 -44,061.99)	9.10		
123	002-	1					
		(@ 21,449.99 -44,061.99)	4.90	(21,447.10 -44,065.95)	10.01	(21,440.12 -44,073.13)	17.34
		(21,429.97 -44,087.19)	14.56	(21,421.61 -44,099.11)	1.72	(21,421.22 -44,100.79)	8.45
		(21,420.94 -44,109.24)	8.00	(21,420.05 -44,117.19)	2.07	(21,419.99 -44,119.26)	1.93
		(21,419.95 -44,121.19)	6.03	(21,423.67 -44,125.93)	7.74	(21,430.44 -44,129.68)	8.67
		(21,437.13 -44,135.19)	4.78	(21,441.36 -44,137.42)	6.37	(21,447.64 -44,138.50)	2.38
		(21,450.02 -44,138.44)	3.62	(21,449.98 -44,134.82)	0.82	(21,449.21 -44,135.10)	4.31
		(21,444.91 -44,134.79)	3.80	(21,441.28 -44,133.67)	10.29	(21,432.93 -44,127.65)	2.83
		(21,430.65 -44,125.98)	6.54	(21,424.99 -44,122.70)	2.34	(21,423.46 -44,120.93)	5.10
		(21,422.92 -44,115.86)	6.26	(21,423.50 -44,109.63)	8.43	(21,424.24 -44,101.23)	3.01
		(21,425.46 -44,098.48)	1.69	(21,426.59 -44,097.22)	2.62	(21,428.40 -44,095.32)	18.85
		(21,438.84 -44,079.63)	10.70	(21,446.27 -44,071.93)	5.15	(21,450.01 -44,068.39)	6.40
123	227-	1	(2/ 2)				
		(@ 21,450.01 -44,068.39)	5.15	(21,446.27 -44,071.93)	10.70	(21,438.84 -44,079.63)	18.85
		(21,428.40 -44,095.32)	2.62	(21,426.59 -44,097.22)	24.14	(21,449.97 -44,103.24)	34.85
123	225-	1	(2/ 2)				
		(21,449.97 -44,103.24)	24.14	(@ 21,426.59 -44,097.22)	1.69	(21,425.46 -44,098.48)	3.01
		(21,424.24 -44,101.23)	8.43	(21,423.50 -44,109.63)	6.26	(21,422.92 -44,115.86)	5.10
		(21,423.46 -44,120.93)	2.34	(21,424.99 -44,122.70)	6.54	(21,430.65 -44,125.98)	2.83
		(21,432.93 -44,127.65)	10.29	(21,441.28 -44,133.67)	3.80	(21,444.91 -44,134.79)	4.31

地区..003

作業.. 59

原図番号.. N1 45-4

縮尺..1/ 500

基準点..X 21,300.00..Y -44,200.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

122	207	(21,449.21 (2/ 2)	-44,135.10)	0.82	(21,449.98	-44,134.82)	31.58		
		(21,450.02	-44,138.44)	2.38	(21,447.64	-44,138.50)	6.37	(21,441.36	-44,137.42) 4.78
		(21,437.13	-44,135.19)	14.25	(21,437.68	-44,149.43)	42.17	(21,395.71	-44,153.53) 6.82
		(21,394.72	-44,160.28)	10.20	(21,394.05	-44,170.46)	6.33	(21,394.35	-44,176.78) 11.91
		(21,396.36	-44,188.52)	11.01	(21,398.50	-44,199.32)	33.66	(21,432.09	-44,197.20) 6.50
		(21,438.54	-44,196.43)	1.70	(21,440.07	-44,195.68)	8.70	(21,442.81	-44,187.42) 7.17
		(21,444.23	-44,180.39)	3.98	(21,444.32	-44,176.41)	6.08	(21,443.50	-44,170.39) 3.42
		(21,444.26	-44,167.06)	4.37	(21,446.73	-44,163.45)	4.56	(21,450.02	-44,160.29) 21.85
123	002- 2	(21,450.02	-44,160.29)	4.56	(21,446.73	-44,163.45)	4.37	(21,444.26	-44,167.06) 3.42
		(21,443.50	-44,170.39)	6.08	(21,444.32	-44,176.41)	3.98	(21,444.23	-44,180.39) 7.17
		(21,442.81	-44,187.42)	8.70	(21,440.07	-44,195.68)	5.10	(21,437.43	-44,200.04) 4.97
		(21,442.40	-44,200.07)	11.94	(21,446.56	-44,188.88)	5.31	(21,447.87	-44,183.73) 5.09
		(21,448.38	-44,178.67)	5.15	(21,448.06	-44,173.53)	2.90	(21,447.73	-44,170.65) 2.58
		(21,448.09	-44,168.10)	3.04	(21,449.53	-44,165.42)	0.66	(21,449.98	-44,164.94) 4.65
123	001- 1	(21,449.98	-44,164.94)	0.66	(21,449.53	-44,165.42)	3.04	(21,448.09	-44,168.10) 2.58
		(21,447.73	-44,170.65)	2.90	(21,448.06	-44,173.53)	5.15	(21,448.38	-44,178.67) 5.09
		(21,447.87	-44,183.73)	5.31	(21,446.56	-44,188.88)	11.94	(21,442.40	-44,200.07) 1.10
		(21,443.50	-44,200.04)	11.56	(21,447.51	-44,189.20)	5.55	(21,448.87	-44,183.82) 5.16
		(21,449.48	-44,178.70)	5.27	(21,449.06	-44,173.45)	2.84	(21,448.78	-44,170.62) 2.32
		(21,449.12	-44,168.32)	1.85	(21,449.99	-44,166.69)	1.75		
123	242	(21,449.99	-44,166.69)	1.85	(21,449.12	-44,168.32)	2.32	(21,448.78	-44,170.62) 2.84
		(21,449.06	-44,173.45)	5.27	(21,449.48	-44,178.70)	5.16	(21,448.87	-44,183.82) 5.55
		(21,447.51	-44,189.20)	11.56	(21,443.50	-44,200.04)	6.50	(21,450.00	-44,200.02) 33.33
122	206	(21,436.45	-44,200.04)	0.32	(21,436.25	-44,199.79)	4.46	(21,431.80	-44,200.06) 4.65
122	002- 3	(21,431.80	-44,200.06)	4.46	(21,436.25	-44,199.79)	0.32	(21,436.45	-44,200.04) 0.98
		(21,437.43	-44,200.04)	5.10	(21,440.07	-44,195.68)	1.70	(21,438.54	-44,196.43) 6.50
		(21,432.09	-44,197.20)	33.66	(21,398.50	-44,199.32)	0.71	(21,398.60	-44,200.02) 33.20
122	001- 2	(21,398.60	-44,200.02)	0.71	(21,398.50	-44,199.32)	11.01	(21,396.36	-44,188.52) 11.91
		(21,394.35	-44,176.78)	6.33	(21,394.05	-44,170.46)	10.20	(21,394.72	-44,160.28) 6.82
		(21,395.71	-44,153.53)	14.27	(21,397.85	-44,139.42)	1.44	(21,398.18	-44,138.02) 2.21
		(21,396.19	-44,137.07)	2.16	(21,396.07	-44,139.23)	21.35	(21,392.89	-44,160.34) 10.28
		(21,392.08	-44,170.59)	6.49	(21,392.44	-44,177.07)	11.85	(21,394.36	-44,188.76) 11.23
		(21,396.28	-44,199.82)	0.20	(21,396.30	-44,200.02)	2.30		
122	002- 4	(21,396.30	-44,200.02)	0.20	(21,396.28	-44,199.82)	2.84	(21,393.45	-44,200.03) 2.85
122	202	(21,393.45	-44,200.03)	2.84	(21,396.28	-44,199.82)	11.23	(21,394.36	-44,188.76) 11.85
		(21,392.44	-44,177.07)	16.33	(21,376.14	-44,176.07)	0.37	(21,376.15	-44,176.44) 4.35
		(21,371.80	-44,176.63)	3.11	(21,368.70	-44,176.87)	4.63	(21,364.23	-44,178.08) 5.60
		(21,359.03	-44,180.15)	0.23	(21,359.05	-44,179.92)	10.59	(21,349.15	-44,183.68) 4.16
		(21,345.80	-44,186.15)	15.88	(21,335.09	-44,197.88)	1.68	(21,333.68	-44,198.79) 4.44
		(21,337.95	-44,200.02)	55.50					
122	198- 1	(21,337.95	-44,200.02)	4.44	(21,333.68	-44,198.79)	2.38	(21,331.65	-44,200.04) 6.30
122	002- 5								

地区 ..003

作業 .. 59

原図番号 .. N1 45-4

縮尺 ..1/ 500

基準点 ..X 21,300.00..Y -44,200.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,331.65 -44,200.04)	2.38	(21,333.68 -44,198.79)	1.68	(21,335.09 -44,197.88)	15.88
		(21,345.80 -44,186.15)	4.16	(21,349.15 -44,183.68)	10.59	(21,359.05 -44,179.92)	5.97
		(21,360.24 -44,174.07)	6.41	(21,360.54 -44,167.67)	5.37	(21,360.12 -44,162.32)	11.60
		(21,358.08 -44,150.90)	12.41	(21,356.34 -44,138.61)	1.05	(21,357.12 -44,137.91)	27.00
		(21,384.09 -44,136.59)	12.11	(21,396.19 -44,137.07)	2.21	(21,398.18 -44,138.02)	5.00
		(21,403.16 -44,137.53)	3.32	(21,406.13 -44,136.04)	3.77	(21,408.65 -44,133.23)	7.60
		(21,412.88 -44,126.92)	2.86	(21,415.17 -44,125.21)	4.30	(21,419.45 -44,124.85)	4.36
		(21,423.67 -44,125.93)	6.03	(21,419.95 -44,121.19)	2.90	(21,417.06 -44,121.00)	3.31
		(21,413.79 -44,121.52)	2.85	(21,411.21 -44,122.72)	3.33	(21,408.95 -44,125.16)	6.57
		(21,405.29 -44,130.62)	3.91	(21,402.15 -44,132.95)	4.66	(21,397.56 -44,133.77)	2.18
		(21,395.68 -44,134.88)	8.77	(21,387.03 -44,133.41)	6.15	(21,380.88 -44,133.53)	11.64
		(21,369.30 -44,134.67)	8.42	(21,360.88 -44,134.59)	6.05	(21,354.85 -44,134.16)	2.46
		(21,352.39 -44,134.21)	0.87	(21,352.50 -44,135.07)	9.23	(21,353.54 -44,144.24)	11.18
		(21,355.45 -44,155.26)	13.90	(21,356.65 -44,169.11)	6.59	(21,355.19 -44,175.54)	2.95
		(21,353.23 -44,177.75)	7.85	(21,346.04 -44,180.89)	5.21	(21,342.15 -44,184.36)	9.39
		(21,336.01 -44,191.46)	4.65	(21,332.48 -44,194.49)	2.44	(21,330.61 -44,196.05)	3.46
		(21,327.77 -44,198.03)	3.79	(21,324.55 -44,200.02)	7.10		
121	197	(21,324.55 -44,200.02)	3.79	(21,327.77 -44,198.03)	3.46	(21,330.61 -44,196.05)	2.44
		(21,332.48 -44,194.49)	4.65	(21,336.01 -44,191.46)	0.64	(21,335.75 -44,190.88)	4.78
		(21,332.23 -44,194.12)	2.44	(21,330.41 -44,195.75)	2.67	(21,328.24 -44,197.30)	4.30
		(21,324.65 -44,199.67)	0.98	(21,323.73 -44,200.02)	0.82		
121	194	(21,335.75 -44,190.88)	0.64	(21,336.01 -44,191.46)	9.39	(21,342.15 -44,184.36)	5.21
		(21,346.04 -44,180.89)	7.85	(21,353.23 -44,177.75)	2.95	(21,355.19 -44,175.54)	6.59
		(21,356.65 -44,169.11)	13.90	(21,355.45 -44,155.26)	11.18	(21,353.54 -44,144.24)	9.23
		(21,352.50 -44,135.07)	15.64	(21,337.79 -44,140.38)	0.74	(21,337.78 -44,141.12)	3.73
		(21,335.39 -44,143.98)	2.85	(21,333.42 -44,146.04)	4.35	(21,329.88 -44,148.57)	0.50
		(21,329.61 -44,148.15)	13.51	(21,317.52 -44,154.17)	0.48	(21,317.75 -44,154.59)	40.51
121	193	(21,329.88 -44,148.57)	4.35	(21,333.42 -44,146.04)	2.85	(21,335.39 -44,143.98)	3.73
		(21,337.78 -44,141.12)	0.74	(21,337.79 -44,140.38)	13.91	(21,339.09 -44,126.53)	17.30
		(21,321.80 -44,125.94)	3.50	(21,322.31 -44,129.40)	3.41	(21,322.99 -44,132.74)	13.89
		(21,328.64 -44,145.43)	2.89	(21,329.61 -44,148.15)	0.50		
121	002- 6	(21,337.79 -44,140.38)	12.57	(21,348.78 -44,134.28)	3.98	(21,344.80 -44,134.37)	4.43
		(21,340.39 -44,133.96)	2.63	(21,340.49 -44,136.59)	1.10	(21,340.91 -44,137.61)	1.70
		(21,342.59 -44,137.36)	5.67				
121	190	(21,307.16 -44,124.39)	4.19	(21,311.35 -44,124.46)	27.61	(21,338.95 -44,125.37)	3.06
		(21,339.76 -44,122.42)	9.78	(21,342.43 -44,113.01)	5.74	(21,343.76 -44,107.43)	6.75
		(21,344.72 -44,100.75)	4.51	(21,344.95 -44,096.25)	36.27	(21,308.74 -44,094.25)	30.18
121	189- 1	(21,308.74 -44,094.25)	36.27	(21,344.95 -44,096.25)	5.66	(21,345.23 -44,090.60)	7.98
		(21,345.75 -44,082.64)	4.17	(21,345.29 -44,078.50)	4.51	(21,345.52 -44,074.00)	41.19
		(21,304.51 -44,070.15)	3.43	(21,304.42 -44,073.58)	7.95	(21,305.05 -44,081.50)	4.61
		(21,305.59 -44,086.08)	2.97	(21,306.23 -44,088.98)	5.19	(21,308.24 -44,093.77)	0.68
		(21,308.79 -44,093.37)	0.88				
121	188	(21,304.51 -44,070.15)	41.19	(21,345.52 -44,074.00)	5.84	(21,346.46 -44,068.24)	5.97
		(21,346.94 -44,062.29)	12.36	(21,346.98 -44,049.93)	37.14	(21,309.97 -44,046.87)	15.50
		(21,306.10 -44,061.88)	8.42				

地区..003 作業..59 原図番号..N1 45-4 縮尺..1/ 500 基準点..X 21,300.00..Y -44,200.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

121	187	(21,309.97 -44,046.87)	37.14	(21,346.98 -44,049.93)	9.34	(21,347.59 -44,040.61)	4.37
		(21,347.52 -44,036.24)	4.25	(21,343.44 -44,035.05)	9.38	(21,334.09 -44,034.36)	8.77
		(21,325.32 -44,034.41)	12.64	(21,312.68 -44,034.11)	13.04		
122	218	(21,352.86 -44,021.86)	1.76	(21,351.85 -44,023.30)	5.46	(21,352.92 -44,028.65)	7.07
		(21,352.98 -44,035.72)	19.10	(21,372.05 -44,036.86)	20.38	(21,392.40 -44,037.90)	12.89
		(21,405.22 -44,039.21)	27.83	(21,407.01 -44,011.44)	55.14		
122	219	(21,407.01 -44,011.44)	27.83	(21,405.22 -44,039.21)	31.60	(21,436.67 -44,042.29)	8.95
		(21,439.51 -44,033.80)	25.83	(21,447.63 -44,009.28)	3.85	(21,448.57 -44,005.55)	2.06
		(21,448.77 -44,003.50)	42.51				
122	217	(21,444.93 -44,050.61)	7.06	(21,448.46 -44,044.50)	1.01	(21,447.48 -44,044.25)	3.29
		(21,444.30 -44,043.41)	3.46	(21,440.92 -44,042.67)	4.27	(21,436.67 -44,042.29)	31.60
		(21,405.22 -44,039.21)	12.89	(21,392.40 -44,037.90)	8.16	(21,391.56 -44,046.02)	4.78
		(21,391.25 -44,050.79)	6.27	(21,391.12 -44,057.06)	5.50	(21,396.62 -44,057.05)	7.37
		(21,403.99 -44,057.27)	11.66	(21,415.60 -44,058.36)	8.46	(21,424.03 -44,059.08)	11.23
		(21,435.23 -44,059.89)	2.41	(21,437.56 -44,060.52)	5.09	(21,440.77 -44,056.57)	4.74
		(21,443.45 -44,052.66)	2.53				
122	215	(21,437.56 -44,060.52)	2.41	(21,435.23 -44,059.89)	11.23	(21,424.03 -44,059.08)	8.46
		(21,415.60 -44,058.36)	11.66	(21,403.99 -44,057.27)	7.37	(21,396.62 -44,057.05)	5.50
		(21,391.12 -44,057.06)	1.24	(21,389.89 -44,057.20)	39.15	(21,350.81 -44,054.78)	15.35
		(21,350.96 -44,070.13)	35.05	(21,385.92 -44,072.61)	40.23	(21,426.05 -44,075.47)	3.67
		(21,428.12 -44,072.44)	7.12	(21,432.53 -44,066.85)	8.09		
122	216	(21,389.89 -44,057.20)	1.24	(21,391.12 -44,057.06)	6.27	(21,391.25 -44,050.79)	4.78
		(21,391.56 -44,046.02)	8.16	(21,392.40 -44,037.90)	20.38	(21,372.05 -44,036.86)	19.10
		(21,352.98 -44,035.72)	19.18	(21,350.81 -44,054.78)	39.15		
122	214- 1	(21,384.38 -44,086.66)	35.72	(21,419.83 -44,091.08)	6.78	(21,422.01 -44,084.66)	6.38
		(21,424.37 -44,078.73)	3.67	(21,426.05 -44,075.47)	40.23	(21,385.92 -44,072.61)	14.13
122	214- 2	(21,385.92 -44,072.61)	35.05	(21,350.96 -44,070.13)	12.36	(21,350.40 -44,082.48)	34.24
		(21,384.38 -44,086.66)	14.13				
122	213	(21,384.38 -44,086.66)	34.24	(21,350.40 -44,082.48)	12.58	(21,349.43 -44,095.02)	7.02
		(21,355.91 -44,097.71)	2.48	(21,358.28 -44,098.45)	2.14	(21,360.36 -44,098.95)	6.23
		(21,366.51 -44,099.92)	16.08	(21,382.52 -44,101.47)	9.73	(21,392.24 -44,101.81)	9.63
		(21,401.85 -44,102.43)	6.00	(21,407.85 -44,102.51)	1.74	(21,409.57 -44,102.25)	2.41
		(21,411.92 -44,101.72)	2.46	(21,414.14 -44,100.66)	3.07	(21,416.61 -44,098.84)	2.00
		(21,417.83 -44,097.25)	6.49	(21,419.83 -44,091.08)	35.72		
122	212	(21,349.43 -44,095.02)	7.27	(21,348.57 -44,102.24)	10.34	(21,346.22 -44,112.31)	74.10
		(21,419.99 -44,119.26)	2.07	(21,420.05 -44,117.19)	8.00	(21,420.94 -44,109.24)	8.45
		(21,421.22 -44,100.79)	2.55	(21,418.81 -44,099.95)	2.46	(21,416.61 -44,098.84)	3.07
		(21,414.14 -44,100.66)	2.46	(21,411.92 -44,101.72)	2.41	(21,409.57 -44,102.25)	1.74
		(21,407.85 -44,102.51)	6.00	(21,401.85 -44,102.43)	9.63	(21,392.24 -44,101.81)	9.73
		(21,382.52 -44,101.47)	16.08	(21,366.51 -44,099.92)	6.23	(21,360.36 -44,098.95)	2.14
		(21,358.28 -44,098.45)	2.48	(21,355.91 -44,097.71)	7.02		

122 211

地区 ..003 作業 .. 59 原図番号 .. N1 45-4 縮尺 ..1/ 500 基準点 ..X 21,300.00..Y -44,200.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

(@ 21,346.22	-44,112.31)	3.54	(21,345.39	-44,115.75)	8.60	(21,343.27	-44,124.08)	7.07
(21,342.74	-44,131.13)	1.18	(21,343.42	-44,132.10)	1.57	(21,344.97	-44,132.35)	4.31
(21,349.27	-44,132.13)	5.33	(21,354.60	-44,132.14)	6.28	(21,360.87	-44,132.49)	8.40
(21,369.27	-44,132.57)	11.60	(21,380.82	-44,131.50)	5.85	(21,386.67	-44,131.51)	9.41
(21,395.97	-44,132.93)	1.60	(21,397.57	-44,133.00)	0.77	(21,397.56	-44,133.77)	4.66
(21,402.15	-44,132.95)	3.91	(21,405.29	-44,130.62)	6.57	(21,408.95	-44,125.16)	3.33
(21,411.21	-44,122.72)	2.85	(21,413.79	-44,121.52)	3.31	(21,417.06	-44,121.00)	2.90
(21,419.95	-44,121.19)	1.93	(21,419.99	-44,119.26)	74.10			

122 001- 3	(21,397.56	-44,133.77)	0.77	(21,397.57	-44,133.00)	1.60	(21,395.97	-44,132.93)	9.41
	(21,386.67	-44,131.51)	5.85	(21,380.82	-44,131.50)	11.60	(21,369.27	-44,132.57)	8.40
	(21,360.87	-44,132.49)	6.28	(21,354.60	-44,132.14)	5.33	(21,349.27	-44,132.13)	4.31
	(21,344.97	-44,132.35)	1.57	(21,343.42	-44,132.10)	1.18	(21,342.74	-44,131.13)	7.07
	(21,343.27	-44,124.08)	8.60	(21,345.39	-44,115.75)	3.54	(21,346.22	-44,112.31)	10.34
	(21,348.57	-44,102.24)	7.27	(21,349.43	-44,095.02)	12.58	(21,350.40	-44,082.48)	12.36
	(21,350.96	-44,070.13)	15.35	(21,350.81	-44,054.78)	19.18	(21,352.98	-44,035.72)	7.07
	(21,352.92	-44,028.65)	5.46	(21,351.85	-44,023.30)	1.76	(@ 21,352.86	-44,021.86)	4.70
	(21,348.16	-44,022.07)	1.65	(21,349.35	-44,023.21)	5.83	(21,350.70	-44,028.88)	5.54
	(21,350.99	-44,034.41)	15.71	(21,348.87	-44,049.98)	12.07	(21,348.38	-44,062.04)	6.26
	(21,348.01	-44,068.29)	5.66	(21,347.20	-44,073.89)	7.08	(21,347.10	-44,080.97)	2.98
	(21,347.68	-44,083.89)	11.00	(21,347.40	-44,094.89)	7.03	(21,346.59	-44,101.87)	10.26
	(21,344.30	-44,111.87)	10.96	(21,341.49	-44,122.46)	8.63	(21,340.29	-44,131.01)	2.95
	(21,340.39	-44,133.96)	4.43	(21,344.80	-44,134.37)	3.98	(21,348.78	-44,134.28)	3.61
	(21,352.39	-44,134.21)	2.46	(21,354.85	-44,134.16)	6.05	(21,360.88	-44,134.59)	8.42
	(21,369.30	-44,134.67)	11.64	(21,380.88	-44,133.53)	6.15	(21,387.03	-44,133.41)	8.77
	(21,395.68	-44,134.88)	2.18						

122 208- 1	(21,398.18	-44,138.02)	1.44	(21,397.85	-44,139.42)	14.27	(21,395.71	-44,153.53)	42.17
	(21,437.68	-44,149.43)	14.25	(21,437.13	-44,135.19)	8.67	(21,430.44	-44,129.68)	7.74
	(21,423.67	-44,125.93)	4.36	(@ 21,419.45	-44,124.85)	4.30	(21,415.17	-44,125.21)	2.86
	(21,412.88	-44,126.92)	7.60	(21,408.65	-44,133.23)	3.77	(21,406.13	-44,136.04)	3.32
	(21,403.16	-44,137.53)	5.00						

122 210	(21,396.19	-44,137.07)	12.11	(@ 21,384.09	-44,136.59)	27.00	(21,357.12	-44,137.91)	1.05
	(21,356.34	-44,138.61)	12.41	(21,358.08	-44,150.90)	11.60	(21,360.12	-44,162.32)	5.37
	(21,360.54	-44,167.67)	6.41	(21,360.24	-44,174.07)	5.97	(21,359.05	-44,179.92)	0.23
	(21,359.03	-44,180.15)	5.60	(21,364.23	-44,178.08)	4.63	(21,368.70	-44,176.87)	3.11
	(21,371.80	-44,176.63)	4.35	(21,376.15	-44,176.44)	0.37	(21,376.14	-44,176.07)	16.33
	(21,392.44	-44,177.07)	6.49	(21,392.08	-44,170.59)	10.28	(21,392.89	-44,160.34)	21.35
	(21,396.07	-44,139.23)	2.16						