

地区 ..003

作業 .. 62

原図番号 .. N1 51-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -46,000.00 測定 年 5 月 1 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,000.00 -46,000.00)	50.00	(21,050.00 -46,000.05)	50.00	(21,100.00 -46,000.07)	50.00
		(21,150.00 -46,000.12)	49.97	(21,149.98 -45,950.15)	50.05	(21,150.00 -45,900.10)	49.95
		(21,149.98 -45,850.15)	49.98	(21,150.03 -45,800.17)	49.98	(21,100.05 -45,800.12)	50.05
		(21,050.00 -45,800.10)	50.00	(21,000.00 -45,800.02)	50.00	(20,999.98 -45,850.02)	50.01
		(20,999.95 -45,900.03)	50.00	(20,999.98 -45,950.03)	49.97		
28	463	(2 / 2)					
		(21,047.55 -46,000.00)	7.33	(21,050.15 -45,993.15)	7.62	(21,052.39 -45,985.87)	5.39
		(21,052.87 -45,980.50)	5.57	(21,052.41 -45,974.95)	4.63	(21,050.81 -45,970.60)	4.61
		(21,048.61 -45,966.55)	10.57	(21,042.63 -45,957.83)	5.09	(21,040.04 -45,953.45)	25.14
		(21,020.18 -45,968.86)	7.16	(21,014.94 -45,973.74)	10.96	(21,008.59 -45,982.67)	9.94
		(21,014.35 -45,990.77)	7.87	(21,017.75 -45,997.87)	2.20	(21,018.20 -46,000.02)	29.35
28	461- 1	(2 / 4)					
		(21,018.20 -46,000.02)	2.20	(21,017.75 -45,997.87)	7.87	(21,014.35 -45,990.77)	9.94
		(21,008.59 -45,982.67)	3.60	(21,005.44 -45,984.42)	2.59	(21,003.17 -45,985.67)	2.62
		(21,000.64 -45,986.35)	0.67	(20,999.97 -45,986.38)	13.62	(21,000.00 -46,000.00)	18.20
28	001- 7						
		(20,999.97 -45,986.38)	0.67	(21,000.64 -45,986.35)	2.62	(21,003.17 -45,985.67)	2.59
		(21,005.44 -45,984.42)	3.60	(21,008.59 -45,982.67)	10.96	(21,014.94 -45,973.74)	7.16
		(21,020.18 -45,968.86)	25.14	(21,040.04 -45,953.45)	2.07	(21,038.66 -45,951.91)	25.68
		(21,018.28 -45,967.53)	6.89	(21,013.34 -45,972.34)	10.80	(21,006.29 -45,980.52)	3.16
		(21,004.07 -45,982.77)	1.74	(21,002.57 -45,983.65)	2.27	(21,000.37 -45,984.22)	0.43
		(20,999.94 -45,984.23)	2.15				
28	460- 2	(1 / 2)					
		(20,999.94 -45,984.23)	0.43	(21,000.37 -45,984.22)	2.27	(21,002.57 -45,983.65)	1.74
		(21,004.07 -45,982.77)	3.16	(21,006.29 -45,980.52)	10.80	(21,013.34 -45,972.34)	6.89
		(21,018.28 -45,967.53)	3.04	(21,016.13 -45,965.38)	2.96	(21,013.18 -45,965.67)	13.25
		(20,999.98 -45,966.78)	17.45				
28	459	(1 / 2)					
		(20,999.98 -45,966.78)	13.25	(21,013.18 -45,965.67)	2.96	(21,016.13 -45,965.38)	10.81
		(21,007.28 -45,959.17)	4.72	(21,004.55 -45,955.32)	6.81	(21,000.03 -45,950.22)	16.56
28	465	(1 / 2)					
		(21,000.03 -45,950.22)	6.81	(21,004.55 -45,955.32)	4.72	(21,007.28 -45,959.17)	10.81
		(21,016.13 -45,965.38)	3.04	(21,018.28 -45,967.53)	25.68	(21,038.66 -45,951.91)	12.97
		(21,030.85 -45,941.56)	17.64	(21,021.41 -45,926.66)	2.83	(21,020.21 -45,924.10)	28.94
		(20,999.97 -45,944.78)	5.44				
28	466	(1 / 2)					
		(20,999.97 -45,944.78)	28.94	(21,020.21 -45,924.10)	8.15	(21,016.76 -45,916.72)	13.41
		(21,009.90 -45,905.20)	6.71	(21,005.50 -45,900.14)	7.83	(21,000.00 -45,905.72)	39.06
28	467	(1 / 2)					
		(21,000.00 -45,905.72)	7.83	(21,005.50 -45,900.14)	8.45	(21,000.00 -45,893.72)	12.00
33	002- 3						
		(21,000.00 -45,893.72)	8.45	(21,005.50 -45,900.14)	6.71	(21,009.90 -45,905.20)	13.41
		(21,016.76 -45,916.72)	8.15	(21,020.21 -45,924.10)	2.83	(21,021.41 -45,926.66)	17.64
		(21,030.85 -45,941.56)	12.97	(21,038.66 -45,951.91)	2.07	(21,040.04 -45,953.45)	5.09
		(21,042.63 -45,957.83)	10.57	(21,048.61 -45,966.55)	4.61	(21,050.81 -45,970.60)	4.63
		(21,052.41 -45,974.95)	5.57	(21,052.87 -45,980.50)	5.39	(21,052.39 -45,985.87)	7.62
		(21,050.15 -45,993.15)	7.33	(21,047.55 -46,000.00)	7.30	(21,054.85 -46,000.05)	8.62
		(21,055.65 -45,991.47)	7.32	(21,057.72 -45,984.45)	3.64	(21,058.39 -45,980.87)	5.03
		(21,058.04 -45,975.85)	4.30	(21,057.26 -45,971.62)	4.13	(21,055.68 -45,967.80)	21.20
		(21,043.99 -45,950.12)	1.94	(21,042.86 -45,948.54)	9.20	(21,037.57 -45,941.01)	16.12
		(21,029.66 -45,926.96)	10.64	(21,024.76 -45,917.51)	3.76	(21,022.86 -45,914.26)	5.00

地区 ..003

作業 .. 62

原図番号 .. N1 51-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -46,000.00

測定 年 5 月 1 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,020.08 -45,910.11)	5.36	(21,017.45 -45,905.44)	0.51	(21,017.14 -45,905.03)	5.67
		(21,013.58 -45,900.62)	18.25	(21,000.94 -45,887.45)	1.24	(20,999.99 -45,886.65)	7.07
33	551	(1/ 2)					
		(20,999.99 -45,886.65)	1.24	(21,000.94 -45,887.45)	18.25	(21,013.58 -45,900.62)	5.67
		(21,017.14 -45,905.03)	49.45	(21,064.36 -45,890.34)	28.91	(21,057.40 -45,862.28)	32.10
		(21,025.41 -45,864.99)	16.48	(21,009.13 -45,867.57)	9.20	(20,999.98 -45,868.52)	18.13
33	550	(1/ 2)					
		(20,999.98 -45,868.52)	9.20	(21,009.13 -45,867.57)	16.48	(21,025.41 -45,864.99)	32.10
		(21,057.40 -45,862.28)	14.69	(21,060.77 -45,847.98)	47.85	(21,013.08 -45,851.88)	13.15
		(20,999.98 -45,852.97)	15.55				
33	549	(1/ 2)					
		(20,999.98 -45,852.97)	13.15	(21,013.08 -45,851.88)	29.66	(21,013.01 -45,822.22)	5.75
		(21,007.26 -45,822.30)	7.27	(21,000.01 -45,822.87)	30.10		
33	002-	2					
		(21,000.01 -45,822.87)	7.27	(21,007.26 -45,822.30)	5.75	(21,013.01 -45,822.22)	15.38
		(21,028.39 -45,821.94)	26.45	(21,054.81 -45,820.65)	3.75	(21,058.51 -45,821.27)	2.83
		(21,061.34 -45,821.14)	6.01	(21,067.16 -45,819.64)	8.61	(21,075.51 -45,817.54)	3.11
		(21,078.44 -45,816.50)	2.71	(21,077.17 -45,814.11)	3.06	(21,074.41 -45,815.44)	6.35
		(21,068.18 -45,816.67)	7.71	(21,060.83 -45,818.99)	5.00	(21,055.83 -45,818.80)	27.85
		(21,028.01 -45,820.04)	11.93	(21,016.08 -45,820.13)	8.72	(21,007.36 -45,820.20)	7.35
		(21,000.01 -45,820.47)	2.40				
32	547	(1/ 3)					
		(21,000.01 -45,820.47)	7.35	(21,007.36 -45,820.20)	8.72	(21,016.08 -45,820.13)	19.48
		(21,016.10 -45,800.65)	5.86	(21,010.25 -45,800.92)	6.17	(21,004.08 -45,800.87)	4.07
		(21,000.03 -45,800.47)	20.00				
32	544-	1					
		(1/ 4)					
		(21,000.00 -45,800.02)	0.45	(21,000.03 -45,800.47)	4.07	(21,004.08 -45,800.87)	6.17
		(21,010.25 -45,800.92)	5.86	(21,016.10 -45,800.65)	8.01	(21,024.10 -45,800.24)	1.71
		(21,025.80 -45,800.06)	25.80				
32	546-	1					
		(1/ 2)					
		(21,025.80 -45,800.06)	1.71	(21,024.10 -45,800.24)	8.01	(21,016.10 -45,800.65)	19.48
		(21,016.08 -45,820.13)	11.93	(21,028.01 -45,820.04)	27.85	(21,055.83 -45,818.80)	5.00
		(21,060.83 -45,818.99)	7.71	(21,068.18 -45,816.67)	6.35	(21,074.41 -45,815.44)	3.06
		(21,077.17 -45,814.11)	5.44	(21,075.63 -45,808.89)	9.17	(21,073.00 -45,800.11)	47.20
32	001-	4					
		(21,073.00 -45,800.11)	9.17	(21,075.63 -45,808.89)	5.44	(21,077.17 -45,814.11)	3.66
		(21,080.81 -45,813.73)	1.74	(21,080.36 -45,812.05)	4.38	(21,078.50 -45,808.09)	8.32
		(21,076.15 -45,800.11)	3.15				
32	545-	1					
		(1/ 2)					
		(21,076.15 -45,800.11)	8.32	(21,078.50 -45,808.09)	4.38	(21,080.36 -45,812.05)	7.56
		(21,086.53 -45,807.68)	5.50	(21,091.75 -45,805.95)	3.72	(21,095.45 -45,805.53)	2.71
		(21,098.07 -45,806.23)	6.17	(21,099.00 -45,800.13)	22.85		
32	001-	3					
		(21,099.00 -45,800.13)	6.17	(21,098.07 -45,806.23)	3.22	(21,100.60 -45,804.24)	4.12
		(21,100.70 -45,800.12)	1.70				
32	528	(2/ 3)					
		(21,100.70 -45,800.12)	4.12	(21,100.60 -45,804.24)	3.45	(21,103.65 -45,802.62)	3.99
		(21,106.80 -45,800.17)	6.10				
32	002-	1					
		(21,106.80 -45,800.17)	3.99	(21,103.65 -45,802.62)	3.45	(21,100.60 -45,804.24)	3.22
		(21,098.07 -45,806.23)	2.71	(21,095.45 -45,805.53)	3.72	(21,091.75 -45,805.95)	5.50
		(21,086.53 -45,807.68)	7.56	(21,080.36 -45,812.05)	1.74	(21,080.81 -45,813.73)	7.56

地区..003

作業.. 62

原図番号.. N1 51-3

縮尺..1/ 500

基準点..X 21,000.00..Y -46,000.00

測定 年 5 月 1 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,087.03 -45,809.43)	4.98	(21,091.75 -45,807.83)	3.37	(21,095.08 -45,807.33)	2.99
		(21,097.95 -45,808.18)	2.63	(21,100.45 -45,807.37)	2.79	(21,103.10 -45,806.49)	3.46
		(21,105.98 -45,804.57)	6.97	(21,111.38 -45,800.17)	4.58		
38	645- 3	(21,120.19 -45,858.18)	27.61	(21,117.12 -45,830.74)	1.93	(21,116.36 -45,828.97)	1.83
		(21,115.56 -45,827.32)	1.18	(21,114.99 -45,826.29)	2.03	(21,113.84 -45,824.62)	2.34
		(21,112.34 -45,822.82)	2.64	(21,110.31 -45,821.14)	2.26	(21,108.48 -45,819.82)	2.15
		(21,106.71 -45,818.60)	3.27	(21,103.91 -45,816.92)	44.36		
38	001- 2	(21,103.91 -45,816.92)	3.27	(21,106.71 -45,818.60)	2.15	(21,108.48 -45,819.82)	2.26
		(21,110.31 -45,821.14)	2.64	(21,112.34 -45,822.82)	2.34	(21,113.84 -45,824.62)	2.03
		(21,114.99 -45,826.29)	1.18	(21,115.56 -45,827.32)	1.83	(21,116.36 -45,828.97)	1.93
		(21,117.12 -45,830.74)	27.61	(21,120.19 -45,858.18)	3.70	(21,121.13 -45,861.76)	15.69
		(21,125.11 -45,876.94)	1.85	(21,125.66 -45,878.71)	1.23	(21,125.91 -45,879.91)	3.35
		(21,126.93 -45,883.10)	8.59	(21,133.54 -45,877.62)	4.66	(21,129.04 -45,876.41)	20.49
		(21,123.85 -45,856.59)	31.18	(21,120.34 -45,825.61)	1.65	(21,121.35 -45,824.31)	0.62
		(21,121.64 -45,823.76)	8.04	(21,114.81 -45,819.52)	7.83	(21,108.66 -45,814.67)	5.26
38	647 (3/ 4)	(21,150.03 -45,800.17)	38.65	(21,111.38 -45,800.17)	6.97	(21,105.98 -45,804.57)	3.46
		(21,103.10 -45,806.49)	6.84	(21,106.78 -45,812.25)	3.06	(21,108.66 -45,814.67)	7.83
		(21,114.81 -45,819.52)	8.04	(21,121.64 -45,823.76)	0.62	(21,121.35 -45,824.31)	5.51
		(21,126.44 -45,826.41)	3.40	(21,129.69 -45,827.41)	2.96	(21,132.59 -45,827.98)	3.01
		(21,135.59 -45,828.21)	2.72	(21,138.31 -45,828.13)	2.96	(21,141.26 -45,827.85)	5.79
		(21,146.91 -45,826.60)	3.23	(21,150.01 -45,825.70)	25.53		
38	634- 1 (2/ 2)	(21,150.01 -45,825.70)	3.23	(21,146.91 -45,826.60)	5.79	(21,141.26 -45,827.85)	2.96
		(21,138.31 -45,828.13)	2.72	(21,135.59 -45,828.21)	3.01	(21,132.59 -45,827.98)	2.96
		(21,129.69 -45,827.41)	3.40	(21,126.44 -45,826.41)	5.51	(21,121.35 -45,824.31)	1.65
		(21,120.34 -45,825.61)	31.18	(21,123.85 -45,856.59)	20.49	(21,129.04 -45,876.41)	4.66
		(21,133.54 -45,877.62)	25.36	(21,150.03 -45,858.35)	32.65		
38	001- 1	(21,150.03 -45,858.35)	25.36	(21,133.54 -45,877.62)	8.59	(21,126.93 -45,883.10)	4.11
		(21,129.36 -45,886.41)	9.86	(21,137.41 -45,880.72)	19.39	(21,149.98 -45,865.95)	7.60
38	632- 1 (2/ 2)	(21,149.98 -45,865.95)	19.39	(21,137.41 -45,880.72)	7.39	(21,137.59 -45,888.11)	18.70
		(21,150.00 -45,902.10)	36.15				
34	001- 9	(21,150.00 -45,902.10)	18.70	(21,137.59 -45,888.11)	7.39	(21,137.41 -45,880.72)	9.86
		(21,129.36 -45,886.41)	31.07	(21,149.95 -45,909.68)	7.58		
34	565- 2 (2/ 2)	(21,149.95 -45,909.68)	31.07	(21,129.36 -45,886.41)	6.35	(21,123.54 -45,888.94)	7.65
		(21,117.26 -45,893.30)	3.54	(21,119.02 -45,896.37)	6.87	(21,123.18 -45,901.84)	6.43
		(21,127.70 -45,906.41)	13.03	(21,136.91 -45,915.63)	17.21	(21,145.99 -45,930.25)	3.27
		(21,147.02 -45,933.35)	2.46	(21,147.27 -45,935.80)	2.75	(21,150.02 -45,935.70)	26.02
34	002- 4	(21,150.02 -45,935.70)	2.75	(21,147.27 -45,935.80)	1.88	(21,146.68 -45,937.59)	3.34
		(21,150.02 -45,937.55)	1.85				
34	566- 1 (2/ 2)	(21,150.02 -45,937.55)	3.34	(21,146.68 -45,937.59)	7.51	(21,143.30 -45,944.30)	4.64
		(21,141.12 -45,948.40)	6.87	(21,138.08 -45,954.56)	3.85	(21,136.85 -45,958.21)	5.93
		(21,135.40 -45,963.96)	3.81	(21,139.11 -45,964.81)	9.63	(21,148.53 -45,966.83)	1.53
		(21,150.03 -45,967.15)	29.60				

地区..003

作業.. 62

原図番号.. N1 51-3

縮尺..1/ 500

基準点..X 21,000.00..Y -46,000.00

測定 年 5 月 1 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

34	560	(2 / 2)								
		(21,150.03	-45,967.15)	1.53	(21,148.53	-45,966.83)	9.63	(21,139.11	-45,964.81)	3.81
		(21,135.40	-45,963.96)	2.69	(21,132.71	-45,963.88)	4.72	(21,128.03	-45,963.29)	4.63
		(21,123.53	-45,962.21)	5.09	(21,118.63	-45,960.84)	5.59	(21,113.48	-45,958.67)	3.96
		(21,109.73	-45,957.40)	0.95	(21,108.78	-45,957.31)	17.96	(21,107.39	-45,975.22)	5.73
		(21,106.77	-45,980.92)	3.06	(21,106.51	-45,983.97)	9.59	(21,116.07	-45,984.72)	5.75
		(21,121.82	-45,984.81)	7.45	(21,129.26	-45,985.16)	7.82	(21,137.07	-45,985.46)	4.97
		(21,142.04	-45,985.55)	6.33	(21,148.37	-45,985.50)	1.62	(21,149.99	-45,985.55)	18.40
34	568- 1	(4 / 4)								
		(21,150.00	-46,000.12)	14.57	(21,149.99	-45,985.55)	1.62	(21,148.37	-45,985.50)	6.33
		(21,142.04	-45,985.55)	4.97	(21,137.07	-45,985.46)	7.82	(21,129.26	-45,985.16)	15.89
		(21,134.60	-46,000.13)	15.40						
34	568- 3	(2 / 2)								
		(21,134.60	-46,000.13)	15.89	(21,129.26	-45,985.16)	7.45	(21,121.82	-45,984.81)	5.75
		(21,116.07	-45,984.72)	9.59	(21,106.51	-45,983.97)	6.74	(21,106.90	-45,990.70)	8.78
		(21,107.50	-45,999.46)	3.70	(21,111.12	-45,998.69)	3.18	(21,114.27	-45,998.29)	4.37
		(21,118.62	-45,997.92)	2.70	(21,121.30	-45,998.24)	2.52	(21,123.70	-45,999.00)	3.26
		(21,126.75	-46,000.16)	7.85						
34	569- 1	(3 / 3)								
		(21,126.75	-46,000.16)	3.26	(21,123.70	-45,999.00)	1.14	(21,123.45	-46,000.11)	3.30
34	577	(2 / 2)								
		(21,123.45	-46,000.11)	1.14	(21,123.70	-45,999.00)	2.52	(21,121.30	-45,998.24)	2.70
		(21,118.62	-45,997.92)	4.37	(21,114.27	-45,998.29)	3.18	(21,111.12	-45,998.69)	3.70
		(21,107.50	-45,999.46)	2.39	(21,105.20	-46,000.12)	18.25			
34	559	(2 / 2)								
		(21,105.20	-46,000.12)	2.39	(21,107.50	-45,999.46)	8.78	(21,106.90	-45,990.70)	6.74
		(21,106.51	-45,983.97)	3.06	(21,106.77	-45,980.92)	5.73	(21,107.39	-45,975.22)	17.96
		(21,108.78	-45,957.31)	8.81	(21,100.53	-45,954.22)	3.31	(21,097.40	-45,953.15)	6.59
		(21,091.23	-45,950.83)	8.13	(21,083.94	-45,947.23)	0.38	(21,083.65	-45,947.48)	14.05
		(21,076.28	-45,959.44)	5.43	(21,073.48	-45,964.09)	5.28	(21,070.98	-45,968.74)	3.60
		(21,069.49	-45,972.02)	3.37	(21,068.49	-45,975.24)	4.30	(21,067.21	-45,979.34)	3.15
		(21,066.34	-45,982.37)	3.98	(21,065.39	-45,986.24)	4.24	(21,064.45	-45,990.37)	3.58
		(21,063.80	-45,993.89)	6.25	(21,063.00	-46,000.09)	42.20			
33	001- 8									
		(21,063.00	-46,000.09)	6.25	(21,063.80	-45,993.89)	3.58	(21,064.45	-45,990.37)	4.24
		(21,065.39	-45,986.24)	3.98	(21,066.34	-45,982.37)	3.15	(21,067.21	-45,979.34)	4.30
		(21,068.49	-45,975.24)	3.37	(21,069.49	-45,972.02)	3.60	(21,070.98	-45,968.74)	5.28
		(21,073.48	-45,964.09)	5.43	(21,076.28	-45,959.44)	14.05	(21,083.65	-45,947.48)	0.38
		(21,083.94	-45,947.23)	3.07	(21,085.62	-45,944.66)	5.49	(21,088.32	-45,939.88)	3.35
		(21,089.47	-45,936.73)	3.15	(21,089.92	-45,933.61)	2.18	(21,089.97	-45,931.43)	2.05
		(21,089.86	-45,929.38)	2.16	(21,089.53	-45,927.25)	2.10	(21,087.90	-45,928.57)	1.44
		(21,088.44	-45,929.91)	1.75	(21,089.02	-45,931.56)	2.05	(21,089.02	-45,933.61)	3.13
		(21,088.59	-45,936.71)	3.14	(21,087.52	-45,939.66)	5.14	(21,084.82	-45,944.03)	3.37
		(21,082.94	-45,946.83)	14.20	(21,075.53	-45,958.94)	5.38	(21,072.83	-45,963.59)	5.47
		(21,070.21	-45,968.39)	3.72	(21,068.69	-45,971.79)	3.43	(21,067.59	-45,975.04)	4.22
		(21,066.41	-45,979.09)	3.18	(21,065.52	-45,982.14)	3.94	(21,064.59	-45,985.97)	4.27
		(21,063.57	-45,990.12)	3.36	(21,062.92	-45,993.42)	6.69	(21,061.95	-46,000.04)	1.05
33	557	(2 / 2)								
		(21,061.95	-46,000.04)	6.69	(21,062.92	-45,993.42)	3.36	(21,063.57	-45,990.12)	4.27
		(21,064.59	-45,985.97)	3.94	(21,065.52	-45,982.14)	3.18	(21,066.41	-45,979.09)	4.22
		(21,067.59	-45,975.04)	3.43	(21,068.69	-45,971.79)	3.72	(21,070.21	-45,968.39)	5.47
		(21,072.83	-45,963.59)	5.38	(21,075.53	-45,958.94)	14.20	(21,082.94	-45,946.83)	11.97

地区 ..003

作業 .. 62

原図番号 .. N1 51-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -46,000.00

測定 年 5 月 1 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

33	556	(21,071.75 -45,942.59)	4.44	(21,067.60 -45,941.02)	4.73	(21,063.28 -45,939.09)	2.45
		(21,061.55 -45,940.82)	4.81	(21,057.82 -45,943.85)	3.79	(21,054.52 -45,945.72)	3.53
		(21,051.32 -45,947.20)	7.89	(21,043.99 -45,950.12)	21.20	(21,055.68 -45,967.80)	4.13
		(21,057.26 -45,971.62)	4.30	(21,058.04 -45,975.85)	5.03	(21,058.39 -45,980.87)	3.64
		(21,057.72 -45,984.45)	7.32	(21,055.65 -45,991.47)	8.62	(21,054.85 -46,000.05)	7.10
33	556	(21,082.94 -45,946.83)	3.37	(21,084.82 -45,944.03)	5.14	(21,087.52 -45,939.66)	3.14
		(21,088.59 -45,936.71)	3.13	(21,089.02 -45,933.61)	2.05	(21,089.02 -45,931.56)	1.75
		(21,088.44 -45,929.91)	1.44	(21,087.90 -45,928.57)	4.64	(21,083.39 -45,927.48)	5.40
		(21,078.06 -45,926.61)	1.94	(21,076.16 -45,926.99)	4.27	(21,072.81 -45,929.64)	8.82
		(21,066.64 -45,935.94)	4.61	(21,063.28 -45,939.09)	4.73	(21,067.60 -45,941.02)	4.44
34	562	(21,071.75 -45,942.59)	11.97				
		(21,089.53 -45,927.25)	2.16	(21,089.86 -45,929.38)	2.05	(21,089.97 -45,931.43)	2.18
		(21,089.92 -45,933.61)	3.15	(21,089.47 -45,936.73)	3.35	(21,088.32 -45,939.88)	5.49
		(21,085.62 -45,944.66)	3.07	(21,083.94 -45,947.23)	8.13	(21,091.23 -45,950.83)	6.59
		(21,097.40 -45,953.15)	3.31	(21,100.53 -45,954.22)	8.81	(21,108.78 -45,957.31)	0.95
33	548	(21,109.73 -45,957.40)	3.96	(21,113.48 -45,958.67)	5.59	(21,118.63 -45,960.84)	5.09
		(21,123.53 -45,962.21)	4.63	(21,128.03 -45,963.29)	4.72	(21,132.71 -45,963.88)	2.69
		(21,135.40 -45,963.96)	5.93	(21,136.85 -45,958.21)	3.85	(21,138.08 -45,954.56)	6.87
		(21,141.12 -45,948.40)	4.64	(21,143.30 -45,944.30)	7.51	(21,146.68 -45,937.59)	1.88
		(21,147.27 -45,935.80)	2.46	(21,147.02 -45,933.35)	3.27	(21,145.99 -45,930.25)	17.21
33	548	(21,136.91 -45,915.63)	13.03	(21,127.70 -45,906.41)	6.43	(21,123.18 -45,901.84)	6.87
		(21,119.02 -45,896.37)	3.54	(21,117.26 -45,893.30)	6.97	(21,112.87 -45,898.72)	4.96
		(21,110.00 -45,902.77)	5.82	(21,106.13 -45,907.12)	13.82	(21,097.18 -45,917.65)	7.82
		(21,092.39 -45,923.83)	4.46				
		(21,078.44 -45,816.50)	3.11	(21,075.51 -45,817.54)	8.61	(21,067.16 -45,819.64)	6.01
33	555- 2	(21,061.34 -45,821.14)	2.83	(21,058.51 -45,821.27)	3.75	(21,054.81 -45,820.65)	26.45
		(21,028.39 -45,821.94)	15.38	(21,013.01 -45,822.22)	29.66	(21,013.08 -45,851.88)	47.85
		(21,060.77 -45,847.98)	26.57	(21,066.74 -45,822.09)	7.35	(21,073.84 -45,820.19)	5.87
		(21,079.52 -45,818.69)	2.44				
		(21,106.78 -45,812.25)	6.84	(21,103.10 -45,806.49)	2.79	(21,100.45 -45,807.37)	2.63
33	001- 5	(21,097.95 -45,808.18)	2.99	(21,095.08 -45,807.33)	3.37	(21,091.75 -45,807.83)	4.98
		(21,087.03 -45,809.43)	7.56	(21,080.81 -45,813.73)	1.40	(21,082.06 -45,814.36)	12.15
		(21,094.18 -45,813.53)	9.41	(21,103.58 -45,813.20)	5.29	(21,108.66 -45,814.67)	3.06
		(21,108.66 -45,814.67)	5.29	(21,103.58 -45,813.20)	9.41	(21,094.18 -45,813.53)	12.15
		(21,082.06 -45,814.36)	1.40	(21,080.81 -45,813.73)	3.66	(21,077.17 -45,814.11)	2.71
33	553	(21,078.44 -45,816.50)	2.44	(21,079.52 -45,818.69)	7.40	(21,086.86 -45,817.78)	17.07
		(21,103.91 -45,816.92)	5.26				
		(21,064.36 -45,890.34)	49.45	(21,017.14 -45,905.03)	0.51	(21,017.45 -45,905.44)	5.36
		(21,020.08 -45,910.11)	5.00	(21,022.86 -45,914.26)	3.76	(21,024.76 -45,917.51)	45.05
		(21,067.74 -45,904.01)	14.08				
33	554	(21,068.18 -45,910.14)	6.15	(21,067.74 -45,904.01)	45.05	(21,024.76 -45,917.51)	10.64
		(21,029.66 -45,926.96)	16.12	(21,037.57 -45,941.01)	9.20	(21,042.86 -45,948.54)	8.18
		(21,050.45 -45,945.50)	3.70	(21,053.77 -45,943.87)	3.28	(21,056.60 -45,942.22)	4.85
		(21,060.37 -45,939.17)	17.27	(21,072.59 -45,926.96)	3.02	(21,074.96 -45,925.09)	3.39
		(21,077.86 -45,923.34)	16.37				

地区 ..003

作業 .. 62

原図番号 .. N1 51-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -46,000.00 測定 年 5 月 1 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

33	001- 6	(21,074.96 -45,925.09)	3.02	(21,072.59 -45,926.96)	17.27	(21,060.37 -45,939.17)	4.85
		(21,056.60 -45,942.22)	3.28	(21,053.77 -45,943.87)	3.70	(21,050.45 -45,945.50)	8.18
		(21,042.86 -45,948.54)	1.94	(21,043.99 -45,950.12)	7.89	(21,051.32 -45,947.20)	3.53
		(21,054.52 -45,945.72)	3.79	(21,057.82 -45,943.85)	4.81	(21,061.55 -45,940.82)	2.45
		(21,063.28 -45,939.09)	4.61	(21,066.64 -45,935.94)	8.82	(21,072.81 -45,929.64)	4.27
		(21,076.16 -45,926.99)	1.94	(21,078.06 -45,926.61)	5.40	(21,083.39 -45,927.48)	4.64
		(21,087.90 -45,928.57)	2.10	(21,089.53 -45,927.25)	4.46	(21,092.39 -45,923.83)	7.82
		(21,097.18 -45,917.65)	13.82	(21,106.13 -45,907.12)	5.82	(21,110.00 -45,902.77)	4.96
		(21,112.87 -45,898.72)	6.97	(21,117.26 -45,893.30)	7.65	(21,123.54 -45,888.94)	6.35
		(21,129.36 -45,886.41)	4.11	(21,126.93 -45,883.10)	14.04	(21,115.27 -45,890.92)	16.85
		(21,103.68 -45,903.15)	15.61	(21,094.51 -45,915.78)	3.89	(21,092.71 -45,919.23)	3.82
		(21,090.16 -45,922.08)	3.82	(21,086.89 -45,924.06)	2.65	(21,084.26 -45,924.36)	6.48
		(21,077.86 -45,923.34)	3.39				
33	555- 1	(21,077.86 -45,923.34)	6.48	(21,084.26 -45,924.36)	2.65	(21,086.89 -45,924.06)	3.82
		(21,090.16 -45,922.08)	3.82	(21,092.71 -45,919.23)	3.89	(21,094.51 -45,915.78)	15.61
		(21,103.68 -45,903.15)	16.85	(21,115.27 -45,890.92)	14.04	(21,126.93 -45,883.10)	3.35
		(21,125.91 -45,879.91)	1.23	(21,125.66 -45,878.71)	1.85	(21,125.11 -45,876.94)	15.69
		(21,121.13 -45,861.76)	3.70	(21,120.19 -45,858.18)	44.36	(21,103.91 -45,816.92)	17.07
		(21,086.86 -45,817.78)	7.40	(21,079.52 -45,818.69)	5.87	(21,073.84 -45,820.19)	7.35
		(21,066.74 -45,822.09)	26.57	(21,060.77 -45,847.98)	14.69	(21,057.40 -45,862.28)	28.91
		(21,064.36 -45,890.34)	14.08	(21,067.74 -45,904.01)	6.15	(21,068.18 -45,910.14)	16.37