

地区 ..003

作業 .. 63

原図番号 .. N1 51-4

縮尺 ..1/ 500

基準点 ..X

21,000.00..Y -45,800.00

測定

年 5 月 1 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,000.00 -45,800.00)	49.95	(21,049.95 -45,799.96)	50.01	(21,099.96 -45,799.90)	50.03
		(21,149.99 -45,799.86)	49.98	(21,149.95 -45,749.88)	50.00	(21,149.99 -45,699.88)	50.01
		(21,149.93 -45,649.87)	50.00	(21,149.96 -45,599.87)	50.00	(21,099.96 -45,599.93)	50.01
		(21,049.95 -45,600.00)	49.95	(21,000.00 -45,600.01)	50.00	(20,999.96 -45,650.01)	50.01
		(20,999.97 -45,700.02)	50.00	(20,999.99 -45,750.02)	49.98		
32	544- 1	(2 / 4)					
		(21,000.00 -45,800.00)	25.60	(21,025.60 -45,799.98)	8.28	(21,033.84 -45,799.21)	15.47
		(21,049.17 -45,797.13)	3.33	(21,052.49 -45,796.92)	2.70	(21,055.19 -45,796.95)	2.55
		(21,057.71 -45,797.31)	9.43	(21,067.02 -45,798.83)	5.43	(21,072.35 -45,797.78)	9.98
		(21,070.03 -45,788.07)	10.72	(21,068.32 -45,777.49)	17.75	(21,065.90 -45,759.91)	20.61
		(21,046.00 -45,765.26)	36.36	(21,010.80 -45,774.36)	3.88	(21,006.97 -45,775.01)	3.11
		(21,003.87 -45,775.25)	3.13	(21,000.74 -45,775.23)	0.78	(20,999.97 -45,775.12)	24.88
32	540- 1	(1 / 2)					
		(20,999.97 -45,775.12)	0.78	(21,000.74 -45,775.23)	3.13	(21,003.87 -45,775.25)	3.11
		(21,006.97 -45,775.01)	3.88	(21,010.80 -45,774.36)	36.36	(21,046.00 -45,765.26)	16.80
		(21,042.21 -45,748.89)	5.27	(21,041.02 -45,743.76)	42.07	(20,999.95 -45,752.87)	22.25
32	541	(1 / 2)					
		(20,999.95 -45,752.87)	42.07	(21,041.02 -45,743.76)	10.16	(21,038.75 -45,733.86)	15.95
		(21,035.14 -45,718.32)	2.44	(21,032.72 -45,718.59)	2.28	(21,030.44 -45,718.51)	31.06
		(20,999.96 -45,724.47)	28.40				
30	002- 5						
		(20,999.96 -45,724.47)	31.06	(21,030.44 -45,718.51)	2.28	(21,032.72 -45,718.59)	2.44
		(21,035.14 -45,718.32)	6.00	(21,041.10 -45,717.61)	18.80	(21,059.55 -45,713.99)	3.07
		(21,059.06 -45,710.96)	18.81	(21,040.59 -45,714.54)	4.78	(21,035.84 -45,715.08)	8.82
		(21,027.03 -45,715.46)	1.16	(21,025.89 -45,715.70)	19.89	(21,006.49 -45,720.10)	4.67
		(21,001.88 -45,720.84)	1.92	(20,999.96 -45,720.92)	3.55		
30	488	(1 / 2)					
		(20,999.96 -45,720.92)	1.92	(21,001.88 -45,720.84)	4.67	(21,006.49 -45,720.10)	19.89
		(21,025.89 -45,715.70)	10.66	(21,022.76 -45,705.51)	6.12	(21,021.21 -45,699.59)	4.95
		(21,020.24 -45,694.74)	0.87	(21,019.83 -45,693.97)	10.27	(21,011.58 -45,687.86)	12.07
		(20,999.99 -45,691.22)	29.70				
30	489	(1 / 2)					
		(20,999.99 -45,691.22)	12.07	(21,011.58 -45,687.86)	5.53	(21,007.78 -45,683.84)	5.01
		(21,004.78 -45,679.83)	4.45	(21,002.66 -45,675.92)	5.85	(21,000.30 -45,670.57)	0.36
		(20,999.95 -45,670.66)	20.56				
30	490	(1 / 2)					
		(20,999.95 -45,670.66)	0.36	(21,000.30 -45,670.57)	0.34	(21,000.60 -45,670.40)	1.62
		(20,999.97 -45,668.91)	1.75				
30	501	(1 / 2)					
		(20,999.97 -45,668.91)	1.62	(21,000.60 -45,670.40)	0.34	(21,000.30 -45,670.57)	5.85
		(21,002.66 -45,675.92)	4.45	(21,004.78 -45,679.83)	5.01	(21,007.78 -45,683.84)	5.53
		(21,011.58 -45,687.86)	10.27	(21,019.83 -45,693.97)	0.87	(21,020.24 -45,694.74)	1.05
		(21,020.76 -45,693.83)	6.68	(21,023.33 -45,687.66)	2.97	(21,024.02 -45,684.77)	3.36
		(21,024.26 -45,681.42)	4.48	(21,023.57 -45,676.99)	5.44	(21,022.09 -45,671.75)	7.60
		(21,019.64 -45,664.56)	2.54	(21,017.16 -45,664.03)	2.64	(21,014.80 -45,662.85)	2.59
		(21,012.72 -45,661.30)	2.38	(21,010.89 -45,659.78)	2.73	(21,008.68 -45,658.17)	2.23
		(21,006.88 -45,656.85)	2.58	(21,004.44 -45,656.02)	3.05	(21,001.44 -45,655.48)	1.51
		(20,999.94 -45,655.31)	13.60				
30	500	(1 / 2)					
		(20,999.94 -45,655.31)	1.51	(21,001.44 -45,655.48)	3.05	(21,004.44 -45,656.02)	2.58
		(21,006.88 -45,656.85)	2.23	(21,008.68 -45,658.17)	2.73	(21,010.89 -45,659.78)	2.38

地区 ..003

作業 .. 63

原図番号 .. N1 51-4

縮尺 .. 1/ 500

基準点 .. X

21,000.00..Y -45,800.00

測定

年 5 月 1 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,012.72 -45,661.30)	2.59	(21,014.80 -45,662.85)	2.64	(21,017.16 -45,664.03)	2.54
		(21,019.64 -45,664.56)	6.02	(21,025.61 -45,663.77)	4.29	(21,029.80 -45,662.84)	4.23
		(21,033.89 -45,661.75)	4.09	(21,037.71 -45,660.29)	2.35	(21,039.85 -45,659.32)	2.04
		(21,041.61 -45,658.29)	2.56	(21,043.63 -45,656.72)	1.59	(21,044.79 -45,655.63)	2.21
		(21,045.82 -45,653.67)	0.88	(21,046.39 -45,653.00)	4.42	(21,045.23 -45,648.74)	1.24
		(21,044.00 -45,648.92)	0.76	(21,043.39 -45,648.47)	4.02	(21,042.13 -45,644.65)	4.18
		(@ 21,041.20 -45,640.57)	23.87	(21,018.42 -45,647.70)	13.73	(21,005.39 -45,652.03)	5.76
		(20,999.96 -45,653.96)	1.35				
30	498	(1/ 2)					
		(20,999.96 -45,653.96)	5.76	(21,005.39 -45,652.03)	13.73	(21,018.42 -45,647.70)	23.87
		(21,041.20 -45,640.57)	4.42	(@ 21,040.19 -45,636.27)	32.95	(21,008.62 -45,645.72)	9.03
		(20,999.98 -45,648.36)	5.60				
30	496	(1/ 2)					
		(20,999.98 -45,648.36)	9.03	(21,008.62 -45,645.72)	32.95	(21,040.19 -45,636.27)	4.42
		(21,041.20 -45,640.57)	4.18	(21,042.13 -45,644.65)	4.02	(21,043.39 -45,648.47)	0.76
		(21,044.00 -45,648.92)	1.24	(21,045.23 -45,648.74)	22.40	(21,039.96 -45,626.97)	10.81
		(21,038.10 -45,616.32)	6.77	(21,037.08 -45,609.63)	7.12	(@ 21,036.17 -45,602.57)	1.51
		(21,034.67 -45,602.70)	22.93	(21,011.84 -45,604.81)	2.26	(21,012.51 -45,606.97)	1.32
		(21,013.20 -45,608.10)	7.43	(21,020.53 -45,609.30)	3.47	(21,019.34 -45,612.56)	4.06
		(21,017.37 -45,616.11)	6.05	(21,014.08 -45,621.19)	4.42	(21,011.61 -45,624.86)	3.73
		(21,009.94 -45,628.19)	4.98	(21,008.23 -45,632.87)	4.34	(21,005.61 -45,636.33)	7.29
		(21,001.01 -45,641.98)	1.86	(20,999.95 -45,643.51)	4.85		
30	492- 1	(1/ 2)					
		(20,999.95 -45,643.51)	1.86	(21,001.01 -45,641.98)	7.29	(21,005.61 -45,636.33)	4.34
		(21,008.23 -45,632.87)	4.98	(21,009.94 -45,628.19)	3.73	(21,011.61 -45,624.86)	4.42
		(21,014.08 -45,621.19)	6.05	(21,017.37 -45,616.11)	4.06	(21,019.34 -45,612.56)	3.47
		(21,020.53 -45,609.30)	7.43	(21,013.20 -45,608.10)	1.32	(21,012.51 -45,606.97)	2.26
		(21,011.84 -45,604.81)	1.18	(@ 21,011.58 -45,603.66)	5.94	(21,005.65 -45,603.92)	1.28
		(21,005.09 -45,605.07)	6.27	(20,999.99 -45,608.71)	34.80		
30	001- 5						
		(20,999.99 -45,608.71)	6.27	(21,005.09 -45,605.07)	1.28	(21,005.65 -45,603.92)	6.13
		(@ 21,010.35 -45,599.99)	9.68	(21,000.67 -45,600.02)	0.97	(20,999.99 -45,600.71)	8.00
30	493- 1	(1/ 4)					
		(20,999.99 -45,600.71)	0.97	(21,000.67 -45,600.02)	0.67	(@ 21,000.00 -45,600.01)	0.70
30	493- 2	(1/ 2)					
		(@ 21,010.35 -45,599.99)	6.13	(21,005.65 -45,603.92)	5.94	(21,011.58 -45,603.66)	1.18
		(21,011.84 -45,604.81)	22.93	(21,034.67 -45,602.70)	2.70	(21,034.65 -45,600.00)	24.30
30	002- 6						
		(21,034.65 -45,600.00)	2.70	(21,034.67 -45,602.70)	1.51	(21,036.17 -45,602.57)	2.60
		(@ 21,036.15 -45,599.97)	1.50				
30	001- 6						
		(21,036.15 -45,599.97)	2.60	(21,036.17 -45,602.57)	7.12	(21,037.08 -45,609.63)	6.77
		(21,038.10 -45,616.32)	10.81	(21,039.96 -45,626.97)	22.40	(21,045.23 -45,648.74)	4.42
		(21,046.39 -45,653.00)	55.07	(21,058.34 -45,706.76)	4.26	(21,059.06 -45,710.96)	3.07
		(21,059.55 -45,713.99)	3.19	(21,062.70 -45,714.47)	3.25	(21,062.19 -45,711.26)	4.96
		(21,061.35 -45,706.37)	55.03	(21,049.48 -45,652.64)	4.18	(21,048.95 -45,648.49)	2.49
		(21,048.28 -45,646.09)	7.93	(21,046.40 -45,638.39)	11.60	(21,043.66 -45,627.12)	12.07
		(21,041.43 -45,615.26)	6.09	(21,040.50 -45,609.24)	7.05	(21,039.67 -45,602.24)	2.28
		(@ 21,039.65 -45,599.96)	3.50				
30	508- 1	(1/ 2)					
		(21,039.65 -45,599.96)	2.28	(21,039.67 -45,602.24)	7.05	(21,040.50 -45,609.24)	34.12
		(21,074.61 -45,609.95)	4.73	(21,072.08 -45,605.95)	4.63	(21,068.92 -45,602.56)	1.09

地区..003 作業.. 63 原図番号.. N1 51-4 縮尺..1/ 500 基準点..X 21,000.00..Y -45,800.00 測定 年 5 月 1 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

30	508-	2	(21,067.93 (1/ 2) -45,602.10)	2.18	(@ 21,067.81 -45,599.92)	28.16				
			(21,067.81 -45,599.92)	2.18	(21,067.93 -45,602.10)	1.09	(21,068.92 -45,602.56)	4.63		
			(21,072.08 -45,605.95)	4.73	(21,074.61 -45,609.95)	2.69	(21,075.90 -45,612.31)	2.41		
			(21,077.73 -45,613.88)	3.80	(21,081.01 -45,615.79)	2.44	(21,083.29 -45,616.67)	3.56		
			(21,086.79 -45,617.32)	6.29	(21,093.08 -45,617.57)	9.51	(21,102.59 -45,617.32)	12.53		
			(21,115.12 -45,617.48)	5.08	(21,117.99 -45,613.29)	3.73	(21,119.51 -45,609.88)	10.10		
		(@ 21,121.06 -45,599.90)	53.25							
31	514	(2/ 3)								
		(@ 21,121.06 -45,599.90)	10.10	(21,119.51 -45,609.88)	3.73	(21,117.99 -45,613.29)	5.08			
		(21,115.12 -45,617.48)	35.67	(21,149.94 -45,625.22)	18.00	(21,149.97 -45,607.22)	8.89			
		(21,141.61 -45,604.21)	8.88	(21,133.09 -45,601.71)	8.13	(21,125.16 -45,599.90)	4.10			
31	002-	2								
		(@ 21,125.16 -45,599.90)	8.13	(21,133.09 -45,601.71)	8.88	(21,141.61 -45,604.21)	8.89			
		(21,149.97 -45,607.22)	1.05	(21,149.96 -45,606.17)	8.72	(21,141.77 -45,603.17)	9.69			
		(21,132.43 -45,600.60)	3.15	(21,129.36 -45,599.91)	4.20					
91	001-	1								
		(21,129.36 -45,599.91)	3.15	(21,132.43 -45,600.60)	9.69	(21,141.77 -45,603.17)	8.72			
		(21,149.96 -45,606.17)	1.90	(21,149.96 -45,604.27)	7.91	(21,142.49 -45,601.68)	6.38			
		(@ 21,136.36 -45,599.90)	7.00							
91	1445-	2	(2/ 3)							
		(@ 21,136.36 -45,599.90)	6.38	(21,142.49 -45,601.68)	7.91	(21,149.96 -45,604.27)	2.25			
		(21,149.99 -45,602.02)	7.32	(21,142.86 -45,600.38)	1.59	(21,141.34 -45,599.91)	4.98			
91	002-	1								
		(21,141.34 -45,599.91)	1.59	(21,142.86 -45,600.38)	7.32	(21,149.99 -45,602.02)	2.15			
		(@ 21,149.96 -45,599.87)	8.62							
31	515	(2/ 2)								
		(21,149.94 -45,625.22)	35.67	(21,115.12 -45,617.48)	12.53	(@ 21,102.59 -45,617.32)	8.40			
		(21,103.81 -45,625.63)	7.94	(21,105.41 -45,633.41)	8.94	(21,107.57 -45,642.08)	30.99			
		(21,114.74 -45,672.23)	2.54	(21,117.24 -45,671.76)	5.64	(21,122.62 -45,670.08)	8.24			
		(21,130.69 -45,668.43)	7.25	(21,137.88 -45,667.52)	8.75	(21,146.59 -45,666.73)	3.39			
		(21,149.96 -45,667.08)	41.86							
31	002-	3								
		(21,149.96 -45,667.08)	3.39	(@ 21,146.59 -45,666.73)	8.75	(21,137.88 -45,667.52)	7.25			
		(21,130.69 -45,668.43)	8.24	(21,122.62 -45,670.08)	5.64	(21,117.24 -45,671.76)	2.54			
		(21,114.74 -45,672.23)	2.74	(21,112.06 -45,672.79)	3.32	(21,109.01 -45,674.10)	2.57			
		(21,107.19 -45,675.91)	3.11	(21,105.41 -45,678.46)	6.16	(21,102.99 -45,684.13)	7.68			
		(21,101.49 -45,691.66)	1.44	(21,100.85 -45,692.95)	7.52	(21,094.32 -45,696.68)	3.22			
		(21,096.33 -45,699.20)	7.76	(21,102.95 -45,695.16)	0.76	(21,103.55 -45,694.69)	1.40			
		(21,104.29 -45,693.50)	7.81	(21,105.32 -45,685.76)	6.77	(21,107.50 -45,679.35)	2.59			
		(21,108.33 -45,676.90)	2.29	(21,110.05 -45,675.39)	2.75	(21,112.68 -45,674.60)	10.70			
		(21,122.95 -45,671.58)	8.44	(21,131.22 -45,669.89)	6.81	(21,138.00 -45,669.30)	10.71			
		(21,148.69 -45,668.69)	1.30	(21,149.98 -45,668.88)	1.80					
31	516-	3	(2/ 2)							
		(21,149.98 -45,668.88)	1.30	(@ 21,148.69 -45,668.69)	10.71	(21,138.00 -45,669.30)	6.81			
		(21,131.22 -45,669.89)	8.44	(21,122.95 -45,671.58)	10.70	(21,112.68 -45,674.60)	2.75			
		(21,110.05 -45,675.39)	2.29	(21,108.33 -45,676.90)	2.59	(21,107.50 -45,679.35)	42.67			
		(21,149.49 -45,686.96)	2.53	(21,149.99 -45,684.48)	15.60					
31	523-	2	(2/ 2)							
		(@ 21,149.99 -45,684.48)	2.53	(21,149.49 -45,686.96)	7.06	(21,148.81 -45,693.99)	6.83			
		(21,148.40 -45,700.81)	6.39	(21,148.11 -45,707.19)	2.57	(21,148.05 -45,709.76)	1.91			
		(21,149.96 -45,709.73)	25.25							

地区 ..003

作業 .. 63

原図番号 .. N1 51-4

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,800.00

測定 年 5 月 1 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

31	001- 2	(21,149.96 -45,709.73)	1.91	(21,148.05 -45,709.76)	2.64	(21,145.41 -45,709.62)	6.23
		(21,139.19 -45,709.32)	13.38	(21,125.88 -45,707.97)	24.79	(21,101.15 -45,706.22)	1.08
		(21,101.44 -45,707.26)	24.43	(21,125.82 -45,708.86)	13.41	(21,139.16 -45,710.24)	8.73
		(21,147.87 -45,710.78)	2.08	(21,149.95 -45,710.78)	1.05		
32	524	(2/ 2)					
		(21,149.95 -45,710.78)	2.08	(21,147.87 -45,710.78)	8.73	(21,139.16 -45,710.24)	13.41
		(21,125.82 -45,708.86)	23.93	(21,124.57 -45,732.76)	25.41	(21,149.96 -45,733.88)	23.10
32	528	(3/ 3)					
		(21,149.96 -45,733.88)	25.41	(21,124.57 -45,732.76)	26.46	(21,098.13 -45,731.62)	4.32
		(21,096.90 -45,735.76)	2.79	(21,096.37 -45,738.50)	2.53	(21,096.21 -45,741.02)	2.68
		(21,096.33 -45,743.70)	9.21	(21,096.71 -45,752.90)	10.53	(21,097.80 -45,763.37)	12.17
		(21,099.35 -45,775.44)	5.77	(21,100.05 -45,781.17)	13.94	(21,100.87 -45,795.09)	4.82
		(21,100.68 -45,799.91)	5.88	(21,106.56 -45,799.91)	13.71	(21,117.25 -45,791.32)	4.80
		(21,120.71 -45,787.99)	7.55	(21,126.03 -45,782.63)	3.53	(21,128.96 -45,780.67)	3.53
		(21,132.37 -45,779.76)	6.95	(21,139.32 -45,779.60)	1.65	(21,140.68 -45,778.67)	5.35
		(21,144.31 -45,774.74)	5.29	(21,148.97 -45,772.24)	35.32	(21,149.92 -45,736.93)	3.05
32	526	(2/ 2)					
		(21,149.92 -45,736.93)	35.32	(21,148.97 -45,772.24)	1.12	(21,149.97 -45,771.73)	34.80
32	002- 4						
		(21,149.97 -45,771.73)	1.12	(21,148.97 -45,772.24)	5.29	(21,144.31 -45,774.74)	5.35
		(21,140.68 -45,778.67)	1.65	(21,139.32 -45,779.60)	6.95	(21,132.37 -45,779.76)	3.53
		(21,128.96 -45,780.67)	3.53	(21,126.03 -45,782.63)	7.55	(21,120.71 -45,787.99)	4.80
		(21,117.25 -45,791.32)	13.71	(21,106.56 -45,799.91)	4.75	(21,111.31 -45,799.92)	9.28
		(21,118.44 -45,793.98)	12.07	(21,127.22 -45,785.70)	3.23	(21,129.74 -45,783.68)	2.44
		(21,131.93 -45,782.61)	3.67	(21,135.54 -45,781.95)	4.65	(21,140.19 -45,782.11)	1.34
		(21,141.49 -45,781.80)	6.61	(21,146.13 -45,777.09)	3.15	(21,148.78 -45,775.38)	1.34
		(21,149.98 -45,774.79)	3.06				
38	648	(3/ 3)					
		(21,149.98 -45,774.79)	1.34	(21,148.78 -45,775.38)	2.66	(21,150.00 -45,777.74)	2.95
38	647	(4/ 4)					
		(21,150.00 -45,777.74)	2.66	(21,148.78 -45,775.38)	3.15	(21,146.13 -45,777.09)	6.61
		(21,141.49 -45,781.80)	1.34	(21,140.19 -45,782.11)	4.65	(21,135.54 -45,781.95)	3.67
		(21,131.93 -45,782.61)	2.44	(21,129.74 -45,783.68)	3.23	(21,127.22 -45,785.70)	12.07
		(21,118.44 -45,793.98)	9.28	(21,111.31 -45,799.92)	38.68	(21,149.99 -45,799.86)	22.12
32	001- 3						
		(21,100.68 -45,799.91)	4.82	(21,100.87 -45,795.09)	13.94	(21,100.05 -45,781.17)	5.77
		(21,099.35 -45,775.44)	12.17	(21,097.80 -45,763.37)	10.53	(21,096.71 -45,752.90)	9.21
		(21,096.33 -45,743.70)	2.68	(21,096.21 -45,741.02)	2.53	(21,096.37 -45,738.50)	2.79
		(21,096.90 -45,735.76)	4.32	(21,098.13 -45,731.62)	4.94	(21,099.14 -45,726.78)	5.96
		(21,100.02 -45,720.89)	13.70	(21,101.44 -45,707.26)	1.08	(21,101.15 -45,706.22)	2.19
		(21,100.11 -45,704.29)	6.34	(21,096.33 -45,699.20)	2.05	(21,094.65 -45,700.37)	7.21
		(21,098.50 -45,706.47)	1.96	(21,098.95 -45,708.38)	2.02	(21,098.83 -45,710.40)	10.18
		(21,097.65 -45,720.51)	8.29	(21,096.34 -45,728.70)	8.48	(21,094.26 -45,736.92)	0.67
		(21,094.10 -45,737.57)	5.43	(21,094.18 -45,743.00)	16.53	(21,094.77 -45,759.52)	1.34
		(21,095.28 -45,760.76)	17.38	(21,097.39 -45,778.01)	3.37	(21,097.66 -45,781.37)	10.37
		(21,098.81 -45,791.68)	7.51	(21,098.99 -45,799.19)	0.76	(21,098.86 -45,799.94)	1.82
32	545- 1	(2/ 2)					
		(21,098.86 -45,799.94)	0.76	(21,098.99 -45,799.19)	7.51	(21,098.81 -45,791.68)	10.37
		(21,097.66 -45,781.37)	25.31	(21,072.74 -45,785.80)	1.91	(21,073.06 -45,787.68)	9.66
		(21,075.29 -45,797.08)	2.98	(21,076.11 -45,799.95)	22.75		
32	001- 4						

地区 ..003

作業 .. 63

原図番号 .. N1 51-4

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,800.00

測定 年 5 月 1 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,076.11 -45,799.95)	2.98	(21,075.29 -45,797.08)	9.66	(21,073.06 -45,787.68)	1.91
		(21,072.74 -45,785.80)	8.89	(21,071.30 -45,777.03)	12.60	(21,069.62 -45,764.54)	21.51
		(21,066.78 -45,743.22)	25.43	(21,063.28 -45,718.03)	3.61	(21,062.70 -45,714.47)	3.19
		(21,059.55 -45,713.99)	4.57	(21,060.32 -45,718.49)	25.66	(21,063.76 -45,743.92)	16.13
		(21,065.90 -45,759.91)	17.75	(21,068.32 -45,777.49)	10.72	(21,070.03 -45,788.07)	9.98
		(21,072.35 -45,797.78)	2.23	(21,073.01 -45,799.91)	3.10		
32	546-	1 (2/ 2)					
		(21,073.01 -45,799.91)	2.23	(21,072.35 -45,797.78)	5.43	(21,067.02 -45,798.83)	9.43
		(21,057.71 -45,797.31)	2.55	(21,055.19 -45,796.95)	2.70	(21,052.49 -45,796.92)	3.33
		(21,049.17 -45,797.13)	15.47	(21,033.84 -45,799.21)	8.28	(21,025.60 -45,799.98)	47.41
32	542-	3					
		(21,046.00 -45,765.26)	20.61	(21,065.90 -45,759.91)	16.13	(21,063.76 -45,743.92)	22.12
		(21,042.21 -45,748.89)	16.80				
32	543-	2					
		(21,041.02 -45,743.76)	5.27	(21,042.21 -45,748.89)	22.12	(21,063.76 -45,743.92)	25.66
		(21,060.32 -45,718.49)	4.57	(21,059.55 -45,713.99)	18.80	(21,041.10 -45,717.61)	15.31
		(21,044.49 -45,732.54)	5.89	(21,038.75 -45,733.86)	10.16		
32	543-	1					
		(21,038.75 -45,733.86)	5.89	(21,044.49 -45,732.54)	15.31	(21,041.10 -45,717.61)	6.00
		(21,035.14 -45,718.32)	15.95				
32	545-	2					
		(21,071.30 -45,777.03)	8.89	(21,072.74 -45,785.80)	25.31	(21,097.66 -45,781.37)	3.37
		(21,097.39 -45,778.01)	17.38	(21,095.28 -45,760.76)	1.34	(21,094.77 -45,759.52)	25.65
		(21,069.62 -45,764.54)	12.60				
32	542-	1					
		(21,069.62 -45,764.54)	25.65	(21,094.77 -45,759.52)	16.53	(21,094.18 -45,743.00)	5.43
		(21,094.10 -45,737.57)	0.67	(21,094.26 -45,736.92)	28.19	(21,066.78 -45,743.22)	21.51
32	532						
		(21,066.78 -45,743.22)	28.19	(21,094.26 -45,736.92)	8.48	(21,096.34 -45,728.70)	8.29
		(21,097.65 -45,720.51)	10.18	(21,098.83 -45,710.40)	2.02	(21,098.95 -45,708.38)	1.96
		(21,098.50 -45,706.47)	7.21	(21,094.65 -45,700.37)	17.84	(21,079.56 -45,709.88)	4.30
		(21,075.78 -45,711.93)	3.64	(21,072.31 -45,713.04)	9.72	(21,062.70 -45,714.47)	3.61
		(21,063.28 -45,718.03)	25.43				
32	536						
		(21,101.44 -45,707.26)	13.70	(21,100.02 -45,720.89)	5.96	(21,099.14 -45,726.78)	4.94
		(21,098.13 -45,731.62)	26.46	(21,124.57 -45,732.76)	23.93	(21,125.82 -45,708.86)	24.43
31	516-	2					
		(21,148.05 -45,709.76)	2.57	(21,148.11 -45,707.19)	2.56	(21,145.55 -45,707.07)	2.55
		(21,145.41 -45,709.62)	2.64				
31	516-	1					
		(21,145.41 -45,709.62)	2.55	(21,145.55 -45,707.07)	2.56	(21,148.11 -45,707.19)	6.39
		(21,148.40 -45,700.81)	6.83	(21,148.81 -45,693.99)	7.06	(21,149.49 -45,686.96)	42.67
		(21,107.50 -45,679.35)	6.77	(21,105.32 -45,685.76)	7.81	(21,104.29 -45,693.50)	1.40
		(21,103.55 -45,694.69)	0.76	(21,102.95 -45,695.16)	7.25	(21,103.03 -45,702.41)	0.91
		(21,102.84 -45,703.30)	2.90	(21,100.11 -45,704.29)	2.19	(21,101.15 -45,706.22)	24.79
		(21,125.88 -45,707.97)	13.38	(21,139.19 -45,709.32)	6.23		
32	537						
		(21,100.11 -45,704.29)	2.90	(21,102.84 -45,703.30)	0.91	(21,103.03 -45,702.41)	7.25
		(21,102.95 -45,695.16)	7.76	(21,096.33 -45,699.20)	6.34		
30	001-	7					
		(21,096.33 -45,699.20)	3.22	(21,094.32 -45,696.68)	7.43	(21,088.94 -45,691.55)	2.79
		(21,087.07 -45,689.48)	2.83	(21,085.75 -45,686.98)	10.07	(21,083.07 -45,677.27)	4.71

地区 ..003

作業 .. 63 原図番号 .. N1 51-4

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,800.00 測定 年 5 月 1 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,081.83 -45,672.73)	3.73	(21,080.50 -45,669.24)	3.59	(21,079.07 -45,665.95)	3.77
		(21,077.16 -45,662.70)	4.09	(21,074.75 -45,659.39)	2.50	(21,073.22 -45,657.41)	2.16
		(21,071.67 -45,655.90)	4.45	(21,068.33 -45,652.96)	4.09	(21,064.96 -45,650.64)	3.22
		(21,062.08 -45,649.20)	3.54	(21,058.74 -45,648.04)	10.64	(21,048.28 -45,646.09)	2.49
		(21,048.95 -45,648.49)	8.12	(21,057.00 -45,649.59)	3.13	(21,060.01 -45,650.43)	3.98
		(21,063.64 -45,652.05)	3.48	(21,066.52 -45,654.01)	4.49	(21,069.78 -45,657.10)	5.24
		(21,073.23 -45,661.05)	4.16	(21,075.56 -45,664.50)	5.92	(21,078.62 -45,669.57)	4.41
		(21,080.07 -45,673.74)	4.63	(21,081.11 -45,678.25)	4.04	(21,081.91 -45,682.21)	4.95
		(21,083.22 -45,686.98)	2.18	(21,084.02 -45,689.01)	2.10	(21,085.15 -45,690.78)	3.25
		(21,087.34 -45,693.18)	7.02	(21,092.41 -45,698.04)	3.23	(21,094.65 -45,700.37)	2.05
30	505	(21,094.32 -45,696.68)	7.52	(21,100.85 -45,692.95)	1.44	(21,101.49 -45,691.66)	7.68
		(21,102.99 -45,684.13)	6.16	(21,105.41 -45,678.46)	3.11	(21,107.19 -45,675.91)	2.57
		(21,109.01 -45,674.10)	0.00	(21,109.01 -45,674.10)	3.32	(21,112.06 -45,672.79)	2.74
		(21,114.74 -45,672.23)	30.99	(21,107.57 -45,642.08)	4.69	(21,103.69 -45,644.71)	4.27
		(21,100.13 -45,647.06)	4.30	(21,096.48 -45,649.34)	3.11	(21,093.71 -45,650.76)	4.38
		(21,089.74 -45,652.61)	4.84	(21,085.24 -45,654.40)	3.71	(21,081.70 -45,655.50)	8.69
		(21,073.22 -45,657.41)	2.50	(21,074.75 -45,659.39)	4.09	(21,077.16 -45,662.70)	3.77
		(21,079.07 -45,665.95)	3.59	(21,080.50 -45,669.24)	3.73	(21,081.83 -45,672.73)	4.71
		(21,083.07 -45,677.27)	10.07	(21,085.75 -45,686.98)	2.83	(21,087.07 -45,689.48)	2.79
		(21,088.94 -45,691.55)	7.43				
30	506- 1	(21,073.22 -45,657.41)	8.69	(21,081.70 -45,655.50)	3.71	(21,085.24 -45,654.40)	4.84
		(21,089.74 -45,652.61)	4.38	(21,093.71 -45,650.76)	3.11	(21,096.48 -45,649.34)	4.30
		(21,100.13 -45,647.06)	4.27	(21,103.69 -45,644.71)	4.69	(21,107.57 -45,642.08)	8.94
		(21,105.41 -45,633.41)	7.94	(21,103.81 -45,625.63)	8.40	(21,102.59 -45,617.32)	9.51
		(21,093.08 -45,617.57)	6.29	(21,086.79 -45,617.32)	3.56	(21,083.29 -45,616.67)	2.44
		(21,081.01 -45,615.79)	3.80	(21,077.73 -45,613.88)	2.41	(21,075.90 -45,612.31)	3.78
		(21,072.65 -45,614.24)	3.30	(21,070.15 -45,616.40)	16.74	(21,059.09 -45,628.96)	4.38
		(21,055.80 -45,631.85)	3.23	(21,053.25 -45,633.84)	4.12	(21,049.94 -45,636.30)	4.11
		(21,046.40 -45,638.39)	7.93	(21,048.28 -45,646.09)	10.64	(21,058.74 -45,648.04)	3.54
		(21,062.08 -45,649.20)	3.22	(21,064.96 -45,650.64)	4.09	(21,068.33 -45,652.96)	4.45
		(21,071.67 -45,655.90)	2.16				
30	507- 2	(21,046.40 -45,638.39)	4.11	(21,049.94 -45,636.30)	4.12	(21,053.25 -45,633.84)	3.23
		(21,055.80 -45,631.85)	4.38	(21,059.09 -45,628.96)	16.74	(21,070.15 -45,616.40)	3.30
		(21,072.65 -45,614.24)	3.78	(21,075.90 -45,612.31)	2.69	(21,074.61 -45,609.95)	34.12
		(21,040.50 -45,609.24)	6.09	(21,041.43 -45,615.26)	12.07	(21,043.66 -45,627.12)	11.60
30	504- 1	(21,048.95 -45,648.49)	4.18	(21,049.48 -45,652.64)	55.03	(21,061.35 -45,706.37)	4.96
		(21,062.19 -45,711.26)	9.60	(21,071.63 -45,709.53)	5.09	(21,076.43 -45,707.84)	5.13
		(21,081.01 -45,705.53)	13.64	(21,092.41 -45,698.04)	7.02	(21,087.34 -45,693.18)	3.25
		(21,085.15 -45,690.78)	2.10	(21,084.02 -45,689.01)	2.18	(21,083.22 -45,686.98)	4.95
		(21,081.91 -45,682.21)	4.04	(21,081.11 -45,678.25)	4.63	(21,080.07 -45,673.74)	4.41
		(21,078.62 -45,669.57)	5.92	(21,075.56 -45,664.50)	4.16	(21,073.23 -45,661.05)	5.24
		(21,069.78 -45,657.10)	4.49	(21,066.52 -45,654.01)	3.48	(21,063.64 -45,652.05)	3.98
		(21,060.01 -45,650.43)	3.13	(21,057.00 -45,649.59)	8.12		
30	002- 7	(21,062.70 -45,714.47)	9.72	(21,072.31 -45,713.04)	3.64	(21,075.78 -45,711.93)	4.30
		(21,079.56 -45,709.88)	17.84	(21,094.65 -45,700.37)	3.23	(21,092.41 -45,698.04)	13.64
		(21,081.01 -45,705.53)	5.13	(21,076.43 -45,707.84)	5.09	(21,071.63 -45,709.53)	9.60
		(21,062.19 -45,711.26)	3.25				

地区..003 作業.. 63 原図番号.. N1 51-4 縮尺..1/ 500 基準点..X 21,000.00..Y -45,800.00 測定 年 5 月 1 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

30	502	(21,059.06 -45,710.96)	4.26	(21,058.34 -45,706.76)	55.07	(21,046.39 -45,653.00)	0.88
		(21,045.82 -45,653.67)	2.21	(21,044.79 -45,655.63)	1.59	(21,043.63 -45,656.72)	2.56
		(21,041.61 -45,658.29)	2.04	(21,039.85 -45,659.32)	2.35	(21,037.71 -45,660.29)	4.09
		(21,033.89 -45,661.75)	4.23	(21,029.80 -45,662.84)	4.29	(21,025.61 -45,663.77)	6.02
		(21,019.64 -45,664.56)	7.60	(21,022.09 -45,671.75)	5.44	(21,023.57 -45,676.99)	4.48
		(21,024.26 -45,681.42)	3.36	(21,024.02 -45,684.77)	2.97	(21,023.33 -45,687.66)	6.68
		(21,020.76 -45,693.83)	1.05	(21,020.24 -45,694.74)	4.95	(21,021.21 -45,699.59)	6.12
		(21,022.76 -45,705.51)	10.66	(21,025.89 -45,715.70)	1.16	(21,027.03 -45,715.46)	8.82
		(21,035.84 -45,715.08)	4.78	(21,040.59 -45,714.54)	18.81	(21,059.06 -45,710.96)	0.00