

地区 ..003

作業 .. 64 原図番号 .. N1 52-1

縮尺 .. 1/ 500

基準点 .. X 21,150.00 .. Y -45,600.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,150.00 -45,600.00)	50.05	(21,200.05 -45,600.03)	49.95	(21,250.00 -45,600.01)	50.00
		(21,300.00 -45,600.02)	49.98	(21,299.93 -45,550.04)	50.00	(21,299.96 -45,500.04)	50.00
		(21,299.94 -45,450.04)	49.97	(21,299.98 -45,400.07)	49.95	(21,250.03 -45,400.06)	50.03
		(21,200.00 -45,400.06)	50.00	(21,150.00 -45,400.05)	50.00	(21,149.99 -45,450.05)	49.95
		(21,149.96 -45,500.00)	50.00	(21,149.98 -45,550.00)	50.00		
91	002- 5	(21,150.00 -45,600.00)	3.70	(21,153.70 -45,599.99)	3.81	(21,150.00 -45,599.10)	0.90
91	1445- 1	(21,150.00 -45,599.10)	3.81	(21,153.70 -45,599.99)	0.30	(21,154.00 -45,599.99)	0.44
		(21,154.18 -45,599.59)	27.17	(21,156.13 -45,572.49)	6.20	(21,149.98 -45,571.70)	27.40
91	1443- 1	(21,149.98 -45,571.70)	6.20	(21,156.13 -45,572.49)	1.90	(21,156.23 -45,570.59)	17.54
		(21,157.10 -45,553.07)	7.12	(21,149.99 -45,552.70)	19.00		
91	1442- 1	(21,149.99 -45,552.70)	7.12	(21,157.10 -45,553.07)	15.28	(21,158.20 -45,537.83)	12.67
		(21,158.92 -45,525.18)	8.93	(21,150.02 -45,524.40)	28.30		
91	001- 7	(21,150.02 -45,524.40)	8.93	(21,158.92 -45,525.18)	1.00	(21,159.92 -45,525.23)	7.28
		(21,167.17 -45,525.84)	4.06	(21,171.22 -45,526.16)	5.99	(21,177.19 -45,526.64)	4.02
		(21,181.20 -45,526.95)	12.19	(21,193.35 -45,527.95)	10.24	(21,203.58 -45,528.37)	10.11
		(21,213.68 -45,528.76)	13.98	(21,227.65 -45,529.18)	4.06	(21,231.71 -45,529.28)	6.45
		(21,231.62 -45,522.83)	26.63	(21,205.01 -45,521.92)	1.60	(21,203.41 -45,521.87)	4.40
		(21,199.01 -45,521.76)	3.91	(21,195.11 -45,521.56)	5.06	(21,190.06 -45,521.20)	14.99
		(21,175.12 -45,519.96)	1.46	(21,173.66 -45,519.89)	5.15	(21,168.52 -45,519.56)	18.58
		(21,150.01 -45,518.00)	6.40				
91	1456- 1	(21,150.01 -45,518.00)	18.58	(21,168.52 -45,519.56)	22.65	(21,168.13 -45,496.91)	9.89
		(21,158.24 -45,496.97)	8.33	(21,149.96 -45,497.85)	20.15		
91	1457- 1	(21,149.96 -45,497.85)	8.33	(21,158.24 -45,496.97)	12.04	(21,157.20 -45,484.98)	10.37
		(21,156.30 -45,474.65)	6.42	(21,149.95 -45,475.60)	22.25		
91	1462	(21,149.95 -45,475.60)	6.42	(21,156.30 -45,474.65)	4.41	(21,156.12 -45,470.24)	24.94
		(21,152.73 -45,445.53)	2.76	(21,149.98 -45,445.75)	29.85		
91	002- 3	(21,149.98 -45,445.75)	2.76	(21,152.73 -45,445.53)	12.68	(21,165.08 -45,442.66)	9.64
		(21,174.25 -45,439.69)	13.19	(21,186.81 -45,435.66)	12.02	(21,198.29 -45,432.10)	5.01
		(21,203.20 -45,431.10)	4.91	(21,208.07 -45,430.44)	5.61	(21,213.67 -45,430.10)	2.70
		(21,216.37 -45,430.04)	6.04	(21,222.40 -45,430.39)	6.12	(21,228.50 -45,430.91)	13.30
		(21,241.77 -45,431.77)	0.75	(21,241.66 -45,431.03)	13.19	(21,228.50 -45,430.16)	12.15
		(21,216.39 -45,429.19)	8.36	(21,208.05 -45,429.74)	1.06	(21,207.99 -45,428.68)	1.63
		(21,206.39 -45,428.97)	8.62	(21,197.87 -45,430.31)	12.12	(21,186.28 -45,433.84)	25.64
		(21,161.57 -45,440.67)	8.93	(21,152.88 -45,442.74)	2.94	(21,149.98 -45,443.20)	2.55
89	001- 4	(21,149.98 -45,443.20)	2.94	(21,152.88 -45,442.74)	8.93	(21,161.57 -45,440.67)	25.64
		(21,186.28 -45,433.84)	12.12	(21,197.87 -45,430.31)	8.62	(21,206.39 -45,428.97)	1.63
		(21,207.99 -45,428.68)	2.87	(21,208.85 -45,425.94)	3.30	(21,205.57 -45,426.28)	2.99
		(21,202.59 -45,426.47)	2.67	(21,199.94 -45,426.76)	4.68	(21,195.31 -45,427.41)	0.98
		(21,195.39 -45,428.39)	10.18	(21,185.65 -45,431.36)	25.59	(21,161.14 -45,438.72)	8.58
		(21,152.80 -45,440.74)	2.86	(21,149.97 -45,441.15)	2.05		
89	1408- 1	(21,152.80 -45,440.74)	2.86	(21,149.97 -45,441.15)	2.05		

地区..003 作業.. 64 原図番号.. N1 52-1 縮尺..1/ 500 基準点..X 21,150.00..Y -45,600.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,149.97 -45,441.15)	2.86	(21,152.80 -45,440.74)	8.58	(21,161.14 -45,438.72)	25.59
		(21,185.65 -45,431.36)	10.18	(21,195.39 -45,428.39)	0.98	(21,195.31 -45,427.41)	13.99
		(21,195.16 -45,413.42)	9.85	(21,205.01 -45,413.25)	7.48	(21,205.84 -45,405.82)	5.90
		(21,207.13 -45,400.06)	7.13	(21,200.00 -45,400.06)	39.32	(21,160.68 -45,400.07)	4.81
		(21,158.76 -45,404.48)	20.83	(21,149.93 -45,423.35)	17.80		
89	001- 3	(21,149.93 -45,423.35)	20.83	(21,158.76 -45,404.48)	4.81	(21,160.68 -45,400.07)	7.06
		(21,153.62 -45,400.04)	8.84	(21,149.99 -45,408.10)	15.25		
89	1408- 2	(1/ 4)					
		(21,149.99 -45,408.10)	8.84	(21,153.62 -45,400.04)	3.62	(21,150.00 -45,400.05)	8.05
89	002- 1	(21,207.13 -45,400.06)	5.90	(21,205.84 -45,405.82)	7.48	(21,205.01 -45,413.25)	9.99
		(21,205.21 -45,423.24)	3.06	(21,205.57 -45,426.28)	3.30	(21,208.85 -45,425.94)	14.09
		(21,209.80 -45,411.88)	4.88	(21,210.34 -45,407.03)	5.79	(21,211.13 -45,401.29)	1.29
		(21,211.48 -45,400.05)	4.35				
83	1325- 1	(1/ 2)					
		(21,211.48 -45,400.05)	1.29	(21,211.13 -45,401.29)	31.07	(21,242.17 -45,402.65)	2.61
		(21,242.38 -45,400.05)	30.90				
83	001- 2	(21,242.38 -45,400.05)	2.61	(21,242.17 -45,402.65)	15.65	(21,240.64 -45,418.23)	9.17
		(21,240.19 -45,427.39)	1.77	(21,241.96 -45,427.48)	9.44	(21,242.44 -45,418.05)	15.73
		(21,243.98 -45,402.40)	2.38	(21,244.23 -45,400.03)	1.85		
83	1326	(1/ 2)					
		(21,244.23 -45,400.03)	2.38	(21,243.98 -45,402.40)	15.73	(21,242.44 -45,418.05)	9.44
		(21,241.96 -45,427.48)	26.59	(21,268.35 -45,430.72)	9.90	(21,269.74 -45,420.92)	0.56
		(21,269.20 -45,420.79)	9.49	(21,270.05 -45,411.34)	6.78	(21,270.04 -45,404.56)	4.50
		(21,269.68 -45,400.07)	25.45				
83	1323	(3/ 4)					
		(21,269.68 -45,400.07)	4.50	(21,270.04 -45,404.56)	6.78	(21,270.05 -45,411.34)	9.49
		(21,269.20 -45,420.79)	0.56	(21,269.74 -45,420.92)	30.32	(21,299.98 -45,423.14)	23.07
		(21,299.98 -45,400.07)	30.30				
83	1322- 1	(2/ 2)					
		(21,299.98 -45,423.14)	30.32	(21,269.74 -45,420.92)	9.90	(21,268.35 -45,430.72)	31.87
		(21,299.96 -45,434.79)	11.65				
83	001- 1	(21,299.96 -45,434.79)	31.87	(21,268.35 -45,430.72)	26.59	(21,241.96 -45,427.48)	1.77
		(21,240.19 -45,427.39)	20.42	(21,219.81 -45,426.08)	4.58	(21,215.24 -45,425.74)	6.39
		(21,208.85 -45,425.94)	2.87	(21,207.99 -45,428.68)	1.06	(21,208.05 -45,429.74)	8.36
		(21,216.39 -45,429.19)	12.15	(21,228.50 -45,430.16)	13.19	(21,241.66 -45,431.03)	2.01
		(21,243.66 -45,431.19)	39.86	(21,283.21 -45,436.18)	17.01	(21,300.02 -45,438.79)	4.00
92	002- 2	(21,300.02 -45,438.79)	17.01	(21,283.21 -45,436.18)	39.86	(21,243.66 -45,431.19)	0.75
		(21,243.69 -45,431.94)	8.92	(21,252.55 -45,433.01)	8.38	(21,260.87 -45,434.05)	22.47
		(21,283.16 -45,436.88)	17.03	(21,299.97 -45,439.59)	0.80		
92	1475	(2/ 2)					
		(21,299.97 -45,439.59)	17.03	(21,283.16 -45,436.88)	23.26	(21,281.32 -45,460.07)	18.69
		(21,299.97 -45,461.24)	21.65				
92	1474- 1	(2/ 2)					
		(21,299.97 -45,461.24)	18.69	(21,281.32 -45,460.07)	1.60	(21,281.17 -45,461.66)	14.62
		(21,278.97 -45,476.11)	5.35	(21,278.17 -45,481.40)	9.56	(21,287.73 -45,481.12)	12.29
		(21,300.02 -45,480.84)	19.60				
92	1485- 3	(2/ 2)					

地区..003

作業.. 64

原図番号.. N1 52-1

縮尺..1/ 500

基準点..X 21,150.00..Y -45,600.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(@ 21,300.02 -45,480.84)	12.29	(21,287.73 -45,481.12)	25.03	(21,284.60 -45,505.95)	9.37
		(21,293.93 -45,506.81)	9.60	(21,294.20 -45,516.41)	5.83	(21,300.00 -45,516.99)	36.15
92	1483-	1 (2/ 2)					
		(21,300.00 -45,516.99)	5.83	(21,294.20 -45,516.41)	9.60	(21,293.93 -45,506.81)	9.37
		(21,284.60 -45,505.95)	25.03	(@ 21,287.73 -45,481.12)	9.56	(21,278.17 -45,481.40)	3.45
		(21,277.66 -45,484.81)	25.82	(21,274.24 -45,510.40)	10.18	(21,284.39 -45,511.18)	13.15
		(21,283.52 -45,524.30)	15.12	(21,298.64 -45,524.68)	1.39	(21,299.67 -45,523.74)	2.62
		(21,299.96 -45,521.14)	4.15				
92	001-	11					
		(@ 21,299.96 -45,521.14)	2.62	(21,299.67 -45,523.74)	1.39	(21,298.64 -45,524.68)	1.33
		(21,299.97 -45,524.69)	3.55				
92	001-	10					
		(21,299.97 -45,524.69)	1.33	(21,298.64 -45,524.68)	15.12	(21,283.52 -45,524.30)	10.78
		(21,272.75 -45,523.97)	14.49	(21,258.27 -45,523.53)	2.34	(21,255.93 -45,523.53)	18.12
		(21,237.82 -45,522.89)	6.20	(@ 21,231.62 -45,522.83)	6.45	(21,231.71 -45,529.28)	14.56
		(21,246.27 -45,529.59)	23.67	(21,269.93 -45,530.28)	23.48	(21,293.40 -45,530.97)	6.60
		(21,299.99 -45,531.34)	6.65				
92	1495-	10 (2/ 2)					
		(21,299.99 -45,531.34)	6.60	(@ 21,293.40 -45,530.97)	17.76	(21,290.98 -45,548.56)	22.54
		(21,268.56 -45,546.25)	5.69	(21,268.24 -45,551.93)	31.99	(21,300.00 -45,555.74)	24.40
92	1495-	2 (2/ 2)					
		(21,300.00 -45,555.74)	31.99	(@ 21,268.24 -45,551.93)	12.37	(21,266.80 -45,564.22)	5.19
		(21,271.92 -45,565.06)	5.52	(21,271.43 -45,570.56)	5.12	(21,266.31 -45,570.43)	5.34
		(21,265.71 -45,575.74)	8.63	(21,274.28 -45,576.77)	13.45	(21,287.63 -45,578.37)	12.42
		(21,299.95 -45,579.94)	24.20				
92	1495-	4 (2/ 2)					
		(21,299.95 -45,579.94)	12.42	(@ 21,287.63 -45,578.37)	3.63	(21,287.06 -45,581.95)	1.78
		(21,288.81 -45,582.27)	2.12	(21,288.51 -45,584.37)	1.64	(21,290.11 -45,584.72)	6.66
		(21,296.07 -45,587.70)	5.17	(21,298.91 -45,592.02)	6.13	(21,297.78 -45,598.05)	2.23
		(21,300.00 -45,598.29)	18.35				
92	1495-	3 (4/ 4)					
		(21,300.00 -45,598.29)	2.23	(21,297.78 -45,598.05)	10.92	(21,286.94 -45,596.72)	15.31
		(21,271.74 -45,594.85)	8.82	(@ 21,262.99 -45,593.73)	6.36	(21,261.98 -45,600.01)	38.02
		(21,300.00 -45,600.02)	1.73				
92	1492	(2/ 2)					
		(21,261.98 -45,600.01)	6.36	(21,262.99 -45,593.73)	18.19	(21,265.71 -45,575.74)	5.34
		(21,266.31 -45,570.43)	14.08	(21,252.23 -45,570.31)	8.70	(@ 21,243.54 -45,570.01)	13.66
		(21,241.40 -45,583.50)	7.90	(21,240.08 -45,591.29)	8.87	(21,238.60 -45,600.04)	23.38
92	1491	(2/ 2)					
		(21,238.60 -45,600.04)	8.87	(21,240.08 -45,591.29)	14.95	(@ 21,225.14 -45,590.72)	2.62
		(21,224.81 -45,593.32)	6.82	(21,223.60 -45,600.03)	15.00		
91	001-	9					
		(21,223.60 -45,600.03)	6.82	(21,224.81 -45,593.32)	2.62	(21,225.14 -45,590.72)	7.86
		(21,226.11 -45,582.92)	11.23	(21,227.61 -45,571.79)	11.30	(21,228.59 -45,560.53)	14.84
		(21,229.80 -45,545.74)	16.57	(21,231.71 -45,529.28)	4.06	(@ 21,227.65 -45,529.18)	5.84
		(21,226.96 -45,534.98)	6.23	(21,226.26 -45,541.17)	8.80	(21,225.28 -45,549.92)	7.54
		(21,225.96 -45,557.43)	6.18	(21,226.51 -45,563.59)	7.68	(21,225.78 -45,571.24)	11.69
		(21,224.38 -45,582.85)	10.48	(21,223.08 -45,593.25)	6.91	(21,221.75 -45,600.03)	1.85
91	1449-	1 (2/ 2)					
		(21,221.75 -45,600.03)	6.91	(21,223.08 -45,593.25)	10.48	(21,224.38 -45,582.85)	11.69
		(21,225.78 -45,571.24)	7.68	(21,226.51 -45,563.59)	6.18	(21,225.96 -45,557.43)	14.64
		(21,211.40 -45,555.88)	7.40	(21,211.99 -45,548.50)	8.58	(21,212.69 -45,539.95)	6.29

地区 ..003

作業 .. 64 原図番号 .. N1 52-1

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -45,600.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,213.24 -45,533.68)	4.94	(21,213.68 -45,528.76)	10.11	(@ 21,203.58 -45,528.37)	25.49
		(21,200.14 -45,553.63)	6.61	(21,197.93 -45,559.86)	24.63	(21,173.37 -45,558.06)	3.08
		(21,173.09 -45,561.13)	39.04	(21,169.45 -45,600.00)	52.30		
91	1447- 9	(2/ 2)					
		(21,169.45 -45,600.00)	39.04	(21,173.09 -45,561.13)	4.33	(@ 21,169.10 -45,559.44)	11.70
		(21,168.03 -45,571.09)	1.02	(21,167.95 -45,572.11)	1.87	(21,167.75 -45,573.97)	26.16
		(21,165.25 -45,600.01)	4.20				
91	1447- 10	(2/ 2)					
		(21,165.25 -45,600.01)	26.16	(21,167.75 -45,573.97)	11.71	(@ 21,156.13 -45,572.49)	27.17
		(21,154.18 -45,599.59)	2.41	(21,156.55 -45,600.03)	8.70		
91	002- 4						
		(21,156.55 -45,600.03)	2.41	(@ 21,154.18 -45,599.59)	0.44	(21,154.00 -45,599.99)	2.55
91	1447- 11						
		(21,167.75 -45,573.97)	1.87	(21,167.95 -45,572.11)	11.82	(@ 21,156.23 -45,570.59)	1.90
		(21,156.13 -45,572.49)	11.71				
91	001- 8						
		(21,167.95 -45,572.11)	1.02	(21,168.03 -45,571.09)	10.82	(21,157.30 -45,569.71)	16.65
		(21,158.05 -45,553.08)	15.36	(21,159.20 -45,537.76)	5.59	(21,159.49 -45,532.18)	6.96
		(21,159.92 -45,525.23)	1.00	(@ 21,158.92 -45,525.18)	12.67	(21,158.20 -45,537.83)	15.28
		(21,157.10 -45,553.07)	17.54	(21,156.23 -45,570.59)	11.82		
91	1449- 8						
		(21,168.03 -45,571.09)	11.70	(21,169.10 -45,559.44)	8.31	(21,161.60 -45,555.87)	4.52
		(@ 21,158.05 -45,553.08)	16.65	(21,157.30 -45,569.71)	10.82		
91	1449- 10						
		(21,169.10 -45,559.44)	5.83	(21,169.65 -45,553.64)	11.61	(@ 21,158.05 -45,553.08)	4.52
		(21,161.60 -45,555.87)	8.31				
91	1449- 11						
		(21,158.05 -45,553.08)	11.61	(21,169.65 -45,553.64)	14.88	(21,171.05 -45,538.83)	11.90
		(@ 21,159.20 -45,537.76)	15.36				
91	1449- 12						
		(21,159.20 -45,537.76)	11.90	(21,171.05 -45,538.83)	11.61	(21,172.15 -45,527.27)	1.45
		(21,171.22 -45,526.16)	4.06	(@ 21,167.17 -45,525.84)	7.12	(21,166.34 -45,532.91)	6.89
		(21,159.49 -45,532.18)	5.59				
91	1449- 3						
		(21,159.49 -45,532.18)	6.89	(21,166.34 -45,532.91)	7.12	(21,167.17 -45,525.84)	7.28
		(@ 21,159.92 -45,525.23)	6.96				
91	1449- 2						
		(21,177.19 -45,526.64)	1.34	(21,176.20 -45,527.54)	30.65	(21,173.37 -45,558.06)	24.63
		(21,197.93 -45,559.86)	6.61	(21,200.14 -45,553.63)	25.49	(21,203.58 -45,528.37)	10.24
		(21,193.35 -45,527.95)	12.19	(21,181.20 -45,526.95)	4.02		
91	1449- 9						
		(21,177.19 -45,526.64)	5.99	(@ 21,171.22 -45,526.16)	1.45	(21,172.15 -45,527.27)	11.61
		(21,171.05 -45,538.83)	14.88	(21,169.65 -45,553.64)	5.83	(21,169.10 -45,559.44)	4.33
		(21,173.09 -45,561.13)	3.08	(21,173.37 -45,558.06)	30.65	(21,176.20 -45,527.54)	1.34
91	1447- 3						
		(21,211.40 -45,555.88)	14.64	(21,225.96 -45,557.43)	7.54	(21,225.28 -45,549.92)	13.37
		(@ 21,211.99 -45,548.50)	7.40				
91	1447- 6						
		(21,211.99 -45,548.50)	13.37	(21,225.28 -45,549.92)	8.80	(21,226.26 -45,541.17)	13.62
		(@ 21,212.69 -45,539.95)	8.58				
91	1447- 4						
		(21,212.69 -45,539.95)	13.62	(21,226.26 -45,541.17)	6.23	(21,226.96 -45,534.98)	13.78

地区 ..003

作業 .. 64

原図番号 .. N1 52-1

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -45,600.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

91	1447-	(a 5	21,213.24	-45,533.68)	6.29								
		(	21,213.24	-45,533.68)	13.78	(	21,226.96	-45,534.98)	5.84	(	21,227.65	-45,529.18)	13.98
		(a	21,213.68	-45,528.76)	4.94								
91	001-	5											
		(	21,237.82	-45,522.89)	1.63	(	21,237.69	-45,521.27)	1.96	(	21,235.81	-45,520.72)	13.10
		(	21,237.18	-45,507.69)	6.76	(	21,238.07	-45,500.99)	5.77	(	21,238.70	-45,495.25)	4.78
		(	21,239.09	-45,490.49)	6.48	(	21,239.71	-45,484.04)	13.36	(	21,240.89	-45,470.73)	24.52
		(	21,243.79	-45,446.38)	8.35	(	21,243.97	-45,438.03)	6.10	(	21,243.69	-45,431.94)	0.75
		(	21,243.66	-45,431.19)	2.01	(a	21,241.66	-45,431.03)	0.75	(	21,241.77	-45,431.77)	6.22
		(	21,242.17	-45,437.98)	8.05	(	21,241.92	-45,446.03)	14.41	(	21,240.28	-45,460.35)	8.60
		(	21,239.30	-45,468.89)	1.61	(	21,239.14	-45,470.49)	19.82	(	21,237.24	-45,490.22)	5.46
		(	21,236.25	-45,495.59)	11.99	(	21,235.38	-45,507.55)	12.87	(	21,234.06	-45,520.35)	2.12
		(	21,231.99	-45,520.81)	2.05	(	21,231.62	-45,522.83)	6.20				
91	1452-	1											
		(	21,231.62	-45,522.83)	2.05	(	21,231.99	-45,520.81)	2.12	(	21,234.06	-45,520.35)	12.87
		(	21,235.38	-45,507.55)	27.85	(a	21,207.53	-45,507.54)	14.60	(	21,205.01	-45,521.92)	26.63
91	001-	6											
		(	21,205.01	-45,521.92)	14.60	(	21,207.53	-45,507.54)	12.65	(	21,208.90	-45,494.96)	5.01
		(	21,209.69	-45,490.01)	2.86	(a	21,207.25	-45,488.51)	6.60	(	21,207.10	-45,495.11)	8.90
		(	21,206.27	-45,503.97)	3.46	(	21,206.08	-45,507.42)	14.69	(	21,203.41	-45,521.87)	1.60
91	1452-	2											
		(	21,203.41	-45,521.87)	14.69	(	21,206.08	-45,507.42)	3.46	(	21,206.27	-45,503.97)	10.67
		(a	21,195.61	-45,503.49)	2.98	(	21,195.38	-45,506.46)	15.10	(	21,195.11	-45,521.56)	3.91
		(	21,199.01	-45,521.76)	4.40								
91	1451-	1											
		(	21,195.11	-45,521.56)	15.10	(a	21,195.38	-45,506.46)	20.06	(	21,175.33	-45,506.92)	13.04
		(	21,175.12	-45,519.96)	14.99	(	21,190.06	-45,521.20)	5.06				
91	1455-	4											
		(	21,175.12	-45,519.96)	13.04	(	21,175.33	-45,506.92)	23.28	(a	21,175.77	-45,483.64)	11.08
		(	21,164.71	-45,484.26)	1.84	(	21,166.28	-45,485.21)	3.89	(	21,169.11	-45,487.88)	3.71
		(	21,171.17	-45,490.97)	4.70	(	21,172.88	-45,495.35)	1.92	(	21,173.31	-45,497.22)	22.67
		(	21,173.66	-45,519.89)	1.46								
91	1455-	2											
		(	21,173.66	-45,519.89)	22.67	(	21,173.31	-45,497.22)	1.92	(	21,172.88	-45,495.35)	4.70
		(	21,171.17	-45,490.97)	3.71	(	21,169.11	-45,487.88)	3.89	(	21,166.28	-45,485.21)	1.84
		(a	21,164.71	-45,484.26)	7.54	(	21,157.20	-45,484.98)	12.04	(	21,158.24	-45,496.97)	9.89
		(	21,168.13	-45,496.91)	22.65	(	21,168.52	-45,519.56)	5.15				
91	1463												
		(	21,157.20	-45,484.98)	7.54	(	21,164.71	-45,484.26)	11.08	(	21,175.77	-45,483.64)	11.97
		(	21,175.81	-45,471.67)	7.73	(	21,175.85	-45,463.94)	8.72	(	21,175.33	-45,455.24)	15.59
		(a	21,174.25	-45,439.69)	9.64	(	21,165.08	-45,442.66)	12.68	(	21,152.73	-45,445.53)	24.94
		(	21,156.12	-45,470.24)	4.41	(	21,156.30	-45,474.65)	10.37	(	21,157.20	-45,484.98)	0.00
91	1454-	2											
		(	21,175.33	-45,506.92)	20.06	(	21,195.38	-45,506.46)	2.98	(	21,195.61	-45,503.49)	15.00
		(	21,195.67	-45,488.49)	19.15	(	21,195.34	-45,469.34)	0.20	(a	21,195.34	-45,469.14)	5.21
		(	21,190.14	-45,469.52)	14.49	(	21,175.81	-45,471.67)	11.97	(	21,175.77	-45,483.64)	23.28
91	1453-	2											
		(	21,195.61	-45,503.49)	10.67	(	21,206.27	-45,503.97)	8.90	(	21,207.10	-45,495.11)	6.60
		(	21,207.25	-45,488.51)	11.58	(a	21,195.67	-45,488.49)	15.00				
91	1466-	1											
		(	21,195.67	-45,488.49)	11.58	(	21,207.25	-45,488.51)	2.86	(	21,209.69	-45,490.01)	0.74

地区 ..003

作業 .. 64

原図番号 .. N1 52-1

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -45,600.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,210.34 -45,490.36)	26.90	(21,237.24 -45,490.22)	19.82	(21,239.14 -45,470.49)	1.61
		(21,239.30 -45,468.89)	19.20	(21,220.17 -45,467.23)	13.21	(21,207.04 -45,468.71)	7.88
		(21,199.17 -45,469.17)	3.83	(21,195.34 -45,469.34)	19.15		
91	1465-	7					
		(21,195.34 -45,469.34)	3.83	(21,199.17 -45,469.17)	18.15	(21,198.70 -45,451.03)	18.93
		(21,198.29 -45,432.10)	12.02	(21,186.81 -45,435.66)	13.19	(21,174.25 -45,439.69)	15.59
		(21,175.33 -45,455.24)	14.01	(21,189.30 -45,454.18)	15.36	(21,190.14 -45,469.52)	5.21
		(21,195.34 -45,469.14)	0.20				
91	1464-	2					
		(21,190.14 -45,469.52)	15.36	(21,189.30 -45,454.18)	14.03	(21,175.31 -45,455.24)	8.72
		(21,175.85 -45,463.94)	7.73	(21,175.81 -45,471.67)	14.49		
91	1465-	8					
		(21,199.17 -45,469.17)	7.88	(21,207.04 -45,468.71)	10.53	(21,207.33 -45,458.18)	6.78
		(21,207.65 -45,451.41)	8.96	(21,198.70 -45,451.03)	18.15		
91	1468-	2					
		(21,198.70 -45,451.03)	8.96	(21,207.65 -45,451.41)	14.02	(21,221.66 -45,452.03)	6.51
		(21,222.10 -45,445.53)	0.62	(21,221.48 -45,445.53)	15.17	(21,222.40 -45,430.39)	6.04
		(21,216.37 -45,430.04)	2.70	(21,213.67 -45,430.10)	5.61	(21,208.07 -45,430.44)	4.91
		(21,203.20 -45,431.10)	5.01	(21,198.29 -45,432.10)	18.93		
91	1465-	4					
		(21,207.04 -45,468.71)	13.21	(21,220.17 -45,467.23)	7.88	(21,221.05 -45,459.40)	0.83
		(21,221.11 -45,458.57)	13.79	(21,207.33 -45,458.18)	10.53		
91	1465-	3					
		(21,207.33 -45,458.18)	13.79	(21,221.11 -45,458.57)	6.56	(21,221.66 -45,452.03)	14.02
		(21,207.65 -45,451.41)	6.78				
91	1470						
		(21,220.17 -45,467.23)	19.20	(21,239.30 -45,468.89)	8.60	(21,240.28 -45,460.35)	19.25
		(21,221.05 -45,459.40)	7.88				
91	1469-	1					
		(21,221.05 -45,459.40)	19.25	(21,240.28 -45,460.35)	14.41	(21,241.92 -45,446.03)	19.83
		(21,222.10 -45,445.53)	6.51	(21,221.66 -45,452.03)	6.56	(21,221.11 -45,458.57)	0.83
91	1469-	2					
		(21,221.48 -45,445.53)	0.62	(21,222.10 -45,445.53)	19.83	(21,241.92 -45,446.03)	8.05
		(21,242.17 -45,437.98)	6.22	(21,241.77 -45,431.77)	13.30	(21,228.50 -45,430.91)	6.12
		(21,222.40 -45,430.39)	15.17				
89	1411-	3					
		(21,195.31 -45,427.41)	4.68	(21,199.94 -45,426.76)	2.67	(21,202.59 -45,426.47)	2.99
		(21,205.57 -45,426.28)	3.06	(21,205.21 -45,423.24)	9.99	(21,205.01 -45,413.25)	9.85
		(21,195.16 -45,413.42)	13.99				
83	1325-	2					
		(21,208.85 -45,425.94)	6.39	(21,215.24 -45,425.74)	4.58	(21,219.81 -45,426.08)	20.42
		(21,240.19 -45,427.39)	9.17	(21,240.64 -45,418.23)	15.65	(21,242.17 -45,402.65)	31.07
		(21,211.13 -45,401.29)	5.79	(21,210.34 -45,407.03)	4.88	(21,209.80 -45,411.88)	14.09
92	1472-	3					
		(21,243.79 -45,446.38)	7.64	(21,251.41 -45,446.91)	13.95	(21,252.55 -45,433.01)	8.92
		(21,243.69 -45,431.94)	6.10	(21,243.97 -45,438.03)	8.35		
92	1472-	4					
		(21,255.61 -45,472.83)	23.45	(21,258.74 -45,449.59)	15.69	(21,260.87 -45,434.05)	8.38
		(21,252.55 -45,433.01)	13.95	(21,251.41 -45,446.91)	7.64	(21,243.79 -45,446.38)	24.52
		(21,240.89 -45,470.73)	14.87				
92	1472-	8					
		(21,240.89 -45,470.73)	13.36	(21,239.71 -45,484.04)	19.83	(21,259.37 -45,486.65)	3.05

地区 ..003

作業 .. 64 原図番号 .. N1 52-1

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -45,600.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

92	1472-	(21,259.72 -45,483.62)	10.09	(21,260.89 -45,473.60)	5.34	(21,255.61 -45,472.83)	14.87
		(21,255.61 -45,472.83)	5.34	(21,260.89 -45,473.60)	18.25	(21,278.97 -45,476.11)	14.62
		(21,281.17 -45,461.66)	1.60	(21,281.32 -45,460.07)	23.26	(21,283.16 -45,436.88)	22.47
92	1483-	(21,260.87 -45,434.05)	15.69	(21,258.74 -45,449.59)	23.45		
		(21,272.75 -45,523.97)	10.78	(21,283.52 -45,524.30)	13.15	(21,284.39 -45,511.18)	10.18
		(21,274.24 -45,510.40)	4.78	(21,273.60 -45,515.14)	8.87		
92	1486-	(21,273.60 -45,515.14)	4.78	(21,274.24 -45,510.40)	25.82	(21,277.66 -45,484.81)	17.98
		(21,259.72 -45,483.62)	3.05	(21,259.37 -45,486.65)	10.96	(21,258.09 -45,497.53)	26.09
		(21,255.93 -45,523.53)	2.34	(21,258.27 -45,523.53)	9.38	(21,259.15 -45,514.19)	14.48
92	1486-	(21,259.15 -45,514.19)	9.38	(21,258.27 -45,523.53)	14.49	(21,272.75 -45,523.97)	8.87
		(21,273.60 -45,515.14)	14.48				
92	1472-	(21,277.66 -45,484.81)	3.45	(21,278.17 -45,481.40)	5.35	(21,278.97 -45,476.11)	18.25
		(21,260.89 -45,473.60)	10.09	(21,259.72 -45,483.62)	17.98		
92	1487-	(21,238.70 -45,495.25)	19.52	(21,258.09 -45,497.53)	10.96	(21,259.37 -45,486.65)	19.83
		(21,239.71 -45,484.04)	6.48	(21,239.09 -45,490.49)	4.78		
92	1487	(21,238.70 -45,495.25)	5.77	(21,238.07 -45,500.99)	6.76	(21,237.18 -45,507.69)	13.10
		(21,235.81 -45,520.72)	1.96	(21,237.69 -45,521.27)	1.63	(21,237.82 -45,522.89)	18.12
		(21,255.93 -45,523.53)	26.09	(21,258.09 -45,497.53)	19.52		
92	1494-	(21,268.56 -45,546.25)	22.54	(21,290.98 -45,548.56)	17.76	(21,293.40 -45,530.97)	23.48
		(21,269.93 -45,530.28)	16.03				
92	1493-	(21,269.93 -45,530.28)	23.67	(21,246.27 -45,529.59)	32.62	(21,243.68 -45,562.11)	7.94
		(21,243.13 -45,570.03)	0.41	(21,243.54 -45,570.01)	8.70	(21,252.23 -45,570.31)	14.08
		(21,266.31 -45,570.43)	6.23	(21,266.80 -45,564.22)	12.37	(21,268.24 -45,551.93)	5.69
		(21,268.56 -45,546.25)	16.03				
92	1495-	(21,266.31 -45,570.43)	5.12	(21,271.43 -45,570.56)	5.52	(21,271.92 -45,565.06)	5.19
		(21,266.80 -45,564.22)	6.23				
92	1495-	(21,286.94 -45,596.72)	10.92	(21,297.78 -45,598.05)	6.13	(21,298.91 -45,592.02)	5.17
		(21,296.07 -45,587.70)	6.66	(21,290.11 -45,584.72)	1.64	(21,288.51 -45,584.37)	12.45
92	1495-	(21,288.51 -45,584.37)	2.12	(21,288.81 -45,582.27)	1.78	(21,287.06 -45,581.95)	3.63
		(21,287.63 -45,578.37)	13.45	(21,274.28 -45,576.77)	18.26	(21,271.74 -45,594.85)	15.31
		(21,286.94 -45,596.72)	12.45				
92	1495-	(21,271.74 -45,594.85)	18.26	(21,274.28 -45,576.77)	8.63	(21,265.71 -45,575.74)	18.19
		(21,262.99 -45,593.73)	8.82				
92	1490-	(21,225.14 -45,590.72)	14.95	(21,240.08 -45,591.29)	7.90	(21,241.40 -45,583.50)	15.30
		(21,226.11 -45,582.92)	7.86				
92	1489	(21,226.11 -45,582.92)	15.30	(21,241.40 -45,583.50)	13.66	(21,243.54 -45,570.01)	0.41
		(21,243.13 -45,570.03)	7.94	(21,243.68 -45,562.11)	15.17	(21,228.59 -45,560.53)	11.30

地区..003

作業.. 64 原図番号.. N1 52-1

縮尺 . . 1 / 500

基準点..X 21,150.00..Y -45,600.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

[illegible]