

地区 ..003

作業 .. 65

原図番号 .. N1 52-2

縮尺 .. 1/ 500

基準点 .. X 21,150.00 .. Y -45,400.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,150.00 -45,400.00)	50.00	(21,200.00 -45,400.02)	50.05	(21,250.05 -45,400.07)	49.98
		(21,300.03 -45,400.07)	50.05	(21,300.05 -45,350.02)	49.95	(21,300.00 -45,300.07)	50.00
		(21,299.95 -45,250.07)	50.00	(21,300.00 -45,200.07)	50.00	(21,250.00 -45,200.02)	50.00
		(21,200.00 -45,200.07)	50.00	(21,150.00 -45,200.07)	49.95	(21,150.00 -45,250.02)	50.00
		(21,150.00 -45,300.02)	50.05	(21,150.00 -45,350.07)	49.93		
89	1408-	2 (2/ 4)					
		(21,150.00 -45,400.00)	3.60	(21,153.60 -45,400.01)	9.01	(21,157.30 -45,391.80)	1.97
89	1406	(21,155.37 -45,391.40)	3.20	(21,152.17 -45,391.47)	2.22	(21,149.98 -45,391.83)	8.17
		(21,149.98 -45,391.83)	2.33	(21,150.28 -45,389.52)	6.30	(21,150.33 -45,383.22)	3.27
		(21,150.27 -45,379.95)	2.70	(21,150.31 -45,377.25)	3.19	(21,150.55 -45,374.07)	3.24
		(21,151.08 -45,370.87)	5.30	(21,152.09 -45,365.67)	5.74	(21,153.38 -45,360.08)	3.39
		(21,149.99 -45,360.07)	31.76				
89	1405-	1 (1/ 2)					
		(21,149.99 -45,360.07)	3.39	(21,153.38 -45,360.08)	4.44	(21,157.82 -45,360.04)	1.68
		(21,159.49 -45,359.89)	18.43	(21,161.08 -45,341.53)	4.08	(21,157.01 -45,341.20)	7.04
		(21,149.99 -45,340.67)	19.40				
85	1356	(21,149.99 -45,340.67)	7.04	(21,157.01 -45,341.20)	5.72	(21,157.83 -45,335.54)	7.86
		(21,149.99 -45,334.97)	5.70				
85	1355	(21,149.99 -45,334.97)	7.86	(21,157.83 -45,335.54)	26.09	(21,161.62 -45,309.73)	2.86
		(21,159.52 -45,307.79)	10.19	(21,149.94 -45,311.27)	23.70		
85	1358	(21,149.94 -45,311.27)	10.19	(21,159.52 -45,307.79)	6.32	(21,155.31 -45,303.08)	7.88
		(21,149.99 -45,297.27)	14.00				
85	1353	(21,149.99 -45,297.27)	7.88	(21,155.31 -45,303.08)	6.32	(21,159.52 -45,307.79)	2.86
		(21,161.62 -45,309.73)	3.21	(21,164.35 -45,311.42)	4.89	(21,168.88 -45,313.25)	5.30
		(21,173.86 -45,315.05)	5.22	(21,178.82 -45,316.68)	7.06	(21,185.72 -45,318.18)	13.20
		(21,195.25 -45,309.04)	24.92	(21,205.56 -45,286.35)	63.13	(21,150.93 -45,254.72)	1.44
		(21,150.00 -45,255.82)	41.45				
85	1360	(21,150.00 -45,255.82)	1.44	(21,150.93 -45,254.72)	6.42	(21,155.05 -45,249.80)	11.15
		(21,161.56 -45,240.75)	4.83	(21,164.82 -45,237.19)	6.20	(21,169.15 -45,232.75)	6.23
		(21,163.05 -45,231.50)	13.05	(21,150.02 -45,230.82)	25.00		
87	002-	2 (21,150.02 -45,230.82)	13.05	(21,163.05 -45,231.50)	6.23	(21,169.15 -45,232.75)	1.98
		(21,171.13 -45,232.66)	19.24	(21,189.77 -45,237.41)	11.03	(21,200.34 -45,240.55)	7.63
		(21,207.96 -45,240.27)	8.31	(21,216.24 -45,240.93)	10.02	(21,225.88 -45,243.67)	3.71
		(21,227.33 -45,240.26)	4.54	(21,222.96 -45,239.03)	6.21	(21,216.90 -45,237.68)	5.50
		(21,211.42 -45,237.23)	10.28	(21,201.15 -45,236.87)	39.79	(21,162.33 -45,228.16)	12.39
		(21,149.96 -45,227.42)	3.40				
87	1384	(21,149.96 -45,227.42)	12.39	(21,162.33 -45,228.16)	1.32	(21,162.39 -45,226.84)	27.47
		(21,156.30 -45,200.05)	6.30	(21,150.00 -45,200.07)	27.35		
87	1383	(21,156.30 -45,200.05)	27.47	(21,162.39 -45,226.84)	40.12	(21,201.51 -45,235.72)	8.61
		(21,202.42 -45,227.16)	0.68	(21,202.08 -45,226.57)	3.72	(21,200.97 -45,223.02)	3.48
		(21,200.48 -45,219.57)	4.76	(21,200.71 -45,214.82)	4.07	(21,201.14 -45,210.77)	2.90
		(21,201.46 -45,207.89)	2.62	(21,201.50 -45,205.27)	3.21	(21,201.76 -45,202.07)	2.06

地区 ..003

作業 .. 65

原図番号 .. N1 52-2

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -45,400.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

86	1380-	(@ 21,201.60 1 (1/ 2)	-45,200.02)	45.30							
		(@ 21,201.60	-45,200.02)	2.06	(21,201.76	-45,202.07)	3.21	(21,201.50	-45,205.27)	2.62	
		(21,201.46	-45,207.89)	2.90	(21,201.14	-45,210.77)	4.07	(21,200.71	-45,214.82)	4.76	
		(21,200.48	-45,219.57)	3.48	(21,200.97	-45,223.02)	3.72	(21,202.08	-45,226.57)	0.68	
		(21,202.42	-45,227.16)	0.81	(21,202.91	-45,227.81)	1.84	(21,204.52	-45,228.71)	1.51	
		(21,205.99	-45,229.07)	1.66	(21,207.64	-45,229.24)	2.77	(21,210.39	-45,228.91)	4.43	
		(21,214.76	-45,228.16)	3.13	(21,217.89	-45,228.20)	1.72	(21,219.56	-45,228.62)	3.26	
		(21,222.64	-45,229.68)	3.25	(21,225.62	-45,230.97)	5.32	(21,230.33	-45,233.45)	19.86	
		(21,238.61	-45,215.40)	15.72	(21,235.30	-45,200.03)	33.70				
86	1379-	1 (1/ 2)									
		(@ 21,235.30	-45,200.03)	15.72	(21,238.61	-45,215.40)	16.75	(21,245.30	-45,200.04)	10.00	
86	001-	1									
		(21,245.30	-45,200.04)	16.75	(21,238.61	-45,215.40)	19.86	(21,230.33	-45,233.45)	5.84	
		(21,227.91	-45,238.76)	1.61	(21,227.33	-45,240.26)	3.71	(21,225.88	-45,243.67)	5.60	
		(21,230.75	-45,246.44)	4.44	(21,232.66	-45,242.43)	6.76	(21,235.45	-45,236.27)	11.11	
		(21,240.21	-45,226.23)	28.92	(@ 21,252.40	-45,200.01)	7.10				
86	1379-	2 (1/ 2)									
		(@ 21,252.40	-45,200.01)	28.92	(21,240.21	-45,226.23)	15.18	(21,244.61	-45,240.76)	0.74	
		(21,245.34	-45,240.89)	4.49	(21,249.67	-45,242.07)	5.83	(21,254.78	-45,244.88)	5.48	
		(21,259.94	-45,246.73)	4.88	(21,264.79	-45,247.31)	7.95	(21,272.74	-45,247.52)	49.82	
		(21,257.50	-45,200.09)	5.10							
86	1368-	1 (3/ 4)									
		(21,257.50	-45,200.09)	49.82	(21,272.74	-45,247.52)	3.01	(21,275.27	-45,249.15)	5.05	
		(21,280.15	-45,250.45)	6.16	(21,286.26	-45,251.23)	7.53	(21,293.79	-45,251.28)	29.92	
		(21,300.04	-45,222.02)	21.95	(@ 21,300.00	-45,200.07)	42.50				
86	1369	(2/ 2)									
		(@ 21,300.04	-45,222.02)	29.92	(21,293.79	-45,251.28)	4.18	(21,297.91	-45,251.98)	2.16	
		(21,300.01	-45,252.47)	30.45							
86	002-	1									
		(21,300.01	-45,252.47)	2.16	(21,297.91	-45,251.98)	4.18	(21,293.79	-45,251.28)	7.53	
		(21,286.26	-45,251.23)	6.16	(21,280.15	-45,250.45)	5.05	(21,275.27	-45,249.15)	3.01	
		(21,272.74	-45,247.52)	7.95	(21,264.79	-45,247.31)	4.88	(21,259.94	-45,246.73)	5.48	
		(21,254.78	-45,244.88)	5.83	(21,249.67	-45,242.07)	4.49	(21,245.34	-45,240.89)	0.74	
		(21,244.61	-45,240.76)	2.72	(@ 21,241.91	-45,240.46)	4.44	(21,237.77	-45,242.07)	5.12	
		(21,232.66	-45,242.43)	4.44	(21,230.75	-45,246.44)	10.22	(21,240.86	-45,244.96)	4.09	
		(21,244.93	-45,244.54)	2.01	(21,246.93	-45,244.74)	7.16	(21,253.44	-45,247.72)	6.72	
		(21,259.54	-45,250.55)	7.85	(21,267.38	-45,250.85)	3.35	(21,270.71	-45,251.19)	10.26	
		(21,280.57	-45,254.03)	5.32	(21,285.84	-45,254.73)	9.01	(21,294.85	-45,254.51)	1.15	
		(21,295.97	-45,254.77)	4.12	(21,300.02	-45,255.52)	3.05				
84	1338	(2/ 2)									
		(21,300.02	-45,255.52)	4.12	(@ 21,295.97	-45,254.77)	14.24	(21,294.43	-45,268.93)	5.67	
		(21,300.03	-45,269.82)	14.30							
84	1336	(2/ 2)									
		(21,300.03	-45,269.82)	5.67	(@ 21,294.43	-45,268.93)	2.06	(21,292.48	-45,269.58)	8.31	
		(21,290.16	-45,277.56)	9.99	(21,300.07	-45,278.82)	9.00				
84	1335	(2/ 2)									
		(21,300.07	-45,278.82)	9.99	(@ 21,290.16	-45,277.56)	2.52	(21,289.72	-45,280.04)	2.90	
		(21,290.28	-45,282.89)	6.07	(21,291.03	-45,288.91)	15.95	(21,291.17	-45,304.86)	10.45	
		(21,288.55	-45,314.98)	4.63	(21,291.84	-45,318.24)	3.03	(21,294.47	-45,319.75)	5.54	
		(21,299.98	-45,319.22)	40.40							
84	1333	(2/ 2)									

地区..003 作業..65 原図番号..N1 52-2 縮尺..1/ 500 基準点..X 21,150.00..Y -45,400.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

84	001-	6	(21,299.98 -45,319.22)	5.54	(21,294.47 -45,319.75)	6.78	(21,300.00 -45,323.67)	4.45	
			(21,300.00 -45,323.67)	6.78	(21,294.47 -45,319.75)	3.03	(21,291.84 -45,318.24)	2.02	
			(21,290.75 -45,319.94)	1.57	(21,292.23 -45,320.46)	9.44	(21,300.00 -45,325.82)	2.15	
85	1343	(2/ 2)	(21,300.00 -45,325.82)	9.44	(21,292.23 -45,320.46)	1.57	(21,290.75 -45,319.94)	11.61	
			(21,279.15 -45,320.32)	3.25	(21,279.35 -45,323.56)	2.38	(21,279.13 -45,325.93)	3.20	
			(21,278.27 -45,329.01)	2.57	(21,277.18 -45,331.34)	4.06	(21,275.00 -45,334.76)	3.42	
			(21,278.05 -45,336.31)	3.01	(21,280.95 -45,337.13)	7.85	(21,288.67 -45,338.53)	1.06	
			(21,289.43 -45,337.79)	2.24	(21,291.63 -45,337.36)	8.67	(21,300.04 -45,335.27)	9.45	
83	002-	5	(21,300.04 -45,335.27)	8.67	(21,291.63 -45,337.36)	2.24	(21,289.43 -45,337.79)	1.06	
			(21,288.67 -45,338.53)	5.55	(21,284.60 -45,342.31)	4.41	(21,280.73 -45,344.43)	16.71	
			(21,265.00 -45,350.06)	2.37	(21,262.65 -45,350.39)	2.09	(21,261.13 -45,351.83)	4.02	
			(21,257.87 -45,354.19)	9.61	(21,249.36 -45,358.65)	6.45	(21,243.44 -45,361.20)	3.32	
			(21,244.09 -45,364.46)	6.89	(21,250.40 -45,361.70)	19.87	(21,267.91 -45,352.30)	5.05	
			(21,272.65 -45,350.57)	14.37	(21,285.98 -45,345.21)	11.60	(21,296.36 -45,340.04)	3.87	
			(21,300.06 -45,338.92)	3.65					
83	1327	(2/ 2)	(21,300.06 -45,338.92)	3.87	(21,296.36 -45,340.04)	11.60	(21,285.98 -45,345.21)	14.37	
			(21,272.65 -45,350.57)	1.55	(21,272.81 -45,352.11)	2.24	(21,272.54 -45,354.33)	3.03	
			(21,271.55 -45,357.19)	3.48	(21,270.02 -45,360.32)	2.38	(21,268.73 -45,362.32)	3.80	
			(21,266.26 -45,365.21)	2.75	(21,264.84 -45,367.57)	3.28	(21,268.12 -45,367.45)	6.52	
			(21,274.54 -45,366.33)	5.74	(21,280.14 -45,365.05)	5.09	(21,285.06 -45,363.73)	5.16	
			(21,289.95 -45,362.09)	4.11	(21,293.82 -45,360.70)	4.33	(21,297.96 -45,359.43)	2.09	
			(21,299.99 -45,358.92)	20.00					
83	1323	(4/ 4)	(21,299.99 -45,358.92)	2.09	(21,297.96 -45,359.43)	4.33	(21,293.82 -45,360.70)	4.11	
			(21,289.95 -45,362.09)	5.16	(21,285.06 -45,363.73)	5.09	(21,280.14 -45,365.05)	5.74	
			(21,274.54 -45,366.33)	6.52	(21,268.12 -45,367.45)	3.28	(21,264.84 -45,367.57)	1.23	
			(21,264.58 -45,368.77)	1.72	(21,264.83 -45,370.47)	3.71	(21,265.95 -45,374.01)	4.84	
			(21,267.12 -45,378.71)	7.85	(21,268.55 -45,386.43)	13.68	(21,269.60 -45,400.07)	30.43	
			(21,300.03 -45,400.07)	41.15					
83	1326	(2/ 2)	(21,269.60 -45,400.07)	13.68	(21,268.55 -45,386.43)	7.85	(21,267.12 -45,378.71)	4.84	
			(21,265.95 -45,374.01)	3.71	(21,264.83 -45,370.47)	1.72	(21,264.58 -45,368.77)	1.23	
			(21,264.84 -45,367.57)	2.75	(21,266.26 -45,365.21)	3.80	(21,268.73 -45,362.32)	2.38	
			(21,270.02 -45,360.32)	3.48	(21,271.55 -45,357.19)	3.03	(21,272.54 -45,354.33)	2.24	
			(21,272.81 -45,352.11)	1.55	(21,272.65 -45,350.57)	5.05	(21,267.91 -45,352.30)	19.87	
			(21,250.40 -45,361.70)	6.89	(21,244.09 -45,364.46)	8.46	(21,245.54 -45,372.79)	4.01	
			(21,246.06 -45,376.77)	5.95	(21,245.88 -45,382.72)	17.41	(21,244.20 -45,400.05)	25.40	
83	001-	7	(21,244.20 -45,400.05)	17.41	(21,245.88 -45,382.72)	5.95	(21,246.06 -45,376.77)	4.01	
			(21,245.54 -45,372.79)	8.46	(21,244.09 -45,364.46)	3.32	(21,243.44 -45,361.20)	2.08	
			(21,241.56 -45,362.08)	4.05	(21,242.15 -45,366.09)	7.08	(21,243.69 -45,373.00)	3.88	
			(21,244.21 -45,376.85)	5.85	(21,244.06 -45,382.70)	17.44	(21,242.40 -45,400.06)	1.80	
83	1325-	1	(2/ 2)	(21,242.40 -45,400.06)	17.44	(21,244.06 -45,382.70)	5.85	(21,244.21 -45,376.85)	3.88
			(21,243.69 -45,373.00)	7.08	(21,242.15 -45,366.09)	8.23	(21,234.73 -45,369.66)	14.20	
			(21,221.45 -45,374.69)	2.72	(21,218.95 -45,375.77)	2.38	(21,217.13 -45,377.31)	2.71	
			(21,215.54 -45,379.51)	7.52	(21,213.85 -45,386.84)	8.12	(21,212.88 -45,394.90)	5.33	
			(21,211.45 -45,400.03)	30.95					

地区 ..003

作業 .. 65

原図番号 .. N1 52-2

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -45,400.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

89	002-	6	(21,211.45 -45,400.03)	5.33	(21,212.88 -45,394.90)	8.12	(21,213.85 -45,386.84)	7.52
			(21,215.54 -45,379.51)	2.71	(21,217.13 -45,377.31)	2.38	(21,218.95 -45,375.77)	2.72
			(21,221.45 -45,374.69)	14.20	(21,234.73 -45,369.66)	8.23	(21,242.15 -45,366.09)	4.05
		(a)	(21,241.56 -45,362.08)	6.96	(21,235.00 -45,364.42)	7.49	(21,227.94 -45,366.91)	6.11
			(21,222.08 -45,368.65)	5.86	(21,216.79 -45,371.18)	4.84	(21,212.95 -45,374.12)	4.25
			(21,211.06 -45,377.93)	16.40	(21,208.28 -45,394.09)	6.09	(21,207.05 -45,400.05)	4.40
89	1408-	1	(21,207.05 -45,400.05)	6.09	(21,208.28 -45,394.09)	2.97	(21,205.33 -45,393.75)	3.16
			(21,202.18 -45,393.97)	1.95	(21,200.25 -45,394.22)	2.07	(21,198.23 -45,394.68)	8.62
			(21,189.97 -45,397.15)	10.27	(21,179.97 -45,399.48)	2.43	(21,178.42 -45,397.61)	1.87
			(21,176.94 -45,396.47)	2.49	(21,174.78 -45,395.23)	3.57	(21,171.40 -45,394.09)	7.55
		(a)	(21,164.07 -45,392.30)	8.45	(21,160.65 -45,400.03)	46.40		
89	1409-	1	(21,164.07 -45,392.30)	7.55	(21,171.40 -45,394.09)	3.57	(21,174.78 -45,395.23)	2.49
			(21,176.94 -45,396.47)	1.87	(21,178.42 -45,397.61)	2.43	(21,179.97 -45,399.48)	10.27
			(21,189.97 -45,397.15)	3.59	(21,189.10 -45,393.67)	3.46	(21,188.46 -45,390.27)	3.52
			(21,188.10 -45,386.77)	3.55	(21,188.26 -45,383.22)	3.80	(21,188.87 -45,379.47)	4.42
			(21,189.90 -45,375.17)	4.29	(21,190.96 -45,371.01)	4.53	(21,192.24 -45,366.66)	8.47
			(21,195.19 -45,358.72)	6.45	(21,197.46 -45,352.68)	3.26	(21,194.46 -45,351.40)	1.96
			(21,192.78 -45,350.40)	1.93	(21,191.25 -45,349.23)	2.60	(21,189.44 -45,347.37)	4.61
		(a)	(21,186.47 -45,343.85)	53.38				
89	1407-	1	(21,149.98 -45,391.83)	2.22	(21,152.17 -45,391.47)	3.20	(21,155.37 -45,391.40)	1.97
			(21,157.30 -45,391.80)	36.47	(21,172.33 -45,358.57)	1.50	(a) (21,170.83 -45,358.54)	3.67
			(21,167.19 -45,358.98)	7.75	(21,159.49 -45,359.89)	1.68	(21,157.82 -45,360.04)	4.44
			(21,153.38 -45,360.08)	5.74	(21,152.09 -45,365.67)	5.30	(21,151.08 -45,370.87)	3.24
			(21,150.55 -45,374.07)	3.19	(21,150.31 -45,377.25)	2.70	(21,150.27 -45,379.95)	3.27
			(21,150.33 -45,383.22)	6.30	(21,150.28 -45,389.52)	2.33		
89	1405-	2	(21,159.49 -45,359.89)	7.75	(21,167.19 -45,358.98)	3.67	(21,170.83 -45,358.54)	1.50
			(21,172.33 -45,358.57)	9.57	(21,176.92 -45,350.17)	1.29	(21,175.70 -45,349.75)	6.90
			(21,176.76 -45,342.93)	15.74	(a) (21,161.08 -45,341.53)	18.43		
89	1409-	2	(21,175.70 -45,349.75)	1.29	(21,176.92 -45,350.17)	9.74	(21,180.71 -45,341.20)	2.50
		(a)	(21,178.41 -45,340.22)	3.17	(21,176.76 -45,342.93)	6.90		
89	001-	8	(21,160.65 -45,400.03)	8.45	(21,164.07 -45,392.30)	53.38	(21,186.47 -45,343.85)	6.34
		(a)	(21,180.71 -45,341.20)	9.74	(21,176.92 -45,350.17)	9.57	(21,172.33 -45,358.57)	36.47
			(21,157.30 -45,391.80)	9.01	(21,153.60 -45,400.01)	7.05		
89	1410		(21,189.97 -45,397.15)	8.62	(21,198.23 -45,394.68)	2.07	(21,200.25 -45,394.22)	1.95
			(21,202.18 -45,393.97)	3.16	(21,205.33 -45,393.75)	2.97	(21,208.28 -45,394.09)	16.40
			(21,211.06 -45,377.93)	4.25	(21,212.95 -45,374.12)	4.84	(21,216.79 -45,371.18)	5.86
			(21,222.08 -45,368.65)	5.43	(21,217.89 -45,365.20)	6.35	(21,213.09 -45,361.05)	6.28
			(21,208.40 -45,356.87)	3.28	(21,205.82 -45,354.85)	1.45	(21,204.52 -45,354.21)	7.22
		(a)	(21,197.46 -45,352.68)	6.45	(21,195.19 -45,358.72)	8.47	(21,192.24 -45,366.66)	4.53
			(21,190.96 -45,371.01)	4.29	(21,189.90 -45,375.17)	4.42	(21,188.87 -45,379.47)	3.80
			(21,188.26 -45,383.22)	3.55	(21,188.10 -45,386.77)	3.52	(21,188.46 -45,390.27)	3.46
			(21,189.10 -45,393.67)	3.59				
85	1349-	1	(21,186.47 -45,343.85)	4.61	(21,189.44 -45,347.37)	2.60	(21,191.25 -45,349.23)	1.93

地区 ..003

作業 .. 65

原図番号 .. N1 52-2

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -45,400.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,192.78 -45,350.40)	1.96	(21,194.46 -45,351.40)	3.26	(21,197.46 -45,352.68)	7.22
		(21,204.52 -45,354.21)	14.13	(21,205.28 -45,340.10)	5.39	(21,199.89 -45,340.12)	5.18
		(21,194.71 -45,339.90)	5.97	(21,188.76 -45,339.38)	5.02		
85	1350- 4	(21,188.76 -45,339.38)	5.97	(21,194.71 -45,339.90)	5.18	(21,199.89 -45,340.12)	5.39
		(21,205.28 -45,340.10)	14.59	(21,219.86 -45,339.57)	5.48	(21,225.33 -45,339.27)	4.43
		(21,229.73 -45,338.73)	2.96	(21,232.65 -45,338.24)	6.99	(21,239.60 -45,337.48)	0.74
		(21,239.50 -45,336.75)	7.07	(21,232.45 -45,337.27)	21.32	(21,232.30 -45,315.95)	1.70
		(21,232.28 -45,314.25)	19.36	(21,212.93 -45,313.52)	22.57	(21,210.12 -45,335.91)	17.38
		(21,192.74 -45,335.70)	2.13	(21,190.69 -45,335.11)	4.69		
85	1350- 1	(21,190.69 -45,335.11)	2.13	(21,192.74 -45,335.70)	17.38	(21,210.12 -45,335.91)	22.57
		(21,212.93 -45,313.52)	19.36	(21,232.28 -45,314.25)	1.70	(21,232.30 -45,315.95)	4.71
		(21,237.00 -45,315.59)	5.96	(21,236.19 -45,309.69)	8.10	(21,228.65 -45,306.73)	8.38
		(21,220.42 -45,305.14)	15.67	(21,204.80 -45,303.95)	34.21		
85	1341- 1	(21,204.80 -45,303.95)	15.67	(21,220.42 -45,305.14)	8.38	(21,228.65 -45,306.73)	8.10
		(21,236.19 -45,309.69)	3.20	(21,239.00 -45,311.22)	22.31	(21,261.29 -45,310.20)	15.33
		(21,276.59 -45,309.32)	7.06	(21,283.56 -45,310.42)	5.33	(21,288.88 -45,310.08)	5.52
		(21,290.17 -45,304.71)	15.85	(21,290.18 -45,288.86)	5.83	(21,289.38 -45,283.09)	3.22
		(21,288.80 -45,279.92)	2.67	(21,289.16 -45,277.27)	8.75	(21,291.75 -45,268.91)	2.06
		(21,293.72 -45,268.31)	25.26	(21,268.47 -45,267.60)	10.00	(21,258.47 -45,267.56)	27.37
		(21,231.13 -45,268.75)	9.04	(21,222.12 -45,267.97)	20.66	(21,214.12 -45,287.02)	4.82
		(21,210.66 -45,290.38)	14.78				
85	001- 3	(21,210.66 -45,290.38)	4.82	(21,214.12 -45,287.02)	20.66	(21,222.12 -45,267.97)	4.43
		(21,222.85 -45,263.60)	18.89	(21,230.75 -45,246.44)	5.60	(21,225.88 -45,243.67)	47.27
		(21,205.56 -45,286.35)	24.92	(21,195.25 -45,309.04)	35.29	(21,180.71 -45,341.20)	6.34
		(21,186.47 -45,343.85)	5.02	(21,188.76 -45,339.38)	4.69	(21,190.69 -45,335.11)	34.21
		(21,204.80 -45,303.95)	14.78				
85	1349- 2	(21,180.71 -45,341.20)	35.29	(21,195.25 -45,309.04)	13.20	(21,185.72 -45,318.18)	3.27
		(21,185.06 -45,321.38)	3.95	(21,183.58 -45,325.04)	5.19	(21,181.82 -45,329.92)	6.43
		(21,179.99 -45,336.08)	4.43	(21,178.41 -45,340.22)	2.50		
85	1352	(21,178.41 -45,340.22)	4.43	(21,179.99 -45,336.08)	6.43	(21,181.82 -45,329.92)	5.19
		(21,183.58 -45,325.04)	3.95	(21,185.06 -45,321.38)	3.27	(21,185.72 -45,318.18)	7.06
		(21,178.82 -45,316.68)	5.22	(21,173.86 -45,315.05)	5.30	(21,168.88 -45,313.25)	4.89
		(21,164.35 -45,311.42)	3.21	(21,161.62 -45,309.73)	26.09	(21,157.83 -45,335.54)	5.72
		(21,157.01 -45,341.20)	4.08	(21,161.08 -45,341.53)	15.74	(21,176.76 -45,342.93)	3.17
		(21,178.41 -45,340.22)	0.00				
85	1361	(21,205.56 -45,286.35)	47.27	(21,225.88 -45,243.67)	10.02	(21,216.24 -45,240.93)	8.31
		(21,207.96 -45,240.27)	7.63	(21,200.34 -45,240.55)	11.03	(21,189.77 -45,237.41)	19.24
		(21,171.13 -45,232.66)	1.98	(21,169.15 -45,232.75)	6.20	(21,164.82 -45,237.19)	4.83
		(21,161.56 -45,240.75)	11.15	(21,155.05 -45,249.80)	6.42	(21,150.93 -45,254.72)	63.13
85	1340	(21,222.12 -45,267.97)	9.04	(21,231.13 -45,268.75)	27.37	(21,258.47 -45,267.56)	10.00
		(21,268.47 -45,267.60)	25.26	(21,293.72 -45,268.31)	13.85	(21,294.85 -45,254.51)	9.01
		(21,285.84 -45,254.73)	5.32	(21,280.57 -45,254.03)	10.26	(21,270.71 -45,251.19)	3.35
		(21,267.38 -45,250.85)	7.85	(21,259.54 -45,250.55)	6.56	(21,253.30 -45,252.58)	7.96
		(21,245.62 -45,254.69)	4.79	(21,241.35 -45,256.86)	7.25	(21,235.72 -45,261.43)	5.77

地区 ..003

作業 .. 65

原図番号 .. N1 52-2

縮尺 .. 1/ 500

基準点 .. X 21,150.00 .. Y -45,400.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

85	1366-	1	(21,231.86 -45,265.72)	9.26	(21,222.85 -45,263.60)	4.43				
			(21,222.85 -45,263.60)	9.26	(21,231.86 -45,265.72)	5.77	(21,235.72 -45,261.43)	7.25		
			(21,241.35 -45,256.86)	4.79	(21,245.62 -45,254.69)	7.96	(21,253.30 -45,252.58)	4.86		
			(21,253.44 -45,247.72)	7.16	(21,246.93 -45,244.74)	2.01	(21,244.93 -45,244.54)	4.09		
			(21,240.86 -45,244.96)	10.22	(21,230.75 -45,246.44)	18.89				
85	1367		(21,253.30 -45,252.58)	6.56	(21,259.54 -45,250.55)	6.72	(21,253.44 -45,247.72)	4.86		
85	1348		(21,205.28 -45,340.10)	14.13	(21,204.52 -45,354.21)	1.45	(21,205.82 -45,354.85)	3.28		
			(21,208.40 -45,356.87)	6.28	(21,213.09 -45,361.05)	6.35	(21,217.89 -45,365.20)	5.43		
			(21,222.08 -45,368.65)	6.11	(21,227.94 -45,366.91)	7.49	(21,235.00 -45,364.42)	6.87		
			(21,231.78 -45,358.35)	2.75	(21,230.57 -45,355.88)	1.99	(21,230.09 -45,353.95)	1.47		
			(21,230.01 -45,352.48)	1.33	(21,230.11 -45,351.15)	1.95	(21,230.55 -45,349.25)	2.28		
			(21,231.89 -45,347.40)	2.34	(21,233.86 -45,346.14)	2.06	(21,235.81 -45,345.48)	4.48		
			(21,240.24 -45,344.80)	7.35	(21,239.60 -45,337.48)	6.99	(21,232.65 -45,338.24)	2.96		
			(21,229.73 -45,338.73)	4.43	(21,225.33 -45,339.27)	5.48	(21,219.86 -45,339.57)	14.59		
85	1345-	2	(21,235.00 -45,364.42)	6.96	(21,241.56 -45,362.08)	7.84	(21,240.97 -45,354.26)	9.49		
			(21,240.24 -45,344.80)	4.48	(21,235.81 -45,345.48)	2.06	(21,233.86 -45,346.14)	2.34		
			(21,231.89 -45,347.40)	2.28	(21,230.55 -45,349.25)	1.95	(21,230.11 -45,351.15)	1.33		
			(21,230.01 -45,352.48)	1.47	(21,230.09 -45,353.95)	1.99	(21,230.57 -45,355.88)	2.75		
			(21,231.78 -45,358.35)	6.87	(21,235.00 -45,364.42)	0.00				
85	1347-	2	(21,232.45 -45,337.27)	7.07	(21,239.50 -45,336.75)	21.31	(21,237.00 -45,315.59)	4.71		
			(21,232.30 -45,315.95)	21.32						
85	1345-	1	(21,243.44 -45,361.20)	6.45	(21,249.36 -45,358.65)	9.61	(21,257.87 -45,354.19)	4.02		
			(21,261.13 -45,351.83)	2.09	(21,262.65 -45,350.39)	6.87	(21,261.89 -45,343.56)	10.74		
			(21,251.22 -45,342.34)	9.35	(21,241.92 -45,341.37)	19.89				
85	1347-	1	(21,241.92 -45,341.37)	9.35	(21,251.22 -45,342.34)	10.74	(21,261.89 -45,343.56)	1.62		
			(21,263.51 -45,343.62)	2.43	(21,265.92 -45,343.31)	2.39	(21,268.20 -45,342.60)	1.84		
			(21,269.77 -45,341.65)	2.12	(21,271.31 -45,340.19)	2.75	(21,272.95 -45,337.98)	3.82		
			(21,275.00 -45,334.76)	4.06	(21,277.18 -45,331.34)	2.57	(21,278.27 -45,329.01)	3.20		
			(21,279.13 -45,325.93)	2.38	(21,279.35 -45,323.56)	3.25	(21,279.15 -45,320.32)	9.41		
			(21,276.96 -45,311.17)	15.33	(21,261.65 -45,312.03)	22.53	(21,239.15 -45,313.15)	28.36		
85	001-	4	(21,239.15 -45,313.15)	22.53	(21,261.65 -45,312.03)	15.33	(21,276.96 -45,311.17)	5.89		
			(21,282.77 -45,312.12)	1.23	(21,283.83 -45,312.74)	9.99	(21,290.75 -45,319.94)	2.02		
			(21,291.84 -45,318.24)	4.63	(21,288.55 -45,314.98)	1.06	(21,287.81 -45,314.22)	4.19		
			(21,284.85 -45,311.26)	1.54	(21,283.56 -45,310.42)	7.06	(21,276.59 -45,309.32)	15.33		
			(21,261.29 -45,310.20)	22.31	(21,239.00 -45,311.22)	1.94				
85	001-	5	(21,239.00 -45,311.22)	3.20	(21,236.19 -45,309.69)	5.96	(21,237.00 -45,315.59)	21.31		
			(21,239.50 -45,336.75)	0.74	(21,239.60 -45,337.48)	7.35	(21,240.24 -45,344.80)	9.49		
			(21,240.97 -45,354.26)	7.84	(21,241.56 -45,362.08)	2.08	(21,243.44 -45,361.20)	19.89		
			(21,241.92 -45,341.37)	28.36	(21,239.15 -45,313.15)	1.94				
85	002-	4	(21,263.51 -45,343.62)	1.62	(21,261.89 -45,343.56)	6.87	(21,262.65 -45,350.39)	2.37		
			(21,265.00 -45,350.11)	6.66						
85	1344									

地区 ..003

作業 .. 65

原図番号 .. N1 52-2

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -45,400.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,265.00 -45,350.11)	16.72	(21,280.73 -45,344.43)	4.41	(21,284.60 -45,342.31)	5.55
		(21,288.67 -45,338.53)	7.85	(21,280.95 -45,337.13)	3.01	(21,278.05 -45,336.31)	3.42
		(@ 21,275.00 -45,334.76)	3.82	(21,272.95 -45,337.98)	2.75	(21,271.31 -45,340.19)	2.12
		(21,269.77 -45,341.65)	1.84	(21,268.20 -45,342.60)	2.39	(21,265.92 -45,343.31)	2.43
		(21,263.51 -45,343.62)	6.66				
85	1342- 1	(21,279.15 -45,320.32)	11.61	(21,290.75 -45,319.94)	9.99	(21,283.83 -45,312.74)	1.23
		(21,282.77 -45,312.12)	5.89	(@ 21,276.96 -45,311.17)	9.41		
85	1342- 2	(21,283.56 -45,310.42)	1.54	(21,284.85 -45,311.26)	4.19	(21,287.81 -45,314.22)	4.28
		(@ 21,288.88 -45,310.08)	5.33				
86	1382- 2	(21,232.66 -45,242.43)	5.12	(21,237.77 -45,242.07)	4.44	(21,241.91 -45,240.46)	2.72
		(21,244.61 -45,240.76)	3.40	(21,241.68 -45,239.03)	6.81	(@ 21,235.45 -45,236.27)	6.76
86	1380- 2	(21,235.45 -45,236.27)	6.81	(21,241.68 -45,239.03)	3.40	(21,244.61 -45,240.76)	15.18
		(@ 21,240.21 -45,226.23)	11.11				
86	1382- 1	(21,227.91 -45,238.76)	5.84	(21,230.33 -45,233.45)	5.32	(21,225.62 -45,230.97)	3.25
		(21,222.64 -45,229.68)	3.26	(21,219.56 -45,228.62)	1.72	(21,217.89 -45,228.20)	3.13
		(21,214.76 -45,228.16)	4.43	(21,210.39 -45,228.91)	2.77	(21,207.64 -45,229.24)	1.66
		(21,205.99 -45,229.07)	1.51	(21,204.52 -45,228.71)	1.84	(21,202.91 -45,227.81)	0.81
		(@ 21,202.42 -45,227.16)	8.61	(21,201.51 -45,235.72)	9.86	(21,211.37 -45,235.63)	5.86
		(21,217.20 -45,236.23)	6.36	(21,223.43 -45,237.53)	4.65		
87	001- 2	(21,227.91 -45,238.76)	4.65	(21,223.43 -45,237.53)	6.36	(21,217.20 -45,236.23)	5.86
		(21,211.37 -45,235.63)	9.86	(21,201.51 -45,235.72)	40.12	(@ 21,162.39 -45,226.84)	1.32
		(21,162.33 -45,228.16)	39.79	(21,201.15 -45,236.87)	10.28	(21,211.42 -45,237.23)	5.50
		(21,216.90 -45,237.68)	6.21	(21,222.96 -45,239.03)	4.54	(21,227.33 -45,240.26)	1.61
84	002- 3	(21,295.97 -45,254.77)	1.15	(@ 21,294.85 -45,254.51)	13.85	(21,293.72 -45,268.31)	2.06
		(21,291.75 -45,268.91)	8.75	(21,289.16 -45,277.27)	2.67	(21,288.80 -45,279.92)	3.22
		(21,289.38 -45,283.09)	5.83	(21,290.18 -45,288.86)	15.85	(21,290.17 -45,304.71)	5.52
		(21,288.88 -45,310.08)	4.28	(21,287.81 -45,314.22)	1.06	(21,288.55 -45,314.98)	10.45
		(21,291.17 -45,304.86)	15.95	(21,291.03 -45,288.91)	6.07	(21,290.28 -45,282.89)	2.90
		(21,289.72 -45,280.04)	2.52	(21,290.16 -45,277.56)	8.31	(21,292.48 -45,269.58)	2.06
		(21,294.43 -45,268.93)	14.24				