

地区 ..003

作業 .. 66 原図番号 .. N1 52-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,600.00 測定 年 5 月 9 日

字 地番及び座標 (X ; Y) &amp; 座標間距離 (m)

|    |         |                          |       |                          |       |                          |       |
|----|---------|--------------------------|-------|--------------------------|-------|--------------------------|-------|
|    |         | ( 21,000.00 -45,600.00 ) | 50.00 | ( 21,050.00 -45,599.95 ) | 50.00 | ( 21,100.00 -45,599.90 ) | 50.00 |
|    |         | ( 21,150.00 -45,599.90 ) | 50.00 | ( 21,150.00 -45,549.90 ) | 50.00 | ( 21,150.00 -45,499.90 ) | 50.00 |
|    |         | ( 21,150.00 -45,449.90 ) | 50.00 | ( 21,150.00 -45,399.90 ) | 50.00 | ( 21,100.00 -45,399.95 ) | 49.93 |
|    |         | ( 21,050.07 -45,399.95 ) | 50.07 | ( 21,000.00 -45,400.00 ) | 50.00 | ( 21,000.00 -45,450.00 ) | 50.00 |
|    |         | ( 21,000.00 -45,500.00 ) | 49.95 | ( 21,000.00 -45,549.95 ) | 50.05 |                          |       |
| 30 | 493- 1  | ( 21,000.00 -45,600.00 ) | 0.70  | ( 21,000.70 -45,600.00 ) | 18.56 | ( 21,015.00 -45,588.17 ) | 9.02  |
|    |         | ( 21,006.17 -45,590.00 ) | 6.31  | ( 21,000.00 -45,591.30 ) | 8.70  |                          |       |
| 30 | 494- 5  | ( 21,000.00 -45,591.30 ) | 6.31  | ( 21,006.17 -45,590.00 ) | 25.87 | ( 21,001.00 -45,564.65 ) | 1.01  |
|    |         | ( 21,000.00 -45,564.80 ) | 26.50 |                          |       |                          |       |
| 30 | 001- 17 | ( 21,000.00 -45,564.80 ) | 1.01  | ( 21,001.00 -45,564.65 ) | 10.26 | ( 21,011.15 -45,563.17 ) | 1.72  |
|    |         | ( 21,012.85 -45,562.90 ) | 20.83 | ( 21,033.20 -45,558.45 ) | 1.08  | ( 21,034.25 -45,558.20 ) | 3.88  |
|    |         | ( 21,038.02 -45,557.29 ) | 3.49  | ( 21,038.00 -45,553.80 ) | 6.21  | ( 21,032.80 -45,557.20 ) | 20.50 |
|    |         | ( 21,012.78 -45,561.60 ) | 12.91 | ( 21,000.00 -45,563.40 ) | 1.40  |                          |       |
| 7  | 002- 8  | ( 21,000.00 -45,563.40 ) | 12.91 | ( 21,012.78 -45,561.60 ) | 20.50 | ( 21,032.80 -45,557.20 ) | 6.21  |
|    |         | ( 21,038.00 -45,553.80 ) | 31.94 | ( 21,040.35 -45,521.95 ) | 2.45  | ( 21,040.35 -45,519.50 ) | 15.90 |
|    |         | ( 21,040.08 -45,503.60 ) | 6.89  | ( 21,040.78 -45,496.75 ) | 4.39  | ( 21,040.33 -45,492.38 ) | 10.39 |
|    |         | ( 21,039.25 -45,482.05 ) | 1.86  | ( 21,037.47 -45,482.60 ) | 6.81  | ( 21,037.20 -45,489.40 ) | 7.00  |
|    |         | ( 21,037.40 -45,496.40 ) | 10.56 | ( 21,037.75 -45,506.95 ) | 7.97  | ( 21,037.70 -45,514.92 ) | 1.88  |
|    |         | ( 21,037.72 -45,516.80 ) | 1.94  | ( 21,037.75 -45,518.74 ) | 1.31  | ( 21,037.80 -45,520.05 ) | 9.09  |
|    |         | ( 21,036.55 -45,529.05 ) | 5.18  | ( 21,035.85 -45,534.18 ) | 13.46 | ( 21,034.80 -45,547.60 ) | 1.65  |
|    |         | ( 21,034.70 -45,549.25 ) | 2.77  | ( 21,033.68 -45,551.83 ) | 2.19  | ( 21,032.10 -45,553.35 ) | 1.63  |
|    |         | ( 21,030.65 -45,554.10 ) | 27.95 | ( 21,002.84 -45,556.85 ) | 2.85  | ( 21,000.00 -45,557.10 ) | 6.30  |
| 7  | 117- 1  | ( 21,000.00 -45,557.10 ) | 2.85  | ( 21,002.84 -45,556.85 ) | 20.60 | ( 21,002.82 -45,536.25 ) | 2.99  |
|    |         | ( 21,000.00 -45,535.25 ) | 21.85 |                          |       |                          |       |
| 7  | 116- 1  | ( 21,000.00 -45,535.25 ) | 2.99  | ( 21,002.82 -45,536.25 ) | 11.45 | ( 21,013.60 -45,540.10 ) | 24.28 |
|    |         | ( 21,026.37 -45,519.45 ) | 7.24  | ( 21,019.40 -45,517.50 ) | 5.10  | ( 21,014.50 -45,516.10 ) | 3.90  |
|    |         | ( 21,010.83 -45,514.78 ) | 8.44  | ( 21,002.90 -45,511.90 ) | 3.10  | ( 21,000.00 -45,510.80 ) | 24.45 |
| 7  | 001- 18 | ( 21,000.00 -45,510.80 ) | 3.10  | ( 21,002.90 -45,511.90 ) | 8.44  | ( 21,010.83 -45,514.78 ) | 3.90  |
|    |         | ( 21,014.50 -45,516.10 ) | 5.10  | ( 21,019.40 -45,517.50 ) | 7.24  | ( 21,026.37 -45,519.45 ) | 3.55  |
|    |         | ( 21,029.85 -45,520.15 ) | 3.65  | ( 21,033.50 -45,520.18 ) | 4.49  | ( 21,037.75 -45,518.74 ) | 1.94  |
|    |         | ( 21,037.72 -45,516.80 ) | 3.61  | ( 21,034.28 -45,517.90 ) | 1.76  | ( 21,032.55 -45,518.20 ) | 3.05  |
|    |         | ( 21,029.50 -45,518.10 ) | 9.18  | ( 21,020.63 -45,515.75 ) | 10.72 | ( 21,010.45 -45,512.40 ) | 7.24  |
|    |         | ( 21,003.58 -45,510.10 ) | 3.81  | ( 21,000.00 -45,508.80 ) | 2.00  |                          |       |
| 7  | 002- 9  | ( 21,000.00 -45,508.80 ) | 3.81  | ( 21,003.58 -45,510.10 ) | 7.24  | ( 21,010.45 -45,512.40 ) | 10.72 |
|    |         | ( 21,020.63 -45,515.75 ) | 9.18  | ( 21,029.50 -45,518.10 ) | 3.05  | ( 21,032.55 -45,518.20 ) | 1.76  |
|    |         | ( 21,034.28 -45,517.90 ) | 3.61  | ( 21,037.72 -45,516.80 ) | 1.88  | ( 21,037.70 -45,514.92 ) | 4.18  |
|    |         | ( 21,034.13 -45,517.10 ) | 1.70  | ( 21,032.45 -45,517.35 ) | 0.85  | ( 21,031.60 -45,517.38 ) | 1.95  |
|    |         | ( 21,029.70 -45,516.95 ) | 9.09  | ( 21,020.88 -45,514.75 ) | 10.68 | ( 21,010.68 -45,511.60 ) | 6.89  |
|    |         | ( 21,004.18 -45,509.30 ) | 0.72  | ( 21,004.34 -45,508.60 ) | 4.66  | ( 21,000.00 -45,506.90 ) | 1.90  |
| 7  | 111- 1  | ( 21,000.00 -45,506.90 ) | 4.66  | ( 21,004.34 -45,508.60 ) | 26.56 | ( 21,011.24 -45,482.95 ) | 10.48 |
|    |         | ( 21,003.28 -45,476.13 ) | 4.47  | ( 21,000.00 -45,473.10 ) | 33.80 |                          |       |
| 7  | 001- 20 |                          |       |                          |       |                          |       |

地区 ..003

作業 .. 66

原図番号 .. N1 52-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,600.00

測定 年 5 月 9 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|    |         |                            |       |                            |       |                            |       |
|----|---------|----------------------------|-------|----------------------------|-------|----------------------------|-------|
|    |         | ( 21,000.00 -45,473.10 )   | 4.47  | ( 21,003.28 -45,476.13 )   | 10.48 | ( 21,011.24 -45,482.95 )   | 2.28  |
|    |         | ( 21,013.15 -45,484.20 )   | 6.03  | ( 21,018.20 -45,487.50 )   | 3.94  | ( 21,021.60 -45,489.50 )   | 5.52  |
|    |         | ( 21,026.58 -45,491.88 )   | 10.25 | ( 21,036.13 -45,495.60 )   | 1.50  | ( 21,037.40 -45,496.40 )   | 7.00  |
|    |         | ( 21,037.20 -45,489.40 )   | 1.44  | ( 21,035.78 -45,489.65 )   | 7.88  | ( 21,028.50 -45,486.63 )   | 4.93  |
|    |         | ( 21,024.08 -45,484.45 )   | 3.65  | ( 21,020.88 -45,482.70 )   | 9.60  | ( 21,013.05 -45,477.14 )   | 8.16  |
|    |         | ( 21,006.45 -45,472.35 )   | 8.98  | ( @ 21,000.00 -45,466.10 ) | 7.00  |                            |       |
| 7  | 111- 2  | ( 1/ 2 )                   |       |                            |       |                            |       |
|    |         | ( 21,000.00 -45,466.10 )   | 8.98  | ( 21,006.45 -45,472.35 )   | 8.16  | ( 21,013.05 -45,477.14 )   | 13.59 |
|    |         | ( 21,016.50 -45,464.00 )   | 0.81  | ( 21,015.95 -45,463.40 )   | 2.84  | ( 21,013.80 -45,461.55 )   | 3.12  |
|    |         | ( 21,012.08 -45,458.95 )   | 2.83  | ( 21,010.10 -45,456.93 )   | 2.50  | ( 21,008.30 -45,455.20 )   | 2.26  |
|    |         | ( 21,006.35 -45,454.05 )   | 2.35  | ( 21,004.20 -45,453.10 )   | 1.51  | ( @ 21,002.70 -45,452.95 ) | 1.78  |
|    |         | ( 21,000.95 -45,453.25 )   | 1.07  | ( 21,000.00 -45,453.75 )   | 12.35 |                            |       |
| 7  | 113- 1  | ( 1/ 3 )                   |       |                            |       |                            |       |
|    |         | ( 21,000.00 -45,453.75 )   | 1.07  | ( 21,000.95 -45,453.25 )   | 1.78  | ( 21,002.70 -45,452.95 )   | 1.51  |
|    |         | ( 21,004.20 -45,453.10 )   | 2.35  | ( 21,006.35 -45,454.05 )   | 2.26  | ( 21,008.30 -45,455.20 )   | 2.50  |
|    |         | ( 21,010.10 -45,456.93 )   | 2.83  | ( 21,012.08 -45,458.95 )   | 3.12  | ( 21,013.80 -45,461.55 )   | 2.84  |
|    |         | ( 21,015.95 -45,463.40 )   | 10.61 | ( 21,024.73 -45,457.45 )   | 1.46  | ( 21,025.78 -45,456.43 )   | 1.11  |
|    |         | ( 21,026.30 -45,455.45 )   | 1.60  | ( 21,026.40 -45,453.85 )   | 5.89  | ( 21,025.35 -45,448.05 )   | 3.62  |
|    |         | ( 21,025.40 -45,444.43 )   | 1.86  | ( 21,026.15 -45,442.73 )   | 1.43  | ( 21,027.00 -45,441.58 )   | 1.92  |
|    |         | ( 21,028.55 -45,440.45 )   | 2.97  | ( 21,031.20 -45,439.10 )   | 14.84 | ( 21,027.40 -45,424.75 )   | 10.15 |
|    |         | ( 21,023.45 -45,415.40 )   | 6.52  | ( 21,020.68 -45,409.50 )   | 9.88  | ( 21,017.95 -45,400.00 )   | 14.95 |
|    |         | ( @ 21,003.00 -45,400.00 ) | 3.42  | ( 21,000.00 -45,401.65 )   | 52.10 |                            |       |
| 7  | 001- 21 |                            |       |                            |       |                            |       |
|    |         | ( 21,000.00 -45,401.65 )   | 3.42  | ( 21,003.00 -45,400.00 )   | 3.00  | ( @ 21,000.00 -45,400.00 ) | 1.65  |
| 7  | 001- 22 |                            |       |                            |       |                            |       |
|    |         | ( @ 21,017.95 -45,400.00 ) | 9.88  | ( 21,020.68 -45,409.50 )   | 6.52  | ( 21,023.45 -45,415.40 )   | 10.15 |
|    |         | ( 21,027.40 -45,424.75 )   | 14.84 | ( 21,031.20 -45,439.10 )   | 8.42  | ( 21,032.43 -45,447.43 )   | 12.95 |
|    |         | ( 21,034.40 -45,460.23 )   | 12.95 | ( 21,035.30 -45,473.15 )   | 8.79  | ( 21,036.53 -45,481.85 )   | 1.20  |
|    |         | ( 21,037.47 -45,482.60 )   | 9.38  | ( 21,036.25 -45,473.30 )   | 13.13 | ( 21,035.30 -45,460.20 )   | 13.02 |
|    |         | ( 21,033.35 -45,447.33 )   | 8.35  | ( 21,032.25 -45,439.05 )   | 15.10 | ( 21,028.20 -45,424.50 )   | 10.12 |
|    |         | ( 21,024.25 -45,415.18 )   | 6.81  | ( 21,021.40 -45,409.00 )   | 9.34  | ( 21,018.90 -45,400.00 )   | 0.95  |
| 7  | 002- 10 |                            |       |                            |       |                            |       |
|    |         | ( @ 21,018.90 -45,400.00 ) | 9.34  | ( 21,021.40 -45,409.00 )   | 6.81  | ( 21,024.25 -45,415.18 )   | 10.12 |
|    |         | ( 21,028.20 -45,424.50 )   | 15.10 | ( 21,032.25 -45,439.05 )   | 8.35  | ( 21,033.35 -45,447.33 )   | 13.02 |
|    |         | ( 21,035.30 -45,460.20 )   | 13.13 | ( 21,036.25 -45,473.30 )   | 9.38  | ( 21,037.47 -45,482.60 )   | 1.86  |
|    |         | ( 21,039.25 -45,482.05 )   | 1.73  | ( 21,040.98 -45,482.15 )   | 9.98  | ( 21,041.75 -45,492.10 )   | 6.84  |
|    |         | ( 21,042.85 -45,498.85 )   | 4.74  | ( 21,042.55 -45,503.58 )   | 26.02 | ( 21,042.25 -45,529.60 )   | 5.88  |
|    |         | ( 21,047.45 -45,526.85 )   | 0.98  | ( 21,047.20 -45,525.90 )   | 15.69 | ( 21,046.24 -45,510.24 )   | 10.41 |
|    |         | ( 21,046.95 -45,499.85 )   | 0.32  | ( 21,047.00 -45,499.53 )   | 5.91  | ( 21,046.20 -45,493.67 )   | 21.30 |
|    |         | ( 21,043.85 -45,472.50 )   | 15.25 | ( 21,041.59 -45,457.42 )   | 11.45 | ( 21,040.89 -45,445.99 )   | 5.74  |
|    |         | ( 21,039.72 -45,440.37 )   | 10.93 | ( 21,038.04 -45,429.57 )   | 8.01  | ( 21,035.73 -45,421.90 )   | 11.15 |
|    |         | ( 21,030.85 -45,411.88 )   | 5.81  | ( 21,028.33 -45,406.65 )   | 3.62  | ( 21,026.95 -45,403.30 )   | 3.40  |
|    |         | ( 21,026.15 -45,400.00 )   | 7.25  |                            |       |                            |       |
| 89 | 1420    | ( 1/ 2 )                   |       |                            |       |                            |       |
|    |         | ( 21,026.15 -45,400.00 )   | 3.40  | ( 21,026.95 -45,403.30 )   | 3.62  | ( 21,028.33 -45,406.65 )   | 5.81  |
|    |         | ( 21,030.85 -45,411.88 )   | 11.15 | ( 21,035.73 -45,421.90 )   | 8.01  | ( 21,038.04 -45,429.57 )   | 7.96  |
|    |         | ( 21,046.00 -45,429.60 )   | 10.19 | ( 21,056.15 -45,430.55 )   | 3.36  | ( 21,059.50 -45,430.79 )   | 11.85 |
|    |         | ( 21,056.05 -45,419.45 )   | 20.40 | ( @ 21,050.07 -45,399.95 ) | 23.92 |                            |       |
| 89 | 1419- 1 | ( 1/ 2 )                   |       |                            |       |                            |       |
|    |         | ( @ 21,050.07 -45,399.95 ) | 20.40 | ( 21,056.05 -45,419.45 )   | 11.85 | ( 21,059.50 -45,430.79 )   | 8.54  |
|    |         | ( 21,068.03 -45,430.45 )   | 16.06 | ( 21,084.05 -45,429.35 )   | 8.32  | ( 21,081.60 -45,421.40 )   | 21.95 |
|    |         | ( 21,076.95 -45,399.95 )   | 26.88 |                            |       |                            |       |

地区 ..003

作業 .. 66 原図番号 .. N1 52-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,600.00 測定 年 5 月 9 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|    |         |                            |       |                          |       |                            |       |
|----|---------|----------------------------|-------|--------------------------|-------|----------------------------|-------|
| 89 | 001- 3  | ( @ 21,076.95 -45,399.95 ) | 21.95 | ( 21,081.60 -45,421.40 ) | 8.32  | ( 21,084.05 -45,429.35 )   | 7.57  |
|    |         | ( 21,087.85 -45,435.90 )   | 3.67  | ( 21,089.45 -45,439.20 ) | 23.92 | ( 21,113.35 -45,440.13 )   | 10.36 |
|    |         | ( 21,123.68 -45,440.98 )   | 11.22 | ( 21,134.70 -45,443.08 ) | 3.24  | ( 21,135.40 -45,439.92 )   | 1.20  |
|    |         | ( 21,134.30 -45,440.40 )   | 7.25  | ( 21,127.18 -45,439.03 ) | 13.55 | ( 21,113.68 -45,437.90 )   | 20.48 |
|    |         | ( 21,093.23 -45,436.85 )   | 1.73  | ( 21,091.50 -45,436.73 ) | 2.79  | ( 21,089.50 -45,434.78 )   | 3.97  |
|    |         | ( 21,087.55 -45,431.32 )   | 3.13  | ( 21,086.00 -45,428.60 ) | 7.89  | ( 21,083.60 -45,421.08 )   | 21.62 |
|    |         | ( 21,079.00 -45,399.95 )   | 2.05  |                          |       |                            |       |
| 89 | 1418- 1 | ( 1/ 2 )                   |       |                          |       |                            |       |
|    |         | ( @ 21,079.00 -45,399.95 ) | 21.62 | ( 21,083.60 -45,421.08 ) | 7.89  | ( 21,086.00 -45,428.60 )   | 3.13  |
|    |         | ( 21,087.55 -45,431.32 )   | 14.11 | ( 21,101.53 -45,429.43 ) | 3.26  | ( 21,104.65 -45,428.50 )   | 4.35  |
|    |         | ( 21,103.50 -45,424.30 )   | 5.41  | ( 21,102.42 -45,419.00 ) | 4.83  | ( 21,101.55 -45,414.25 )   | 4.46  |
|    |         | ( 21,100.85 -45,409.85 )   | 4.20  | ( 21,100.20 -45,405.70 ) | 3.48  | ( 21,099.80 -45,402.24 )   | 2.30  |
|    |         | ( 21,099.60 -45,399.95 )   | 20.60 |                          |       |                            |       |
| 89 | 1417- 6 | ( 1/ 2 )                   |       |                          |       |                            |       |
|    |         | ( @ 21,099.60 -45,399.95 ) | 2.30  | ( 21,099.80 -45,402.24 ) | 25.78 | ( 21,125.57 -45,401.65 )   | 1.09  |
|    |         | ( 21,126.25 -45,400.80 )   | 0.90  | ( 21,125.95 -45,399.95 ) | 26.35 |                            |       |
| 89 | 1416- 1 | ( 2/ 3 )                   |       |                          |       |                            |       |
|    |         | ( 21,125.95 -45,399.95 )   | 0.90  | ( 21,126.25 -45,400.80 ) | 1.29  | ( @ 21,127.20 -45,399.93 ) | 1.25  |
| 89 | 1415    | ( 1/ 2 )                   |       |                          |       |                            |       |
|    |         | ( @ 21,127.20 -45,399.93 ) | 1.29  | ( 21,126.25 -45,400.80 ) | 1.09  | ( 21,125.57 -45,401.65 )   | 2.50  |
|    |         | ( 21,124.18 -45,403.73 )   | 1.60  | ( 21,123.45 -45,405.15 ) | 0.98  | ( 21,123.03 -45,406.03 )   | 2.88  |
|    |         | ( 21,122.08 -45,408.75 )   | 0.54  | ( 21,121.94 -45,409.27 ) | 2.18  | ( 21,121.38 -45,411.38 )   | 2.40  |
|    |         | ( 21,120.95 -45,413.74 )   | 2.27  | ( 21,120.58 -45,415.98 ) | 1.73  | ( 21,120.05 -45,417.63 )   | 1.32  |
|    |         | ( 21,121.34 -45,417.90 )   | 2.04  | ( 21,123.38 -45,417.95 ) | 11.64 | ( 21,134.95 -45,419.25 )   | 5.32  |
|    |         | ( 21,140.20 -45,420.10 )   | 3.72  | ( 21,143.80 -45,421.05 ) | 11.84 | ( 21,148.80 -45,410.32 )   | 9.10  |
|    |         | ( 21,148.10 -45,401.25 )   | 1.96  | ( 21,146.15 -45,401.05 ) | 3.72  | ( 21,142.60 -45,399.95 )   | 15.40 |
| 89 | 1416- 1 | ( 1/ 3 )                   |       |                          |       |                            |       |
|    |         | ( 21,142.60 -45,399.95 )   | 3.72  | ( 21,146.15 -45,401.05 ) | 1.15  | ( @ 21,146.15 -45,399.90 ) | 3.55  |
| 89 | 1406    | ( 2/ 3 )                   |       |                          |       |                            |       |
|    |         | ( @ 21,146.15 -45,399.90 ) | 1.15  | ( 21,146.15 -45,401.05 ) | 1.96  | ( 21,148.10 -45,401.25 )   | 1.37  |
|    |         | ( 21,148.35 -45,399.90 )   | 2.20  |                          |       |                            |       |
| 89 | 1408- 2 | ( 3/ 4 )                   |       |                          |       |                            |       |
|    |         | ( @ 21,148.35 -45,399.90 ) | 1.37  | ( 21,148.10 -45,401.25 ) | 9.10  | ( 21,148.80 -45,410.32 )   | 2.88  |
|    |         | ( 21,150.00 -45,407.70 )   | 7.80  | ( 21,150.00 -45,399.90 ) | 1.65  |                            |       |
| 89 | 001- 2  |                            |       |                          |       |                            |       |
|    |         | ( @ 21,150.00 -45,407.70 ) | 2.88  | ( 21,148.80 -45,410.32 ) | 11.84 | ( 21,143.80 -45,421.05 )   | 20.66 |
|    |         | ( 21,135.40 -45,439.92 )   | 3.24  | ( 21,134.70 -45,443.08 ) | 5.10  | ( 21,139.72 -45,444.00 )   | 2.89  |
|    |         | ( 21,141.15 -45,441.49 )   | 20.50 | ( 21,150.00 -45,423.00 ) | 15.30 |                            |       |
| 89 | 1408- 1 | ( 3/ 3 )                   |       |                          |       |                            |       |
|    |         | ( @ 21,150.00 -45,423.00 ) | 20.50 | ( 21,141.15 -45,441.49 ) | 2.26  | ( 21,143.40 -45,441.75 )   | 1.86  |
|    |         | ( 21,145.25 -45,441.60 )   | 4.79  | ( 21,150.00 -45,440.95 ) | 17.95 |                            |       |
| 89 | 001- 1  |                            |       |                          |       |                            |       |
|    |         | ( @ 21,150.00 -45,440.95 ) | 4.79  | ( 21,145.25 -45,441.60 ) | 1.86  | ( 21,143.40 -45,441.75 )   | 2.26  |
|    |         | ( 21,141.15 -45,441.49 )   | 2.89  | ( 21,139.72 -45,444.00 ) | 5.79  | ( 21,145.50 -45,443.60 )   | 4.55  |
|    |         | ( 21,150.00 -45,442.95 )   | 2.00  |                          |       |                            |       |
| 91 | 002- 1  |                            |       |                          |       |                            |       |
|    |         | ( @ 21,150.00 -45,442.95 ) | 4.55  | ( 21,145.50 -45,443.60 ) | 5.79  | ( 21,139.72 -45,444.00 )   | 3.19  |
|    |         | ( 21,138.19 -45,446.80 )   | 4.08  | ( 21,142.25 -45,446.37 ) | 3.57  | ( 21,145.80 -45,446.00 )   | 4.22  |
|    |         | ( 21,150.00 -45,445.55 )   | 2.60  |                          |       |                            |       |
| 91 | 1462    | ( 2/ 2 )                   |       |                          |       |                            |       |
|    |         | ( @ 21,150.00 -45,445.55 ) | 4.22  | ( 21,145.80 -45,446.00 ) | 3.57  | ( 21,142.25 -45,446.37 )   | 31.19 |

地区 ..003

作業 .. 66

原図番号 .. N1 52-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,600.00

測定 年 5 月 9 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|    |       |     |                          |       |                            |       |                            |       |  |  |
|----|-------|-----|--------------------------|-------|----------------------------|-------|----------------------------|-------|--|--|
| 91 | 1457- | 1   | ( 21,137.85 -45,477.25 ) | 12.28 | ( 21,150.00 -45,475.45 )   | 29.90 |                            |       |  |  |
|    |       | ( @ | 21,150.00 -45,475.45 )   | 12.28 | ( 21,137.85 -45,477.25 )   | 24.19 | ( 21,134.45 -45,501.20 )   | 4.56  |  |  |
|    |       | (   | 21,129.99 -45,502.17 )   | 7.23  | ( 21,130.00 -45,509.40 )   | 6.65  | ( 21,123.35 -45,509.50 )   | 6.46  |  |  |
|    |       | (   | 21,122.84 -45,515.94 )   | 14.63 | ( 21,137.44 -45,516.95 )   | 12.11 | ( 21,137.90 -45,504.85 )   | 11.65 |  |  |
|    |       | (   | 21,149.55 -45,504.60 )   | 6.90  | ( 21,149.75 -45,497.70 )   | 0.25  | ( 21,150.00 -45,497.70 )   | 22.25 |  |  |
| 91 | 1456- | 1   | ( 21,150.00 -45,497.70 ) | 0.25  | ( @ 21,149.75 -45,497.70 ) | 6.90  | ( 21,149.55 -45,504.60 )   | 11.65 |  |  |
|    |       | (   | 21,137.90 -45,504.85 )   | 12.11 | ( 21,137.44 -45,516.95 )   | 12.60 | ( 21,150.00 -45,517.98 )   | 20.28 |  |  |
| 91 | 001-  | 5   | ( 21,150.00 -45,517.98 ) | 12.60 | ( 21,137.44 -45,516.95 )   | 14.63 | ( 21,122.84 -45,515.94 )   | 8.40  |  |  |
|    |       | (   | 21,114.47 -45,515.22 )   | 12.18 | ( @ 21,102.59 -45,512.54 ) | 9.76  | ( 21,107.55 -45,520.95 )   | 1.20  |  |  |
|    |       | (   | 21,108.75 -45,521.05 )   | 14.77 | ( 21,123.45 -45,522.50 )   | 9.40  | ( 21,132.82 -45,523.19 )   | 0.73  |  |  |
|    |       | (   | 21,133.55 -45,523.18 )   | 10.53 | ( 21,144.05 -45,523.92 )   | 5.97  | ( 21,150.00 -45,524.35 )   | 6.37  |  |  |
| 91 | 1442- | 1   | ( 21,150.00 -45,524.35 ) | 5.97  | ( @ 21,144.05 -45,523.92 ) | 28.48 | ( 21,144.10 -45,552.40 )   | 5.91  |  |  |
|    |       | (   | 21,150.00 -45,552.65 )   | 28.30 |                            |       |                            |       |  |  |
| 91 | 1443- | 1   | ( 21,150.00 -45,552.65 ) | 5.91  | ( 21,144.10 -45,552.40 )   | 2.26  | ( @ 21,141.84 -45,552.35 ) | 18.07 |  |  |
|    |       | (   | 21,141.05 -45,570.40 )   | 9.03  | ( 21,150.00 -45,571.60 )   | 18.95 |                            |       |  |  |
| 91 | 1445- | 1   | ( 21,150.00 -45,571.60 ) | 9.03  | ( 21,141.05 -45,570.40 )   | 7.64  | ( 21,133.48 -45,569.35 )   | 2.07  |  |  |
|    |       | ( @ | 21,131.43 -45,569.10 )   | 4.71  | ( 21,131.10 -45,573.80 )   | 5.76  | ( 21,125.37 -45,573.25 )   | 3.99  |  |  |
|    |       | (   | 21,127.88 -45,576.35 )   | 3.05  | ( 21,129.20 -45,579.10 )   | 5.35  | ( 21,130.80 -45,584.20 )   | 5.50  |  |  |
|    |       | (   | 21,131.55 -45,589.65 )   | 4.68  | ( 21,131.58 -45,594.33 )   | 19.00 | ( 21,150.00 -45,599.00 )   | 27.40 |  |  |
| 91 | 002-  | 3   | ( 21,150.00 -45,599.00 ) | 19.00 | ( 21,131.58 -45,594.33 )   | 4.68  | ( 21,131.55 -45,589.65 )   | 5.50  |  |  |
|    |       | (   | 21,130.80 -45,584.20 )   | 5.35  | ( 21,129.20 -45,579.10 )   | 3.05  | ( 21,127.88 -45,576.35 )   | 3.99  |  |  |
|    |       | (   | 21,125.37 -45,573.25 )   | 1.61  | ( 21,124.35 -45,572.00 )   | 4.17  | ( 21,122.25 -45,568.40 )   | 10.97 |  |  |
|    |       | (   | 21,115.50 -45,559.75 )   | 2.05  | ( 21,115.10 -45,557.74 )   | 5.88  | ( 21,114.40 -45,551.90 )   | 8.51  |  |  |
|    |       | (   | 21,106.37 -45,549.09 )   | 2.23  | ( 21,104.27 -45,548.35 )   | 1.92  | ( 21,102.43 -45,548.90 )   | 1.58  |  |  |
|    |       | (   | 21,100.85 -45,548.80 )   | 4.71  | ( @ 21,096.50 -45,547.00 ) | 3.07  | ( 21,096.70 -45,550.06 )   | 6.21  |  |  |
|    |       | (   | 21,102.65 -45,551.85 )   | 1.42  | ( 21,104.05 -45,551.60 )   | 5.63  | ( 21,109.50 -45,553.00 )   | 2.12  |  |  |
|    |       | (   | 21,110.80 -45,554.68 )   | 7.16  | ( 21,112.88 -45,561.53 )   | 15.58 | ( 21,122.35 -45,573.90 )   | 6.25  |  |  |
|    |       | (   | 21,126.30 -45,578.75 )   | 2.73  | ( 21,127.39 -45,581.25 )   | 4.17  | ( 21,128.40 -45,585.30 )   | 1.46  |  |  |
|    |       | (   | 21,128.60 -45,586.75 )   | 3.28  | ( 21,129.05 -45,590.00 )   | 5.82  | ( 21,129.50 -45,595.80 )   | 1.25  |  |  |
|    |       | (   | 21,130.25 -45,596.80 )   | 6.13  | ( 21,136.20 -45,598.28 )   | 5.54  | ( 21,141.50 -45,599.90 )   | 8.50  |  |  |
|    |       | (   | 21,150.00 -45,599.90 )   | 0.90  |                            |       |                            |       |  |  |
| 91 | 1445- | 2   | ( 21,141.50 -45,599.90 ) | 5.54  | ( 21,136.20 -45,598.28 )   | 6.13  | ( 21,130.25 -45,596.80 )   | 1.25  |  |  |
|    |       | (   | 21,129.50 -45,595.80 )   | 5.82  | ( 21,129.05 -45,590.00 )   | 3.28  | ( @ 21,128.60 -45,586.75 ) | 5.37  |  |  |
|    |       | (   | 21,123.24 -45,587.05 )   | 2.07  | ( 21,123.55 -45,589.10 )   | 6.45  | ( 21,123.35 -45,595.55 )   | 1.70  |  |  |
|    |       | (   | 21,124.65 -45,596.65 )   | 9.54  | ( 21,133.88 -45,599.05 )   | 2.95  | ( 21,136.70 -45,599.90 )   | 4.80  |  |  |
| 91 | 001-  | 6   | ( 21,136.70 -45,599.90 ) | 2.95  | ( 21,133.88 -45,599.05 )   | 9.54  | ( 21,124.65 -45,596.65 )   | 1.70  |  |  |
|    |       | (   | 21,123.35 -45,595.55 )   | 6.45  | ( 21,123.55 -45,589.10 )   | 2.07  | ( 21,123.24 -45,587.05 )   | 1.68  |  |  |
|    |       | (   | 21,122.95 -45,585.40 )   | 2.84  | ( 21,121.70 -45,582.85 )   | 1.72  | ( 21,120.52 -45,581.60 )   | 1.25  |  |  |
|    |       | (   | 21,119.45 -45,580.95 )   | 3.58  | ( @ 21,115.88 -45,580.75 ) | 17.17 | ( 21,098.74 -45,581.84 )   | 2.00  |  |  |
|    |       | (   | 21,098.85 -45,583.84 )   | 17.04 | ( 21,115.85 -45,582.70 )   | 3.73  | ( 21,119.55 -45,583.15 )   | 1.59  |  |  |
|    |       | (   | 21,120.65 -45,584.30 )   | 2.06  | ( 21,121.30 -45,586.25 )   | 2.88  | ( 21,121.68 -45,589.10 )   | 6.40  |  |  |
|    |       | (   | 21,121.58 -45,595.50 )   | 2.77  | ( 21,121.27 -45,598.25 )   | 2.48  | ( 21,123.73 -45,598.55 )   | 6.07  |  |  |
|    |       | (   | 21,129.65 -45,599.90 )   | 7.05  |                            |       |                            |       |  |  |

地区 ..003

作業 .. 66 原図番号 .. N1 52-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,600.00 測定 年 5 月 9 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|    |      |          |                          |                          |                          |                          |                          |                          |       |
|----|------|----------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------|
| 31 | 002- | 4        | ( 21,129.65 -45,599.90 ) | 6.07                     | ( 21,123.73 -45,598.55 ) | 2.48                     | ( 21,121.27 -45,598.25 ) | 0.94                     |       |
|    |      |          | ( 21,121.20 -45,599.19 ) | 2.09                     | ( 21,123.28 -45,599.40 ) | 2.18                     | ( 21,125.40 -45,599.90 ) | 4.25                     |       |
| 31 | 514  | ( 3/ 3 ) | ( 21,125.40 -45,599.90 ) | 2.18                     | ( 21,123.28 -45,599.40 ) | 2.09                     | ( 21,121.20 -45,599.19 ) | 0.72                     |       |
|    |      |          | ( 21,121.10 -45,599.90 ) | 4.30                     |                          |                          |                          |                          |       |
| 30 | 508- | 2        | ( 2/ 2 )                 | ( 21,121.10 -45,599.90 ) | 0.72                     | ( 21,121.20 -45,599.19 ) | 0.94                     | ( 21,121.27 -45,598.25 ) | 2.77  |
|    |      |          | ( 21,121.58 -45,595.50 ) | 6.40                     | ( 21,121.68 -45,589.10 ) | 2.88                     | ( 21,121.30 -45,586.25 ) | 0.67                     |       |
|    |      |          | ( 21,120.80 -45,585.80 ) | 1.60                     | ( 21,119.48 -45,584.90 ) | 3.67                     | ( 21,116.00 -45,583.75 ) | 17.94                    |       |
|    |      |          | ( 21,098.10 -45,584.93 ) | 55.57                    | ( 21,042.65 -45,588.60 ) | 3.44                     | ( 21,039.60 -45,590.20 ) | 4.55                     |       |
|    |      |          | ( 21,039.70 -45,594.75 ) | 27.65                    | ( 21,067.30 -45,593.05 ) | 6.87                     | ( 21,067.85 -45,599.90 ) | 53.25                    |       |
| 30 | 508- | 1        | ( 2/ 2 )                 | ( 21,067.85 -45,599.90 ) | 6.87                     | ( 21,067.30 -45,593.05 ) | 27.65                    | ( 21,039.70 -45,594.75 ) | 5.20  |
|    |      |          | ( 21,039.75 -45,599.95 ) | 28.10                    |                          |                          |                          |                          |       |
| 30 | 001- | 16       | ( 21,039.75 -45,599.95 ) | 5.20                     | ( 21,039.70 -45,594.75 ) | 4.55                     | ( 21,039.60 -45,590.20 ) | 2.48                     |       |
|    |      |          | ( 21,039.55 -45,587.72 ) | 3.12                     | ( 21,039.50 -45,584.60 ) | 8.36                     | ( 21,038.85 -45,576.27 ) | 8.89                     |       |
|    |      |          | ( 21,031.77 -45,581.64 ) | 1.62                     | ( 21,033.30 -45,581.10 ) | 1.50                     | ( 21,034.60 -45,581.85 ) | 0.40                     |       |
|    |      |          | ( 21,034.95 -45,582.05 ) | 2.53                     | ( 21,035.75 -45,584.45 ) | 5.89                     | ( 21,036.15 -45,590.33 ) | 9.62                     |       |
|    |      |          | ( 21,036.20 -45,599.95 ) | 3.55                     |                          |                          |                          |                          |       |
| 30 | 002- | 5        | ( 21,036.20 -45,599.95 ) | 9.62                     | ( 21,036.15 -45,590.33 ) | 5.89                     | ( 21,035.75 -45,584.45 ) | 2.53                     |       |
|    |      |          | ( 21,034.95 -45,582.05 ) | 0.40                     | ( 21,034.60 -45,581.85 ) | 2.54                     | ( 21,034.60 -45,584.39 ) | 15.56                    |       |
|    |      |          | ( 21,034.75 -45,599.95 ) | 1.45                     |                          |                          |                          |                          |       |
| 30 | 493- | 2        | ( 2/ 2 )                 | ( 21,034.75 -45,599.95 ) | 15.56                    | ( 21,034.60 -45,584.39 ) | 7.77                     | ( 21,026.95 -45,585.74 ) | 22.00 |
|    |      |          | ( 21,010.20 -45,600.00 ) | 24.55                    |                          |                          |                          |                          |       |
| 30 | 001- | 13       | ( 21,010.20 -45,600.00 ) | 22.00                    | ( 21,026.95 -45,585.74 ) | 6.33                     | ( 21,031.77 -45,581.64 ) | 8.89                     |       |
|    |      |          | ( 21,038.85 -45,576.27 ) | 22.29                    | ( 21,056.35 -45,562.47 ) | 13.48                    | ( 21,066.75 -45,553.90 ) | 2.66                     |       |
|    |      |          | ( 21,068.50 -45,551.90 ) | 1.02                     | ( 21,068.70 -45,550.90 ) | 11.09                    | ( 21,077.05 -45,543.60 ) | 5.23                     |       |
|    |      |          | ( 21,072.39 -45,541.22 ) | 12.28                    | ( 21,063.10 -45,549.25 ) | 3.95                     | ( 21,060.12 -45,551.85 ) | 1.57                     |       |
|    |      |          | ( 21,059.00 -45,552.95 ) | 22.41                    | ( 21,041.54 -45,567.00 ) | 2.48                     | ( 21,039.60 -45,568.55 ) | 4.13                     |       |
|    |      |          | ( 21,036.35 -45,571.10 ) | 0.98                     | ( 21,035.57 -45,571.70 ) | 25.05                    | ( 21,016.00 -45,587.34 ) | 1.30                     |       |
|    |      |          | ( 21,015.00 -45,588.17 ) | 18.56                    | ( 21,000.70 -45,600.00 ) | 9.50                     |                          |                          |       |
| 30 | 494- | 3        | ( 21,026.95 -45,585.74 ) | 7.77                     | ( 21,034.60 -45,584.39 ) | 2.54                     | ( 21,034.60 -45,581.85 ) | 1.50                     |       |
|    |      |          | ( 21,033.30 -45,581.10 ) | 1.62                     | ( 21,031.77 -45,581.64 ) | 6.33                     |                          |                          |       |
| 30 | 001- | 12       | ( 21,060.12 -45,551.85 ) | 19.82                    | ( 21,040.35 -45,553.20 ) | 1.15                     | ( 21,040.35 -45,554.35 ) | 18.70                    |       |
|    |      |          | ( 21,059.00 -45,552.95 ) | 1.57                     |                          |                          |                          |                          |       |
| 30 | 510- | 2        | ( 21,059.00 -45,552.95 ) | 18.70                    | ( 21,040.35 -45,554.35 ) | 12.71                    | ( 21,041.54 -45,567.00 ) | 22.41                    |       |
| 30 | 001- | 14       | ( 21,041.54 -45,567.00 ) | 12.71                    | ( 21,040.35 -45,554.35 ) | 1.15                     | ( 21,040.35 -45,553.20 ) | 2.43                     |       |
|    |      |          | ( 21,038.00 -45,553.80 ) | 3.49                     | ( 21,038.02 -45,557.29 ) | 10.05                    | ( 21,039.50 -45,567.23 ) | 1.32                     |       |
|    |      |          | ( 21,039.60 -45,568.55 ) | 2.48                     |                          |                          |                          |                          |       |
| 30 | 495- | 2        | ( 21,039.60 -45,568.55 ) | 1.32                     | ( 21,039.50 -45,567.23 ) | 10.05                    | ( 21,038.02 -45,557.29 ) | 3.88                     |       |
|    |      |          | ( 21,034.25 -45,558.20 ) | 13.07                    | ( 21,036.35 -45,571.10 ) | 4.13                     |                          |                          |       |
| 30 | 002- | 6        |                          |                          |                          |                          |                          |                          |       |

地区 ..003

作業 .. 66

原図番号 .. N1 52-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,600.00

測定 年 5 月 9 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|    |         |                            |       |                            |       |                            |       |
|----|---------|----------------------------|-------|----------------------------|-------|----------------------------|-------|
|    |         | ( 21,036.35 -45,571.10 )   | 13.07 | ( @ 21,034.25 -45,558.20 ) | 1.08  | ( 21,033.20 -45,558.45 )   | 13.46 |
|    |         | ( 21,035.57 -45,571.70 )   | 0.98  |                            |       |                            |       |
| 30 | 494- 2  | ( 21,035.57 -45,571.70 )   | 13.46 | ( @ 21,033.20 -45,558.45 ) | 20.83 | ( 21,012.85 -45,562.90 )   | 1.72  |
|    |         | ( 21,011.15 -45,563.17 )   | 24.65 | ( 21,016.00 -45,587.34 )   | 25.05 |                            |       |
| 30 | 494- 6  | ( 21,016.00 -45,587.34 )   | 24.65 | ( @ 21,011.15 -45,563.17 ) | 10.26 | ( 21,001.00 -45,564.65 )   | 25.87 |
|    |         | ( 21,006.17 -45,590.00 )   | 9.02  | ( 21,015.00 -45,588.17 )   | 1.30  |                            |       |
| 30 | 508- 4  | ( 21,039.60 -45,590.20 )   | 3.44  | ( 21,042.65 -45,588.60 )   | 55.57 | ( 21,098.10 -45,584.93 )   | 17.94 |
|    |         | ( 21,116.00 -45,583.75 )   | 3.67  | ( 21,119.48 -45,584.90 )   | 1.60  | ( 21,120.80 -45,585.80 )   | 0.67  |
|    |         | ( 21,121.30 -45,586.25 )   | 2.06  | ( 21,120.65 -45,584.30 )   | 1.59  | ( 21,119.55 -45,583.15 )   | 3.73  |
|    |         | ( @ 21,115.85 -45,582.70 ) | 17.04 | ( 21,098.85 -45,583.84 )   | 59.43 | ( 21,039.55 -45,587.72 )   | 2.48  |
| 30 | 001- 15 | ( 21,039.55 -45,587.72 )   | 59.43 | ( 21,098.85 -45,583.84 )   | 2.00  | ( @ 21,098.74 -45,581.84 ) | 1.09  |
|    |         | ( 21,097.65 -45,581.87 )   | 39.18 | ( 21,058.55 -45,584.40 )   | 18.24 | ( 21,040.35 -45,585.60 )   | 1.31  |
|    |         | ( 21,039.50 -45,584.60 )   | 3.12  |                            |       |                            |       |
| 30 | 509- 3  | ( 21,039.50 -45,584.60 )   | 1.31  | ( 21,040.35 -45,585.60 )   | 18.24 | ( 21,058.55 -45,584.40 )   | 1.81  |
|    |         | ( 21,058.35 -45,582.60 )   | 20.23 | ( @ 21,056.35 -45,562.47 ) | 22.29 | ( 21,038.85 -45,576.27 )   | 8.36  |
| 30 | 509- 1  | ( 21,095.70 -45,550.80 )   | 2.44  | ( @ 21,093.50 -45,549.75 ) | 2.43  | ( 21,093.00 -45,552.13 )   | 24.50 |
|    |         | ( 21,068.50 -45,551.90 )   | 2.66  | ( 21,066.75 -45,553.90 )   | 13.48 | ( 21,056.35 -45,562.47 )   | 20.23 |
|    |         | ( 21,058.35 -45,582.60 )   | 39.23 | ( 21,097.50 -45,580.10 )   | 29.36 |                            |       |
| 30 | 509- 2  | ( @ 21,097.50 -45,580.10 ) | 39.23 | ( 21,058.35 -45,582.60 )   | 1.81  | ( 21,058.55 -45,584.40 )   | 39.18 |
|    |         | ( 21,097.65 -45,581.87 )   | 1.78  |                            |       |                            |       |
| 30 | 001- 11 | ( 21,097.65 -45,581.87 )   | 1.09  | ( 21,098.74 -45,581.84 )   | 27.68 | ( 21,096.97 -45,554.22 )   | 4.17  |
|    |         | ( 21,096.70 -45,550.06 )   | 4.13  | ( @ 21,092.80 -45,548.70 ) | 2.58  | ( 21,092.00 -45,551.15 )   | 23.30 |
|    |         | ( 21,068.70 -45,550.90 )   | 1.02  | ( 21,068.50 -45,551.90 )   | 24.50 | ( 21,093.00 -45,552.13 )   | 2.43  |
|    |         | ( 21,093.50 -45,549.75 )   | 2.44  | ( 21,095.70 -45,550.80 )   | 29.36 | ( 21,097.50 -45,580.10 )   | 1.78  |
| 7  | 001- 19 | ( 21,040.35 -45,553.20 )   | 8.97  | ( 21,040.95 -45,544.25 )   | 14.71 | ( 21,042.25 -45,529.60 )   | 26.02 |
|    |         | ( 21,042.55 -45,503.58 )   | 4.74  | ( 21,042.85 -45,498.85 )   | 6.84  | ( 21,041.75 -45,492.10 )   | 9.98  |
|    |         | ( 21,040.98 -45,482.15 )   | 1.73  | ( @ 21,039.25 -45,482.05 ) | 10.39 | ( 21,040.33 -45,492.38 )   | 4.39  |
|    |         | ( 21,040.78 -45,496.75 )   | 6.89  | ( 21,040.08 -45,503.60 )   | 15.90 | ( 21,040.35 -45,519.50 )   | 2.45  |
|    |         | ( 21,040.35 -45,521.95 )   | 31.94 | ( 21,038.00 -45,553.80 )   | 2.43  |                            |       |
| 7  | 117- 2  | ( @ 21,002.82 -45,536.25 ) | 20.60 | ( 21,002.84 -45,556.85 )   | 27.95 | ( 21,030.65 -45,554.10 )   | 1.63  |
|    |         | ( 21,032.10 -45,553.35 )   | 2.19  | ( 21,033.68 -45,551.83 )   | 2.77  | ( 21,034.70 -45,549.25 )   | 1.65  |
|    |         | ( 21,034.80 -45,547.60 )   | 22.49 | ( 21,013.60 -45,540.10 )   | 11.45 |                            |       |
| 7  | 116- 2  | ( 21,013.60 -45,540.10 )   | 22.49 | ( 21,034.80 -45,547.60 )   | 13.46 | ( 21,035.85 -45,534.18 )   | 5.18  |
|    |         | ( 21,036.55 -45,529.05 )   | 9.09  | ( 21,037.80 -45,520.05 )   | 1.31  | ( @ 21,037.75 -45,518.74 ) | 4.49  |
|    |         | ( 21,033.50 -45,520.18 )   | 3.65  | ( 21,029.85 -45,520.15 )   | 3.55  | ( 21,026.37 -45,519.45 )   | 24.28 |
| 7  | 115- 1  | ( 21,004.34 -45,508.60 )   | 0.72  | ( 21,004.18 -45,509.30 )   | 6.89  | ( 21,010.68 -45,511.60 )   | 10.68 |
|    |         | ( 21,020.88 -45,514.75 )   | 9.09  | ( 21,029.70 -45,516.95 )   | 1.95  | ( 21,031.60 -45,517.38 )   | 0.85  |
|    |         | ( 21,032.45 -45,517.35 )   | 1.70  | ( 21,034.13 -45,517.10 )   | 4.18  | ( 21,037.70 -45,514.92 )   | 7.97  |
|    |         | ( 21,037.75 -45,506.95 )   | 10.56 | ( 21,037.40 -45,496.40 )   | 1.50  | ( 21,036.13 -45,495.60 )   | 10.25 |
|    |         | ( 21,026.58 -45,491.88 )   | 5.52  | ( 21,021.60 -45,489.50 )   | 3.94  | ( 21,018.20 -45,487.50 )   | 6.03  |

地区 ..003

作業 .. 66

原図番号 .. N1 52-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,600.00

測定 年 5 月 9 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|    |       |    |                            |       |                            |       |                            |       |  |
|----|-------|----|----------------------------|-------|----------------------------|-------|----------------------------|-------|--|
| 7  | 115-  | 3  | ( 21,013.15 -45,484.20 )   | 2.28  | ( @ 21,011.24 -45,482.95 ) | 26.56 |                            |       |  |
|    |       |    | ( 21,013.05 -45,477.14 )   | 9.60  | ( 21,020.88 -45,482.70 )   | 3.65  | ( 21,024.08 -45,484.45 )   | 4.93  |  |
|    |       |    | ( 21,028.50 -45,486.63 )   | 7.88  | ( 21,035.78 -45,489.65 )   | 1.44  | ( 21,037.20 -45,489.40 )   | 6.81  |  |
|    |       |    | ( 21,037.47 -45,482.60 )   | 1.20  | ( 21,036.53 -45,481.85 )   | 8.79  | ( 21,035.30 -45,473.15 )   | 10.55 |  |
|    |       |    | ( 21,025.90 -45,468.35 )   | 2.05  | ( 21,023.85 -45,468.30 )   | 2.31  | ( 21,021.73 -45,467.38 )   | 6.23  |  |
| 7  | 114-  | 1  | ( @ 21,016.50 -45,464.00 ) | 13.59 |                            |       |                            |       |  |
|    |       |    | ( 21,016.50 -45,464.00 )   | 6.23  | ( 21,021.73 -45,467.38 )   | 2.31  | ( 21,023.85 -45,468.30 )   | 2.05  |  |
|    |       |    | ( 21,025.90 -45,468.35 )   | 10.55 | ( 21,035.30 -45,473.15 )   | 12.95 | ( 21,034.40 -45,460.23 )   | 12.95 |  |
|    |       |    | ( 21,032.43 -45,447.43 )   | 8.42  | ( @ 21,031.20 -45,439.10 ) | 2.97  | ( 21,028.55 -45,440.45 )   | 1.92  |  |
|    |       |    | ( 21,027.00 -45,441.58 )   | 1.43  | ( 21,026.15 -45,442.73 )   | 1.86  | ( 21,025.40 -45,444.43 )   | 3.62  |  |
|    |       |    | ( 21,025.35 -45,448.05 )   | 5.89  | ( 21,026.40 -45,453.85 )   | 1.60  | ( 21,026.30 -45,455.45 )   | 1.11  |  |
|    |       |    | ( 21,025.78 -45,456.43 )   | 1.46  | ( 21,024.73 -45,457.45 )   | 10.61 | ( 21,015.95 -45,463.40 )   | 0.81  |  |
| 89 | 002-  | 11 | ( 21,055.85 -45,439.75 )   | 9.86  | ( 21,046.00 -45,440.10 )   | 6.29  | ( 21,039.72 -45,440.37 )   | 5.74  |  |
|    |       |    | ( 21,040.89 -45,445.99 )   | 5.44  | ( 21,046.30 -45,445.40 )   | 12.97 | ( 21,059.20 -45,444.05 )   | 13.33 |  |
|    |       |    | ( 21,072.40 -45,442.20 )   | 17.45 | ( 21,089.85 -45,442.50 )   | 2.14  | ( 21,091.99 -45,442.40 )   | 12.11 |  |
|    |       |    | ( 21,104.10 -45,442.60 )   | 12.50 | ( 21,116.60 -45,442.95 )   | 6.47  | ( 21,122.98 -45,444.00 )   | 10.71 |  |
|    |       |    | ( 21,133.50 -45,445.99 )   | 3.15  | ( 21,134.70 -45,443.08 )   | 11.22 | ( 21,123.68 -45,440.98 )   | 10.36 |  |
|    |       |    | ( 21,113.35 -45,440.13 )   | 23.92 | ( @ 21,089.45 -45,439.20 ) | 17.05 | ( 21,072.40 -45,439.40 )   | 16.55 |  |
| 89 | 1423- | 2  | ( 21,072.40 -45,439.40 )   | 17.05 | ( 21,089.45 -45,439.20 )   | 3.67  | ( 21,087.85 -45,435.90 )   | 7.57  |  |
|    |       |    | ( @ 21,084.05 -45,429.35 ) | 16.06 | ( 21,068.03 -45,430.45 )   | 8.54  | ( 21,059.50 -45,430.79 )   | 3.36  |  |
| 89 | 1423- | 3  | ( 21,056.15 -45,430.55 )   | 9.20  | ( 21,055.85 -45,439.75 )   | 16.55 |                            |       |  |
|    |       |    | ( 21,055.85 -45,439.75 )   | 9.20  | ( 21,056.15 -45,430.55 )   | 10.19 | ( @ 21,046.00 -45,429.60 ) | 10.50 |  |
|    |       |    | ( 21,046.00 -45,440.10 )   | 9.86  |                            |       |                            |       |  |
| 89 | 1423- | 1  | ( 21,046.00 -45,440.10 )   | 10.50 | ( 21,046.00 -45,429.60 )   | 7.96  | ( @ 21,038.04 -45,429.57 ) | 10.93 |  |
|    |       |    | ( 21,039.72 -45,440.37 )   | 6.29  |                            |       |                            |       |  |
| 89 | 1414- | 1  | ( 21,101.53 -45,429.43 )   | 14.11 | ( 21,087.55 -45,431.32 )   | 3.97  | ( 21,089.50 -45,434.78 )   | 2.79  |  |
|    |       |    | ( 21,091.50 -45,436.73 )   | 1.73  | ( 21,093.23 -45,436.85 )   | 20.48 | ( 21,113.68 -45,437.90 )   | 13.55 |  |
|    |       |    | ( 21,127.18 -45,439.03 )   | 7.25  | ( 21,134.30 -45,440.40 )   | 1.20  | ( 21,135.40 -45,439.92 )   | 20.66 |  |
|    |       |    | ( 21,143.80 -45,421.05 )   | 3.72  | ( 21,140.20 -45,420.10 )   | 5.32  | ( 21,134.95 -45,419.25 )   | 11.64 |  |
|    |       |    | ( 21,123.38 -45,417.95 )   | 2.04  | ( @ 21,121.34 -45,417.90 ) | 1.00  | ( 21,120.54 -45,418.50 )   | 6.39  |  |
|    |       |    | ( 21,115.33 -45,422.20 )   | 7.79  | ( 21,108.80 -45,426.45 )   | 4.63  | ( 21,104.65 -45,428.50 )   | 3.26  |  |
| 89 | 1417- | 1  | ( 21,104.65 -45,428.50 )   | 4.63  | ( 21,108.80 -45,426.45 )   | 7.79  | ( 21,115.33 -45,422.20 )   | 6.39  |  |
|    |       |    | ( @ 21,120.54 -45,418.50 ) | 18.13 | ( 21,102.42 -45,419.00 )   | 5.41  | ( 21,103.50 -45,424.30 )   | 4.35  |  |
| 89 | 1417- | 2  | ( 21,102.42 -45,419.00 )   | 18.13 | ( 21,120.54 -45,418.50 )   | 1.00  | ( 21,121.34 -45,417.90 )   | 1.32  |  |
|    |       |    | ( 21,120.05 -45,417.63 )   | 1.73  | ( 21,120.58 -45,415.98 )   | 2.27  | ( @ 21,120.95 -45,413.74 ) | 19.41 |  |
|    |       |    | ( 21,101.55 -45,414.25 )   | 4.83  |                            |       |                            |       |  |
| 89 | 1417- | 3  | ( 21,101.55 -45,414.25 )   | 19.41 | ( 21,120.95 -45,413.74 )   | 2.40  | ( 21,121.38 -45,411.38 )   | 2.18  |  |
|    |       |    | ( @ 21,121.94 -45,409.27 ) | 21.10 | ( 21,100.85 -45,409.85 )   | 4.46  |                            |       |  |
| 89 | 1417- | 4  | ( 21,100.85 -45,409.85 )   | 21.10 | ( 21,121.94 -45,409.27 )   | 0.54  | ( 21,122.08 -45,408.75 )   | 2.88  |  |
|    |       |    | ( 21,123.03 -45,406.03 )   | 0.98  | ( @ 21,123.45 -45,405.15 ) | 23.26 | ( 21,100.20 -45,405.70 )   | 4.20  |  |
| 89 | 1417- | 5  |                            |       |                            |       |                            |       |  |

地区 ..003

作業 .. 66

原図番号 .. N1 52-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,600.00

測定 年 5 月 9 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|    |         |                            |       |                            |       |                            |       |
|----|---------|----------------------------|-------|----------------------------|-------|----------------------------|-------|
|    |         | ( 21,100.20 -45,405.70 )   | 23.26 | ( 21,123.45 -45,405.15 )   | 1.60  | ( 21,124.18 -45,403.73 )   | 2.50  |
|    |         | ( @ 21,125.57 -45,401.65 ) | 25.78 | ( 21,099.80 -45,402.24 )   | 3.48  |                            |       |
| 90 | 1424- 4 | ( @ 21,059.20 -45,444.05 ) | 12.97 | ( 21,046.30 -45,445.40 )   | 5.44  | ( 21,040.89 -45,445.99 )   | 11.45 |
|    |         | ( 21,041.59 -45,457.42 )   | 18.56 | ( 21,060.00 -45,455.05 )   | 11.03 |                            |       |
| 90 | 1424- 1 | ( 21,060.00 -45,455.05 )   | 18.56 | ( 21,041.59 -45,457.42 )   | 15.25 | ( 21,043.85 -45,472.50 )   | 21.30 |
|    |         | ( 21,046.20 -45,493.67 )   | 2.62  | ( 21,048.70 -45,494.45 )   | 16.90 | ( 21,065.57 -45,495.49 )   | 2.63  |
|    |         | ( 21,068.20 -45,495.65 )   | 7.35  | ( 21,075.55 -45,495.45 )   | 8.03  | ( 21,075.25 -45,487.43 )   | 2.21  |
|    |         | ( 21,073.43 -45,486.18 )   | 6.63  | ( 21,072.65 -45,479.60 )   | 3.52  | ( 21,072.25 -45,476.10 )   | 1.90  |
|    |         | ( 21,074.15 -45,476.10 )   | 3.75  | ( 21,073.99 -45,472.35 )   | 17.75 | ( @ 21,072.25 -45,454.69 ) | 12.26 |
| 90 | 1425    | ( @ 21,072.25 -45,454.69 ) | 17.75 | ( 21,073.99 -45,472.35 )   | 10.71 | ( 21,084.70 -45,472.60 )   | 12.78 |
|    |         | ( 21,086.30 -45,459.92 )   | 5.23  | ( 21,086.05 -45,454.70 )   | 13.80 |                            |       |
| 90 | 1426    | ( 21,086.05 -45,454.70 )   | 5.23  | ( 21,086.30 -45,459.92 )   | 4.09  | ( 21,090.39 -45,460.07 )   | 12.74 |
|    |         | ( 21,090.40 -45,447.33 )   | 4.86  | ( 21,089.85 -45,442.50 )   | 17.45 | ( @ 21,072.40 -45,442.20 ) | 13.33 |
|    |         | ( 21,059.20 -45,444.05 )   | 11.03 | ( 21,060.00 -45,455.05 )   | 12.26 | ( 21,072.25 -45,454.69 )   | 13.80 |
| 90 | 001- 8  | ( 21,089.85 -45,442.50 )   | 4.86  | ( 21,090.40 -45,447.33 )   | 12.74 | ( 21,090.39 -45,460.07 )   | 6.22  |
|    |         | ( 21,090.00 -45,466.28 )   | 3.84  | ( 21,089.60 -45,470.10 )   | 2.53  | ( 21,088.95 -45,472.55 )   | 3.28  |
|    |         | ( 21,088.40 -45,475.78 )   | 7.67  | ( 21,086.34 -45,483.17 )   | 11.57 | ( 21,083.30 -45,494.33 )   | 1.52  |
|    |         | ( 21,082.05 -45,495.20 )   | 4.79  | ( 21,086.80 -45,494.60 )   | 1.86  | ( 21,085.70 -45,493.10 )   | 8.85  |
|    |         | ( 21,087.98 -45,484.55 )   | 8.95  | ( 21,090.35 -45,475.92 )   | 3.03  | ( 21,090.95 -45,472.95 )   | 2.73  |
|    |         | ( 21,091.50 -45,470.28 )   | 4.11  | ( 21,092.00 -45,466.20 )   | 6.82  | ( 21,092.49 -45,459.40 )   | 12.27 |
|    |         | ( 21,092.43 -45,447.13 )   | 4.75  | ( @ 21,091.99 -45,442.40 ) | 2.14  |                            |       |
| 90 | 1427- 1 | ( @ 21,091.99 -45,442.40 ) | 4.75  | ( 21,092.43 -45,447.13 )   | 12.27 | ( 21,092.49 -45,459.40 )   | 10.57 |
|    |         | ( 21,103.05 -45,459.90 )   | 17.33 | ( 21,104.10 -45,442.60 )   | 12.11 |                            |       |
| 90 | 1427- 2 | ( @ 21,104.10 -45,442.60 ) | 17.33 | ( 21,103.05 -45,459.90 )   | 1.85  | ( 21,102.93 -45,461.75 )   | 10.99 |
|    |         | ( 21,113.92 -45,462.00 )   | 19.24 | ( 21,116.60 -45,442.95 )   | 12.50 |                            |       |
| 90 | 1428- 2 | ( 21,114.05 -45,470.80 )   | 8.80  | ( 21,113.92 -45,462.00 )   | 10.99 | ( 21,102.93 -45,461.75 )   | 1.85  |
|    |         | ( 21,103.05 -45,459.90 )   | 10.57 | ( @ 21,092.49 -45,459.40 ) | 6.82  | ( 21,092.00 -45,466.20 )   | 4.11  |
|    |         | ( 21,091.50 -45,470.28 )   | 2.73  | ( 21,090.95 -45,472.95 )   | 3.03  | ( 21,090.35 -45,475.92 )   | 8.15  |
|    |         | ( 21,098.45 -45,476.80 )   | 2.60  | ( 21,101.05 -45,476.68 )   | 12.86 | ( 21,113.90 -45,477.30 )   | 6.50  |
| 90 | 1429- 1 | ( 21,113.90 -45,477.30 )   | 12.86 | ( 21,101.05 -45,476.68 )   | 2.60  | ( 21,098.45 -45,476.80 )   | 8.15  |
|    |         | ( @ 21,090.35 -45,475.92 ) | 8.95  | ( 21,087.98 -45,484.55 )   | 8.85  | ( 21,085.70 -45,493.10 )   | 1.86  |
|    |         | ( 21,086.80 -45,494.60 )   | 9.90  | ( 21,096.70 -45,494.88 )   | 7.08  | ( 21,103.73 -45,495.75 )   | 6.65  |
|    |         | ( 21,110.15 -45,497.50 )   | 7.52  | ( 21,113.25 -45,490.65 )   | 8.71  | ( 21,116.85 -45,482.72 )   | 5.36  |
|    |         | ( 21,114.60 -45,477.85 )   | 0.89  |                            |       |                            |       |
| 90 | 1428- 1 | ( 21,089.60 -45,470.10 )   | 3.84  | ( 21,090.00 -45,466.28 )   | 6.22  | ( 21,090.39 -45,460.07 )   | 4.09  |
|    |         | ( @ 21,086.30 -45,459.92 ) | 12.78 | ( 21,084.70 -45,472.60 )   | 4.25  | ( 21,088.95 -45,472.55 )   | 2.53  |
| 90 | 1429- 2 | ( 21,088.40 -45,475.78 )   | 3.28  | ( 21,088.95 -45,472.55 )   | 4.25  | ( 21,084.70 -45,472.60 )   | 10.71 |
|    |         | ( @ 21,073.99 -45,472.35 ) | 3.75  | ( 21,074.15 -45,476.10 )   | 1.90  | ( 21,072.25 -45,476.10 )   | 3.52  |
|    |         | ( 21,072.65 -45,479.60 )   | 14.15 | ( 21,086.34 -45,483.17 )   | 7.67  |                            |       |
| 90 | 1429- 3 | ( 21,086.34 -45,483.17 )   | 14.15 | ( @ 21,072.65 -45,479.60 ) | 6.63  | ( 21,073.43 -45,486.18 )   | 2.21  |

地区 ..003 作業 .. 66 原図番号 .. N1 52-3 縮尺 ..1/ 500 基準点 ..X 21,000.00..Y -45,600.00 測定 年 5 月 9 日

字 地番及び座標 (X ; Y) &amp; 座標間距離 (m)

|    |       |                          |       |                          |       |                          |       |
|----|-------|--------------------------|-------|--------------------------|-------|--------------------------|-------|
|    |       | ( 21,075.25 -45,487.43 ) | 8.03  | ( 21,075.55 -45,495.45 ) | 6.50  | ( 21,082.05 -45,495.20 ) | 1.52  |
|    |       | ( 21,083.30 -45,494.33 ) | 11.57 |                          |       |                          |       |
| 90 | 1431- | 2                        |       |                          |       |                          |       |
|    |       | ( 21,065.15 -45,498.20 ) | 1.42  | ( 21,064.90 -45,499.60 ) | 9.77  | ( 21,074.17 -45,502.70 ) | 4.65  |
| 90 | 1430- | 7                        |       |                          |       |                          |       |
|    |       | ( 21,074.85 -45,498.10 ) | 9.70  |                          |       |                          |       |
|    |       | ( 21,074.85 -45,498.10 ) | 4.65  | ( 21,074.17 -45,502.70 ) | 17.68 | ( 21,090.87 -45,508.50 ) | 11.11 |
|    |       | ( 21,092.40 -45,497.50 ) | 17.56 |                          |       |                          |       |
| 90 | 1430- | 1                        |       |                          |       |                          |       |
|    |       | ( 21,092.40 -45,497.50 ) | 11.11 | ( 21,090.87 -45,508.50 ) | 5.57  | ( 21,096.13 -45,510.33 ) | 6.83  |
|    |       | ( 21,102.59 -45,512.54 ) | 3.95  | ( 21,104.75 -45,509.23 ) | 1.99  | ( 21,105.65 -45,507.45 ) | 7.59  |
|    |       | ( 21,108.80 -45,500.55 ) | 2.36  | ( 21,106.75 -45,499.38 ) | 2.56  | ( 21,104.33 -45,498.55 ) | 5.45  |
|    |       | ( 21,098.95 -45,497.68 ) | 1.06  | ( 21,097.90 -45,497.55 ) | 2.40  | ( 21,095.50 -45,497.45 ) | 3.10  |
| 90 | 001-  | 7                        |       |                          |       |                          |       |
|    |       | ( 21,095.50 -45,497.45 ) | 2.40  | ( 21,097.90 -45,497.55 ) | 1.06  | ( 21,098.95 -45,497.68 ) | 5.45  |
|    |       | ( 21,104.33 -45,498.55 ) | 2.56  | ( 21,106.75 -45,499.38 ) | 2.36  | ( 21,108.80 -45,500.55 ) | 3.34  |
|    |       | ( 21,110.15 -45,497.50 ) | 6.65  | ( 21,103.73 -45,495.75 ) | 7.08  | ( 21,096.70 -45,494.88 ) | 9.90  |
|    |       | ( 21,086.80 -45,494.60 ) | 4.79  | ( 21,082.05 -45,495.20 ) | 6.50  | ( 21,075.55 -45,495.45 ) | 7.35  |
|    |       | ( 21,068.20 -45,495.65 ) | 2.63  | ( 21,065.57 -45,495.49 ) | 2.74  | ( 21,065.15 -45,498.20 ) | 9.70  |
|    |       | ( 21,074.85 -45,498.10 ) | 17.56 | ( 21,092.40 -45,497.50 ) | 3.10  |                          |       |
| 90 | 1433- | 1                        |       |                          |       |                          |       |
|    |       | ( 21,072.50 -45,518.50 ) | 5.45  | ( 21,073.20 -45,513.10 ) | 13.08 | ( 21,060.20 -45,511.65 ) | 19.12 |
|    |       | ( 21,058.00 -45,530.64 ) | 8.91  | ( 21,066.35 -45,533.75 ) | 14.04 | ( 21,071.00 -45,520.50 ) | 2.50  |
| 90 | 1436- | 1                        |       |                          |       |                          |       |
|    |       | ( 21,071.00 -45,520.50 ) | 14.04 | ( 21,066.35 -45,533.75 ) | 10.28 | ( 21,075.48 -45,538.48 ) | 0.33  |
|    |       | ( 21,075.80 -45,538.55 ) | 20.34 | ( 21,091.40 -45,525.50 ) | 10.47 | ( 21,082.28 -45,520.35 ) | 9.95  |
|    |       | ( 21,072.50 -45,518.50 ) | 2.50  |                          |       |                          |       |
| 90 | 1432  |                          |       |                          |       |                          |       |
|    |       | ( 21,072.50 -45,518.50 ) | 9.95  | ( 21,082.28 -45,520.35 ) | 10.47 | ( 21,091.40 -45,525.50 ) | 7.93  |
|    |       | ( 21,097.50 -45,520.43 ) | 1.61  | ( 21,098.00 -45,518.90 ) | 1.00  | ( 21,098.00 -45,517.90 ) | 1.03  |
|    |       | ( 21,097.80 -45,516.89 ) | 1.44  | ( 21,096.75 -45,515.90 ) | 24.35 | ( 21,073.70 -45,508.05 ) | 5.07  |
|    |       | ( 21,073.20 -45,513.10 ) | 5.45  |                          |       |                          |       |
| 90 | 1431- | 1                        |       |                          |       |                          |       |
|    |       | ( 21,073.20 -45,513.10 ) | 5.07  | ( 21,073.70 -45,508.05 ) | 26.41 | ( 21,048.63 -45,499.75 ) | 1.68  |
|    |       | ( 21,046.95 -45,499.85 ) | 10.41 | ( 21,046.24 -45,510.24 ) | 14.03 | ( 21,060.20 -45,511.65 ) | 13.08 |
| 90 | 1433- | 2                        |       |                          |       |                          |       |
|    |       | ( 21,060.20 -45,511.65 ) | 14.03 | ( 21,046.24 -45,510.24 ) | 15.69 | ( 21,047.20 -45,525.90 ) | 0.98  |
|    |       | ( 21,047.45 -45,526.85 ) | 11.21 | ( 21,058.00 -45,530.64 ) | 19.12 |                          |       |
| 90 | 1434- | 3                        |       |                          |       |                          |       |
|    |       | ( 21,040.35 -45,553.20 ) | 19.82 | ( 21,060.12 -45,551.85 ) | 3.95  | ( 21,063.10 -45,549.25 ) | 9.88  |
|    |       | ( 21,054.93 -45,543.70 ) | 3.17  | ( 21,052.00 -45,542.48 ) | 7.22  | ( 21,044.83 -45,543.35 ) | 3.98  |
|    |       | ( 21,040.95 -45,544.25 ) | 8.97  |                          |       |                          |       |
| 90 | 1434- | 1                        |       |                          |       |                          |       |
|    |       | ( 21,040.95 -45,544.25 ) | 3.98  | ( 21,044.83 -45,543.35 ) | 7.22  | ( 21,052.00 -45,542.48 ) | 3.17  |
|    |       | ( 21,054.93 -45,543.70 ) | 9.88  | ( 21,063.10 -45,549.25 ) | 12.28 | ( 21,072.39 -45,541.22 ) | 29.48 |
|    |       | ( 21,044.80 -45,530.83 ) | 2.83  | ( 21,042.25 -45,529.60 ) | 14.71 |                          |       |
| 90 | 002-  | 7                        |       |                          |       |                          |       |
|    |       | ( 21,042.25 -45,529.60 ) | 2.83  | ( 21,044.80 -45,530.83 ) | 29.48 | ( 21,072.39 -45,541.22 ) | 5.23  |
|    |       | ( 21,077.05 -45,543.60 ) | 9.28  | ( 21,086.03 -45,545.93 ) | 7.31  | ( 21,092.80 -45,548.70 ) | 4.13  |
|    |       | ( 21,096.70 -45,550.06 ) | 3.07  | ( 21,096.50 -45,547.00 ) | 16.16 | ( 21,081.58 -45,540.78 ) | 1.02  |
|    |       | ( 21,080.59 -45,540.55 ) | 5.19  | ( 21,075.80 -45,538.55 ) | 0.33  | ( 21,075.48 -45,538.48 ) | 10.28 |
|    |       | ( 21,066.35 -45,533.75 ) | 8.91  | ( 21,058.00 -45,530.64 ) | 11.21 | ( 21,047.45 -45,526.85 ) | 5.88  |

地区 ..003

作業 .. 66

原図番号 .. N1 52-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,600.00

測定 年 5 月 9 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|    |            |                          |       |                          |       |                          |       |
|----|------------|--------------------------|-------|--------------------------|-------|--------------------------|-------|
| 90 | 1435       | ( 21,068.70 -45,550.90 ) | 23.30 | ( 21,092.00 -45,551.15 ) | 2.58  | ( 21,092.80 -45,548.70 ) | 7.31  |
|    |            | ( 21,086.03 -45,545.93 ) | 9.28  | ( 21,077.05 -45,543.60 ) | 11.09 |                          |       |
| 90 | 1437- 1    | ( 21,080.59 -45,540.55 ) | 1.02  | ( 21,081.58 -45,540.78 ) | 16.16 | ( 21,096.50 -45,547.00 ) | 4.71  |
|    |            | ( 21,100.85 -45,548.80 ) | 1.58  | ( 21,102.43 -45,548.90 ) | 1.92  | ( 21,104.27 -45,548.35 ) | 1.69  |
|    |            | ( 21,105.35 -45,547.05 ) | 5.43  | ( 21,107.20 -45,541.95 ) | 1.09  | ( 21,107.02 -45,540.87 ) | 17.25 |
|    |            | ( 21,094.95 -45,528.55 ) | 18.71 |                          |       |                          |       |
| 90 | 1437- 4    | ( 21,094.95 -45,528.55 ) | 17.25 | ( 21,107.02 -45,540.87 ) | 0.78  | ( 21,106.93 -45,540.10 ) | 6.06  |
|    |            | ( 21,107.33 -45,534.05 ) | 5.18  | ( 21,107.85 -45,528.90 ) | 7.96  | ( 21,107.55 -45,520.95 ) | 1.70  |
|    |            | ( 21,105.85 -45,520.85 ) | 1.00  | ( 21,104.85 -45,520.90 ) | 1.86  | ( 21,103.25 -45,521.85 ) | 1.53  |
|    |            | ( 21,101.98 -45,522.70 ) | 9.15  |                          |       |                          |       |
| 90 | 001- 9     | ( 21,107.55 -45,520.95 ) | 9.76  | ( 21,102.59 -45,512.54 ) | 6.83  | ( 21,096.13 -45,510.33 ) | 5.57  |
|    |            | ( 21,090.87 -45,508.50 ) | 17.68 | ( 21,074.17 -45,502.70 ) | 9.77  | ( 21,064.90 -45,499.60 ) | 1.42  |
|    |            | ( 21,065.15 -45,498.20 ) | 2.74  | ( 21,065.57 -45,495.49 ) | 16.90 | ( 21,048.70 -45,494.45 ) | 2.62  |
|    |            | ( 21,046.20 -45,493.67 ) | 5.91  | ( 21,047.00 -45,499.53 ) | 0.32  | ( 21,046.95 -45,499.85 ) | 1.68  |
|    |            | ( 21,048.63 -45,499.75 ) | 26.41 | ( 21,073.70 -45,508.05 ) | 24.35 | ( 21,096.75 -45,515.90 ) | 1.44  |
|    |            | ( 21,097.80 -45,516.89 ) | 8.97  | ( 21,105.85 -45,520.85 ) | 1.70  |                          |       |
| 90 | 001- 10    | ( 21,105.85 -45,520.85 ) | 8.97  | ( 21,097.80 -45,516.89 ) | 1.03  | ( 21,098.00 -45,517.90 ) | 1.00  |
|    |            | ( 21,098.00 -45,518.90 ) | 1.61  | ( 21,097.50 -45,520.43 ) | 7.93  | ( 21,091.40 -45,525.50 ) | 20.34 |
|    |            | ( 21,075.80 -45,538.55 ) | 5.19  | ( 21,080.59 -45,540.55 ) | 18.71 | ( 21,094.95 -45,528.55 ) | 9.15  |
|    |            | ( 21,101.98 -45,522.70 ) | 1.53  | ( 21,103.25 -45,521.85 ) | 1.86  | ( 21,104.85 -45,520.90 ) | 1.00  |
| 91 | 1440- 6    | ( 21,104.05 -45,551.60 ) | 1.42  | ( 21,102.65 -45,551.85 ) | 6.21  | ( 21,096.70 -45,550.06 ) | 4.17  |
|    |            | ( 21,096.97 -45,554.22 ) | 12.59 | ( 21,109.50 -45,553.00 ) | 5.63  |                          |       |
| 91 | 1440- 2-21 | ( 21,109.50 -45,553.00 ) | 12.59 | ( 21,096.97 -45,554.22 ) | 27.68 | ( 21,098.74 -45,581.84 ) | 17.17 |
|    |            | ( 21,115.88 -45,580.75 ) | 3.58  | ( 21,119.45 -45,580.95 ) | 1.25  | ( 21,120.52 -45,581.60 ) | 6.88  |
|    |            | ( 21,127.39 -45,581.25 ) | 2.73  | ( 21,126.30 -45,578.75 ) | 6.25  | ( 21,122.35 -45,573.90 ) | 15.58 |
|    |            | ( 21,112.88 -45,561.53 ) | 7.16  | ( 21,110.80 -45,554.68 ) | 2.12  |                          |       |
| 91 | 1445- 4    | ( 21,120.52 -45,581.60 ) | 1.72  | ( 21,121.70 -45,582.85 ) | 2.84  | ( 21,122.95 -45,585.40 ) | 1.68  |
|    |            | ( 21,123.24 -45,587.05 ) | 5.37  | ( 21,128.60 -45,586.75 ) | 1.46  | ( 21,128.40 -45,585.30 ) | 4.17  |
|    |            | ( 21,127.39 -45,581.25 ) | 6.88  |                          |       |                          |       |
| 91 | 1444- 1    | ( 21,132.80 -45,558.22 ) | 10.97 | ( 21,131.43 -45,569.10 ) | 2.07  | ( 21,133.48 -45,569.35 ) | 7.64  |
|    |            | ( 21,141.05 -45,570.40 ) | 18.07 | ( 21,141.84 -45,552.35 ) | 7.00  | ( 21,134.85 -45,552.05 ) | 2.79  |
|    |            | ( 21,132.15 -45,552.76 ) | 5.50  |                          |       |                          |       |
| 91 | 1440- 3    | ( 21,132.15 -45,552.76 ) | 17.77 | ( 21,114.40 -45,551.90 ) | 5.88  | ( 21,115.10 -45,557.74 ) | 17.71 |
|    |            | ( 21,132.80 -45,558.22 ) | 5.50  |                          |       |                          |       |
| 91 | 1444- 3    | ( 21,132.80 -45,558.22 ) | 17.71 | ( 21,115.10 -45,557.74 ) | 2.05  | ( 21,115.50 -45,559.75 ) | 10.97 |
|    |            | ( 21,122.25 -45,568.40 ) | 9.21  | ( 21,131.43 -45,569.10 ) | 10.97 |                          |       |
| 91 | 1444- 2    | ( 21,131.43 -45,569.10 ) | 9.21  | ( 21,122.25 -45,568.40 ) | 4.17  | ( 21,124.35 -45,572.00 ) | 1.61  |
|    |            | ( 21,125.37 -45,573.25 ) | 5.76  | ( 21,131.10 -45,573.80 ) | 4.71  |                          |       |
| 91 | 1441       | ( 21,132.15 -45,549.14 ) | 3.62  | ( 21,132.15 -45,552.76 ) | 2.79  | ( 21,134.85 -45,552.05 ) | 7.00  |

地区 ..003

作業 .. 66

原図番号 .. N1 52-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,600.00

測定 年 5 月 9 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|    |       |                            |       |                            |       |                            |       |
|----|-------|----------------------------|-------|----------------------------|-------|----------------------------|-------|
|    |       | ( 21,141.84 -45,552.35 )   | 2.26  | ( 21,144.10 -45,552.40 )   | 28.48 | ( 21,144.05 -45,523.92 )   | 10.53 |
|    |       | ( @ 21,133.55 -45,523.18 ) | 0.73  | ( 21,132.82 -45,523.19 )   | 11.57 | ( 21,132.30 -45,534.75 )   | 14.39 |
| 91 | 1439  | ( 21,132.30 -45,534.75 )   | 9.13  | ( 21,123.17 -45,534.45 )   | 14.38 | ( @ 21,108.80 -45,533.94 ) | 6.31  |
|    |       | ( 21,108.55 -45,540.25 )   | 4.69  | ( 21,107.93 -45,544.90 )   | 0.69  | ( 21,107.80 -45,545.58 )   | 2.45  |
|    |       | ( 21,107.00 -45,547.90 )   | 25.18 | ( 21,132.15 -45,549.14 )   | 14.39 |                            |       |
| 91 | 1440- | 1                          |       |                            |       |                            |       |
|    |       | ( 21,132.15 -45,549.14 )   | 25.18 | ( @ 21,107.00 -45,547.90 ) | 1.35  | ( 21,106.37 -45,549.09 )   | 8.51  |
|    |       | ( 21,114.40 -45,551.90 )   | 17.77 | ( 21,132.15 -45,552.76 )   | 3.62  |                            |       |
| 91 | 002-  | 2                          |       |                            |       |                            |       |
|    |       | ( @ 21,107.55 -45,520.95 ) | 7.96  | ( 21,107.85 -45,528.90 )   | 5.18  | ( 21,107.33 -45,534.05 )   | 6.06  |
|    |       | ( 21,106.93 -45,540.10 )   | 0.78  | ( 21,107.02 -45,540.87 )   | 1.09  | ( 21,107.20 -45,541.95 )   | 5.43  |
|    |       | ( 21,105.35 -45,547.05 )   | 1.69  | ( 21,104.27 -45,548.35 )   | 2.23  | ( 21,106.37 -45,549.09 )   | 1.35  |
|    |       | ( 21,107.00 -45,547.90 )   | 2.45  | ( 21,107.80 -45,545.58 )   | 0.69  | ( 21,107.93 -45,544.90 )   | 4.69  |
|    |       | ( 21,108.55 -45,540.25 )   | 6.31  | ( 21,108.80 -45,533.94 )   | 5.11  | ( 21,109.20 -45,528.85 )   | 7.81  |
|    |       | ( 21,108.75 -45,521.05 )   | 1.20  |                            |       |                            |       |
| 91 | 1438- | 1                          |       |                            |       |                            |       |
|    |       | ( @ 21,108.75 -45,521.05 ) | 7.81  | ( 21,109.20 -45,528.85 )   | 5.11  | ( 21,108.80 -45,533.94 )   | 14.38 |
|    |       | ( 21,123.17 -45,534.45 )   | 11.95 | ( 21,123.45 -45,522.50 )   | 14.77 |                            |       |
| 91 | 1438- | 2                          |       |                            |       |                            |       |
|    |       | ( @ 21,123.45 -45,522.50 ) | 11.95 | ( 21,123.17 -45,534.45 )   | 9.13  | ( 21,132.30 -45,534.75 )   | 11.57 |
|    |       | ( 21,132.82 -45,523.19 )   | 9.40  |                            |       |                            |       |
| 91 | 001-  | 4                          |       |                            |       |                            |       |
|    |       | ( 21,112.30 -45,509.69 )   | 1.38  | ( 21,112.05 -45,508.33 )   | 1.70  | ( 21,111.93 -45,506.63 )   | 1.70  |
|    |       | ( 21,112.20 -45,504.95 )   | 1.74  | ( 21,112.58 -45,503.25 )   | 26.09 | ( 21,123.15 -45,479.40 )   | 35.90 |
|    |       | ( 21,138.19 -45,446.80 )   | 3.19  | ( 21,139.72 -45,444.00 )   | 5.10  | ( @ 21,134.70 -45,443.08 ) | 3.15  |
|    |       | ( 21,133.50 -45,445.99 )   | 30.32 | ( 21,120.85 -45,473.55 )   | 10.00 | ( 21,116.85 -45,482.72 )   | 8.71  |
|    |       | ( 21,113.25 -45,490.65 )   | 7.52  | ( 21,110.15 -45,497.50 )   | 3.34  | ( 21,108.80 -45,500.55 )   | 7.59  |
|    |       | ( 21,105.65 -45,507.45 )   | 1.99  | ( 21,104.75 -45,509.23 )   | 3.95  | ( 21,102.59 -45,512.54 )   | 12.18 |
|    |       | ( 21,114.47 -45,515.22 )   | 2.44  | ( 21,113.30 -45,513.08 )   | 1.91  | ( 21,112.75 -45,511.25 )   | 1.62  |
| 91 | 1458- | 1                          |       |                            |       |                            |       |
|    |       | ( 21,112.75 -45,511.25 )   | 1.91  | ( 21,113.30 -45,513.08 )   | 2.44  | ( 21,114.47 -45,515.22 )   | 8.40  |
|    |       | ( 21,122.84 -45,515.94 )   | 6.46  | ( @ 21,123.35 -45,509.50 ) | 11.05 | ( 21,112.30 -45,509.69 )   | 1.62  |
| 91 | 1459- | 2                          |       |                            |       |                            |       |
|    |       | ( 21,112.30 -45,509.69 )   | 11.05 | ( 21,123.35 -45,509.50 )   | 6.65  | ( 21,130.00 -45,509.40 )   | 7.23  |
|    |       | ( @ 21,129.99 -45,502.17 ) | 18.01 | ( 21,112.20 -45,504.95 )   | 1.70  | ( 21,111.93 -45,506.63 )   | 1.70  |
|    |       | ( 21,112.05 -45,508.33 )   | 1.38  |                            |       |                            |       |
| 91 | 1459- | 1                          |       |                            |       |                            |       |
|    |       | ( 21,112.58 -45,503.25 )   | 1.74  | ( 21,112.20 -45,504.95 )   | 18.01 | ( 21,129.99 -45,502.17 )   | 4.56  |
|    |       | ( 21,134.45 -45,501.20 )   | 24.19 | ( @ 21,137.85 -45,477.25 ) | 14.86 | ( 21,123.15 -45,479.40 )   | 26.09 |
| 91 | 1461- | 1                          |       |                            |       |                            |       |
|    |       | ( 21,123.15 -45,479.40 )   | 14.86 | ( 21,137.85 -45,477.25 )   | 31.19 | ( @ 21,142.25 -45,446.37 ) | 4.08  |
|    |       | ( 21,138.19 -45,446.80 )   | 35.90 |                            |       |                            |       |
| 91 | 1460- | 1                          |       |                            |       |                            |       |
|    |       | ( 21,133.50 -45,445.99 )   | 10.71 | ( 21,122.98 -45,444.00 )   | 6.47  | ( @ 21,116.60 -45,442.95 ) | 19.24 |
|    |       | ( 21,113.92 -45,462.00 )   | 8.80  | ( 21,114.05 -45,470.80 )   | 7.34  | ( 21,120.85 -45,473.55 )   | 30.32 |
| 91 | 1459- | 3                          |       |                            |       |                            |       |
|    |       | ( 21,120.85 -45,473.55 )   | 7.34  | ( @ 21,114.05 -45,470.80 ) | 6.50  | ( 21,113.90 -45,477.30 )   | 0.89  |
|    |       | ( 21,114.60 -45,477.85 )   | 5.36  | ( 21,116.85 -45,482.72 )   | 10.00 |                            |       |