

地区 ..003 作業 .. 67 原図番号 .. N1 52-4 縮尺 ..1/ 500 基準点 ..X 21,000.00..Y -45,400.00 測定 年 5 月 4 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,000.00 -45,400.00)	50.04	(21,050.04 -45,399.97)	49.96	(21,100.00 -45,399.91)	49.98
		(21,149.98 -45,399.86)	50.01	(21,149.95 -45,349.85)	49.95	(21,149.94 -45,299.90)	50.00
		(21,149.94 -45,249.90)	49.95	(21,149.93 -45,199.95)	49.95	(21,099.98 -45,199.96)	50.00
		(21,049.98 -45,200.01)	49.98	(21,000.00 -45,200.05)	49.97	(20,999.98 -45,250.02)	50.00
		(20,999.99 -45,300.02)	50.00	(21,000.04 -45,350.02)	49.98		
7	001- 4	(21,000.00 -45,400.00)	3.03	(21,003.03 -45,400.00)	10.24	(21,011.89 -45,394.86)	2.10
		(21,013.86 -45,395.60)	1.11	(21,014.93 -45,395.30)	1.27	(21,016.20 -45,395.34)	6.16
		(21,014.51 -45,389.42)	2.19	(21,013.11 -45,391.11)	2.98	(21,010.65 -45,392.80)	12.41
7	102	(21,000.01 -45,399.18)	0.82				
		(1/ 3)					
		(21,000.01 -45,399.18)	12.41	(21,010.65 -45,392.80)	2.98	(21,013.11 -45,391.11)	2.68
		(21,012.85 -45,388.44)	27.70	(21,011.92 -45,360.76)	1.64	(21,011.33 -45,359.23)	1.21
		(21,010.34 -45,358.53)	1.14	(21,010.08 -45,359.64)	9.10	(21,000.98 -45,359.43)	8.30
		(20,999.97 -45,367.67)	31.51				
7	103- 1	(1/ 2)					
		(20,999.97 -45,367.67)	8.30	(21,000.98 -45,359.43)	1.00	(20,999.98 -45,359.52)	8.15
6	002- 9	(20,999.98 -45,359.52)	1.00	(21,000.98 -45,359.43)	9.10	(21,010.08 -45,359.64)	1.14
		(21,010.34 -45,358.53)	2.54	(21,012.88 -45,358.42)	0.62	(21,012.89 -45,357.80)	2.73
		(21,010.32 -45,356.89)	2.89	(21,010.44 -45,354.00)	4.76	(21,011.57 -45,349.38)	3.49
		(21,012.07 -45,345.93)	3.61	(21,012.62 -45,342.36)	2.14	(21,014.40 -45,341.17)	18.82
		(21,017.58 -45,322.62)	1.39	(21,016.63 -45,323.64)	20.71	(21,010.59 -45,343.45)	8.01
		(21,008.69 -45,351.23)	5.44	(21,007.05 -45,356.42)	7.06	(21,000.00 -45,356.87)	2.65
6	98	(1/ 2)					
		(21,000.00 -45,356.87)	7.06	(21,007.05 -45,356.42)	5.44	(21,008.69 -45,351.23)	8.01
		(21,010.59 -45,343.45)	20.71	(21,016.63 -45,323.64)	6.70	(21,009.95 -45,324.09)	3.50
		(21,006.45 -45,323.92)	6.49	(20,999.98 -45,323.37)	33.50		
6	002- 10	(20,999.98 -45,323.37)	6.49	(21,006.45 -45,323.92)	3.50	(21,009.95 -45,324.09)	6.70
		(21,016.63 -45,323.64)	1.39	(21,017.58 -45,322.62)	0.82	(21,016.76 -45,322.69)	6.85
		(21,009.93 -45,323.17)	3.53	(21,006.40 -45,323.09)	6.45	(20,999.98 -45,322.42)	0.95
1	1	(1/ 2)					
		(20,999.98 -45,322.42)	6.45	(21,006.40 -45,323.09)	3.53	(21,009.93 -45,323.17)	6.85
		(21,016.76 -45,322.69)	0.82	(21,017.58 -45,322.62)	11.03	(21,019.11 -45,311.70)	12.68
		(21,007.10 -45,307.62)	2.24	(21,005.40 -45,309.08)	6.12	(21,000.01 -45,311.97)	10.45
1	002- 12	(21,000.01 -45,311.97)	6.12	(21,005.40 -45,309.08)	2.24	(21,007.10 -45,307.62)	2.57
		(21,008.90 -45,305.78)	5.37	(21,012.18 -45,301.53)	7.13	(21,015.22 -45,295.08)	13.47
		(21,022.10 -45,283.50)	6.50	(21,026.25 -45,278.50)	7.78	(21,027.74 -45,270.86)	4.67
		(21,027.92 -45,266.19)	9.64	(21,026.80 -45,256.62)	4.77	(21,023.51 -45,260.08)	2.71
		(21,023.27 -45,262.78)	1.56	(21,023.63 -45,264.30)	4.58	(21,024.65 -45,268.76)	16.10
		(21,018.73 -45,283.73)	11.46	(21,012.93 -45,293.61)	6.67	(21,009.84 -45,299.52)	5.66
		(21,006.01 -45,303.69)	7.35	(21,000.03 -45,307.97)	4.00		
1	9	(1/ 2)					
		(21,000.03 -45,307.97)	7.35	(21,006.01 -45,303.69)	5.66	(21,009.84 -45,299.52)	6.67
		(21,012.93 -45,293.61)	11.46	(21,018.73 -45,283.73)	16.10	(21,024.65 -45,268.76)	11.29
		(21,013.95 -45,272.37)	12.56	(21,002.05 -45,276.39)	2.16	(21,000.00 -45,277.07)	30.90
1	8	(1/ 2)					
		(21,000.00 -45,277.07)	2.16	(21,002.05 -45,276.39)	12.56	(21,013.95 -45,272.37)	11.29
		(21,024.65 -45,268.76)	4.58	(21,023.63 -45,264.30)	24.82	(20,999.98 -45,271.82)	5.25

地区 ..003

作業 .. 67

原図番号 .. N1 52-4

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,400.00

測定 年 5 月 4 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

1	7	(1/ 2)									
		(20,999.98	-45,271.82)	24.82	(21,023.63	-45,264.30)	1.56	(21,023.27	-45,262.78)	2.71	
		(21,023.51	-45,260.08)	4.77	(21,026.80	-45,256.62)	0.66	(21,026.73	-45,255.96)	2.27	
		(21,024.54	-45,256.54)	4.43	(21,020.38	-45,258.06)	21.87	(20,999.97	-45,265.92)	5.90	
1	4	(1/ 2)									
		(20,999.97	-45,265.92)	21.87	(21,020.38	-45,258.06)	4.43	(21,024.54	-45,256.54)	2.27	
		(21,026.73	-45,255.96)	5.61	(21,026.53	-45,250.35)	13.66	(21,023.72	-45,236.98)	3.46	
		(21,020.66	-45,238.59)	7.31	(21,014.53	-45,242.57)	4.80	(21,010.27	-45,244.79)	5.79	
		(21,004.90	-45,246.96)	5.15	(20,999.99	-45,248.52)	17.40				
105	373-	1	(1/ 2)								
		(20,999.99	-45,248.52)	5.15	(21,004.90	-45,246.96)	5.79	(21,010.27	-45,244.79)	4.80	
		(21,014.53	-45,242.57)	7.31	(21,020.66	-45,238.59)	3.46	(21,023.72	-45,236.98)	7.02	
		(21,024.42	-45,229.99)	3.51	(21,025.57	-45,226.67)	4.34	(21,028.17	-45,223.19)	5.46	
		(21,032.51	-45,219.87)	8.67	(21,040.20	-45,215.86)	12.10	(21,033.41	-45,205.85)	10.93	
		(21,022.53	-45,206.88)	4.72	(21,017.87	-45,207.62)	11.67	(21,006.34	-45,209.41)	6.40	
		(21,000.00	-45,210.27)	38.25							
105	376-	1	(1/ 4)								
		(21,000.00	-45,210.27)	6.40	(21,006.34	-45,209.41)	11.67	(21,017.87	-45,207.62)	4.72	
		(21,022.53	-45,206.88)	10.93	(21,033.41	-45,205.85)	7.69	(21,028.40	-45,200.02)	28.40	
		(21,000.00	-45,200.05)	10.22							
105	002-	2									
		(21,028.40	-45,200.02)	7.71	(21,033.44	-45,205.85)	12.08	(21,040.20	-45,215.86)	1.69	
		(21,041.72	-45,215.12)	12.64	(21,034.14	-45,205.01)	6.76	(21,029.58	-45,200.02)	1.18	
105	001-	2									
		(21,029.58	-45,200.02)	6.76	(21,034.14	-45,205.01)	12.64	(21,041.72	-45,215.12)	3.48	
		(21,045.20	-45,215.18)	6.33	(21,041.38	-45,210.13)	12.60	(21,033.25	-45,200.50)	0.72	
		(21,032.73	-45,200.00)	3.15							
105	372-	1	(1/ 2)								
		(21,032.73	-45,200.00)	0.72	(21,033.25	-45,200.50)	12.60	(21,041.38	-45,210.13)	6.33	
		(21,045.20	-45,215.18)	14.91	(21,059.26	-45,210.23)	5.36	(21,064.07	-45,207.86)	5.13	
		(21,068.39	-45,205.09)	5.13	(21,072.14	-45,201.59)	2.01	(21,073.33	-45,199.97)	40.60	
105	001-	1									
		(21,073.33	-45,199.97)	2.01	(21,072.14	-45,201.59)	5.13	(21,068.39	-45,205.09)	5.13	
		(21,064.07	-45,207.86)	5.36	(21,059.26	-45,210.23)	14.92	(21,045.17	-45,215.13)	3.45	
		(21,041.72	-45,215.12)	1.69	(21,040.20	-45,215.86)	8.67	(21,032.51	-45,219.87)	5.46	
		(21,028.17	-45,223.19)	4.34	(21,025.57	-45,226.67)	3.51	(21,024.42	-45,229.99)	7.02	
		(21,023.72	-45,236.98)	3.70	(21,027.07	-45,235.41)	4.95	(21,026.99	-45,230.46)	2.80	
		(21,028.03	-45,227.86)	4.47	(21,030.96	-45,224.48)	4.44	(21,034.58	-45,221.91)	9.22	
		(21,043.28	-45,218.87)	2.01	(21,045.27	-45,218.58)	7.26	(21,052.16	-45,216.28)	8.91	
		(21,060.36	-45,212.79)	7.68	(21,067.06	-45,209.03)	7.08	(21,072.72	-45,204.77)	6.77	
		(21,077.53	-45,200.00)	4.20							
105	372-	2	(1/ 2)								
		(21,077.53	-45,200.00)	6.77	(21,072.72	-45,204.77)	7.08	(21,067.06	-45,209.03)	7.68	
		(21,060.36	-45,212.79)	8.91	(21,052.16	-45,216.28)	7.26	(21,045.27	-45,218.58)	2.01	
		(21,043.28	-45,218.87)	1.58	(21,044.14	-45,220.20)	4.37	(21,048.44	-45,219.40)	6.34	
		(21,054.55	-45,217.70)	6.21	(21,060.27	-45,215.29)	6.99	(21,066.44	-45,212.00)	9.06	
		(21,074.05	-45,207.08)	7.99	(21,077.78	-45,200.01)	0.25				
105	002-	1									
		(21,077.78	-45,200.01)	7.99	(21,074.05	-45,207.08)	9.06	(21,066.44	-45,212.00)	6.99	
		(21,060.27	-45,215.29)	6.21	(21,054.55	-45,217.70)	6.34	(21,048.44	-45,219.40)	4.37	
		(21,044.14	-45,220.20)	1.58	(21,043.28	-45,218.87)	9.22	(21,034.58	-45,221.91)	4.44	
		(21,030.96	-45,224.48)	4.47	(21,028.03	-45,227.86)	2.80	(21,026.99	-45,230.46)	4.95	

地区 ..003

作業 .. 67

原図番号 .. N1 52-4

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,400.00

測定 年 5 月 4 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

106	388	(21,027.07 -45,235.41)	2.65	(21,029.46 -45,234.26)	5.93	(21,031.18 -45,228.59)	9.26
		(21,038.91 -45,223.49)	7.24	(21,046.14 -45,223.04)	9.48	(21,055.24 -45,220.38)	6.70
		(21,061.67 -45,218.49)	20.73	(21,079.29 -45,207.57)	8.61	(21,083.38 -45,199.99)	5.60
		(2/ 3)					
87	002- 3	(21,083.38 -45,199.99)	8.61	(21,079.29 -45,207.57)	5.40	(21,084.06 -45,210.10)	3.84
		(21,087.83 -45,210.85)	5.45	(21,093.23 -45,210.14)	5.82	(21,098.77 -45,208.35)	26.68
		(21,124.08 -45,199.92)	40.70				
		(21,124.08 -45,199.92)	26.68	(21,098.77 -45,208.35)	5.82	(21,093.23 -45,210.14)	5.45
87	1384	(21,087.83 -45,210.85)	3.84	(21,084.06 -45,210.10)	5.40	(21,079.29 -45,207.57)	20.73
		(21,061.67 -45,218.49)	6.70	(21,055.24 -45,220.38)	9.48	(21,046.14 -45,223.04)	7.24
		(21,038.91 -45,223.49)	9.26	(21,031.18 -45,228.59)	5.93	(21,029.46 -45,234.26)	2.64
		(21,032.09 -45,234.46)	0.29	(21,031.98 -45,234.19)	3.63	(21,033.06 -45,230.72)	8.16
87	002- 4	(21,039.99 -45,226.42)	6.84	(21,046.82 -45,225.99)	3.88	(21,050.62 -45,225.23)	10.92
		(21,061.25 -45,222.72)	17.59	(21,077.27 -45,215.45)	3.52	(21,080.79 -45,215.46)	7.38
		(21,088.17 -45,215.38)	8.06	(21,096.13 -45,214.13)	7.91	(21,103.65 -45,211.68)	18.12
		(21,121.11 -45,206.85)	7.25	(21,128.32 -45,206.07)	2.45	(21,130.74 -45,205.72)	4.42
87	1384	(21,134.43 -45,203.29)	4.72	(21,137.73 -45,199.92)	13.65		
		(21,137.73 -45,199.92)	4.72	(21,134.43 -45,203.29)	4.42	(21,130.74 -45,205.72)	2.45
		(21,128.32 -45,206.07)	18.03	(21,122.72 -45,223.21)	4.30	(21,121.36 -45,227.29)	2.03
		(21,123.20 -45,226.43)	0.00	(21,123.20 -45,226.43)	4.27	(21,127.45 -45,226.05)	22.53
87	002- 4	(21,149.94 -45,227.40)	27.45	(21,149.93 -45,199.95)	12.20		
		(21,149.94 -45,227.40)	22.53	(21,127.45 -45,226.05)	4.27	(21,123.20 -45,226.43)	2.03
		(21,121.36 -45,227.29)	1.82	(21,119.78 -45,228.19)	8.96	(21,112.35 -45,233.19)	8.75
		(21,104.67 -45,237.39)	5.97	(21,099.85 -45,240.91)	5.48	(21,096.07 -45,244.88)	7.41
87	1360	(21,090.01 -45,249.14)	2.70	(21,087.94 -45,250.88)	2.49	(21,086.02 -45,252.46)	6.81
		(21,080.54 -45,256.51)	15.58	(21,065.92 -45,261.89)	12.14	(21,054.82 -45,266.80)	10.88
		(21,044.81 -45,271.06)	4.96	(21,042.17 -45,266.86)	10.62	(21,040.09 -45,256.45)	10.07
		(21,037.12 -45,246.83)	13.35	(21,032.09 -45,234.46)	2.64	(21,029.46 -45,234.26)	2.65
87	1360	(21,027.07 -45,235.41)	0.67	(21,027.08 -45,236.08)	14.20	(21,029.75 -45,250.03)	17.14
		(21,035.77 -45,266.08)	6.03	(21,039.54 -45,270.79)	4.72	(21,042.89 -45,274.12)	2.91
		(21,044.95 -45,276.18)	7.58	(21,052.52 -45,275.75)	2.67	(21,054.79 -45,274.35)	6.55
		(21,059.72 -45,270.03)	4.79	(21,063.44 -45,267.01)	8.54	(21,071.22 -45,263.49)	8.28
87	1360	(21,079.06 -45,260.82)	5.61	(21,084.27 -45,258.75)	11.93	(21,094.33 -45,252.34)	2.33
		(21,096.31 -45,251.12)	7.77	(21,101.00 -45,244.92)	2.41	(21,102.38 -45,242.95)	3.03
		(21,104.99 -45,241.42)	10.89	(21,114.50 -45,236.11)	8.59	(21,121.49 -45,231.11)	3.00
		(21,124.27 -45,229.98)	3.11	(21,127.35 -45,229.57)	14.36	(21,141.69 -45,230.35)	8.29
87	1360	(21,149.97 -45,230.75)	3.35				
		(21,149.97 -45,230.75)	8.29	(21,141.69 -45,230.35)	14.36	(21,127.35 -45,229.57)	3.11
		(21,124.27 -45,229.98)	3.00	(21,121.49 -45,231.11)	8.59	(21,114.50 -45,236.11)	10.89
		(21,104.99 -45,241.42)	3.03	(21,102.38 -45,242.95)	2.41	(21,101.00 -45,244.92)	0.90
87	1360	(21,101.50 -45,245.67)	4.80	(21,106.05 -45,247.20)	3.26	(21,109.07 -45,248.42)	5.28
		(21,113.98 -45,250.36)	1.96	(21,115.78 -45,251.14)	2.74	(21,118.27 -45,252.28)	2.92
		(21,120.88 -45,253.60)	6.99	(21,127.04 -45,256.90)	10.18	(21,135.95 -45,261.83)	3.83
		(21,139.05 -45,264.08)	7.96	(21,145.57 -45,259.52)	5.33	(21,149.62 -45,256.05)	0.52
87	1353	(21,150.00 -45,255.70)	24.95				
		(21,150.00 -45,255.70)	0.52	(21,149.62 -45,256.05)	5.33	(21,145.57 -45,259.52)	7.96
		(21,139.05 -45,264.08)	3.01	(21,136.68 -45,265.94)	2.65	(21,134.76 -45,267.77)	2.22

地区 ..003

作業 .. 67

原図番号 .. N1 52-4

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,400.00

測定 年 5 月 4 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,133.35 -45,269.49)	1.97	(21,132.64 -45,271.33)	2.10	(21,132.12 -45,273.36)	5.77
		(21,131.97 -45,279.13)	9.55	(21,138.31 -45,286.27)	5.71	(21,142.63 -45,290.00)	5.81
85	1358	(21,146.83 -45,294.01)	4.50	(21,149.96 -45,297.25)	41.55		
		(2/ 2)					
		(21,149.96 -45,297.25)	4.50	(21,146.83 -45,294.01)	5.81	(21,142.63 -45,290.00)	5.71
		(21,138.31 -45,286.27)	9.55	(21,131.97 -45,279.13)	1.79	(21,130.23 -45,279.57)	5.13
		(21,125.37 -45,281.21)	10.23	(21,115.79 -45,284.79)	5.03	(21,111.01 -45,286.34)	3.89
		(21,107.20 -45,287.13)	2.69	(21,104.53 -45,287.44)	3.50	(21,101.03 -45,287.37)	2.07
		(21,098.98 -45,287.08)	2.11	(21,096.93 -45,286.59)	4.72	(21,095.20 -45,290.98)	10.60
		(21,095.88 -45,301.56)	9.62	(21,096.06 -45,311.18)	4.12	(21,099.65 -45,313.21)	4.86
		(21,101.08 -45,308.57)	1.74	(21,102.04 -45,307.12)	1.39	(21,103.30 -45,306.53)	1.01
		(21,104.24 -45,306.89)	10.50	(21,111.54 -45,314.44)	10.86	(21,118.94 -45,322.39)	14.44
85	1355	(21,132.52 -45,317.48)	18.62	(21,150.01 -45,311.10)	13.85		
		(2/ 2)					
		(21,150.01 -45,311.10)	18.62	(21,132.52 -45,317.48)	14.44	(21,118.94 -45,322.39)	3.24
		(21,121.07 -45,324.83)	2.96	(21,122.75 -45,327.27)	2.95	(21,124.03 -45,329.93)	2.91
85	1356	(21,124.62 -45,332.78)	0.60	(21,124.58 -45,333.38)	25.47	(21,150.00 -45,334.95)	23.85
		(2/ 2)					
		(21,150.00 -45,334.95)	25.47	(21,124.58 -45,333.38)	2.55	(21,124.54 -45,335.93)	1.05
		(21,124.49 -45,336.98)	1.20	(21,124.41 -45,338.18)	0.50	(21,124.37 -45,338.68)	25.66
		(21,149.96 -45,340.55)	5.60				
89	1405-	(2/ 2)					
		(21,149.96 -45,340.55)	25.66	(21,124.37 -45,338.68)	0.50	(21,124.41 -45,338.18)	6.55
		(21,117.86 -45,338.17)	9.81	(21,116.91 -45,347.93)	4.52	(21,118.43 -45,352.19)	3.26
		(21,120.31 -45,354.85)	5.23	(21,123.94 -45,358.61)	1.48	(21,124.35 -45,360.03)	25.63
		(21,149.98 -45,359.96)	19.41				
89	1406	(3/ 3)					
		(21,149.98 -45,359.96)	25.65	(21,124.33 -45,359.98)	5.79	(21,127.39 -45,364.90)	5.08
		(21,130.22 -45,369.12)	7.14	(21,134.12 -45,375.10)	6.37	(21,137.69 -45,380.37)	5.77
		(21,140.87 -45,385.18)	1.83	(21,141.89 -45,386.70)	3.28	(21,143.54 -45,389.53)	0.56
		(21,143.82 -45,390.01)	4.00	(21,145.40 -45,393.69)	2.86	(21,146.03 -45,396.48)	3.40
		(21,146.10 -45,399.88)	2.23	(21,148.33 -45,399.89)	8.34	(21,149.96 -45,391.71)	31.75
89	1408-	(4/ 4)					
		(21,149.96 -45,391.71)	8.34	(21,148.33 -45,399.89)	1.65	(21,149.98 -45,399.86)	8.15
89	1415	(2/ 2)					
		(21,142.55 -45,399.88)	6.55	(21,136.52 -45,397.31)	3.00	(21,133.55 -45,396.89)	1.80
		(21,131.75 -45,397.01)	2.28	(21,129.62 -45,397.82)	1.93	(21,128.11 -45,399.03)	1.30
		(21,127.15 -45,399.90)	15.40				
89	1416-	(3/ 3)					
		(21,127.15 -45,399.90)	1.30	(21,128.11 -45,399.03)	1.93	(21,129.62 -45,397.82)	2.28
		(21,131.75 -45,397.01)	1.80	(21,133.55 -45,396.89)	3.00	(21,136.52 -45,397.31)	6.55
		(21,142.55 -45,399.88)	3.55	(21,146.10 -45,399.88)	3.40	(21,146.03 -45,396.48)	2.86
		(21,145.40 -45,393.69)	21.18	(21,124.23 -45,394.28)	0.38	(21,124.37 -45,394.63)	3.64
		(21,125.42 -45,398.12)	1.84	(21,125.93 -45,399.89)	1.22		
89	1417-	(2/ 2)					
		(21,125.93 -45,399.89)	1.84	(21,125.42 -45,398.12)	26.00	(21,099.43 -45,398.69)	1.22
		(21,099.50 -45,399.91)	26.43				
89	1418-	(2/ 2)					
		(21,099.50 -45,399.91)	1.22	(21,099.43 -45,398.69)	3.33	(21,099.13 -45,395.37)	0.36
		(21,099.11 -45,395.01)	3.25	(21,099.17 -45,391.76)	3.43	(21,099.28 -45,388.33)	0.52
		(21,099.29 -45,387.81)	4.15	(21,099.63 -45,383.67)	3.01	(21,099.95 -45,380.68)	5.66
		(21,094.55 -45,382.37)	19.05	(21,075.89 -45,386.20)	14.06	(21,078.95 -45,399.92)	20.55

地区 ..003

作業 .. 67

原図番号 .. N1 52-4

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,400.00

測定 年 5 月 4 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

89	001-	9	(21,078.95 -45,399.92)	14.06	(@ 21,075.89 -45,386.20)	1.97	(21,073.93 -45,386.44)	13.77
			(21,076.85 -45,399.90)	2.10				
89	1419-	1	(21,076.85 -45,399.90)	13.77	(@ 21,073.93 -45,386.44)	3.32	(21,070.67 -45,387.06)	6.57
			(21,064.43 -45,389.12)	5.28	(21,059.39 -45,390.68)	6.96	(21,052.51 -45,391.71)	5.04
			(21,047.47 -45,391.60)	8.76	(21,050.04 -45,399.97)	26.81		
89	1420	(2/ 2)	(21,050.04 -45,399.97)	8.76	(21,047.47 -45,391.60)	1.91	(@ 21,045.56 -45,391.51)	6.08
			(21,039.48 -45,391.67)	4.88	(21,034.80 -45,393.06)	10.03	(21,025.08 -45,395.55)	4.52
			(21,026.10 -45,399.95)	23.94				
7	002-	8	(21,026.10 -45,399.95)	4.52	(21,025.08 -45,395.55)	0.91	(21,024.94 -45,394.65)	1.46
			(21,024.80 -45,393.20)	37.54	(@ 21,020.77 -45,355.88)	5.92	(21,015.13 -45,357.69)	17.58
			(21,015.67 -45,375.26)	11.59	(21,016.84 -45,386.79)	8.82	(21,017.66 -45,395.57)	4.58
			(21,018.90 -45,399.98)	7.20				
7	001-	5	(21,018.90 -45,399.98)	4.58	(21,017.66 -45,395.57)	8.82	(21,016.84 -45,386.79)	11.59
			(21,015.67 -45,375.26)	17.58	(@ 21,015.13 -45,357.69)	2.37	(21,012.88 -45,358.42)	16.08
			(21,013.48 -45,374.49)	12.37	(21,014.69 -45,386.80)	2.63	(21,014.51 -45,389.42)	6.16
			(21,016.20 -45,395.34)	0.74	(21,016.70 -45,395.89)	4.28	(21,017.90 -45,400.00)	1.00
7	113-	1	(21,017.90 -45,400.00)	4.28	(21,016.70 -45,395.89)	0.74	(21,016.20 -45,395.34)	1.27
			(21,014.93 -45,395.30)	1.11	(21,013.86 -45,395.60)	2.10	(@ 21,011.89 -45,394.86)	10.24
			(21,003.03 -45,400.00)	14.87				
7	101		(21,014.51 -45,389.42)	2.63	(21,014.69 -45,386.80)	12.37	(21,013.48 -45,374.49)	16.08
			(@ 21,012.88 -45,358.42)	2.54	(21,010.34 -45,358.53)	1.21	(21,011.33 -45,359.23)	1.64
			(21,011.92 -45,360.76)	27.70	(21,012.85 -45,388.44)	2.68	(21,013.11 -45,391.11)	2.19
6	100		(21,012.89 -45,357.80)	5.91	(21,012.91 -45,351.89)	5.09	(21,013.32 -45,346.82)	5.75
			(@ 21,014.40 -45,341.17)	2.14	(21,012.62 -45,342.36)	3.61	(21,012.07 -45,345.93)	3.49
			(21,011.57 -45,349.38)	4.76	(21,010.44 -45,354.00)	2.89	(21,010.32 -45,356.89)	2.73
1	002-	11	(21,020.77 -45,355.88)	16.71	(21,023.07 -45,339.33)	12.12	(21,025.71 -45,327.50)	15.36
			(21,028.50 -45,312.40)	12.73	(21,030.16 -45,299.78)	6.86	(21,031.54 -45,293.06)	10.49
			(21,033.91 -45,282.84)	3.96	(21,034.93 -45,279.01)	12.96	(21,035.77 -45,266.08)	17.14
			(@ 21,029.75 -45,250.03)	6.12	(21,029.89 -45,256.15)	10.08	(21,030.02 -45,266.23)	5.17
			(21,029.84 -45,271.40)	7.42	(21,029.28 -45,278.80)	6.79	(21,027.51 -45,285.36)	26.77
			(21,022.61 -45,311.68)	11.47	(21,020.53 -45,322.96)	18.76	(21,016.65 -45,341.31)	5.87
			(21,015.59 -45,347.08)	5.09	(21,015.18 -45,352.15)	5.54	(21,015.13 -45,357.69)	5.92
1	001-	3	(21,015.13 -45,357.69)	5.54	(21,015.18 -45,352.15)	5.09	(21,015.59 -45,347.08)	5.87
			(21,016.65 -45,341.31)	18.76	(21,020.53 -45,322.96)	11.47	(21,022.61 -45,311.68)	26.77
			(21,027.51 -45,285.36)	6.79	(21,029.28 -45,278.80)	7.42	(21,029.84 -45,271.40)	5.17
			(21,030.02 -45,266.23)	10.08	(21,029.89 -45,256.15)	6.12	(21,029.75 -45,250.03)	14.20
			(21,027.08 -45,236.08)	0.67	(@ 21,027.07 -45,235.41)	3.70	(21,023.72 -45,236.98)	13.66
			(21,026.53 -45,250.35)	5.61	(21,026.73 -45,255.96)	0.66	(21,026.80 -45,256.62)	9.64
			(21,027.92 -45,266.19)	4.67	(21,027.74 -45,270.86)	7.78	(21,026.25 -45,278.50)	6.33
			(21,024.07 -45,284.44)	27.71	(21,019.11 -45,311.70)	11.03	(21,017.58 -45,322.62)	18.82
			(21,014.40 -45,341.17)	5.75	(21,013.32 -45,346.82)	5.09	(21,012.91 -45,351.89)	5.91
			(21,012.89 -45,357.80)	0.62	(21,012.88 -45,358.42)	2.37		

地区 ..003

作業 .. 67

原図番号 .. N1 52-4

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,400.00

測定 年 5 月 4 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

1	3	(21,019.11 -45,311.70)	27.71	(21,024.07 -45,284.44)	6.33	(21,026.25 -45,278.50)	6.50
		(21,022.10 -45,283.50)	13.47	(21,015.22 -45,295.08)	7.13	(21,012.18 -45,301.53)	5.37
		(21,008.90 -45,305.78)	2.57	(21,007.10 -45,307.62)	12.68		
88	001- 6	(21,025.08 -45,395.55)	10.03	(21,034.80 -45,393.06)	4.88	(21,039.48 -45,391.67)	6.08
		(21,045.56 -45,391.51)	1.91	(21,047.47 -45,391.60)	5.04	(21,052.51 -45,391.71)	6.96
		(21,059.39 -45,390.68)	5.28	(21,064.43 -45,389.12)	6.57	(21,070.67 -45,387.06)	3.32
		(21,073.93 -45,386.44)	0.88	(21,073.75 -45,385.58)	3.23	(21,070.57 -45,386.16)	6.75
		(21,064.13 -45,388.17)	5.04	(21,059.35 -45,389.78)	7.01	(21,052.41 -45,390.79)	6.82
		(21,045.59 -45,390.54)	6.30	(21,039.29 -45,390.74)	4.95	(21,034.55 -45,392.16)	9.93
		(21,024.94 -45,394.65)	0.91				
88	002- 7	(21,024.94 -45,394.65)	9.93	(21,034.55 -45,392.16)	4.95	(21,039.29 -45,390.74)	6.30
		(21,045.59 -45,390.54)	6.82	(21,052.41 -45,390.79)	7.01	(21,059.35 -45,389.78)	5.04
		(21,064.13 -45,388.17)	6.75	(21,070.57 -45,386.16)	3.23	(21,073.75 -45,385.58)	3.47
		(21,073.06 -45,382.18)	10.19	(21,063.40 -45,385.41)	5.40	(21,058.29 -45,387.15)	6.00
		(21,052.33 -45,387.88)	6.60	(21,045.74 -45,387.56)	6.94	(21,038.81 -45,387.87)	5.36
		(21,034.17 -45,390.56)	9.73	(21,024.80 -45,393.20)	1.46		
88	1401- 1	(21,024.80 -45,393.20)	9.73	(21,034.17 -45,390.56)	5.36	(21,038.81 -45,387.87)	6.94
		(21,045.74 -45,387.56)	6.60	(21,052.33 -45,387.88)	6.00	(21,058.29 -45,387.15)	5.40
		(21,063.40 -45,385.41)	10.19	(21,073.06 -45,382.18)	36.04	(21,079.90 -45,346.79)	5.44
		(21,074.54 -45,347.71)	5.19	(21,069.48 -45,348.88)	7.34	(21,062.34 -45,350.60)	5.19
		(21,057.23 -45,351.52)	6.42	(21,050.88 -45,352.47)	6.60	(21,044.35 -45,353.40)	7.19
		(21,037.26 -45,354.58)	7.04	(21,030.26 -45,355.36)	9.50	(21,020.77 -45,355.88)	37.54
88	1400	(21,020.77 -45,355.88)	9.50	(21,030.26 -45,355.36)	7.04	(21,037.26 -45,354.58)	7.19
		(21,044.35 -45,353.40)	6.60	(21,050.88 -45,352.47)	6.42	(21,057.23 -45,351.52)	5.19
		(21,062.34 -45,350.60)	7.34	(21,069.48 -45,348.88)	5.19	(21,074.54 -45,347.71)	5.44
		(21,079.90 -45,346.79)	10.11	(21,082.73 -45,337.08)	2.57	(21,080.80 -45,335.38)	2.06
		(21,079.68 -45,333.65)	3.31	(21,078.48 -45,330.56)	9.74	(21,076.60 -45,321.00)	6.12
		(21,075.34 -45,315.01)	1.87	(21,074.00 -45,316.31)	4.37	(21,073.82 -45,320.68)	1.24
		(21,072.69 -45,321.20)	1.57	(21,072.28 -45,322.72)	5.97	(21,066.33 -45,323.18)	4.42
		(21,061.93 -45,323.55)	2.30	(21,060.27 -45,325.14)	34.64	(21,025.71 -45,327.50)	12.12
		(21,023.07 -45,339.33)	16.71				
88	1399- 1	(21,025.71 -45,327.50)	34.64	(21,060.27 -45,325.14)	2.30	(21,061.93 -45,323.55)	4.42
		(21,066.33 -45,323.18)	5.97	(21,072.28 -45,322.72)	1.57	(21,072.69 -45,321.20)	1.24
		(21,073.82 -45,320.68)	4.37	(21,074.00 -45,316.31)	1.87	(21,075.34 -45,315.01)	2.53
		(21,074.98 -45,312.51)	1.29	(21,074.56 -45,311.29)	3.79	(21,072.83 -45,307.92)	3.62
		(21,072.71 -45,304.30)	16.97	(21,089.57 -45,302.39)	1.53	(21,090.67 -45,303.46)	3.22
		(21,090.94 -45,300.25)	18.14	(21,072.88 -45,301.92)	4.47	(21,072.51 -45,297.47)	7.00
		(21,072.25 -45,290.47)	7.94	(21,071.58 -45,282.56)	5.80	(21,070.95 -45,276.79)	19.85
		(21,051.19 -45,278.67)	2.65	(21,048.58 -45,279.12)	31.39	(21,038.78 -45,308.94)	1.28
		(21,038.17 -45,310.06)	1.70	(21,036.99 -45,311.28)	1.49	(21,035.58 -45,311.77)	7.11
		(21,028.50 -45,312.40)	15.36				
88	1394- 1	(21,028.50 -45,312.40)	7.11	(21,035.58 -45,311.77)	1.49	(21,036.99 -45,311.28)	1.70
		(21,038.17 -45,310.06)	1.28	(21,038.78 -45,308.94)	31.39	(21,048.58 -45,279.12)	0.88
		(21,048.99 -45,278.34)	15.74	(21,033.91 -45,282.84)	10.49	(21,031.54 -45,293.06)	6.86
		(21,030.16 -45,299.78)	12.73				

地区 ..003

作業 .. 67

原図番号 .. N1 52-4

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,400.00

測定 年 5 月 4 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

88	1394-	2	(21,033.91 -45,282.84)	15.74	(21,048.99 -45,278.34)	4.38	(21,052.52 -45,275.75)	7.58
			(21,044.95 -45,276.18)	5.63	(21,039.59 -45,277.89)	4.79	(21,034.93 -45,279.01)	3.96
87	1393-	1	(21,034.93 -45,279.01)	4.79	(21,039.59 -45,277.89)	5.63	(21,044.95 -45,276.18)	2.91
			(21,042.89 -45,274.12)	4.72	(21,039.54 -45,270.79)	6.03	(21,035.77 -45,266.08)	12.96
88	002-	6	(21,096.31 -45,251.12)	4.69	(21,096.72 -45,255.79)	15.75	(21,096.24 -45,271.53)	9.25
			(21,095.50 -45,280.75)	3.93	(21,094.57 -45,284.57)	2.10	(21,093.78 -45,286.52)	4.81
			(21,092.20 -45,291.06)	6.48	(21,092.78 -45,297.51)	6.05	(21,092.67 -45,303.56)	9.59
			(21,091.40 -45,313.07)	7.86	(21,098.78 -45,315.78)	15.51	(21,108.70 -45,327.70)	4.80
			(21,112.00 -45,331.19)	4.20	(21,113.95 -45,334.91)	4.09	(21,114.82 -45,338.91)	9.55
			(21,114.76 -45,348.46)	9.76	(21,117.32 -45,357.88)	3.65	(21,117.69 -45,361.51)	3.97
			(21,115.49 -45,364.82)	8.24	(21,109.60 -45,370.58)	7.68	(21,103.57 -45,375.34)	5.11
			(21,099.10 -45,377.81)	5.38	(21,094.21 -45,380.05)	18.98	(21,075.47 -45,383.09)	3.14
			(21,075.89 -45,386.20)	19.05	(21,094.55 -45,382.37)	5.66	(21,099.95 -45,380.68)	2.88
			(21,102.35 -45,379.08)	6.23	(21,107.42 -45,375.46)	8.43	(21,113.93 -45,370.11)	2.88
			(21,115.96 -45,368.07)	4.70	(21,119.20 -45,364.67)	7.69	(21,123.94 -45,358.61)	5.23
			(21,120.31 -45,354.85)	3.26	(21,118.43 -45,352.19)	4.52	(21,116.91 -45,347.93)	9.81
			(21,117.86 -45,338.17)	1.84	(21,117.42 -45,336.38)	7.88	(21,113.24 -45,329.70)	21.37
			(21,099.65 -45,313.21)	4.12	(21,096.06 -45,311.18)	9.62	(21,095.88 -45,301.56)	10.60
			(21,095.20 -45,290.98)	4.72	(21,096.93 -45,286.59)	34.62	(21,099.47 -45,252.06)	6.70
			(21,101.50 -45,245.67)	0.90	(21,101.00 -45,244.92)	7.77		
88	001-	7	(21,094.33 -45,252.34)	3.05	(21,094.70 -45,255.37)	6.00	(21,094.86 -45,261.37)	13.34
			(21,094.24 -45,274.70)	5.69	(21,093.50 -45,280.34)	5.47	(21,092.04 -45,285.61)	5.78
			(21,090.20 -45,291.09)	8.49	(21,090.94 -45,299.55)	0.70	(21,090.94 -45,300.25)	3.22
			(21,090.67 -45,303.46)	10.11	(21,089.05 -45,313.44)	6.90	(21,087.80 -45,320.23)	16.27
			(21,083.04 -45,335.79)	1.33	(21,082.73 -45,337.08)	10.11	(21,079.90 -45,346.79)	36.04
			(21,073.06 -45,382.18)	3.47	(21,073.75 -45,385.58)	0.88	(21,073.93 -45,386.44)	1.97
			(21,075.89 -45,386.20)	3.14	(21,075.47 -45,383.09)	0.90	(21,075.39 -45,382.19)	14.28
			(21,077.77 -45,368.11)	17.73	(21,081.02 -45,350.68)	14.99	(21,084.84 -45,336.18)	16.25
			(21,089.75 -45,320.69)	6.83	(21,091.29 -45,314.04)	0.98	(21,091.40 -45,313.07)	9.59
			(21,092.67 -45,303.56)	6.05	(21,092.78 -45,297.51)	6.48	(21,092.20 -45,291.06)	4.81
			(21,093.78 -45,286.52)	2.10	(21,094.57 -45,284.57)	3.93	(21,095.50 -45,280.75)	9.25
			(21,096.24 -45,271.53)	15.75	(21,096.72 -45,255.79)	4.69	(21,096.31 -45,251.12)	2.33
88	1395		(21,094.33 -45,252.34)	11.93	(21,084.27 -45,258.75)	5.61	(21,079.06 -45,260.82)	8.28
			(21,071.22 -45,263.49)	8.54	(21,063.44 -45,267.01)	4.79	(21,059.72 -45,270.03)	6.55
			(21,054.79 -45,274.35)	2.67	(21,052.52 -45,275.75)	4.38	(21,048.99 -45,278.34)	0.88
			(21,048.58 -45,279.12)	2.65	(21,051.19 -45,278.67)	19.85	(21,070.95 -45,276.79)	3.31
			(21,074.25 -45,276.53)	2.26	(21,076.50 -45,276.70)	3.30	(21,079.80 -45,276.87)	5.25
			(21,084.92 -45,278.01)	2.92	(21,087.66 -45,279.02)	1.89	(21,089.25 -45,280.04)	1.71
			(21,090.24 -45,281.44)	1.89	(21,090.93 -45,283.20)	1.95	(21,091.37 -45,285.10)	0.84
			(21,092.04 -45,285.61)	5.47	(21,093.50 -45,280.34)	5.69	(21,094.24 -45,274.70)	13.34
			(21,094.86 -45,261.37)	6.00	(21,094.70 -45,255.37)	3.05		
88	1397-	1	(21,092.04 -45,285.61)	0.84	(21,091.37 -45,285.10)	1.95	(21,090.93 -45,283.20)	1.89
			(21,090.24 -45,281.44)	1.71	(21,089.25 -45,280.04)	1.89	(21,087.66 -45,279.02)	2.92
			(21,084.92 -45,278.01)	5.25	(21,079.80 -45,276.87)	3.30	(21,076.50 -45,276.70)	25.53
			(21,072.85 -45,301.97)	18.17	(21,090.94 -45,300.25)	0.70	(21,090.94 -45,299.55)	8.49
			(21,090.20 -45,291.09)	5.78				

地区 ..003

作業 .. 67

原図番号 .. N1 52-4

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,400.00

測定 年 5 月 4 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

88	1399-	2	(21,072.85 -45,301.97)	25.53	(21,076.50 -45,276.70)	2.26	(@ 21,074.25 -45,276.53)	3.31
			(21,070.95 -45,276.79)	5.80	(21,071.58 -45,282.56)	7.94	(21,072.25 -45,290.47)	7.00
			(21,072.51 -45,297.47)	4.51				
88	1397-	3	(21,072.71 -45,304.30)	3.62	(21,072.83 -45,307.92)	3.79	(21,074.56 -45,311.29)	1.29
			(21,074.98 -45,312.51)	2.53	(21,075.34 -45,315.01)	6.12	(21,076.60 -45,321.00)	9.74
			(21,078.48 -45,330.56)	3.31	(21,079.68 -45,333.65)	2.06	(21,080.80 -45,335.38)	2.57
			(21,082.73 -45,337.08)	1.33	(21,083.04 -45,335.79)	16.27	(21,087.80 -45,320.23)	6.90
			(21,089.05 -45,313.44)	10.11	(21,090.67 -45,303.46)	1.53	(@ 21,089.57 -45,302.39)	16.97
88	001-	8	(21,091.29 -45,314.04)	7.29	(21,098.15 -45,316.50)	15.56	(21,108.12 -45,328.44)	1.81
			(21,109.39 -45,329.73)	2.67	(21,111.25 -45,331.64)	3.93	(21,113.05 -45,335.13)	3.88
			(21,113.92 -45,338.91)	9.75	(21,113.96 -45,348.66)	9.66	(21,116.44 -45,358.00)	3.25
			(21,116.82 -45,361.23)	3.65	(21,114.87 -45,364.31)	8.09	(21,108.94 -45,369.82)	7.57
			(21,103.05 -45,374.58)	5.03	(21,098.61 -45,376.95)	5.03	(21,094.10 -45,379.17)	18.95
			(21,075.39 -45,382.19)	0.90	(21,075.47 -45,383.09)	18.98	(21,094.21 -45,380.05)	5.38
			(21,099.10 -45,377.81)	5.11	(21,103.57 -45,375.34)	7.68	(21,109.60 -45,370.58)	8.24
			(21,115.49 -45,364.82)	3.97	(21,117.69 -45,361.51)	3.65	(21,117.32 -45,357.88)	9.76
			(21,114.76 -45,348.46)	9.55	(21,114.82 -45,338.91)	4.09	(21,113.95 -45,334.91)	4.20
			(21,112.00 -45,331.19)	4.80	(21,108.70 -45,327.70)	15.51	(21,098.78 -45,315.78)	7.86
			(@ 21,091.40 -45,313.07)	0.98				
88	1403		(@ 21,091.29 -45,314.04)	6.83	(21,089.75 -45,320.69)	16.25	(21,084.84 -45,336.18)	14.99
			(21,081.02 -45,350.68)	17.73	(21,077.77 -45,368.11)	4.15	(21,081.92 -45,368.21)	2.89
			(21,084.80 -45,368.01)	2.28	(21,087.00 -45,367.42)	2.44	(21,089.28 -45,366.54)	5.50
			(21,094.17 -45,364.02)	3.36	(21,096.89 -45,362.04)	2.40	(21,098.67 -45,360.43)	2.20
			(21,099.64 -45,358.46)	2.30	(21,099.65 -45,356.16)	4.16	(21,098.76 -45,352.10)	2.51
			(21,098.60 -45,349.60)	1.84	(21,098.86 -45,347.78)	1.85	(21,099.75 -45,346.16)	1.94
			(21,100.61 -45,344.42)	17.11	(21,109.39 -45,329.73)	1.81	(21,108.12 -45,328.44)	15.56
			(21,098.15 -45,316.50)	7.29				
88	1404-	1	(@ 21,109.39 -45,329.73)	17.11	(21,100.61 -45,344.42)	1.94	(21,099.75 -45,346.16)	1.85
			(21,098.86 -45,347.78)	1.84	(21,098.60 -45,349.60)	2.51	(21,098.76 -45,352.10)	4.16
			(21,099.65 -45,356.16)	2.30	(21,099.64 -45,358.46)	2.20	(21,098.67 -45,360.43)	2.40
			(21,096.89 -45,362.04)	3.36	(21,094.17 -45,364.02)	5.50	(21,089.28 -45,366.54)	2.44
			(21,087.00 -45,367.42)	2.28	(21,084.80 -45,368.01)	2.89	(21,081.92 -45,368.21)	4.15
			(21,077.77 -45,368.11)	14.28	(21,075.39 -45,382.19)	18.95	(21,094.10 -45,379.17)	5.03
			(21,098.61 -45,376.95)	5.03	(21,103.05 -45,374.58)	7.57	(21,108.94 -45,369.82)	8.09
			(21,114.87 -45,364.31)	3.65	(21,116.82 -45,361.23)	3.25	(21,116.44 -45,358.00)	9.66
			(21,113.96 -45,348.66)	9.75	(21,113.92 -45,338.91)	3.88	(21,113.05 -45,335.13)	3.93
			(21,111.25 -45,331.64)	2.67				
89	1416-	7	(21,127.39 -45,364.90)	5.74	(21,124.35 -45,360.03)	1.48	(@ 21,123.94 -45,358.61)	7.69
			(21,119.20 -45,364.67)	4.70	(21,115.96 -45,368.07)	1.47	(21,116.41 -45,369.47)	13.81
			(21,130.22 -45,369.12)	5.08				
89	1416-	6	(@ 21,130.22 -45,369.12)	13.81	(21,116.41 -45,369.47)	6.36	(21,118.36 -45,375.52)	15.77
			(21,134.12 -45,375.10)	7.14				
89	1416-	5	(@ 21,134.12 -45,375.10)	15.77	(21,118.36 -45,375.52)	3.30	(21,119.36 -45,378.66)	2.30
			(21,120.07 -45,380.85)	17.63	(21,137.69 -45,380.37)	6.37		

地区 ..003

作業 .. 67 原図番号 .. N1 52-4

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,400.00 測定 年 5 月 4 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

89	1416-	4	(@ 21,137.69 -45,380.37)	17.63	(21,120.07 -45,380.85)	2.38	(21,120.72 -45,383.14)	2.69
			(21,121.52 -45,385.71)	19.36	(21,140.87 -45,385.18)	5.77		
89	1416-	3	(21,141.89 -45,386.70)	1.83	(@ 21,140.87 -45,385.18)	19.36	(21,121.52 -45,385.71)	1.59
			(21,121.98 -45,387.23)	3.05	(21,122.91 -45,390.13)	20.64	(21,143.54 -45,389.53)	3.28
89	1416-	2	(21,143.82 -45,390.01)	0.56	(@ 21,143.54 -45,389.53)	20.64	(21,122.91 -45,390.13)	0.94
			(21,123.20 -45,391.02)	3.42	(21,124.23 -45,394.28)	21.18	(21,145.40 -45,393.69)	4.00
89	1417-	12	(21,118.36 -45,375.52)	6.36	(21,116.41 -45,369.47)	1.47	(@ 21,115.96 -45,368.07)	2.88
			(21,113.93 -45,370.11)	8.43	(21,107.42 -45,375.46)	6.23	(21,102.35 -45,379.08)	17.02
			(21,119.36 -45,378.66)	3.30				
89	1417-	11	(21,120.07 -45,380.85)	2.30	(@ 21,119.36 -45,378.66)	17.02	(21,102.35 -45,379.08)	2.88
			(21,099.95 -45,380.68)	3.01	(21,099.63 -45,383.67)	21.10	(21,120.72 -45,383.14)	2.38
89	1417-	10	(21,121.52 -45,385.71)	2.69	(@ 21,120.72 -45,383.14)	21.10	(21,099.63 -45,383.67)	4.15
			(21,099.29 -45,387.81)	22.70	(21,121.98 -45,387.23)	1.59		
89	1417-	9	(21,122.91 -45,390.13)	3.05	(@ 21,121.98 -45,387.23)	22.70	(21,099.29 -45,387.81)	0.52
			(21,099.28 -45,388.33)	3.43	(21,099.17 -45,391.76)	24.04	(21,123.20 -45,391.02)	0.94
89	1417-	8	(21,124.23 -45,394.28)	3.42	(@ 21,123.20 -45,391.02)	24.04	(21,099.17 -45,391.76)	3.25
			(21,099.11 -45,395.01)	0.36	(21,099.13 -45,395.37)	25.25	(21,124.37 -45,394.63)	0.38
89	1417-	7	(@ 21,124.37 -45,394.63)	25.25	(21,099.13 -45,395.37)	3.33	(21,099.43 -45,398.69)	26.00
			(21,125.42 -45,398.12)	3.64				
85	002-	5	(21,117.86 -45,338.17)	6.55	(21,124.41 -45,338.18)	1.20	(21,124.49 -45,336.98)	7.10
			(@ 21,117.42 -45,336.38)	1.84				
85	1357		(21,117.42 -45,336.38)	7.10	(21,124.49 -45,336.98)	1.05	(21,124.54 -45,335.93)	2.55
			(21,124.58 -45,333.38)	0.60	(21,124.62 -45,332.78)	2.91	(21,124.03 -45,329.93)	2.95
			(21,122.75 -45,327.27)	2.96	(21,121.07 -45,324.83)	3.24	(21,118.94 -45,322.39)	10.86
			(21,111.54 -45,314.44)	10.50	(21,104.24 -45,306.89)	1.01	(@ 21,103.30 -45,306.53)	1.39
			(21,102.04 -45,307.12)	1.74	(21,101.08 -45,308.57)	4.86	(21,099.65 -45,313.21)	21.37
			(21,113.24 -45,329.70)	7.88	(21,117.42 -45,336.38)	0.00		
85	1359		(21,096.93 -45,286.59)	2.11	(21,098.98 -45,287.08)	2.07	(21,101.03 -45,287.37)	3.50
			(21,104.53 -45,287.44)	2.69	(21,107.20 -45,287.13)	3.89	(21,111.01 -45,286.34)	5.03
			(21,115.79 -45,284.79)	10.23	(21,125.37 -45,281.21)	5.13	(21,130.23 -45,279.57)	1.79
			(21,131.97 -45,279.13)	5.77	(21,132.12 -45,273.36)	2.10	(21,132.64 -45,271.33)	1.97
			(21,133.35 -45,269.49)	2.22	(21,134.76 -45,267.77)	2.65	(21,136.68 -45,265.94)	3.01
			(21,139.05 -45,264.08)	3.83	(21,135.95 -45,261.83)	10.18	(21,127.04 -45,256.90)	6.99
			(21,120.88 -45,253.60)	2.92	(21,118.27 -45,252.28)	2.74	(21,115.78 -45,251.14)	1.96
			(21,113.98 -45,250.36)	5.28	(21,109.07 -45,248.42)	3.26	(21,106.05 -45,247.20)	4.80
			(@ 21,101.50 -45,245.67)	6.70	(21,099.47 -45,252.06)	34.62		
87	1386		(@ 21,128.32 -45,206.07)	7.25	(21,121.11 -45,206.85)	18.12	(21,103.65 -45,211.68)	7.91
			(21,096.13 -45,214.13)	8.06	(21,088.17 -45,215.38)	7.38	(21,080.79 -45,215.46)	29.98
			(21,094.14 -45,242.30)	11.48	(21,103.11 -45,235.13)	22.95	(21,122.72 -45,223.21)	18.03

地区 ..003

作業 .. 67 原図番号 .. N1 52-4

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,400.00 測定 年 5 月 4 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

87 1385

(@ 21,122.72 -45,223.21)	22.95	(21,103.11 -45,235.13)	11.48	(21,094.14 -45,242.30)	9.82
(21,086.44 -45,248.39)	1.46	(21,087.19 -45,249.64)	1.45	(21,087.94 -45,250.88)	2.70
(21,090.01 -45,249.14)	7.41	(21,096.07 -45,244.88)	5.48	(21,099.85 -45,240.91)	5.97
(21,104.67 -45,237.39)	8.75	(21,112.35 -45,233.19)	8.96	(21,119.78 -45,228.19)	1.82
(21,121.36 -45,227.29)	4.30				

87 1388

(21,080.33 -45,254.97)	1.55	(21,080.54 -45,256.51)	6.81	(21,086.02 -45,252.46)	2.49
(21,087.94 -45,250.88)	1.45	(@ 21,087.19 -45,249.64)	8.69		

87 1389

(21,087.19 -45,249.64)	1.46	(21,086.44 -45,248.39)	9.82	(21,094.14 -45,242.30)	29.98
(21,080.79 -45,215.46)	3.52	(@ 21,077.27 -45,215.45)	17.59	(21,061.25 -45,222.72)	10.92
(21,050.62 -45,225.23)	10.98	(21,057.39 -45,233.87)	6.42	(21,060.30 -45,239.59)	7.26
(21,062.96 -45,246.35)	3.90	(21,064.71 -45,249.84)	3.84	(21,066.99 -45,252.93)	5.85
(21,070.50 -45,257.61)	5.97	(21,076.19 -45,255.80)	4.22	(21,080.33 -45,254.97)	8.69

87 1392- 1

(@ 21,080.33 -45,254.97)	4.22	(21,076.19 -45,255.80)	5.97	(21,070.50 -45,257.61)	3.22
(21,067.50 -45,258.79)	2.59	(21,065.31 -45,260.17)	2.59	(21,063.80 -45,262.28)	2.16
(21,065.92 -45,261.89)	15.58	(21,080.54 -45,256.51)	1.55		

87 1390

(21,070.50 -45,257.61)	5.85	(21,066.99 -45,252.93)	3.84	(21,064.71 -45,249.84)	3.90
(21,062.96 -45,246.35)	7.26	(21,060.30 -45,239.59)	6.42	(21,057.39 -45,233.87)	10.98
(@ 21,050.62 -45,225.23)	3.88	(21,046.82 -45,225.99)	6.84	(21,039.99 -45,226.42)	8.16
(21,033.06 -45,230.72)	3.63	(21,031.98 -45,234.19)	3.96	(21,035.12 -45,236.61)	10.41
(21,037.12 -45,246.83)	10.07	(21,040.09 -45,256.45)	10.62	(21,042.17 -45,266.86)	4.96
(21,044.81 -45,271.06)	10.88	(21,054.82 -45,266.80)	7.52	(21,060.80 -45,262.24)	3.00
(21,063.80 -45,262.28)	2.59	(21,065.31 -45,260.17)	2.59	(21,067.50 -45,258.79)	3.22

87 1392- 2

(@ 21,065.92 -45,261.89)	2.16	(21,063.80 -45,262.28)	3.00	(21,060.80 -45,262.24)	7.52
(21,054.82 -45,266.80)	12.14				

87 1391- 2

(21,037.12 -45,246.83)	10.41	(21,035.12 -45,236.61)	3.96	(@ 21,031.98 -45,234.19)	0.29
(21,032.09 -45,234.46)	13.35				