

地区 ..003 作業 .. 69 原図番号 .. N1 53-2 縮尺 ..1/ 500 基準点 ..X 21,150.00..Y -45,000.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,150.00 -45,000.00)	50.00	(21,200.00 -45,000.02)	50.00	(21,250.00 -45,000.04)	50.00
		(21,300.00 -45,000.08)	50.02	(21,300.02 -44,950.06)	49.95	(21,299.99 -44,900.11)	50.05
		(21,299.96 -44,850.06)	49.93	(21,300.03 -44,800.13)	50.00	(21,250.03 -44,800.09)	50.00
		(21,200.03 -44,800.07)	50.03	(21,150.00 -44,800.02)	50.03	(21,149.96 -44,850.05)	49.95
		(21,149.94 -44,900.00)	49.95	(21,149.97 -44,949.95)	50.05		
107	412	(2 / 4)					
		(21,150.00 -45,000.00)	22.83	(21,172.83 -45,000.04)	3.86	(21,171.84 -44,996.31)	6.89
		(21,169.53 -44,989.82)	4.04	(21,168.03 -44,986.07)	18.79	(21,159.09 -44,969.54)	9.69
		(21,149.96 -44,972.80)	27.20				
107	414	(1 / 2)					
		(21,149.96 -44,972.80)	9.69	(21,159.09 -44,969.54)	3.39	(21,157.56 -44,966.52)	7.99
		(21,150.00 -44,969.10)	3.70				
107	415	(1 / 2)					
		(21,150.00 -44,969.10)	7.99	(21,157.56 -44,966.52)	7.94	(21,154.18 -44,959.34)	8.49
		(21,150.92 -44,951.50)	4.15	(21,150.16 -44,947.42)	0.24	(21,149.96 -44,947.55)	21.55
107	411	(2 / 3)					
		(21,149.96 -44,947.55)	0.24	(21,150.16 -44,947.42)	4.15	(21,150.92 -44,951.50)	8.49
		(21,154.18 -44,959.34)	7.94	(21,157.56 -44,966.52)	3.39	(21,159.09 -44,969.54)	18.79
		(21,168.03 -44,986.07)	4.04	(21,169.53 -44,989.82)	6.89	(21,171.84 -44,996.31)	3.86
		(21,172.83 -45,000.04)	20.60	(21,193.43 -45,000.05)	7.50	(21,190.21 -44,993.28)	3.20
		(21,189.08 -44,990.29)	5.20	(21,188.08 -44,985.19)	4.04	(21,187.24 -44,981.24)	2.50
		(21,185.77 -44,979.22)	5.52	(21,181.96 -44,975.22)	3.94	(21,179.94 -44,971.84)	7.50
		(21,176.39 -44,965.23)	6.15	(21,172.94 -44,960.14)	4.40	(21,170.98 -44,956.20)	1.73
		(21,170.23 -44,954.64)	5.13	(21,168.57 -44,949.79)	5.43	(21,166.81 -44,944.65)	5.33
		(21,165.90 -44,939.40)	3.68	(21,166.75 -44,935.82)	5.77	(21,171.24 -44,932.19)	7.55
		(21,178.36 -44,929.68)	1.22	(21,178.18 -44,928.47)	4.66	(21,173.53 -44,928.74)	14.84
		(21,158.81 -44,930.59)	6.19	(21,153.02 -44,932.77)	2.97	(21,150.82 -44,934.77)	1.32
		(21,150.00 -44,935.80)	11.75				
109	001- 2						
		(21,150.00 -44,935.80)	1.32	(21,150.82 -44,934.77)	2.97	(21,153.02 -44,932.77)	6.19
		(21,158.81 -44,930.59)	14.84	(21,173.53 -44,928.74)	4.66	(21,178.18 -44,928.47)	8.84
		(21,187.01 -44,928.04)	2.12	(21,189.13 -44,928.04)	8.60	(21,197.63 -44,926.75)	4.10
		(21,201.73 -44,926.74)	9.71	(21,211.28 -44,928.50)	2.08	(21,213.14 -44,929.42)	14.46
		(21,226.84 -44,934.05)	5.38	(21,227.90 -44,939.32)	0.87	(21,227.09 -44,939.64)	7.76
		(21,229.14 -44,947.12)	1.38	(21,230.00 -44,948.20)	4.70	(21,234.69 -44,948.54)	4.02
		(21,238.59 -44,947.58)	7.14	(21,244.36 -44,943.37)	4.44	(21,247.40 -44,940.13)	5.37
		(21,251.30 -44,936.44)	1.56	(21,252.75 -44,935.86)	12.65	(21,265.40 -44,935.61)	0.70
		(21,266.02 -44,935.94)	8.91	(21,274.92 -44,936.45)	4.80	(21,279.67 -44,937.16)	9.07
		(21,288.40 -44,939.61)	2.18	(21,290.50 -44,940.21)	1.78	(21,291.45 -44,938.70)	3.65
		(21,294.00 -44,936.09)	5.01	(21,298.72 -44,934.41)	1.27	(21,299.99 -44,934.51)	2.08
		(21,299.99 -44,932.43)	1.52	(21,298.47 -44,932.36)	3.32	(21,295.19 -44,932.86)	2.83
		(21,292.59 -44,933.97)	2.43	(21,290.85 -44,935.66)	1.77	(21,289.85 -44,937.12)	15.09
		(21,274.96 -44,934.68)	9.43	(21,265.54 -44,934.16)	13.84	(21,251.71 -44,933.75)	1.90
		(21,250.17 -44,934.86)	10.35	(21,243.08 -44,942.40)	6.29	(21,237.81 -44,945.83)	3.42
		(21,234.49 -44,946.66)	2.33	(21,232.16 -44,946.54)	0.90	(21,231.34 -44,946.17)	1.63
		(21,230.29 -44,944.92)	5.72	(21,228.90 -44,939.37)	6.17	(21,228.16 -44,933.24)	15.47
		(21,213.41 -44,928.57)	1.07	(21,212.47 -44,928.05)	1.17	(21,211.40 -44,927.57)	9.53
		(21,202.03 -44,925.82)	4.45	(21,197.58 -44,925.75)	8.83	(21,188.83 -44,926.91)	2.12
		(21,186.71 -44,926.97)	13.36	(21,173.37 -44,927.78)	14.64	(21,158.84 -44,929.59)	4.16
		(21,154.87 -44,930.83)	2.72	(21,152.39 -44,931.95)	3.36	(21,149.99 -44,934.30)	1.50
109	437	(1 / 2)					

地区 ..003 作業 .. 69 原図番号 .. N1 53-2 縮尺 ..1/ 500 基準点 ..X 21,150.00..Y -45,000.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,149.99 -44,934.30)	3.36	(21,152.39 -44,931.95)	2.72	(21,154.87 -44,930.83)	28.56
		(a 21,149.94 -44,902.70)	31.60				
		(1/ 2)					
109	440	(21,149.94 -44,902.70)	28.56	(21,154.87 -44,930.83)	4.16	(21,158.84 -44,929.59)	14.64
		(21,173.37 -44,927.78)	46.34	(a 21,165.62 -44,882.09)	11.81	(21,153.81 -44,882.34)	3.88
		(21,149.96 -44,882.85)	19.85				
109	001-	4					
		(21,149.96 -44,882.85)	3.88	(21,153.81 -44,882.34)	11.81	(21,165.62 -44,882.09)	34.04
		(21,199.66 -44,881.92)	7.67	(21,207.33 -44,881.86)	3.26	(21,210.58 -44,881.55)	2.35
		(21,212.91 -44,881.25)	1.37	(21,213.20 -44,879.91)	7.33	(21,217.52 -44,873.99)	5.58
		(21,221.16 -44,869.76)	3.98	(21,224.96 -44,868.58)	1.35	(21,226.29 -44,868.35)	3.60
		(21,229.71 -44,867.22)	4.51	(21,233.86 -44,865.46)	4.74	(21,237.63 -44,862.58)	8.25
		(21,243.82 -44,857.12)	1.73	(a 21,244.33 -44,855.47)	2.63	(21,241.70 -44,855.50)	7.84
		(21,236.22 -44,861.11)	4.02	(21,232.95 -44,863.44)	4.62	(21,228.78 -44,865.42)	2.97
		(21,225.93 -44,866.25)	1.37	(21,224.58 -44,866.50)	4.84	(21,220.00 -44,868.07)	4.40
		(21,217.09 -44,871.37)	9.78	(21,211.23 -44,879.20)	1.37	(21,210.00 -44,879.80)	2.64
		(21,207.38 -44,880.11)	7.45	(21,199.93 -44,880.22)	34.27	(21,165.66 -44,880.52)	12.13
		(21,153.53 -44,880.79)	3.35	(21,150.22 -44,881.28)	0.21	(21,150.01 -44,881.30)	1.55
109	438	(1/ 2)					
		(21,150.01 -44,881.30)	0.21	(21,150.22 -44,881.28)	1.21	(21,150.23 -44,880.07)	9.97
		(21,156.79 -44,872.56)	7.76	(21,159.18 -44,865.18)	3.31	(21,160.78 -44,862.28)	5.01
		(21,164.75 -44,859.23)	8.44	(21,172.30 -44,855.45)	12.71	(a 21,162.60 -44,847.23)	9.00
		(21,156.71 -44,854.04)	8.87	(21,149.97 -44,859.80)	21.50		
108	002-	4					
		(21,149.97 -44,859.80)	8.87	(21,156.71 -44,854.04)	9.00	(21,162.60 -44,847.23)	5.08
		(a 21,158.75 -44,843.92)	12.14	(21,150.21 -44,852.55)	0.25	(21,150.01 -44,852.70)	7.10
108	421	(1/ 2)					
		(21,150.01 -44,852.70)	0.25	(21,150.21 -44,852.55)	12.14	(21,158.75 -44,843.92)	8.26
		(21,164.54 -44,838.03)	11.67	(21,172.77 -44,829.76)	7.39	(21,166.28 -44,826.22)	12.90
		(a 21,154.86 -44,820.21)	5.90	(21,149.96 -44,823.50)	29.20		
108	422	(1/ 3)					
		(21,149.96 -44,823.50)	5.90	(21,154.86 -44,820.21)	1.35	(21,153.76 -44,819.42)	3.47
		(21,150.53 -44,818.15)	0.54	(a 21,150.00 -44,818.05)	5.45		
138	707	(1/ 4)					
		(21,150.00 -44,818.05)	0.54	(21,150.53 -44,818.15)	3.47	(21,153.76 -44,819.42)	1.35
		(21,154.86 -44,820.21)	12.90	(21,166.28 -44,826.22)	6.21	(21,170.36 -44,821.54)	8.02
		(21,174.65 -44,814.76)	10.41	(21,179.86 -44,805.75)	6.53	(21,183.08 -44,800.07)	33.08
		(a 21,150.00 -44,800.02)	18.03				
138	706	(1/ 2)					
		(a 21,183.08 -44,800.07)	6.53	(21,179.86 -44,805.75)	10.41	(21,174.65 -44,814.76)	8.02
		(21,170.36 -44,821.54)	6.21	(21,166.28 -44,826.22)	7.39	(21,172.77 -44,829.76)	1.82
		(21,174.07 -44,828.49)	10.77	(21,181.71 -44,820.90)	13.74	(21,190.67 -44,810.48)	12.62
		(21,197.88 -44,800.12)	14.80				
138	002-	3					
		(21,197.88 -44,800.12)	12.62	(21,190.67 -44,810.48)	13.74	(21,181.71 -44,820.90)	10.77
		(21,174.07 -44,828.49)	1.82	(21,172.77 -44,829.76)	3.72	(21,176.03 -44,831.56)	11.23
		(21,183.76 -44,823.42)	16.73	(21,194.74 -44,810.80)	12.97	(a 21,202.03 -44,800.07)	4.15
110	002-	2					
		(a 21,202.03 -44,800.07)	12.97	(21,194.74 -44,810.80)	16.73	(21,183.76 -44,823.42)	11.23
		(21,176.03 -44,831.56)	3.72	(21,172.77 -44,829.76)	11.67	(21,164.54 -44,838.03)	8.26
		(21,158.75 -44,843.92)	5.08	(21,162.60 -44,847.23)	12.71	(21,172.30 -44,855.45)	1.28
		(21,173.25 -44,856.31)	7.84	(21,174.52 -44,848.57)	2.70	(21,173.20 -44,846.21)	6.65

地区 ..003

作業 .. 69

原図番号 .. N1 53-2

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -45,000.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,172.56 -44,839.59)	10.75	(21,180.38 -44,832.22)	9.07	(21,186.94 -44,825.96)	16.74
		(21,197.50 -44,812.97)	15.80	(21,206.68 -44,800.11)	4.65		
110	460	(1/ 2)					
		(21,206.68 -44,800.11)	15.80	(21,197.50 -44,812.97)	16.74	(21,186.94 -44,825.96)	9.07
		(21,180.38 -44,832.22)	6.37	(21,186.01 -44,835.19)	6.46	(21,192.14 -44,837.23)	6.26
		(21,198.29 -44,838.40)	6.95	(21,205.24 -44,838.54)	7.55	(21,212.74 -44,837.70)	1.26
		(21,213.99 -44,837.55)	5.81	(21,219.08 -44,834.74)	6.21	(21,223.82 -44,830.73)	0.58
		(21,223.40 -44,830.33)	2.23	(21,225.07 -44,828.85)	3.20	(21,227.27 -44,826.52)	4.64
		(21,229.86 -44,822.67)	7.25	(21,233.35 -44,816.31)	7.31	(21,237.31 -44,810.16)	14.65
		(21,226.68 -44,800.08)	20.00				
110	454-	1 (1/ 2)					
		(21,226.68 -44,800.08)	14.65	(21,237.31 -44,810.16)	14.32	(21,247.81 -44,819.89)	14.41
		(21,257.64 -44,830.42)	2.98	(21,260.27 -44,829.02)	4.77	(21,261.71 -44,824.47)	6.70
		(21,264.96 -44,818.61)	0.30	(21,265.22 -44,818.75)	2.79	(21,265.88 -44,816.04)	2.89
		(21,266.12 -44,813.16)	4.81	(21,265.49 -44,808.39)	4.94	(21,264.08 -44,803.66)	3.81
		(21,262.68 -44,800.12)	36.00				
110	453	(1/ 2)					
		(21,262.68 -44,800.12)	3.81	(21,264.08 -44,803.66)	4.94	(21,265.49 -44,808.39)	4.81
		(21,266.12 -44,813.16)	2.89	(21,265.88 -44,816.04)	2.79	(21,265.22 -44,818.75)	2.80
		(21,267.61 -44,820.21)	6.21	(21,268.00 -44,814.01)	6.14	(21,267.61 -44,807.88)	4.25
		(21,266.28 -44,803.84)	3.62	(21,265.13 -44,800.41)	0.30	(21,265.13 -44,800.11)	2.45
110	452	(3/ 4)					
		(21,265.13 -44,800.11)	0.30	(21,265.13 -44,800.41)	3.62	(21,266.28 -44,803.84)	4.25
		(21,267.61 -44,807.88)	6.14	(21,268.00 -44,814.01)	6.21	(21,267.61 -44,820.21)	1.05
		(21,268.51 -44,820.76)	2.19	(21,269.36 -44,822.78)	7.30	(21,276.09 -44,825.62)	6.18
		(21,282.27 -44,825.78)	17.87	(21,299.99 -44,823.46)	23.33	(21,300.03 -44,800.13)	34.90
110	002-	1					
		(21,299.99 -44,823.46)	17.87	(21,282.27 -44,825.78)	6.18	(21,276.09 -44,825.62)	7.30
		(21,269.36 -44,822.78)	2.19	(21,268.51 -44,820.76)	1.05	(21,267.61 -44,820.21)	2.80
		(21,265.22 -44,818.75)	0.30	(21,264.96 -44,818.61)	6.70	(21,261.71 -44,824.47)	4.77
		(21,260.27 -44,829.02)	2.98	(21,257.64 -44,830.42)	3.92	(21,254.88 -44,833.20)	7.87
		(21,250.69 -44,839.86)	13.38	(21,243.46 -44,851.12)	8.91	(21,237.87 -44,858.06)	7.85
		(21,231.53 -44,862.69)	9.41	(21,222.58 -44,865.58)	6.68	(21,215.91 -44,865.89)	8.01
		(21,208.31 -44,863.36)	4.79	(21,203.97 -44,861.34)	6.72	(21,198.82 -44,857.02)	6.36
		(21,193.61 -44,853.38)	5.42	(21,188.51 -44,851.54)	14.30	(21,174.52 -44,848.57)	7.84
		(21,173.25 -44,856.31)	4.58	(21,177.24 -44,854.06)	3.50	(21,180.69 -44,853.45)	4.03
		(21,184.69 -44,853.94)	6.69	(21,191.04 -44,856.03)	5.75	(21,195.95 -44,859.03)	7.71
		(21,202.13 -44,863.64)	5.96	(21,207.48 -44,866.26)	5.15	(21,212.51 -44,867.35)	7.52
		(21,220.00 -44,868.07)	4.84	(21,224.58 -44,866.50)	1.37	(21,225.93 -44,866.25)	2.97
		(21,228.78 -44,865.42)	4.62	(21,232.95 -44,863.44)	4.02	(21,236.22 -44,861.11)	7.84
		(21,241.70 -44,855.50)	1.32	(21,242.56 -44,854.50)	3.04	(21,244.36 -44,852.05)	13.71
		(21,251.52 -44,840.36)	5.25	(21,254.18 -44,835.83)	4.02	(21,256.68 -44,832.68)	2.14
		(21,258.33 -44,831.32)	3.06	(21,260.77 -44,829.47)	4.96	(21,262.42 -44,824.79)	5.47
		(21,265.21 -44,820.09)	1.68	(21,266.61 -44,821.01)	2.18	(21,267.34 -44,823.06)	2.26
		(21,268.99 -44,824.61)	4.44	(21,273.02 -44,826.47)	3.72	(21,276.57 -44,827.59)	3.62
		(21,280.19 -44,827.49)	2.60	(21,282.77 -44,827.13)	15.87	(21,298.47 -44,824.81)	0.76
		(21,298.62 -44,825.56)	1.43	(21,300.02 -44,825.26)	1.80		
110	001-	1					
		(21,300.02 -44,825.26)	1.43	(21,298.62 -44,825.56)	15.88	(21,282.97 -44,828.28)	5.40
		(21,277.65 -44,829.19)	12.63	(21,265.02 -44,829.26)	4.26	(21,260.77 -44,829.47)	3.06
		(21,258.33 -44,831.32)	2.14	(21,256.68 -44,832.68)	4.02	(21,254.18 -44,835.83)	5.25
		(21,251.52 -44,840.36)	13.71	(21,244.36 -44,852.05)	3.04	(21,242.56 -44,854.50)	1.32

地区 ..003

作業 .. 69

原図番号 .. N1 53-2

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -45,000.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,241.70 -44,855.50)	2.63	(21,244.33 -44,855.47)	21.92	(21,255.81 -44,836.80)	3.79
		(21,258.28 -44,833.92)	1.94	(21,259.80 -44,832.72)	2.21	(21,261.80 -44,831.77)	3.43
		(21,265.20 -44,831.31)	12.55	(21,277.75 -44,831.17)	4.49	(21,282.20 -44,830.58)	18.04
		(21,300.02 -44,827.76)	2.50				
110	448-	2 (2/ 2)					
		(21,300.02 -44,827.76)	18.04	(21,282.20 -44,830.58)	4.49	(21,277.75 -44,831.17)	12.55
		(21,265.20 -44,831.31)	3.43	(21,261.80 -44,831.77)	2.21	(21,259.80 -44,832.72)	1.94
		(21,258.28 -44,833.92)	3.79	(21,255.81 -44,836.80)	21.92	(21,244.33 -44,855.47)	4.02
		(21,248.29 -44,854.79)	7.81	(21,256.09 -44,854.35)	15.52	(21,271.61 -44,854.60)	4.65
		(21,276.26 -44,854.64)	19.53	(21,295.72 -44,856.29)	4.37	(21,300.02 -44,857.06)	29.30
109	002-	5					
		(21,300.02 -44,857.06)	4.37	(21,295.72 -44,856.29)	19.53	(21,276.26 -44,854.64)	4.65
		(21,271.61 -44,854.60)	15.52	(21,256.09 -44,854.35)	7.81	(21,248.29 -44,854.79)	4.02
		(21,244.33 -44,855.47)	1.73	(21,243.82 -44,857.12)	8.25	(21,237.63 -44,862.58)	4.74
		(21,233.86 -44,865.46)	4.51	(21,229.71 -44,867.22)	3.60	(21,226.29 -44,868.35)	1.35
		(21,224.96 -44,868.58)	3.98	(21,221.16 -44,869.76)	5.58	(21,217.52 -44,873.99)	7.33
		(21,213.20 -44,879.91)	1.25	(21,214.12 -44,880.75)	2.12	(21,215.03 -44,878.84)	5.34
		(21,218.12 -44,874.49)	4.51	(21,220.99 -44,871.01)	0.89	(21,221.54 -44,870.31)	3.70
		(21,225.06 -44,869.18)	1.20	(21,226.24 -44,868.98)	3.88	(21,229.99 -44,867.97)	4.54
		(21,234.13 -44,866.11)	5.04	(21,238.10 -44,863.01)	8.11	(21,244.19 -44,857.65)	2.25
		(21,246.17 -44,856.59)	0.57	(21,246.67 -44,856.32)	9.32	(21,255.97 -44,855.73)	15.66
		(21,271.63 -44,855.89)	4.64	(21,276.27 -44,856.02)	19.36	(21,295.57 -44,857.56)	4.52
		(21,300.02 -44,858.36)	1.30				
109	446-	12 (2/ 2)					
		(21,300.02 -44,858.36)	4.52	(21,295.57 -44,857.56)	19.36	(21,276.27 -44,856.02)	4.64
		(21,271.63 -44,855.89)	10.20	(21,271.93 -44,866.09)	28.18	(21,300.03 -44,864.01)	5.65
109	446-	11 (2/ 2)					
		(21,300.03 -44,864.01)	28.18	(21,271.93 -44,866.09)	3.30	(21,272.04 -44,869.39)	28.01
		(21,299.98 -44,867.46)	3.45				
109	446-	10 (2/ 2)					
		(21,299.98 -44,867.46)	28.01	(21,272.04 -44,869.39)	2.01	(21,272.09 -44,871.40)	3.25
		(21,272.25 -44,874.65)	27.80	(21,299.99 -44,872.81)	5.35		
109	446-	9 (2/ 2)					
		(21,299.99 -44,872.81)	27.80	(21,272.25 -44,874.65)	6.25	(21,272.49 -44,880.90)	1.20
		(21,272.49 -44,882.10)	27.58	(21,300.01 -44,880.21)	7.40		
109	446-	8 (2/ 2)					
		(21,300.01 -44,880.21)	27.58	(21,272.49 -44,882.10)	5.50	(21,272.52 -44,887.60)	27.51
		(21,299.96 -44,885.66)	5.45				
109	446-	7 (2/ 2)					
		(21,299.96 -44,885.66)	27.51	(21,272.52 -44,887.60)	1.64	(21,272.61 -44,889.24)	0.38
		(21,272.61 -44,889.62)	27.47	(21,300.02 -44,887.76)	2.10		
109	446-	6 (2/ 2)					
		(21,300.02 -44,887.76)	27.47	(21,272.61 -44,889.62)	4.81	(21,272.83 -44,894.42)	27.21
		(21,299.98 -44,892.61)	4.85				
109	446-	5 (2/ 2)					
		(21,299.98 -44,892.61)	27.21	(21,272.83 -44,894.42)	2.84	(21,272.98 -44,897.26)	27.06
		(21,299.98 -44,895.41)	2.80				
109	446-	4 (2/ 2)					
		(21,299.98 -44,895.41)	27.06	(21,272.98 -44,897.26)	2.03	(21,273.14 -44,899.28)	5.99
		(21,273.41 -44,905.26)	26.64	(21,299.99 -44,903.51)	8.10		
109	446-	3 (2/ 2)					
		(21,299.99 -44,903.51)	26.64	(21,273.41 -44,905.26)	4.85	(21,273.57 -44,910.11)	26.47

地区 ..003 作業 .. 69 原図番号 .. N1 53-2 縮尺 ..1/ 500 基準点 ..X 21,150.00..Y -45,000.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

109	446-	(21,299.98 -44,908.36)	4.85						
		(2 / 2)							
		(@ 21,299.98 -44,908.36)	26.47	(21,273.57 -44,910.11)	1.60	(21,273.62 -44,911.71)	26.39		
		(21,299.95 -44,909.96)	1.60						
109	446-	(21,299.95 -44,909.96)	26.39	(21,273.62 -44,911.71)	3.53	(21,273.83 -44,915.23)	17.80		
		(21,291.58 -44,913.88)	8.41	(21,299.96 -44,913.21)	3.25				
109	445-	(21,299.96 -44,913.21)	8.41	(21,291.58 -44,913.88)	20.12	(21,292.59 -44,933.97)	2.83		
		(21,295.19 -44,932.86)	3.32	(21,298.47 -44,932.36)	1.52	(21,299.99 -44,932.43)	19.22		
104	002-	(21,299.99 -44,934.51)	1.27	(@ 21,298.72 -44,934.41)	5.01	(21,294.00 -44,936.09)	3.65		
		(21,291.45 -44,938.70)	1.78	(21,290.50 -44,940.21)	2.70	(21,289.11 -44,942.52)	4.63		
		(21,286.21 -44,946.13)	10.27	(21,283.68 -44,956.08)	10.56	(21,281.41 -44,966.39)	7.18		
		(21,277.96 -44,972.69)	9.88	(21,272.94 -44,981.20)	6.04	(21,269.38 -44,986.08)	16.29		
		(21,260.17 -44,999.52)	0.81	(21,259.63 -45,000.12)	4.40	(21,264.03 -45,000.11)	1.61		
		(21,265.05 -44,998.86)	18.65	(21,275.37 -44,983.32)	10.80	(21,281.13 -44,974.19)	4.36		
		(21,283.15 -44,970.33)	5.10	(21,284.74 -44,965.48)	5.20	(21,285.76 -44,960.38)	11.25		
		(21,288.62 -44,949.50)	5.91	(21,291.56 -44,944.37)	6.55	(21,294.85 -44,938.71)	2.56		
		(21,297.05 -44,937.41)	2.95	(21,300.00 -44,937.36)	2.85				
104	344-	(21,300.00 -44,937.36)	2.95	(21,297.05 -44,937.41)	2.56	(21,294.85 -44,938.71)	6.55		
		(21,291.56 -44,944.37)	5.91	(21,288.62 -44,949.50)	11.25	(21,285.76 -44,960.38)	5.20		
		(21,284.74 -44,965.48)	5.10	(21,283.15 -44,970.33)	4.36	(21,281.13 -44,974.19)	10.80		
		(21,275.37 -44,983.32)	18.65	(21,265.05 -44,998.86)	1.61	(21,264.03 -45,000.11)	35.97		
		(21,300.00 -45,000.08)	62.72						
104	346	(21,259.63 -45,000.12)	0.81	(21,260.17 -44,999.52)	16.29	(21,269.38 -44,986.08)	6.04		
		(21,272.94 -44,981.20)	9.88	(21,277.96 -44,972.69)	7.18	(21,281.41 -44,966.39)	11.51		
		(@ 21,272.53 -44,959.07)	8.61	(21,266.37 -44,965.09)	17.08	(21,254.46 -44,977.33)	30.38		
		(21,234.30 -45,000.06)	25.33						
107	001-	(21,234.30 -45,000.06)	30.38	(21,254.46 -44,977.33)	17.08	(21,266.37 -44,965.09)	8.61		
		(21,272.53 -44,959.07)	18.83	(21,286.21 -44,946.13)	4.63	(21,289.11 -44,942.52)	2.70		
		(21,290.50 -44,940.21)	2.18	(@ 21,288.40 -44,939.61)	2.11	(21,287.43 -44,941.48)	12.69		
		(21,278.57 -44,950.56)	10.60	(21,270.83 -44,957.80)	7.53	(21,265.54 -44,963.16)	7.52		
		(21,260.28 -44,968.54)	10.22	(21,253.09 -44,975.81)	32.39	(21,231.63 -45,000.07)	2.67		
107	403	(21,231.63 -45,000.07)	32.39	(21,253.09 -44,975.81)	10.22	(21,260.28 -44,968.54)	15.58		
		(21,244.70 -44,968.50)	30.42	(21,216.22 -44,979.19)	17.91	(@ 21,210.40 -44,962.25)	31.93		
		(21,179.94 -44,971.84)	3.94	(21,181.96 -44,975.22)	5.52	(21,185.77 -44,979.22)	2.50		
		(21,187.24 -44,981.24)	4.04	(21,188.08 -44,985.19)	5.20	(21,189.08 -44,990.29)	3.20		
		(21,190.21 -44,993.28)	7.50	(21,193.43 -45,000.05)	38.20				
107	409	(21,179.94 -44,971.84)	31.93	(21,210.40 -44,962.25)	25.17	(21,234.48 -44,954.94)	8.09		
		(21,230.00 -44,948.20)	1.38	(21,229.14 -44,947.12)	7.76	(@ 21,227.09 -44,939.64)	16.41		
		(21,211.31 -44,944.13)	17.15	(21,194.87 -44,949.01)	24.95	(21,170.98 -44,956.20)	4.40		
		(21,172.94 -44,960.14)	6.15	(21,176.39 -44,965.23)	7.50				
107	408-	(21,170.98 -44,956.20)	24.95	(21,194.87 -44,949.01)	21.74	(21,189.13 -44,928.04)	2.12		
		(@ 21,187.01 -44,928.04)	8.84	(21,178.18 -44,928.47)	1.22	(21,178.36 -44,929.68)	7.55		
		(21,171.24 -44,932.19)	5.77	(21,166.75 -44,935.82)	3.68	(21,165.90 -44,939.40)	5.33		

地区 ..003 作業 .. 69 原図番号 .. N1 53-2 縮尺 ..1/ 500 基準点 ..X 21,150.00..Y -45,000.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

107	408-	1	(21,166.81 -44,944.65)	5.43	(21,168.57 -44,949.79)	5.13	(21,170.23 -44,954.64)	1.73
			(21,194.87 -44,949.01)	17.15	(21,211.31 -44,944.13)	16.41	(21,227.09 -44,939.64)	0.87
			(21,227.90 -44,939.32)	5.38	(21,226.84 -44,934.05)	14.46	(21,213.14 -44,929.42)	2.08
			(21,211.28 -44,928.50)	9.71	(21,201.73 -44,926.74)	4.10	(21,197.63 -44,926.75)	8.60
			(21,189.13 -44,928.04)	21.74				
107	410-	1	(21,210.40 -44,962.25)	17.91	(21,216.22 -44,979.19)	30.42	(21,244.70 -44,968.50)	16.98
			(21,234.48 -44,954.94)	25.17				
107	405-	1	(21,234.48 -44,954.94)	16.98	(21,244.70 -44,968.50)	15.58	(21,260.28 -44,968.54)	7.52
			(21,265.54 -44,963.16)	5.46	(21,262.16 -44,958.87)	23.85	(21,247.40 -44,940.13)	4.44
			(21,244.36 -44,943.37)	7.14	(21,238.59 -44,947.58)	4.02	(21,234.69 -44,948.54)	4.70
			(21,230.00 -44,948.20)	8.09	(21,234.48 -44,954.94)	0.00		
107	405-	2	(21,247.40 -44,940.13)	23.85	(21,262.16 -44,958.87)	5.46	(21,265.54 -44,963.16)	7.53
			(21,270.83 -44,957.80)	10.60	(21,278.57 -44,950.56)	19.82	(21,265.45 -44,935.71)	12.70
			(21,252.75 -44,935.86)	1.56	(21,251.30 -44,936.44)	5.37		
107	406		(21,265.45 -44,935.71)	19.82	(21,278.57 -44,950.56)	12.69	(21,287.43 -44,941.48)	2.11
			(21,288.40 -44,939.61)	9.07	(21,279.67 -44,937.16)	4.80	(21,274.92 -44,936.45)	8.91
			(21,266.02 -44,935.94)	0.61				
104	345		(21,286.21 -44,946.13)	18.83	(21,272.53 -44,959.07)	11.51	(21,281.41 -44,966.39)	10.56
			(21,283.68 -44,956.08)	10.27				
109	002-	6	(21,284.57 -44,935.03)	9.66	(21,275.06 -44,933.35)	1.33	(21,274.96 -44,934.68)	15.09
			(21,289.85 -44,937.12)	1.77	(21,290.85 -44,935.66)	6.31		
109	445-	2	(21,290.85 -44,935.66)	2.43	(21,292.59 -44,933.97)	20.12	(21,291.58 -44,913.88)	17.80
			(21,273.83 -44,915.23)	0.89	(21,273.95 -44,916.11)	17.28	(21,275.06 -44,933.35)	9.66
			(21,284.57 -44,935.03)	6.31				
109	443-	2	(21,274.96 -44,934.68)	1.33	(21,275.06 -44,933.35)	17.28	(21,273.95 -44,916.11)	27.11
			(21,246.90 -44,917.93)	7.46	(21,246.05 -44,925.34)	7.48	(21,245.74 -44,932.81)	6.04
			(21,251.71 -44,933.75)	23.27				
107	407		(21,251.71 -44,933.75)	6.04	(21,245.74 -44,932.81)	17.59	(21,228.16 -44,933.24)	6.17
			(21,228.90 -44,939.37)	5.72	(21,230.29 -44,944.92)	1.63	(21,231.34 -44,946.17)	0.90
			(21,232.16 -44,946.54)	2.33	(21,234.49 -44,946.66)	3.42	(21,237.81 -44,945.83)	6.29
			(21,243.08 -44,942.40)	10.35	(21,250.17 -44,934.86)	1.90		
109	443-	5	(21,246.90 -44,917.93)	27.11	(21,273.95 -44,916.11)	0.89	(21,273.83 -44,915.23)	3.53
			(21,273.62 -44,911.71)	1.60	(21,273.57 -44,910.11)	4.85	(21,273.41 -44,905.26)	5.99
			(21,273.14 -44,899.28)	25.43	(21,247.77 -44,900.99)	7.43	(21,247.55 -44,908.42)	9.53
109	443-	4	(21,247.14 -44,901.04)	0.63	(21,247.77 -44,900.99)	25.43	(21,273.14 -44,899.28)	2.03
			(21,272.98 -44,897.26)	2.84	(21,272.83 -44,894.42)	4.81	(21,272.61 -44,889.62)	0.38
			(21,272.61 -44,889.24)	25.67	(21,247.02 -44,891.23)	9.81		
109	443-	7	(21,247.02 -44,891.23)	25.67	(21,272.61 -44,889.24)	1.64	(21,272.52 -44,887.60)	5.50
			(21,272.49 -44,882.10)	1.20	(21,272.49 -44,880.90)	26.11	(21,246.50 -44,883.38)	4.17

地区 ..003

作業 .. 69

原図番号 .. N1 53-2

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -45,000.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

109	443-	3	(21,246.77 -44,887.54)	3.70							
			(21,246.50 -44,883.38)	26.11	(21,272.49 -44,880.90)	6.25	(21,272.25 -44,874.65)	3.25			
			(21,272.09 -44,871.40)	26.58	(21,245.54 -44,872.74)	5.80	(21,246.00 -44,878.52)	4.89			
109	443-	1	(21,245.54 -44,872.74)	26.58	(21,272.09 -44,871.40)	2.01	(21,272.04 -44,869.39)	3.30			
			(21,271.93 -44,866.09)	10.20	(21,271.63 -44,855.89)	15.66	(21,255.97 -44,855.73)	9.32			
			(21,246.67 -44,856.32)	0.57	(21,246.17 -44,856.59)	10.27	(21,245.53 -44,866.84)	5.90			
109	442		(21,245.53 -44,866.84)	10.27	(21,246.17 -44,856.59)	2.25	(21,244.19 -44,857.65)	8.11			
			(21,238.10 -44,863.01)	5.04	(21,234.13 -44,866.11)	4.54	(21,229.99 -44,867.97)	3.88			
			(21,226.24 -44,868.98)	1.20	(21,225.06 -44,869.18)	3.70	(21,221.54 -44,870.31)	0.89			
			(21,220.99 -44,871.01)	4.51	(21,218.12 -44,874.49)	5.34	(21,215.03 -44,878.84)	2.12			
			(21,214.12 -44,880.75)	1.29	(21,214.73 -44,881.89)	1.28	(21,214.76 -44,883.17)	5.98			
			(21,213.99 -44,889.10)	9.08	(21,213.23 -44,898.15)	16.58	(21,212.21 -44,914.70)	8.30			
			(21,212.15 -44,923.00)	5.06	(21,212.47 -44,928.05)	1.07	(21,213.41 -44,928.57)	15.47			
			(21,228.16 -44,933.24)	17.59	(21,245.74 -44,932.81)	7.48	(21,246.05 -44,925.34)	7.46			
			(21,246.90 -44,917.93)	9.53	(21,247.55 -44,908.42)	7.43	(21,247.77 -44,900.99)	0.63			
			(21,247.14 -44,901.04)	9.81	(21,247.02 -44,891.23)	3.70	(21,246.77 -44,887.54)	4.17			
			(21,246.50 -44,883.38)	4.89	(21,246.00 -44,878.52)	5.80	(21,245.54 -44,872.74)	5.90			
109	001-	3	(21,213.20 -44,879.91)	1.37	(21,212.91 -44,881.25)	1.11	(21,213.71 -44,882.02)	1.07			
			(21,213.89 -44,883.07)	6.01	(21,213.07 -44,889.02)	9.03	(21,212.28 -44,898.02)	16.01			
			(21,211.26 -44,914.00)	8.75	(21,211.10 -44,922.75)	4.83	(21,211.40 -44,927.57)	1.17			
			(21,212.47 -44,928.05)	5.06	(21,212.15 -44,923.00)	8.30	(21,212.21 -44,914.70)	16.58			
			(21,213.23 -44,898.15)	9.08	(21,213.99 -44,889.10)	5.98	(21,214.76 -44,883.17)	1.28			
			(21,214.73 -44,881.89)	1.29	(21,214.12 -44,880.75)	1.25					
109	441		(21,212.91 -44,881.25)	2.35	(21,210.58 -44,881.55)	3.26	(21,207.33 -44,881.86)	7.67			
			(21,199.66 -44,881.92)	34.04	(21,165.62 -44,882.09)	46.34	(21,173.37 -44,927.78)	13.36			
			(21,186.71 -44,926.97)	2.12	(21,188.83 -44,926.91)	8.83	(21,197.58 -44,925.75)	4.45			
			(21,202.03 -44,925.82)	9.53	(21,211.40 -44,927.57)	4.83	(21,211.10 -44,922.75)	8.75			
			(21,211.26 -44,914.00)	16.01	(21,212.28 -44,898.02)	9.03	(21,213.07 -44,889.02)	6.01			
			(21,213.89 -44,883.07)	1.07	(21,213.71 -44,882.02)	1.11					
109	439		(21,220.00 -44,868.07)	7.52	(21,212.51 -44,867.35)	5.15	(21,207.48 -44,866.26)	5.96			
			(21,202.13 -44,863.64)	7.71	(21,195.95 -44,859.03)	5.75	(21,191.04 -44,856.03)	6.69			
			(21,184.69 -44,853.94)	4.03	(21,180.69 -44,853.45)	3.50	(21,177.24 -44,854.06)	4.58			
			(21,173.25 -44,856.31)	1.28	(21,172.30 -44,855.45)	8.44	(21,164.75 -44,859.23)	5.01			
			(21,160.78 -44,862.28)	3.31	(21,159.18 -44,865.18)	7.76	(21,156.79 -44,872.56)	9.97			
			(21,150.23 -44,880.07)	1.21	(21,150.22 -44,881.28)	3.35	(21,153.53 -44,880.79)	12.13			
			(21,165.66 -44,880.52)	34.27	(21,199.93 -44,880.22)	7.45	(21,207.38 -44,880.11)	2.64			
			(21,210.00 -44,879.80)	1.37	(21,211.23 -44,879.20)	9.78	(21,217.09 -44,871.37)	4.40			
110	457		(21,208.31 -44,863.36)	8.01	(21,215.91 -44,865.89)	6.68	(21,222.58 -44,865.58)	9.41			
			(21,231.53 -44,862.69)	7.85	(21,237.87 -44,858.06)	8.91	(21,243.46 -44,851.12)	13.38			
			(21,250.69 -44,839.86)	7.87	(21,254.88 -44,833.20)	3.92	(21,257.64 -44,830.42)	14.41			
			(21,247.81 -44,819.89)	14.32	(21,237.31 -44,810.16)	7.31	(21,233.35 -44,816.31)	7.25			
			(21,229.86 -44,822.67)	4.64	(21,227.27 -44,826.52)	3.20	(21,225.07 -44,828.85)	2.23			
			(21,223.40 -44,830.33)	0.58	(21,223.82 -44,830.73)	6.21	(21,219.08 -44,834.74)	5.81			
			(21,213.99 -44,837.55)	1.26	(21,212.74 -44,837.70)	26.04					
110	458										

地区 ..003 作業 .. 69 原図番号 .. N1 53-2 縮尺 ..1/ 500 基準点 ..X 21,150.00..Y -45,000.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

	(21,212.74 -44,837.70)	7.55	(21,205.24 -44,838.54)	6.95	(21,198.29 -44,838.40)	6.26
	(21,192.14 -44,837.23)	6.46	(21,186.01 -44,835.19)	6.37	(21,180.38 -44,832.22)	10.75
	(21,172.56 -44,839.59)	6.65	(21,173.20 -44,846.21)	2.70	(21,174.52 -44,848.57)	14.30
	(21,188.51 -44,851.54)	5.42	(21,193.61 -44,853.38)	6.36	(21,198.82 -44,857.02)	6.72
	(21,203.97 -44,861.34)	4.79	(21,208.31 -44,863.36)	26.04		
110 455	(21,260.77 -44,829.47)	4.26	(21,265.02 -44,829.26)	12.63	(21,277.65 -44,829.19)	5.40
	(21,282.97 -44,828.28)	1.17	(21,282.77 -44,827.13)	2.60	(21,280.19 -44,827.49)	3.62
	(21,276.57 -44,827.59)	3.72	(21,273.02 -44,826.47)	4.44	(21,268.99 -44,824.61)	2.26
	(21,267.34 -44,823.06)	2.18	(21,266.61 -44,821.01)	1.68	(21,265.21 -44,820.09)	5.47
	(21,262.42 -44,824.79)	4.96				
110 456	(21,282.97 -44,828.28)	15.88	(21,298.62 -44,825.56)	0.76	(21,298.47 -44,824.81)	15.87
	(21,282.77 -44,827.13)	1.17				