

地区 ..003

作業 .. 70

原図番号 .. N1 53-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,200.00

測定

年 5 月 4 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,000.00 -45,200.00)	50.03	(21,050.03 -45,199.97)	50.00	(21,100.03 -45,199.94)	50.00
		(21,150.03 -45,199.88)	50.02	(21,149.99 -45,149.86)	49.95	(21,149.96 -45,099.91)	50.00
		(21,149.98 -45,049.91)	50.00	(21,150.00 -44,999.91)	49.97	(21,100.03 -44,999.94)	50.03
		(21,050.00 -44,999.97)	50.00	(21,000.00 -45,000.05)	49.95	(21,000.03 -45,050.00)	50.00
		(21,000.01 -45,100.00)	50.00	(21,000.04 -45,150.00)	50.00		
105	376-	(2 / 4)					
		(21,000.00 -45,200.00)	28.40	(21,028.40 -45,199.99)	7.34	(21,023.13 -45,194.88)	6.04
105	002-	(21,018.44 -45,191.08)	5.23	(21,013.93 -45,188.43)	14.07	(21,000.04 -45,190.70)	9.30
	8						
		(21,000.04 -45,190.70)	14.07	(21,013.93 -45,188.43)	1.51	(21,012.98 -45,187.25)	13.14
		(21,000.04 -45,189.55)	1.15				
105	386	(1 / 2)					
		(21,000.04 -45,189.55)	13.14	(21,012.98 -45,187.25)	6.32	(21,008.75 -45,182.56)	7.02
		(21,005.16 -45,176.53)	7.38	(21,001.67 -45,170.03)	3.15	(21,000.02 -45,167.35)	22.20
105	002-						
	9	(21,000.02 -45,167.35)	3.15	(21,001.67 -45,170.03)	7.38	(21,005.16 -45,176.53)	7.02
		(21,008.75 -45,182.56)	6.32	(21,012.98 -45,187.25)	1.51	(21,013.93 -45,188.43)	5.23
		(21,018.44 -45,191.08)	6.04	(21,023.13 -45,194.88)	7.34	(21,028.40 -45,199.99)	1.18
		(21,029.58 -45,199.97)	1.72	(21,028.43 -45,198.69)	6.20	(21,023.93 -45,194.43)	6.44
		(21,019.01 -45,190.28)	5.72	(21,014.34 -45,186.97)	6.97	(21,009.55 -45,181.91)	6.70
		(21,006.11 -45,176.16)	7.56	(21,002.62 -45,169.45)	4.77	(21,000.02 -45,165.45)	1.90
105	001-						
	4	(21,000.02 -45,165.45)	4.77	(21,002.62 -45,169.45)	7.56	(21,006.11 -45,176.16)	6.70
		(21,009.55 -45,181.91)	6.97	(21,014.34 -45,186.97)	5.72	(21,019.01 -45,190.28)	6.44
		(21,023.93 -45,194.43)	6.20	(21,028.43 -45,198.69)	1.72	(21,029.58 -45,199.97)	3.20
		(21,032.78 -45,199.97)	6.67	(21,028.08 -45,195.24)	7.96	(21,022.19 -45,189.88)	7.61
		(21,015.79 -45,185.77)	6.25	(21,011.35 -45,181.37)	2.23	(21,010.05 -45,179.56)	4.75
		(21,007.73 -45,175.41)	7.49	(21,004.09 -45,168.86)	7.55	(21,000.03 -45,162.50)	2.95
105	002-						
	10	(21,000.03 -45,162.50)	7.55	(21,004.09 -45,168.86)	7.49	(21,007.73 -45,175.41)	4.75
		(21,010.05 -45,179.56)	2.23	(21,011.35 -45,181.37)	6.25	(21,015.79 -45,185.77)	7.61
		(21,022.19 -45,189.88)	14.98	(21,035.95 -45,183.95)	6.25	(21,042.02 -45,182.46)	10.48
		(21,052.43 -45,181.27)	12.57	(21,065.00 -45,181.51)	7.04	(21,071.95 -45,182.65)	6.14
		(21,077.67 -45,184.88)	5.65	(21,079.69 -45,190.16)	20.15	(21,093.22 -45,175.23)	4.89
		(21,088.43 -45,176.22)	13.22	(21,075.21 -45,176.55)	31.94	(21,043.28 -45,177.21)	8.29
		(21,035.25 -45,179.25)	10.51	(21,025.40 -45,182.91)	7.50	(21,017.98 -45,181.82)	3.28
		(21,015.60 -45,179.57)	15.99	(21,008.07 -45,165.46)	13.71	(21,000.04 -45,154.35)	8.15
140	002-						
	4	(21,000.04 -45,154.35)	13.71	(21,008.07 -45,165.46)	15.99	(21,015.60 -45,179.57)	3.28
		(21,017.98 -45,181.82)	7.50	(21,025.40 -45,182.91)	10.51	(21,035.25 -45,179.25)	8.29
		(21,043.28 -45,177.21)	31.94	(21,075.21 -45,176.55)	13.22	(21,088.43 -45,176.22)	4.89
		(21,093.22 -45,175.23)	10.28	(21,102.04 -45,169.94)	6.41	(21,105.62 -45,164.62)	13.57
		(21,114.29 -45,154.18)	6.92	(21,117.95 -45,148.31)	1.87	(21,118.45 -45,146.51)	7.02
		(21,117.18 -45,139.61)	15.53	(21,114.43 -45,124.33)	6.40	(21,115.04 -45,117.96)	21.12
		(21,118.42 -45,097.11)	11.10	(21,118.73 -45,086.01)	20.30	(21,118.53 -45,065.71)	28.22
		(21,115.25 -45,037.68)	10.83	(21,113.38 -45,027.01)	10.06	(21,109.83 -45,017.60)	12.34
		(21,106.87 -45,005.62)	5.77	(21,106.00 -44,999.92)	5.97	(21,100.03 -44,999.94)	0.60
		(21,099.43 -44,999.94)	7.15	(21,100.87 -45,006.94)	14.56	(21,104.86 -45,020.94)	6.83
		(21,107.71 -45,027.15)	7.55	(21,110.03 -45,034.33)	4.47	(21,110.82 -45,038.73)	9.81
		(21,111.43 -45,048.52)	18.12	(21,113.98 -45,066.46)	8.67	(21,114.25 -45,075.13)	18.39
		(21,113.62 -45,093.51)	10.71	(21,112.21 -45,104.13)	13.88	(21,110.01 -45,117.83)	7.81

地区 ..003

作業 .. 70

原図番号 .. N1 53-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,200.00

測定 年 5 月 4 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,109.53 -45,125.63)	5.63	(21,109.87 -45,131.25)	8.73	(21,112.06 -45,139.70)	7.34
		(21,114.67 -45,146.56)	5.44	(21,111.67 -45,151.10)	6.03	(21,107.89 -45,155.80)	8.28
		(21,102.28 -45,161.89)	3.03	(21,099.78 -45,163.60)	2.08	(21,098.07 -45,164.78)	2.95
		(21,096.77 -45,167.43)	5.37	(21,091.97 -45,169.83)	4.11	(21,087.92 -45,170.55)	9.73
		(21,078.19 -45,170.26)	21.01	(21,057.29 -45,172.38)	5.68	(21,051.61 -45,172.47)	7.07
		(21,044.56 -45,171.96)	9.89	(21,034.94 -45,174.27)	7.44	(21,028.11 -45,177.21)	4.68
		(21,023.55 -45,178.28)	3.45	(21,020.13 -45,177.85)	15.88	(21,012.60 -45,163.87)	1.58
		(21,011.96 -45,162.43)	3.03	(21,010.73 -45,159.66)	17.18	(21,000.05 -45,146.20)	8.15
140	791	(1/ 2)					
		(21,000.05 -45,146.20)	17.18	(21,010.73 -45,159.66)	3.03	(21,011.96 -45,162.43)	14.81
		(21,024.07 -45,153.90)	13.60	(21,018.06 -45,141.70)	23.36	(21,038.59 -45,130.55)	25.77
		(21,027.65 -45,107.22)	9.92	(21,019.92 -45,113.43)	7.63	(21,013.64 -45,117.77)	4.00
		(21,010.06 -45,119.56)	4.35	(21,006.06 -45,121.28)	6.47	(20,999.98 -45,123.50)	22.70
140	794	(1/ 2)					
		(20,999.98 -45,123.50)	6.47	(21,006.06 -45,121.28)	4.35	(21,010.06 -45,119.56)	4.00
		(21,013.64 -45,117.77)	7.63	(21,019.92 -45,113.43)	9.92	(21,027.65 -45,107.22)	6.95
		(21,023.89 -45,101.38)	3.00	(21,022.16 -45,098.93)	3.19	(21,020.32 -45,096.33)	9.45
		(21,013.70 -45,089.59)	4.15	(21,010.68 -45,086.74)	5.36	(21,006.18 -45,083.83)	4.22
		(21,002.54 -45,081.70)	2.48	(21,000.84 -45,079.90)	1.47	(20,999.99 -45,078.70)	44.80
140	793	(1/ 2)					
		(20,999.99 -45,078.70)	1.47	(21,000.84 -45,079.90)	2.48	(21,002.54 -45,081.70)	4.22
		(21,006.18 -45,083.83)	5.36	(21,010.68 -45,086.74)	4.15	(21,013.70 -45,089.59)	9.45
		(21,020.32 -45,096.33)	31.52	(21,049.68 -45,084.87)	1.53	(21,049.06 -45,083.47)	27.87
		(21,035.62 -45,059.05)	5.50	(21,033.23 -45,054.10)	11.98	(21,022.02 -45,058.33)	13.03
		(21,009.42 -45,061.64)	9.41	(21,000.02 -45,061.20)	17.50		
140	782	(1/ 2)					
		(21,000.02 -45,061.20)	9.41	(21,009.42 -45,061.64)	13.03	(21,022.02 -45,058.33)	11.98
		(21,033.23 -45,054.10)	4.68	(21,031.53 -45,049.74)	4.11	(21,030.41 -45,045.79)	4.30
		(21,029.94 -45,041.52)	5.05	(21,029.77 -45,036.47)	4.99	(21,030.01 -45,031.49)	4.04
		(21,030.61 -45,027.49)	5.96	(21,031.99 -45,021.69)	16.38	(21,015.62 -45,021.11)	7.62
		(21,011.14 -45,027.27)	5.05	(21,009.03 -45,031.86)	13.54	(21,004.99 -45,044.78)	6.14
		(21,002.63 -45,050.45)	4.36	(21,000.03 -45,053.95)	7.25		
140	002-	7					
		(21,000.03 -45,053.95)	4.36	(21,002.63 -45,050.45)	6.14	(21,004.99 -45,044.78)	13.54
		(21,009.03 -45,031.86)	5.05	(21,011.14 -45,027.27)	7.62	(21,015.62 -45,021.11)	2.05
		(21,015.20 -45,019.10)	4.92	(21,016.28 -45,014.30)	5.87	(21,016.65 -45,008.44)	3.13
		(21,015.84 -45,005.42)	6.51	(21,012.20 -45,000.02)	3.85	(21,008.35 -45,000.01)	2.46
		(21,006.15 -45,001.11)	5.39	(21,009.22 -45,005.54)	3.90	(21,010.66 -45,009.16)	3.56
		(21,010.88 -45,012.71)	18.14	(21,002.93 -45,029.02)	7.23	(21,001.75 -45,036.15)	5.43
		(21,000.04 -45,041.30)	12.65				
140	796	(1/ 2)					
		(21,000.04 -45,041.30)	5.43	(21,001.75 -45,036.15)	7.23	(21,002.93 -45,029.02)	3.06
		(21,000.01 -45,028.10)	13.20				
140	797	(1/ 3)					
		(21,000.01 -45,028.10)	3.06	(21,002.93 -45,029.02)	18.14	(21,010.88 -45,012.71)	3.56
		(21,010.66 -45,009.16)	3.90	(21,009.22 -45,005.54)	5.39	(21,006.15 -45,001.11)	5.29
		(21,000.87 -45,001.43)	0.84	(21,000.05 -45,001.25)	26.85		
140	001-	5					
		(21,000.05 -45,001.25)	0.84	(21,000.87 -45,001.43)	5.29	(21,006.15 -45,001.11)	2.46
		(21,008.35 -45,000.01)	8.30	(21,000.05 -45,000.00)	1.25		
140	781-	2 (1/ 2)					
		(21,012.15 -45,000.07)	6.50	(21,015.84 -45,005.42)	3.13	(21,016.65 -45,008.44)	16.94

地区 ..003

作業 .. 70

原図番号 .. N1 53-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,200.00

測定 年 5 月 4 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

140	001-	6	(21,033.59 -45,008.46)	7.94	(21,033.87 -45,000.52)	0.52	(21,033.85 -45,000.00)	21.70
		(21,033.85 -45,000.00)	0.52	(21,033.87 -45,000.52)	7.94	(21,033.59 -45,008.46)	3.14	
		(21,033.53 -45,011.60)	9.77	(21,032.71 -45,021.34)	6.42	(21,031.24 -45,027.59)	3.98	
		(21,030.76 -45,031.54)	4.89	(21,030.38 -45,036.42)	5.02	(21,030.54 -45,041.44)	4.13	
		(21,031.06 -45,045.54)	4.13	(21,032.08 -45,049.54)	4.61	(21,033.95 -45,053.75)	5.40	
		(21,036.22 -45,058.65)	28.09	(21,049.79 -45,083.24)	8.48	(21,053.17 -45,091.02)	6.25	
		(21,056.12 -45,096.53)	13.58	(21,063.25 -45,108.09)	8.13	(21,067.71 -45,114.89)	14.16	
		(21,076.36 -45,126.10)	0.00	(21,076.36 -45,126.10)	7.80	(21,081.14 -45,132.26)	13.97	
		(21,088.30 -45,144.26)	11.40	(21,093.64 -45,154.33)	11.35	(21,098.07 -45,164.78)	2.08	
		(21,099.78 -45,163.60)	11.00	(21,095.46 -45,153.48)	15.66	(21,088.08 -45,139.67)	10.98	
		(21,082.22 -45,130.38)	6.92	(21,077.98 -45,124.91)	14.41	(21,069.29 -45,113.42)	5.64	
		(21,066.00 -45,108.84)	15.46	(21,057.97 -45,095.63)	6.06	(21,055.18 -45,090.25)	8.06	
		(21,051.95 -45,082.87)	28.53	(21,038.10 -45,057.93)	5.47	(21,035.73 -45,053.00)	4.64	
		(21,033.93 -45,048.72)	3.42	(21,033.09 -45,045.40)	4.10	(21,032.49 -45,041.34)	5.17	
		(21,032.33 -45,036.17)	4.06	(21,032.56 -45,032.12)	4.43	(21,033.26 -45,027.75)	5.74	
		(21,034.57 -45,022.16)	12.67	(21,035.84 -45,009.55)	9.57	(21,036.45 -45,000.00)	2.60	
140	002-	5	(21,036.45 -45,000.00)	9.57	(21,035.84 -45,009.55)	12.67	(21,034.57 -45,022.16)	1.20
		(21,035.77 -45,022.25)	12.70	(21,036.61 -45,009.58)	9.60	(21,037.30 -45,000.00)	0.85	
140	780	(1/ 2)						
		(21,037.30 -45,000.00)	9.60	(21,036.61 -45,009.58)	12.70	(21,035.77 -45,022.25)	16.91	
		(21,052.67 -45,022.96)	7.04	(21,052.68 -45,015.92)	7.07	(21,052.81 -45,008.85)	8.88	
		(21,052.85 -44,999.97)	15.55					
140	778-	1	(1/ 2)					
		(21,052.85 -44,999.97)	8.88	(21,052.81 -45,008.85)	7.07	(21,052.68 -45,015.92)	6.77	
		(21,055.38 -45,022.13)	49.49	(21,104.86 -45,020.94)	14.56	(21,100.87 -45,006.94)	7.15	
		(21,099.43 -44,999.94)	46.58					
107	002-	3						
		(21,106.00 -44,999.92)	5.77	(21,106.87 -45,005.62)	12.34	(21,109.83 -45,017.60)	10.06	
		(21,113.38 -45,027.01)	5.58	(21,118.96 -45,026.91)	12.67	(21,115.03 -45,014.86)	10.45	
		(21,113.29 -45,004.56)	4.70	(21,112.35 -44,999.95)	6.35			
107	418	(1/ 2)						
		(21,112.35 -44,999.95)	4.70	(21,113.29 -45,004.56)	10.45	(21,115.03 -45,014.86)	12.67	
		(21,118.96 -45,026.91)	3.30	(21,121.67 -45,025.02)	9.55	(21,126.73 -45,016.92)	4.12	
		(21,129.33 -45,013.73)	6.65	(21,135.70 -45,011.82)	0.51	(21,136.18 -45,011.64)	5.32	
		(21,133.14 -45,007.28)	6.14	(21,130.82 -45,001.60)	2.16	(21,129.45 -44,999.93)	17.10	
107	412	(3/ 4)						
		(21,129.45 -44,999.93)	2.16	(21,130.82 -45,001.60)	6.14	(21,133.14 -45,007.28)	5.32	
		(21,136.18 -45,011.64)	4.94	(21,140.96 -45,010.39)	9.10	(21,150.04 -45,011.06)	11.15	
		(21,150.00 -44,999.91)	20.55					
106	001-	1						
		(21,150.04 -45,011.06)	9.10	(21,140.96 -45,010.39)	4.94	(21,136.18 -45,011.64)	0.51	
		(21,135.70 -45,011.82)	1.84	(21,136.21 -45,013.59)	5.46	(21,141.51 -45,012.29)	8.54	
		(21,150.03 -45,012.91)	1.85					
106	002-	1						
		(21,150.03 -45,012.91)	8.54	(21,141.51 -45,012.29)	5.46	(21,136.21 -45,013.59)	1.84	
		(21,135.70 -45,011.82)	6.55	(21,129.43 -45,013.73)	4.18	(21,126.73 -45,016.92)	9.55	
		(21,121.67 -45,025.02)	3.30	(21,118.96 -45,026.91)	9.96	(21,119.81 -45,036.83)	5.53	
		(21,124.40 -45,033.75)	3.77	(21,125.91 -45,030.30)	10.62	(21,131.32 -45,021.16)	4.90	
		(21,134.78 -45,017.69)	6.32	(21,140.99 -45,016.54)	1.64	(21,142.60 -45,016.25)	7.44	
		(21,149.98 -45,017.21)	4.30					

地区 ..003

作業 .. 70

原図番号 .. N1 53-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,200.00

測定 年 5 月 4 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

106	399	(2/ 2)									
		(21,149.98	-45,017.21)	7.44	(21,142.60	-45,016.25)	1.64	(21,140.99	-45,016.54)	15.65	
		(21,140.96	-45,032.19)	15.35	(21,141.16	-45,047.54)	9.99	(21,143.27	-45,057.30)	3.66	
		(21,145.04	-45,060.50)	2.62	(21,147.52	-45,061.35)	2.00	(21,149.42	-45,060.73)	0.76	
		(21,150.02	-45,060.26)	43.05							
106	397	(2/ 2)									
		(21,150.02	-45,060.26)	0.76	(21,149.42	-45,060.73)	2.00	(21,147.52	-45,061.35)	2.62	
		(21,145.04	-45,060.50)	3.66	(21,143.27	-45,057.30)	9.99	(21,141.16	-45,047.54)	15.35	
		(21,140.96	-45,032.19)	15.65	(21,140.99	-45,016.54)	6.32	(21,134.78	-45,017.69)	4.90	
		(21,131.32	-45,021.16)	10.62	(21,125.91	-45,030.30)	3.77	(21,124.40	-45,033.75)	5.53	
		(21,119.81	-45,036.83)	8.47	(21,120.29	-45,045.29)	10.19	(21,121.77	-45,055.37)	9.70	
		(21,123.19	-45,064.97)	13.92	(21,123.87	-45,078.87)	22.16	(21,123.21	-45,101.02)	17.70	
		(21,139.25	-45,093.54)	2.63	(21,140.90	-45,091.49)	2.41	(21,141.45	-45,089.14)	9.76	
		(21,141.77	-45,079.39)	1.45	(21,142.19	-45,078.00)	2.06	(21,143.20	-45,076.20)	8.13	
		(21,148.40	-45,069.95)	2.37	(21,150.01	-45,068.21)	7.95				
106	001-	2									
		(21,150.01	-45,068.21)	2.37	(21,148.40	-45,069.95)	8.13	(21,143.20	-45,076.20)	2.06	
		(21,142.19	-45,078.00)	1.45	(21,141.77	-45,079.39)	9.76	(21,141.45	-45,089.14)	2.41	
		(21,140.90	-45,091.49)	2.63	(21,139.25	-45,093.54)	17.70	(21,123.21	-45,101.02)	17.00	
		(21,119.99	-45,117.71)	5.48	(21,119.43	-45,123.16)	16.49	(21,122.18	-45,139.42)	3.82	
		(21,122.90	-45,143.17)	3.39	(21,122.35	-45,146.52)	3.63	(21,121.14	-45,149.94)	3.78	
		(21,119.49	-45,153.34)	4.34	(21,117.18	-45,157.01)	13.46	(21,108.74	-45,167.50)	37.22	
		(21,084.22	-45,195.50)	3.03	(21,084.49	-45,198.52)	37.08	(21,109.34	-45,171.00)	15.47	
		(21,118.78	-45,158.74)	10.19	(21,123.89	-45,149.92)	3.86	(21,125.07	-45,146.25)	2.65	
		(21,125.23	-45,143.60)	3.95	(21,124.48	-45,139.72)	16.65	(21,121.88	-45,123.27)	5.48	
		(21,122.11	-45,117.79)	12.56	(21,125.00	-45,105.57)	3.30	(21,126.43	-45,102.60)	2.22	
		(21,128.14	-45,101.18)	3.17	(21,130.89	-45,099.60)	6.96	(21,137.42	-45,097.19)	5.09	
		(21,141.94	-45,094.85)	2.36	(21,143.31	-45,092.93)	0.54	(21,143.60	-45,092.47)	9.83	
		(21,144.06	-45,082.65)	2.70	(21,144.57	-45,080.00)	2.85	(21,145.62	-45,077.35)	4.67	
		(21,148.40	-45,073.60)	2.33	(21,150.00	-45,071.91)	3.70				
106	391	(2/ 2)									
		(21,150.00	-45,071.91)	2.33	(21,148.40	-45,073.60)	4.67	(21,145.62	-45,077.35)	2.85	
		(21,144.57	-45,080.00)	2.70	(21,144.06	-45,082.65)	9.83	(21,143.60	-45,092.47)	0.54	
		(21,143.31	-45,092.93)	1.43	(21,144.05	-45,094.15)	1.92	(21,144.67	-45,095.97)	3.11	
		(21,144.96	-45,099.07)	3.13	(21,144.91	-45,102.20)	3.25	(21,144.21	-45,105.37)	3.34	
		(21,143.70	-45,108.67)	5.09	(21,143.39	-45,113.75)	5.06	(21,143.66	-45,118.80)	4.60	
		(21,144.51	-45,123.32)	4.50	(21,145.97	-45,127.58)	5.23	(21,147.24	-45,132.65)	5.73	
		(21,148.03	-45,138.33)	9.37	(21,148.25	-45,147.70)	4.56	(21,148.54	-45,152.25)	4.61	
		(21,149.13	-45,156.82)	1.09	(21,150.01	-45,157.46)	85.55				
106	388	(3/ 3)									
		(21,150.01	-45,157.46)	1.09	(21,149.13	-45,156.82)	12.66	(21,136.79	-45,153.99)	3.96	
		(21,132.99	-45,152.88)	9.57	(21,123.89	-45,149.92)	10.19	(21,118.78	-45,158.74)	15.47	
		(21,109.34	-45,171.00)	37.08	(21,084.49	-45,198.52)	0.41	(21,084.11	-45,198.37)	1.75	
		(21,083.28	-45,199.91)	16.75	(21,100.03	-45,199.94)	23.57	(21,123.60	-45,199.92)	11.05	
		(21,134.08	-45,196.43)	8.01	(21,141.31	-45,192.99)	5.59	(21,146.60	-45,191.19)	4.41	
		(21,147.37	-45,186.85)	3.50	(21,148.40	-45,183.50)	3.46	(21,150.05	-45,180.46)	23.00	
106	390	(2/ 2)									
		(21,150.05	-45,180.46)	3.46	(21,148.40	-45,183.50)	3.50	(21,147.37	-45,186.85)	4.41	
		(21,146.60	-45,191.19)	3.65	(21,150.04	-45,189.96)	9.50				
87	002-	12									
		(21,150.04	-45,189.96)	3.65	(21,146.60	-45,191.19)	5.59	(21,141.31	-45,192.99)	8.01	
		(21,134.08	-45,196.43)	11.05	(21,123.60	-45,199.92)	14.13	(21,137.73	-45,199.89)	2.09	

地区 ..003 作業 .. 70 原図番号 .. N1 53-3 縮尺 ..1/ 500 基準点 ..X 21,000.00..Y -45,200.00 測定 年 5 月 4 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

87	1384	(21,139.18 (4/ 4) -45,198.39)	5.00	(21,143.68 -45,196.20)	6.64	(21,150.03 -45,194.26)	4.30
		(@ 21,150.03 (21,137.73 -45,194.26) -45,199.89)	6.64 12.30	(21,143.68 (21,150.03 -45,196.20) -45,199.88)	5.00 5.62	(21,139.18 -45,198.39)	2.09
105	002-	11 (21,083.28 (21,078.26 -45,199.91) -45,199.04)	1.75 0.99	(21,084.11 (21,077.78 -45,198.37) -45,199.91)	4.06 5.50	(@ 21,080.15 -45,197.46)	2.46
105	372-	2 (21,077.78 -45,199.91)	0.99	(@ 21,078.26 -45,199.04)	1.27	(21,077.38 -45,199.96)	0.40
105	001-	3 (21,077.38 (21,084.11 -45,199.96) -45,198.37)	1.27 0.41	(21,078.26 (21,084.49 -45,199.04) -45,198.52)	2.46 3.03	(21,080.15 (21,084.22 -45,197.46) -45,195.50)	4.06 5.86
105	372-	1 (21,078.70 (21,073.33 -45,193.54) (21,073.33 -45,199.90)	0.73 8.25	(@ 21,078.08 -45,193.16) (21,078.08 -45,193.16)	8.25 0.73	(21,073.33 (21,071.95 -45,193.54) -45,182.65)	4.05 3.52
		(21,079.69 -45,190.16)	5.65	(21,077.67 -45,184.88)	6.14	(21,071.95 -45,182.65)	7.04
		(21,065.00 -45,181.51)	12.57	(@ 21,052.43 -45,181.27)	10.48	(21,042.02 -45,182.46)	6.25
		(21,035.95 -45,183.95)	14.98	(21,022.19 -45,189.88)	7.96	(21,028.08 -45,195.24)	6.67
106	396	(21,032.78 -45,199.97)	40.55				
		(21,123.89 -45,149.92)	9.57	(21,132.99 -45,152.88)	3.96	(21,136.79 -45,153.99)	12.66
		(21,149.13 -45,156.82)	4.61	(21,148.54 -45,152.25)	4.56	(21,148.25 -45,147.70)	9.37
		(21,148.03 -45,138.33)	5.73	(21,147.24 -45,132.65)	5.23	(21,145.97 -45,127.58)	4.50
		(21,144.51 -45,123.32)	4.60	(21,143.66 -45,118.80)	5.06	(21,143.39 -45,113.75)	5.09
		(21,143.70 -45,108.67)	3.34	(21,144.21 -45,105.37)	3.25	(21,144.91 -45,102.20)	3.13
		(21,144.96 -45,099.07)	3.11	(21,144.67 -45,095.97)	1.92	(21,144.05 -45,094.15)	1.43
		(@ 21,143.31 -45,092.93)	2.36	(21,141.94 -45,094.85)	5.09	(21,137.42 -45,097.19)	6.96
		(21,130.89 -45,099.60)	3.17	(21,128.14 -45,101.18)	2.22	(21,126.43 -45,102.60)	3.30
		(21,125.00 -45,105.57)	12.56	(21,122.11 -45,117.79)	5.48	(21,121.88 -45,123.27)	16.65
		(21,124.48 -45,139.72)	3.95	(21,125.23 -45,143.60)	2.65	(21,125.07 -45,146.25)	3.86
106	002-	2 (21,084.22 -45,195.50)	37.22	(21,108.74 -45,167.50)	13.46	(21,117.18 -45,157.01)	4.34
		(21,119.49 -45,153.34)	3.78	(21,121.14 -45,149.94)	3.63	(21,122.35 -45,146.52)	3.39
		(21,122.90 -45,143.17)	3.82	(21,122.18 -45,139.42)	16.49	(21,119.43 -45,123.16)	5.48
		(21,119.99 -45,117.71)	17.00	(21,123.21 -45,101.02)	22.16	(21,123.87 -45,078.87)	13.92
		(21,123.19 -45,064.97)	9.70	(21,121.77 -45,055.37)	10.19	(21,120.29 -45,045.29)	8.47
		(21,119.81 -45,036.83)	9.96	(@ 21,118.96 -45,026.91)	5.58	(21,113.38 -45,027.01)	10.83
		(21,115.25 -45,037.68)	28.22	(21,118.53 -45,065.71)	20.30	(21,118.73 -45,086.01)	11.10
		(21,118.42 -45,097.11)	21.12	(21,115.04 -45,117.96)	6.40	(21,114.43 -45,124.33)	15.53
		(21,117.18 -45,139.61)	7.02	(21,118.45 -45,146.51)	1.87	(21,117.95 -45,148.31)	6.92
		(21,114.29 -45,154.18)	13.57	(21,105.62 -45,164.62)	6.41	(21,102.04 -45,169.94)	10.28
		(21,093.22 -45,175.23)	20.15	(21,079.69 -45,190.16)	3.52	(21,078.70 -45,193.54)	5.86
140	788	(21,042.82 -45,170.36)	2.36	(21,044.56 -45,171.96)	7.07	(21,051.61 -45,172.47)	5.68
		(21,057.29 -45,172.38)	21.01	(21,078.19 -45,170.26)	9.73	(21,087.92 -45,170.55)	4.11
		(21,091.97 -45,169.83)	5.37	(21,096.77 -45,167.43)	2.95	(21,098.07 -45,164.78)	11.35
		(21,093.64 -45,154.33)	11.40	(@ 21,088.30 -45,144.26)	52.44		
140	789	(21,088.30 -45,144.26)	13.97	(21,081.14 -45,132.26)	7.80	(21,076.36 -45,126.10)	14.16
		(@ 21,067.71 -45,114.89)	0.78	(21,067.01 -45,115.24)	9.78	(21,058.60 -45,120.23)	0.00
		(21,058.60 -45,120.23)	22.43	(21,039.04 -45,131.20)	0.79	(21,038.59 -45,130.55)	23.36
		(21,018.06 -45,141.70)	13.60	(21,024.07 -45,153.90)	24.95	(21,042.82 -45,170.36)	52.44

地区 ..003 作業 .. 70 原図番号 .. N1 53-3 縮尺 ..1/ 500 基準点 ..X 21,000.00..Y -45,200.00 測定 年 5 月 4 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

140	790	(21,042.82 -45,170.36)	24.95	(@ 21,024.07 -45,153.90)	14.81	(21,011.96 -45,162.43)	1.58
		(21,012.60 -45,163.87)	15.88	(21,020.13 -45,177.85)	3.45	(21,023.55 -45,178.28)	4.68
		(21,028.11 -45,177.21)	7.44	(21,034.94 -45,174.27)	9.89	(21,044.56 -45,171.96)	2.36
140	792	(21,020.32 -45,096.33)	3.19	(21,022.16 -45,098.93)	3.00	(21,023.89 -45,101.38)	6.95
		(21,027.65 -45,107.22)	25.77	(21,038.59 -45,130.55)	0.79	(21,039.04 -45,131.20)	22.43
		(21,058.60 -45,120.23)	9.78	(21,067.01 -45,115.24)	8.12	(21,062.65 -45,108.39)	13.40
		(21,055.62 -45,096.98)	6.46	(21,052.55 -45,091.30)	7.04	(@ 21,049.68 -45,084.87)	31.52
140	002- 6	(21,032.07 -45,021.39)	0.31	(21,031.99 -45,021.69)	5.96	(21,030.61 -45,027.49)	4.04
		(21,030.01 -45,031.49)	4.99	(21,029.77 -45,036.47)	5.05	(21,029.94 -45,041.52)	4.30
		(21,030.41 -45,045.79)	4.11	(21,031.53 -45,049.74)	4.68	(21,033.23 -45,054.10)	5.50
		(21,035.62 -45,059.05)	27.87	(21,049.06 -45,083.47)	1.53	(21,049.68 -45,084.87)	7.04
		(21,052.55 -45,091.30)	6.46	(21,055.62 -45,096.98)	13.40	(21,062.65 -45,108.39)	8.12
		(21,067.01 -45,115.24)	0.78	(21,067.71 -45,114.89)	8.13	(21,063.25 -45,108.09)	13.58
		(21,056.12 -45,096.53)	6.25	(21,053.17 -45,091.02)	8.48	(21,049.79 -45,083.24)	28.09
		(21,036.22 -45,058.65)	5.40	(21,033.95 -45,053.75)	4.61	(21,032.08 -45,049.54)	4.13
		(21,031.06 -45,045.54)	4.13	(21,030.54 -45,041.44)	5.02	(21,030.38 -45,036.42)	4.89
		(21,030.71 -45,031.54)	3.99	(21,031.24 -45,027.59)	6.42	(@ 21,032.71 -45,021.34)	0.64
140	781- 1	(21,031.99 -45,021.69)	0.31	(21,032.07 -45,021.39)	0.64	(21,032.71 -45,021.34)	9.77
		(21,033.53 -45,011.60)	3.14	(21,033.59 -45,008.46)	16.94	(@ 21,016.65 -45,008.44)	5.87
		(21,016.28 -45,014.30)	4.92	(21,015.20 -45,019.10)	2.05	(21,015.62 -45,021.11)	16.38
140	778- 2	(21,052.67 -45,022.96)	1.67	(21,054.34 -45,022.97)	1.34	(21,055.38 -45,022.13)	6.77
		(@ 21,052.68 -45,015.92)	7.04				
140	783	(21,054.34 -45,022.97)	1.67	(21,052.67 -45,022.96)	16.91	(21,035.77 -45,022.25)	1.20
		(@ 21,034.57 -45,022.16)	5.74	(21,033.26 -45,027.75)	4.43	(21,032.56 -45,032.12)	4.06
		(21,032.33 -45,036.17)	5.17	(21,032.49 -45,041.34)	4.10	(21,033.09 -45,045.40)	3.42
		(21,033.93 -45,048.72)	4.64	(21,035.73 -45,053.00)	5.47	(21,038.10 -45,057.93)	28.53
		(21,051.95 -45,082.87)	5.71	(21,056.82 -45,079.88)	4.02	(21,060.04 -45,077.48)	4.00
		(21,063.05 -45,074.84)	11.69	(21,071.51 -45,066.77)	6.29	(21,076.26 -45,062.65)	13.78
		(21,069.63 -45,050.57)	8.05	(21,065.99 -45,043.39)	23.51	(21,054.34 -45,022.97)	0.00
140	784	(21,055.38 -45,022.13)	1.34	(21,054.34 -45,022.97)	23.51	(21,065.99 -45,043.39)	8.05
		(21,069.63 -45,050.57)	13.78	(21,076.26 -45,062.65)	10.30	(21,084.42 -45,056.37)	12.72
		(21,094.03 -45,048.03)	1.90	(21,095.54 -45,046.88)	0.85	(21,096.39 -45,046.88)	0.90
		(21,097.08 -45,047.46)	2.66	(21,098.08 -45,049.93)	0.60	(21,098.63 -45,049.69)	12.85
		(21,111.43 -45,048.52)	9.81	(21,110.82 -45,038.73)	4.47	(21,110.03 -45,034.33)	7.55
		(21,107.71 -45,027.15)	6.83	(@ 21,104.86 -45,020.94)	49.49		
140	785	(21,098.63 -45,049.69)	0.60	(21,098.08 -45,049.93)	2.66	(21,097.08 -45,047.46)	0.90
		(21,096.39 -45,046.88)	0.85	(@ 21,095.54 -45,046.88)	1.90	(21,094.03 -45,048.03)	12.72
		(21,084.42 -45,056.37)	10.30	(21,076.26 -45,062.65)	6.29	(21,071.51 -45,066.77)	11.69
		(21,063.05 -45,074.84)	4.00	(21,060.04 -45,077.48)	4.02	(21,056.82 -45,079.88)	5.71
		(21,051.95 -45,082.87)	8.06	(21,055.18 -45,090.25)	6.06	(21,057.97 -45,095.63)	15.46
		(21,066.00 -45,108.84)	5.64	(21,069.29 -45,113.42)	14.41	(21,077.98 -45,124.91)	6.92
		(21,082.22 -45,130.38)	6.68	(21,087.15 -45,125.87)	5.26	(21,090.18 -45,121.57)	6.99
		(21,093.42 -45,115.38)	7.12	(21,096.43 -45,108.93)	5.46	(21,097.93 -45,103.68)	13.69
		(21,099.93 -45,090.14)	7.83	(21,100.61 -45,082.34)	9.15	(21,100.85 -45,073.19)	7.85

地区 ..003

作業 .. 70

原図番号 .. N1 53-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -45,200.00

測定 年 5 月 4 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

140	787	(21,100.69 -45,065.34)	7.47	(21,099.92 -45,057.91)	8.32	(21,098.63 -45,049.69)	0.00
		(21,098.63 -45,049.69)	8.32	(21,099.92 -45,057.91)	7.47	(21,100.69 -45,065.34)	7.85
		(21,100.90 -45,073.19)	9.15	(21,100.61 -45,082.34)	7.83	(21,099.93 -45,090.14)	13.69
		(21,097.93 -45,103.68)	5.46	(21,096.43 -45,108.93)	7.12	(21,093.42 -45,115.38)	6.99
		(21,090.18 -45,121.57)	5.26	(21,087.15 -45,125.87)	6.68	(21,082.22 -45,130.38)	10.98
		(21,088.08 -45,139.67)	15.66	(21,095.46 -45,153.48)	11.00	(21,099.78 -45,163.60)	3.03
		(21,102.28 -45,161.89)	8.28	(21,107.89 -45,155.80)	6.03	(21,111.67 -45,151.10)	5.44
		(21,114.67 -45,146.56)	7.34	(21,112.06 -45,139.70)	8.73	(21,109.87 -45,131.25)	5.63
		(21,109.53 -45,125.63)	7.81	(21,110.01 -45,117.83)	13.88	(21,112.21 -45,104.13)	10.71
		(21,113.62 -45,093.51)	18.39	(21,114.25 -45,075.13)	8.67	(21,113.98 -45,066.46)	18.12
		(21,111.43 -45,048.52)	12.85				